



# The XePersian *Package*

Documentation for *version 20.6*

*to my Master, Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/xepersian/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2008–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version.

# The XePersian *Package*

## Persian for $\text{\LaTeX}$ <sub>2 $\epsilon$</sub> , using Xe $\text{\TeX}$ engine

Documentation for [version 20.6](#)

Vafa Khalighi  
[persian-tex@tug.org](mailto:persian-tex@tug.org)

January 8, 2018

## Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>			
1.1	Important Notes . . . . .	4		2.6.1	Basic Font Commands . . . . . 39
1.2	XePersian Info On The Terminal and In The Log File . . . . .	4		2.6.2	Defining Extra Persian and Latin Fonts . . . . . 39
<b>2</b>	<b>Basics</b>	<b>5</b>		2.6.3	Choosing Persian Sans Font . . . . . 40
2.1	Loading The Package . . . . .	5		2.6.4	Choosing Persian Mono Font . . . . . 40
2.2	XePersian's Symbol . . . . .	6		2.6.5	Choosing Persian Iranic Font . . . . . 40
2.3	Commands for Version number, and Date of The Package . . . . .	6		2.6.6	Choosing Persian Navar Font . . . . . 40
2.4	Options of The Package . . . . .	6		2.6.7	Choosing Persian Pook Font . . . . . 40
2.4.1	defaultlatinfontfeatures Option . . . . .	6		2.6.8	Choosing Persian Sayeh Font . . . . . 40
2.4.2	extrafootnotefeatures Option . . . . .	7		2.6.9	Choosing Latin Sans Font . . . . . 40
2.4.3	Kashida Option . . . . .	7		2.6.10	Choosing Latin Mono Font . . . . . 40
2.4.4	quickindex Option . . . . .	7		<b>3</b>	<b>Latin and Persian Environment</b>
2.4.5	quickindex-variant1 Option . . . . .	7		3.1	latinitems and parsitems environments . . . . . 41
2.4.6	quickindex-variant2 Option . . . . .	7		3.2	Short Latin and Persian Texts . . . . . 41
2.4.7	localise Option . . . . .	8		3.3	Miscellaneous Commands . . . . . 41
2.4.8	Localizations of the keys and key values of graphicx package . . . . .	35		3.4	New Commands . . . . . 42
2.4.9	Localizations of font features and font feature options . . . . .	36		3.5	Additional Counters . . . . . 42
2.5	A Sample Input $\text{\TeX}$ File . . . . .	38			
2.6	Font Commands . . . . .	38			

3.6	Things To Know About <code>\setmathdigitfont</code> , <code>\setmathsfdigitfont</code> , and <code>\setmathttddigitfont</code> . . . . .	43	6.3.2	The Form and the Mask	55
4	New Conditionals . . . . .	43	6.3.3	The correction . . . . .	55
4.1	Shell escape (or <code>writeln</code> ) con- ditional . . . . .	43	7	<b>xepersian implementation</b> . . . . .	55
5	Bilingual Captions . . . . .	43	7.1	<code>algorithmic-xepersian.def</code> . . . . .	55
5.1	Support For Various Packages . . . . .	44	7.2	<code>algorithm-xepersian.def</code> . . . . .	56
5.1.1	Things You Should Know about Support For <code>enumerate</code> Package . . . . .	44	7.3	<code>amsart-xepersian.def</code> . . . . .	56
5.2	Index Generation . . . . .	44	7.4	<code>amsbook-xepersian.def</code> . . . . .	56
5.3	Converting Your <code>FarsiTeX</code> Files To <code>XePersian</code> or Unicode . . . . .	44	7.5	<code>appendix-xepersian.def</code> . . . . .	56
6	Extra Packages And Classes . . . . .	45	7.6	<code>article-xepersian.def</code> . . . . .	56
6.1	Magazine Typesetting . . . . .	45	7.7	<code>artikel1-xepersian.def</code> . . . . .	57
6.1.1	Introduction . . . . .	45	7.8	<code>artikel2-xepersian.def</code> . . . . .	57
6.1.2	Usage . . . . .	45	7.9	<code>artikel3-xepersian.def</code> . . . . .	57
6.1.3	Front Page . . . . .	45	7.10	<code>backref-xepersian.def</code> . . . . .	57
6.1.4	Inside . . . . .	47	7.11	<code>bidituftesidenote-xepersian.def</code> . . . . .	58
6.1.5	The article environment . . . . .	47	7.12	<code>bidimoderncv-xepersian.def</code> . . . . .	58
6.1.6	The editorial environ- ment . . . . .	48	7.13	<code>boek3-xepersian.def</code> . . . . .	58
6.1.7	The shortarticle envi- ronment . . . . .	49	7.14	<code>boek-xepersian.def</code> . . . . .	58
6.1.8	Commands between ar- ticles . . . . .	49	7.15	<code>bookest-xepersian.def</code> . . . . .	58
6.1.9	Customization . . . . .	49	7.16	<code>book-xepersian.def</code> . . . . .	59
6.1.10	Front Page . . . . .	50	7.17	<code>breqn-xepersian.def</code> . . . . .	59
6.1.11	Inside The Magazine . . . . .	51	7.18	<code>latex-localise-commands-</code> <code>xepersian.def</code> . . . . .	60
6.1.12	Class Options . . . . .	52	7.19	<code>color-localise-xepersian.def</code> . . . . .	79
6.2	Typesetting Multiple-choice Questions . . . . .	52	7.20	<code>xepersian-localise-commands-</code> <code>xepersian.def</code> . . . . .	79
6.2.1	Introduction . . . . .	52	7.21	<code>enumerate-xepersian.def</code> . . . . .	80
6.2.2	Usage . . . . .	53	7.22	<code>enumitem-xepersian.def</code> . . . . .	81
6.2.3	Loading The Package . . . . .	53	7.23	<code>latex-localise-environments-</code> <code>xepersian.def</code> . . . . .	81
6.2.4	Creating Questions . . . . .	53	7.24	<code>xepersian-localise-environments-</code> <code>xepersian.def</code> . . . . .	82
6.2.5	The <code>question</code> Envi- ronment . . . . .	53	7.25	<code>extarticle-xepersian.def</code> . . . . .	82
6.2.6	Question Numbers . . . . .	53	7.26	<code>extbook-xepersian.def</code> . . . . .	82
6.2.7	The Form and the Mask . . . . .	54	7.27	<code>extrafootnotefeatures-</code> <code>xepersian.def</code> . . . . .	82
6.2.8	Typesetting corrections . . . . .	54	7.28	<code>extreport-xepersian.def</code> . . . . .	83
6.2.9	Important Note . . . . .	54	7.29	<code>flowfram-xepersian.def</code> . . . . .	83
6.3	Customising The Package . . . . .	54	7.30	<code>footnote-xepersian.def</code> . . . . .	83
6.3.1	The <code>question</code> environ- ment . . . . .	55	7.31	<code>framed-xepersian.def</code> . . . . .	84
6.3.2	The Form and the Mask . . . . .	55	7.32	<code>glossaries-xepersian.def</code> . . . . .	84
6.3.3	The correction . . . . .	55	7.33	<code>hyperref-xepersian.def</code> . . . . .	84
			7.34	<code>imsproc-xepersian.def</code> . . . . .	85
			7.35	<code>kashida-xepersian.def</code> . . . . .	85
			7.36	<code>listings-xepersian.def</code> . . . . .	86
			7.37	<code>loadingorder-xepersian.def</code> . . . . .	87
			7.38	<code>localise-xepersian.def</code> . . . . .	87
			7.39	<code>memoir-xepersian.def</code> . . . . .	89
			7.40	<code>latex-localise-messages-</code> <code>xepersian.def</code> . . . . .	89



7.41	minitoc-xepersian.def . . . . .	89	7.52	scrreprt-xepersian.def . . . . .	107
7.42	latex-localise-misc-xepersian.def	89	7.53	soul-xepersian.def . . . . .	108
7.43	natbib-xepersian.def . . . . .	97	7.54	tkz-linknodes-xepersian.def . .	108
7.44	packages-localise-xepersian.def	101	7.55	tocloft-xepersian.def . . . . .	108
7.45	parsidigits.map . . . . .	104	7.56	xepersian.sty . . . . .	109
7.46	rapport1-xepersian.def . . . . .	105	7.57	xepersian-magazine.cls . . . . .	137
7.47	rapport3-xepersian.def . . . . .	105	7.58	xepersian-mathsdigitspec.sty . .	155
7.48	refrep-xepersian.def . . . . .	105	7.59	xepersian-multiplechoice.sty . .	160
7.49	report-xepersian.def . . . . .	106	7.60	xepersian-persiancal.sty . . . .	163
7.50	scrartcl-xepersian.def . . . . .	106			
7.51	scrbook-xepersian.def . . . . .	106	8	Change History	202



## 1 Introduction

XePersian is a package for typesetting Persian/English documents with Xe $\LaTeX$ . The package includes adaptations for use with many other commonly-used packages.

### 1.1 Important Notes

- ☞ The XePersian package only works with Xe $\TeX$  engine.
- ☞ Before reading this documentation, you should have read the documentation of the bidi package. The XePersian package automatically loads bidi package with `RTLdocument` option enabled and hence any commands that bidi package offers, is also available in XePersian package. Here, in this documentation, we will not repeat any of bidi package's commands.
- ☞ In previous versions ( $\leq 1.0.3$ ) of XePersian, a thesis class provided for typesetting thesis. As of version 1.0.4, we no longer provide this class because we are not familiar with specification of a thesis in Iran and even if we were, the specifications are different from University to University. XePersian is a general package like  $\LaTeX$  and should not provide any class for typesetting thesis. So if you really want to have a class file for typesetting thesis, then you should ask your University/department to write one for you.

### 1.2 XePersian Info On The Terminal and In The Log File

If you use XePersian package to write any input  $\TeX$  document, and then run `xelatex` on your document, in addition to what bidi package writes to the terminal and to the log file, the XePersian package also writes some information about itself to the terminal and to the log file, too. The information is something like:

```
*****
*
* xepersian package (Persian for LaTeX, using XeTeX engine)
*
* Description: The package supports Persian
* typesetting, using fonts provided in the
* distribution.
*
* Copyright (c) 2008--2018 Vafa Khalighi
*
* v20.6, 2018/01/08
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/xepersian
*
* Issue tracker: https://github.com/tex-xet/xepersian/issues
```



```
*
* Support: persian-tex@tug.org
*
*****
```

## 2 Basics

### 2.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {xepersian}
```

Where options of the package are explained later in [subsection 2.4](#).  
When loading the package, it is important to know that:

- ❶ xepersian should be the last package that you load, because otherwise you are certainly going to overwrite bidi and XePersian package's definitions and consequently, you will not get the expected output.
- ❷ In fact, in addition to bidi, XePersian also makes sure that some specific packages are loaded before bidi and XePersian; these are those packages that bidi and XePersian modifies them for bidirectional and Persian/English typesetting. If you load XePersian before any of these packages, then you will get an error saying that you should load XePersian or bidi as your last package. When it says that you should load bidi package as your last package, it really means that you should load XePersian as your last package as bidi package is loaded automatically by XePersian package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{xepersian}
3 \usepackage{enumerate}
4 \settextfont{XB Niloofar}
5 \begin{document}
6 این فقط یک آزمایش است
7 \end{document}
```

Where enumerate is loaded after XePersian. If you run xelatex on this document, you will get an error which looks like this:

```
! Package xepersian Error: Oops! you have loaded package enumerate
after xepersian package. Please load package enumerate before
xepersian package, and then try to run xelatex on your document
again.
```

See the xepersian package documentation for explanation.



```
Type H <return> for immediate help.
...

1.5 \begin{document}

?
```

## 2.2 XePersian's Symbol

As you may know lion symbolizes T<sub>E</sub>X but lion does not symbolizes XePersian. **Simorgh**<sup>1</sup> (shown on the first page of this documentation) symbolizes XePersian.

## 2.3 Commands for Version number, and Date of The Package

```
\xepersianversion \xepersiandate
```

☞ `\xepersianversion` gives the current version of the package.

☞ `\xepersiandate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofar}
4 \begin{document}
5 \begin{latin}
6 This is typeset by \textsf{\XePersian} package, \xepersianversion,
7 \xepersiandate.
8 \end{latin}
9 \end{document}
```

## 2.4 Options of The Package

There are few options:

### 2.4.1 defaultlatinfontfeatures Option

```
defaultlatinfontfeatures=<value>
```

The `defaultlatinfontfeatures` option allows you to pass font features to the main Latin font. `<value>` is a set of font features.

<sup>1</sup>**Simorgh** is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



### 2.4.2 extrafootnotefeatures Option

This is just the `extrafootnotefeatures` Option of `bidi` package. If you enable this option, you can typeset footnotes in paragraph form or in multi-columns (from two-columns to ten-columns). For more details, please read the manual of `bidi` package.

### 2.4.3 Kashida Option

If you pass `Kashida` option to the package, you will use `Kashida` for stretching words for better output quality and getting rid of underfull or overfull `\hbox` messages. Note that you can not use `Kashida` option when you are using `Nastaliq`-like font (well, you still can use `Kashida` option when you use any `Nastaliq`-like font, but I can not guarantee high quality output!).

The following two commands are provided when you activate the `Kashida` option:

`\KashidaOn`   `\KashidaOff`

☞ `\KashidaOn` enables `Kashida` and is active by default when `Kashida` option is activated.

☞ `\KashidaOff` disables `Kashida`.

### 2.4.4 quickindex Option

When you generally want to prepare index for your Persian documents, you need to first run `xelatex`, then `xindy`, and again `xelatex` on your document respectively, which is very time consuming. The `quickindex` option gives you the index with only and only one run of `xelatex`. To use this feature, you will need to run `xelatex --shell-escape` on your `TEX` document; otherwise you get an error which indicates that `shell scape` (or `write18`) is not enabled.

This option is now obsolete and equivalent to `quickindex-variant2` option.

### 2.4.5 quickindex-variant1 Option

Same as `quickindex` Option but uses variant one (in which `ĩ` is grouped under `l`) for sorting Persian alphabets.

### 2.4.6 quickindex-variant2 Option

Same as `quickindex` Option but uses variant two (in which `ĩ` is a separate letter) for sorting Persian alphabets.





### 2.4.7 localise Option

This option allows you to use most frequently-used  $\LaTeX$  commands and environments in Persian, almost like what  $\TeX$ -e-Parsi offers. This is still work in progress and we wish to add lots more Persian equivalents of  $\LaTeX$  and  $\TeX$  commands and environments. The Persian equivalents of  $\LaTeX$  and  $\TeX$  commands are shown in [Table 1](#), The Persian equivalents of XePersian commands are shown in [Table 2](#), Persian equivalents of  $\LaTeX$  environments are shown in [Table 3](#) and Persian equivalents of XePersian environments are shown in [Table 4](#).

Please note that the Persian equivalents of  $\LaTeX$  and  $\TeX$  commands and environments are only available after loading xepersian package. This means that you have to write all commands or environments that come before `\usepackage{xepersian}`, in its original form, i.e. `\documentclass`.

Not only you can use Persian equivalents of  $\LaTeX$  and  $\TeX$  commands and environments, but still original  $\LaTeX$  and  $\TeX$  commands and environments work too.

The  $\TeX$ ,  $\LaTeX$  and XePersian commands and environments and their Persian equivalents listed in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) is not the whole story; If any command and environment in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) have a starred version, their starred version also work. For example in [Table 1](#), the Persian equivalent of `\chapter` is `فصل`. I know that `\chapter` has a starred version, so this means `*فصل` is also the Persian equivalent of `\chapter*`. Is that clear?

However there is more; you can localise any other commands/environments you want. You can use the following commands to localise your own commands/environments:

```
\eqcommand{\langle command-name in Persian \rangle}{\langle original \LaTeX command-name \rangle}
\eqenvironment{\langle environment-name in Persian \rangle}{\langle original \LaTeX environment-name \rangle}
```

Table 1: The Equivalent  $\LaTeX$  and  $\TeX$  Commands

Command in $\TeX$ or $\LaTeX$	Equivalent Persian Command
<code>\@arstrut</code>	شمع جدول
<code>\above</code>	فوق
<code>\abovedisplayshortskip</code>	فاصله کوتاه بالای نمایش
<code>\abovedisplayskip</code>	فاصله بالای نمایش
<code>\abstractname</code>	عنوان چکیده
<code>\accent</code>	اکسنت
<code>\active</code>	فعال
<code>\addcontentsline</code>	بیفزاسطر فهرست
<code>\addpenalty</code>	اضافه بر جریمه
<code>\address</code>	نشانی
<code>\addtocontents</code>	بیفزابه فهرست
<code>\addtocounter</code>	اضافه بر شمارنده
<code>\addtolength</code>	اضافه بر بعد

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\addvspace</code>	<code>\بیفزافضای و</code>
<code>\adjdemerits</code>	<code>\تنظیم بدنمایی</code>
<code>\advance</code>	<code>\بیفزابر</code>
<code>\afterassignment</code>	<code>\بعد از انتساب</code>
<code>\aftergroup</code>	<code>\بعد از گروه</code>
<code>\aleph</code>	<code>\الف</code>
<code>\aliasfontfeature</code>	<code>\خصیصه مستعار قلم</code>
<code>\aliasfontfeatureoption</code>	<code>\انتخاب خصیصه مستعار قلم</code>
<code>\allowbreak</code>	<code>\شکستی</code>
<code>\alloc@</code>	<code>\تخصی @</code>
<code>\allocationnumber</code>	<code>\تخصیص یافته</code>
<code>\allowdisplaybreaks</code>	<code>\شکست نمایش مجاز</code>
<code>\Alph</code>	<code>\حروف بزرگ</code>
<code>\alph</code>	<code>\حروف کوچک</code>
<code>\alsiname</code>	<code>\نام همچنین</code>
<code>\and</code>	<code>\و</code>
<code>\angle</code>	<code>\زاویه</code>
<code>\appendixname</code>	<code>\عنوان پیوست</code>
<code>\approx</code>	<code>\تقریب</code>
<code>\arabic</code>	<code>\عربی</code>
<code>\arg</code>	<code>\آرگ</code>
<code>\arrayrulecolor</code>	<code>\رنگ خط جدول</code>
<code>\arraycolsep</code>	<code>\فاصله ستونهای آرایه</code>
<code>\arrayrulewidth</code>	<code>\ضخامت خط جدول</code>
<code>\arraystretch</code>	<code>\کشیدگی آرایه</code>
<code>\AtBeginDocument</code>	<code>\در آغاز نوشتار</code>
<code>\AtEndDocument</code>	<code>\در پایان نوشتار</code>
<code>\AtEndOfClass</code>	<code>\در انتهای طبقه</code>
<code>\AtEndOfPackage</code>	<code>\در انتهای سبک</code>
<code>\author</code>	<code>\نویسنده</code>
<code>\backmatter</code>	<code>\مطلب پشت</code>
<code>\backslash</code>	<code>\شکاف پشت</code>
<code>\badness</code>	<code>\بدنمایی</code>
<code>\bar</code>	<code>\میله</code>
<code>\baselineskip</code>	<code>\فاصله کرسی</code>
<code>\baselinestretch</code>	<code>\کشش فاصله کرسی</code>
<code>\batchmode</code>	<code>\پردازش دسته ای</code>
<code>\begin</code>	<code>\شروع</code>
<code>\beginL</code>	<code>\شروع چپ</code>
<code>\beginR</code>	<code>\شروع راست</code>

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
\begingroup	\شروع گروه
\belowdisplayshortskip	\فاصله کوتاه پایین نمایش
\belowdisplayskip	\فاصله پایین نمایش
\bf	\سیاه
\bfdefault	\پیش فرض سیاه
\bfseries	\شمايل سیاه
\bgroup	\شرگروه
\bibitem	\مرجع
\bibliography	\کتاب نامه
\bibliographystyle	\سبک کتاب نامه
\bibname	\عنوان کتاب نامه
\bigskip	\پرش بلند
\bigskipamount	\مقدار پرش بلند
\botfigrule	\خط پایین شناور
\botmark	\علامت پایین
\bottompageskip	\کادر تا پایین
\bottomfraction	\نسبت پایین
\box	\کادر
\boxmaxdepth	\حد اکثر عمق کادر
\break	\بشکن
\bullet	\گلوله
\@cclv	\دوپن @ پنج
\@cclvi	\دوپن @ شش
\caption	\شرح
\catcode	\کدرده
\cc	\رونوشت
\ccname	\نام رونوشت
\cdot	\نقطه وسط
\cdots	\نقاط وسط
\centering	\تنظیم از وسط
\centerline	\خط وسط
\ch@ck	\چک @ ن
\chapter	\فصل
\chaptername	\عنوان فصل
\char	\نویسه
\chardef	\تعریف نویسه
\CheckCommand	\برسی فرمان
\cite	\مرجع
\ClassError	\خطای طبقه
\ClassInfo	\اطلاع طبقه

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
\ClassWarning	\هشدارطبقه
\ClassWarningNoLine	\هشدارطبقه بی سطر
\cleaders	\نشانگرمرکزی
\cleardoublepage	\دو صفحه پاک
\clearpage	\صفحه پاک
\cline	\خط ناپر
\closein	\ببندورودی
\closeout	\ببندخروجی
\closing	\بستن
\clubpenalty	\جریمه سربند
\clubsuit	\خاج
\colbotmark	\علامت پایین ستون اول
\colfirstmark	\علامت اول ستون اول
\color	\رنگ
\colorbox	\کادررنگ
\coltopmark	\علامت بالای ستون اول
\columncolor	\رنگ ستون
\columnsep	\بین ستون
\columnwidth	\پهنای ستون
\columnseprule	\خط بین ستون
\contentsline	\سطرفهرست
\contentsname	\عنوان فهرست مطالب
\copy	\کپی
\copyright	\حق تالیف
\count	\شمار
\count@	\شمار@
\countdef	\تعریف شمار
\cr	\سخ
\crr	\سخ سخ
\csname	\نام فرمان
\CurrentOption	\گزینه جاری
\dashbox	\کادر بینابین
\dashv	\بینابین ع
\@date	\@تاریخ
\date	\تاریخ
\day	\روز
\dblbotfigrule	\خط پایین شناورپهن
\dblbottomfraction	\نسبت پهن پایین
\dblfigrule	\خط بالای شناورپهن
\dblfloatpagefraction	\نسبت صفحه شناورپهن

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\dblfloatsep</code>	\فاصله بین شناور پهن
<code>\dblftntlocatecode</code>	\کدامکان غیرهمانطور
<code>\dbltextfloatsep</code>	\فاصله متن و شناور پهن
<code>\dbltopfraction</code>	\نسبت پهن بالا
<code>\DeclareFixedFont</code>	\اعلان قلم ثابت
<code>\DeclareGraphicsExtensions</code>	\اعلان پسوند گرافیک
<code>\DeclareGraphicsRule</code>	\اعلان دستور گرافیک
<code>\DeclareOldFontCommand</code>	\اعلان فرمان قلم قدیمی
<code>\DeclareOption</code>	\اعلان گزینه
<code>\DeclareRobustCommand</code>	\اعلان فرمان قوی
<code>\DeclareSymbolFont</code>	\اعلان قلم علائم
<code>\deadcycles</code>	\دور بسته
<code>\def</code>	\تر
<code>\define@key</code>	\تعریف @کلید
<code>\definecolor</code>	\تعریف رنگ
<code>\deg</code>	\درجه
<code>\delcode</code>	\کد جداساز
<code>\delimiter</code>	\جداساز
<code>\delimiterfactor</code>	\ضریب جداساز
<code>\depth</code>	\گودی
<code>\diamondsuit</code>	\خشت
<code>\dim</code>	\ابعاد
<code>\dimen</code>	\بعد
<code>\dimen@</code>	\بعد @
<code>\dimen@i</code>	\بعد @یک
<code>\dimen@ii</code>	\بعد @دو
<code>\dimendef</code>	\تعریف بعد
<code>\discretionary</code>	\تیره گذاری
<code>\displaybreak</code>	\شکست نمایش
<code>\displayindent</code>	\تورفتگی نمایش
<code>\displaystyle</code>	\سبک نمایش
<code>\displaywidth</code>	\عرض نمایش
<code>\divide</code>	\تقسیم
<code>\documentclass</code>	\طبقه نوشتار
<code>\do</code>	\کن
<code>\dospecials</code>	\تعویض کدها
<code>\dot</code>	\نقطه
<code>\doteq</code>	\نقطه مساوی
<code>\dotfill</code>	\پر نقطه
<code>\dots</code>	\نقاط

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\doublebox</code>	<code>\کادر دولا</code>
<code>\doublerulesepcolor</code>	<code>\رنگ فاصله دو خط جدول</code>
<code>\doublerulesep</code>	<code>\فاصله بین دو خط</code>
<code>\downarrow</code>	<code>\فلش پایین</code>
<code>\dp</code>	<code>\عمق</code>
<code>\dump</code>	<code>\تخلیه</code>
<code>\edef</code>	<code>\ترگ</code>
<code>\egroup</code>	<code>\پا گروه</code>
<code>\eject</code>	<code>\انتهای فاصله</code>
<code>\else</code>	<code>\گرنه</code>
<code>\em</code>	<code>\تاکید</code>
<code>\emergencystretch</code>	<code>\کشش لاجرم</code>
<code>\emph</code>	<code>\موکد</code>
<code>\@empty</code>	<code>\@پوچ</code>
<code>\empty</code>	<code>\پوچ</code>
<code>\emptyset</code>	<code>\مجموعه پوچ</code>
<code>\end</code>	<code>\پایان</code>
<code>\endL</code>	<code>\پایان چپ</code>
<code>\endR</code>	<code>\پایان راست</code>
<code>\endcsname</code>	<code>\پایان نام فرمان</code>
<code>\endfirsthead</code>	<code>\پایان اولین سر</code>
<code>\endfoot</code>	<code>\پایان پا</code>
<code>\endgraf</code>	<code>\ته بند</code>
<code>\endgroup</code>	<code>\پایان گروه</code>
<code>\endhead</code>	<code>\پایان سر</code>
<code>\endinput</code>	<code>\پایان ورودی</code>
<code>\endlastfoot</code>	<code>\پایان آخرین پا</code>
<code>\enlargethispage</code>	<code>\گسترش این صفحه</code>
<code>\endline</code>	<code>\ته سطر</code>
<code>\endlinechar</code>	<code>\نویسه ته سطر</code>
<code>\enspace</code>	<code>\ان دوری</code>
<code>\enskip</code>	<code>\ان فاصله</code>
<code>\eqcommand</code>	<code>\فرمان جانشین</code>
<code>\eqenvironment</code>	<code>\محیط جانشین</code>
<code>\eqref</code>	<code>\ارجاع فر</code>
<code>\errhelp</code>	<code>\کمک خطا</code>
<code>\errmessage</code>	<code>\پیام خطا</code>
<code>\errorcontextlines</code>	<code>\سطر متن خطا</code>
<code>\errorstopmode</code>	<code>\پردازش توقف خطا</code>
<code>\escapechar</code>	<code>\نویسه ویژه</code>

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X    Equivalent Persian Command

<code>\euro</code>	<code>\یورو</code>
<code>\evensidemargin</code>	<code>\حاشیه زوج</code>
<code>\everycr</code>	<code>\هرسخ</code>
<code>\everydisplay</code>	<code>\هرنمایش</code>
<code>\everyhbox</code>	<code>\هرکادرا</code>
<code>\everyjob</code>	<code>\هرکار</code>
<code>\everymath</code>	<code>\هرریاضی</code>
<code>\everypar</code>	<code>\هربند</code>
<code>\everyvbox</code>	<code>\هرکادرو</code>
<code>\ExecuteOptions</code>	<code>\اجرای گزینه ها</code>
<code>\exhyphenpenalty</code>	<code>\جریمه اضافی تیره بندی</code>
<code>\expandafter</code>	<code>\بگستر پس از</code>
<code>\extracolsep</code>	<code>\فاصله اضافی بین ستونها</code>
<code>\@firstofone</code>	<code>\@اولی از یک</code>
<code>\@firstoftwo</code>	<code>\@اولی از دو</code>
<code>\f@ur</code>	<code>\چ@ار</code>
<code>\fam</code>	<code>\خانواده</code>
<code>\fancy page</code>	<code>\صفحه تجملی</code>
<code>\fbox</code>	<code>\کادر با</code>
<code>\fboxrule</code>	<code>\ضخامت کادر با</code>
<code>\fboxsep</code>	<code>\حاشیه کادر با</code>
<code>\fcolorbox</code>	<code>\کادر با رنگ</code>
<code>\fi</code>	<code>\رگ</code>
<code>\figurename</code>	<code>\عنوان شکل</code>
<code>\filbreak</code>	<code>\پر شکن</code>
<code>\fill</code>	<code>\پر</code>
<code>\firstmark</code>	<code>\علامت اول</code>
<code>\flat</code>	<code>\پهن</code>
<code>\floatpagefraction</code>	<code>\نسبت صفحه شناور</code>
<code>\floatingpenalty</code>	<code>\جریمه شناور</code>
<code>\floatsep</code>	<code>\فاصله بین شناور</code>
<code>\flushbottom</code>	<code>\تنظیم از پایین</code>
<code>\fmtname</code>	<code>\شکل بندی</code>
<code>\fmtversion</code>	<code>\رده شکل بندی</code>
<code>\fnsymbol</code>	<code>\نشانه</code>
<code>\font</code>	<code>\قلم</code>
<code>\fontdimen</code>	<code>\بعد قلم</code>
<code>\fontencoding</code>	<code>\رمزینه قلم</code>
<code>\fontfamily</code>	<code>\فامیل قلم</code>
<code>\fontname</code>	<code>\نام قلم</code>

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

<code>\fontseries</code>	<code>\شمايل قلم</code>
<code>\fontshape</code>	<code>\شكل قلم</code>
<code>\fontsize</code>	<code>\اندازه قلم</code>
<code>\footheight</code>	<code>\بلنداي پايين صفحه</code>
<code>\footins</code>	<code>\درج زيرويس</code>
<code>\footnote</code>	<code>\زيرويس</code>
<code>\footnotemark</code>	<code>\علامت زيرويس</code>
<code>\footnoterule</code>	<code>\خط زيرويس</code>
<code>\footnotesep</code>	<code>\فاصله تازيرويس</code>
<code>\footnotesize</code>	<code>\اندازه زيرويس</code>
<code>\footnotetext</code>	<code>\متن زيرويس</code>
<code>\footskip</code>	<code>\فاصله تاپايين صفحه</code>
<code>\frame</code>	<code>\فريم</code>
<code>\framebox</code>	<code>\كادر باخط</code>
<code>\frenchspacing</code>	<code>\فواصل يكنواخت لاتين</code>
<code>\frontmatter</code>	<code>\مطلب پيش</code>
<code>\futurelet</code>	<code>\بعد بگذار</code>
<code>\@gobble</code>	<code>\@خورخري صانه</code>
<code>\@gobbletwo</code>	<code>\@خورخري صانه دو</code>
<code>\@gobblefour</code>	<code>\@خورخري صانه چهار</code>
<code>\@gtempa</code>	<code>\@عاقبت آ</code>
<code>\@gtempb</code>	<code>\@عاقبت ب</code>
<code>\gdef</code>	<code>\ترع</code>
<code>\GenericInfo</code>	<code>\الگوی اطلاع</code>
<code>\GenericWarning</code>	<code>\الگوی هشدار</code>
<code>\GenericError</code>	<code>\الگوی خطا</code>
<code>\global</code>	<code>\عام</code>
<code>\globaldefs</code>	<code>\تعريف عام</code>
<code>\glossary</code>	<code>\لغت نامه</code>
<code>\glossaryentry</code>	<code>\فقره فرهنگ</code>
<code>\goodbreak</code>	<code>\خوش شكن</code>
<code>\graphpaper</code>	<code>\كاغذگراف</code>
<code>\guillemotleft</code>	<code>\گيومه چپ</code>
<code>\guillemotright</code>	<code>\گيومه راست</code>
<code>\guilsinglleft</code>	<code>\گيومه تكي چپ</code>
<code>\guilsinglright</code>	<code>\گيومه تكي راست</code>
<code>\halign</code>	<code>\رديف ا</code>
<code>\hang</code>	<code>\بروتو</code>
<code>\hangafter</code>	<code>\بعد ازسطر</code>
<code>\hangindent</code>	<code>\تورفتگی ثابت</code>

*Continued on next page*





## Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

<code>\hbadness</code>	<code>\بدنمایی</code>
<code>\hbox</code>	<code>\کادرا</code>
<code>\headheight</code>	<code>\بلندای سرصفحه</code>
<code>\headsep</code>	<code>\فاصله از سرصفحه</code>
<code>\headtoname</code>	<code>\سربه نام</code>
<code>\heartsuit</code>	<code>\دل</code>
<code>\height</code>	<code>\بلندا</code>
<code>\hfil</code>	<code>\پرا</code>
<code>\hfill</code>	<code>\پرا</code>
<code>\hfilneg</code>	<code>\رفع پرا</code>
<code>\hfuzz</code>	<code>\پرزاقفی</code>
<code>\hideskip</code>	<code>\فاصله مخفی</code>
<code>\hidewidth</code>	<code>\عرض پنهان</code>
<code>\hline</code>	<code>\خط پر</code>
<code>\hoffset</code>	<code>\حاشیه</code>
<code>\holdinginserts</code>	<code>\حفظ درج</code>
<code>\hrboxsep</code>	<code>\فاصله اگر د</code>
<code>\hrule</code>	<code>\خط</code>
<code>\hrulefill</code>	<code>\پرخط</code>
<code>\hsize</code>	<code>\طول سطر</code>
<code>\hskip</code>	<code>\فاصله</code>
<code>\hspace</code>	<code>\فضای</code>
<code>\hss</code>	<code>\هر دوا</code>
<code>\ht</code>	<code>\ارتفاع</code>
<code>\huge</code>	<code>\بزرگ</code>
<code>\Huge</code>	<code>\بزرگ تر</code>
<code>\hyperlink</code>	<code>\ابر پیوند</code>
<code>\hypersetup</code>	<code>\بارگذاری ابر</code>
<code>\hypertarget</code>	<code>\هدف ابر</code>
<code>\hyphenation</code>	<code>\تیره بندی</code>
<code>\hyphenchar</code>	<code>\نویسه تیره</code>
<code>\hyphenpenalty</code>	<code>\جریمه تیره بندی</code>
<code>\@ifclassloaded</code>	<code>\@گر کلاس فراخوانی شده</code>
<code>\@ifdefinable</code>	<code>\@گر ترش دنی</code>
<code>\@ifnextchar</code>	<code>\@گر نویسه بعدی</code>
<code>\@ifpackageloaded</code>	<code>\@گر سبک فراخوانی شده</code>
<code>\@ifstar</code>	<code>\@گر ستاره</code>
<code>\@ifundefined</code>	<code>\@گر تعریف نشده</code>
<code>\if</code>	<code>\گر</code>
<code>\if@tempswa</code>	<code>\گر@سواقت آ</code>

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\ifcase</code>	\گرا نواع
<code>\ifcat</code>	\گر رده
<code>\ifdefined</code>	\گر تعریف شده
<code>\ifdim</code>	\گر بعد
<code>\ifeof</code>	\گر ته پرونده
<code>\iff</code>	\گر ر
<code>\iffalse</code>	\گر نادرست
<code>\IfFileExists</code>	\گر پرونده موجود
<code>\ifhbox</code>	\گر کا درا
<code>\ifhmode</code>	\گر حالت ا
<code>\ifinner</code>	\گر درونی
<code>\ifmmode</code>	\گر حالت ریاضی
<code>\ifnum</code>	\گر عدد
<code>\ifodd</code>	\گر فرد
<code>\ifthenelse</code>	\گر آنگاه دیگر
<code>\iftrue</code>	\گر درست
<code>\ifvbox</code>	\گر کا درو
<code>\ifvmode</code>	\گر حالت و
<code>\ifvoid</code>	\گر نهی
<code>\ifx</code>	\گر نام
<code>\ignorespaces</code>	\فاصله خالی را ندیده بگیر
<code>\immediate</code>	\فوری
<code>\include</code>	\شامل
<code>\includegraphics</code>	\درج تصویر
<code>\includeonly</code>	\مشمولین
<code>\indent</code>	\تورفتگی
<code>\index</code>	\درنمایه
<code>\indexentry</code>	\استعلام
<code>\indexname</code>	\عنوان نمایه
<code>\indexspace</code>	\فاصله رهنما
<code>\input</code>	\ورودی
<code>\InputIfFileExists</code>	\ورود پرونده گر موجود
<code>\inputlineno</code>	\شماره سطر ورودی
<code>\insert</code>	\درج
<code>\insertpenalties</code>	\جریمه درج
<code>\interfootnotelinepenalty</code>	\جریمه بین سطرهای زیرنویس
<code>\interdisplaylinepenalty</code>	\جریمه بین سطرهای نمایش
<code>\interlinepenalty</code>	\جریمه بین سطرها
<code>\intertext</code>	\متن داخلی
<code>\intertextsep</code>	\فاصله شناورد متن

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\invisible</code>	<code>\مخفی</code>
<code>\itdefault</code>	<code>\پیش فرض ای</code>
<code>\itshape</code>	<code>\شکل ایتالیک</code>
<code>\item</code>	<code>\فقره</code>
<code>\itemindent</code>	<code>\تورفتگی فقره</code>
<code>\itemsep</code>	<code>\فاصله فقره</code>
<code>\iterate</code>	<code>\تکرارکن</code>
<code>\itshape</code>	<code>\شکل ای</code>
<code>\jobname</code>	<code>\نام کار</code>
<code>\jot</code>	<code>\قلب</code>
<code>\kern</code>	<code>\دوری</code>
<code>\kill</code>	<code>\الگو</code>
<code>\label</code>	<code>\برچسب</code>
<code>\labelenumi</code>	<code>\برچسب شمارش یک</code>
<code>\labelenumii</code>	<code>\برچسب شمارش دو</code>
<code>\labelenumiii</code>	<code>\برچسب شمارش سه</code>
<code>\labelenumiv</code>	<code>\برچسب شمارش چهار</code>
<code>\labelitemi</code>	<code>\برچسب فقره یک</code>
<code>\labelitemii</code>	<code>\برچسب فقره دو</code>
<code>\labelitemiii</code>	<code>\برچسب فقره سه</code>
<code>\labelitemiv</code>	<code>\برچسب فقره چهار</code>
<code>\labelsep</code>	<code>\فاصله از برچسب</code>
<code>\labelwidth</code>	<code>\پهنای برچسب</code>
<code>\language</code>	<code>\زبان</code>
<code>\large</code>	<code>\درشت</code>
<code>\Large</code>	<code>\درشت تر</code>
<code>\LARGE</code>	<code>\درشت درشت</code>
<code>\lastbox</code>	<code>\آخرین کادر</code>
<code>\lastkern</code>	<code>\آخرین دوری</code>
<code>\lastpenalty</code>	<code>\آخرین جریمه</code>
<code>\lastskip</code>	<code>\آخرین فاصله</code>
<code>\LaTeX</code>	<code>\لاتک</code>
<code>\LaTeXe</code>	<code>\لاتک ای</code>
<code>\lccode</code>	<code>\کدکوچک</code>
<code>\ldots</code>	<code>\نقاط خ</code>
<code>\leaders</code>	<code>\نشانگر</code>
<code>\leavevmode</code>	<code>\ترک و</code>
<code>\left</code>	<code>\چپ</code>
<code>\leftmargin</code>	<code>\حاشیه چپ</code>
<code>\leftmargini</code>	<code>\حاشیه چپ یک</code>

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\leftmarginii</code>	<code>\حاشیه چپ دو</code>
<code>\leftmarginiii</code>	<code>\حاشیه چپ سه</code>
<code>\leftmarginiv</code>	<code>\حاشیه چپ چهار</code>
<code>\leftmarginv</code>	<code>\حاشیه چپ پنج</code>
<code>\leftmarginvi</code>	<code>\حاشیه چپ شش</code>
<code>\leftmark</code>	<code>\علامت چپ</code>
<code>\leftpageskip</code>	<code>\کادر تا چپ</code>
<code>\leftskip</code>	<code>\فاصله ابتدای سطر</code>
<code>\let</code>	<code>\بگذار</code>
<code>\line</code>	<code>\سطر</code>
<code>\linebreak</code>	<code>\سطرشکن</code>
<code>\linepenalty</code>	<code>\جریمه سطر</code>
<code>\lineskip</code>	<code>\فاصله سطرها</code>
<code>\lineskiplimit</code>	<code>\حد فاصله سطر</code>
<code>\linespread</code>	<code>\کشش فاصله سطر</code>
<code>\linethickness</code>	<code>\ضخامت خط</code>
<code>\linewidth</code>	<code>\پهنای سطر</code>
<code>\listfigurename</code>	<code>\عنوان فهرست اشکال</code>
<code>\listfiles</code>	<code>\لیست پرونده ها</code>
<code>\listoffigures</code>	<code>\فهرست اشکال</code>
<code>\listoftables</code>	<code>\فهرست جداول</code>
<code>\listparindent</code>	<code>\تورفتگی بند لیست</code>
<code>\listtablename</code>	<code>\عنوان فهرست جداول</code>
<code>\LoadClass</code>	<code>\بارکن طبقه</code>
<code>\LoadClassWithOptions</code>	<code>\بارکن طبقه با گزینه</code>
<code>\location</code>	<code>\مکان</code>
<code>\long</code>	<code>\بلند</code>
<code>\loop</code>	<code>\حلقه</code>
<code>\looseness</code>	<code>\گسیختگی</code>
<code>\lower</code>	<code>\انتقال بپایین</code>
<code>\@makeother</code>	<code>\@دیگر</code>
<code>\@m</code>	<code>\@زار</code>
<code>\@M</code>	<code>\ده@زار</code>
<code>\@Mi</code>	<code>\ده@زاریک</code>
<code>\@Mii</code>	<code>\ده@زاردو</code>
<code>\@Miii</code>	<code>\ده@زارسه</code>
<code>\@Miv</code>	<code>\ده@زارچهار</code>
<code>\@MM</code>	<code>\بیس@زار</code>
<code>\m@ne</code>	<code>\من@ا</code>
<code>\mag</code>	<code>\بزرگ نمایی</code>

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X    Equivalent Persian Command

<code>\magstep</code>	\گام
<code>\magstephalf</code>	\نیم گام
<code>\mainmatter</code>	\مطلب اصلی
<code>\makeatletter</code>	\ات حرف
<code>\makeatother</code>	\ات دیگر
<code>\makebox</code>	\کادر بی خط
<code>\makeglossary</code>	\ساخت فرهنگ
<code>\makeindex</code>	\تهیه نمایه
<code>\makelabel</code>	\ساخت برچسب
<code>\makelabels</code>	\ساخت برچسب ها
<code>\MakeLowercase</code>	\ساخت حروف کوچک
<code>\maketitle</code>	\عنوان ساز
<code>\MakeUppercase</code>	\ساخت حروف بزرگ
<code>\marginpar</code>	\در حاشیه
<code>\marginparpush</code>	\فاصله دو حاشیه
<code>\marginparsep</code>	\فاصله تا حاشیه
<code>\marginparwidth</code>	\پهنای حاشیه
<code>\mark</code>	\علامت
<code>\markboth</code>	\علامت در دو طرف
<code>\markright</code>	\علامت در راست
<code>\mathaccent</code>	\اعراب ریاضی
<code>\mathchar</code>	\نویسه ریاضی
<code>\mathchardef</code>	\تعریف نویسه ریاضی
<code>\mathcode</code>	\کد ریاضی
<code>\mathrm</code>	\ریاضی رومن
<code>\maxdeadcycles</code>	\حد اکثر تکرار
<code>\maxdepth</code>	\حد اکثر عمق صفحه
<code>\maxdimen</code>	\بعد بیشین
<code>\mbox</code>	\کادر بی
<code>\mdseries</code>	\شمايل نازک
<code>\meaning</code>	\معنا
<code>\mediumseries</code>	\نازک
<code>\medmuskip</code>	\فاصله متوسط ریاضی
<code>\medskip</code>	\پرش متوسط
<code>\medskipamount</code>	\مقدار پرش متوسط
<code>\medspace</code>	\فضای متوسط
<code>\message</code>	\پیام
<code>\MessageBreak</code>	\پیام شکن
<code>\minrowclearance</code>	\حد اقل فاصله ردیف
<code>\mkern</code>	\دوری ریاضی

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X    Equivalent Persian Command

\month	\ماه
\moveleft	\انتقال بچپ
\moveright	\انتقال براست
\mskip	\فاصله ریاضی
\m@th	\ری@ضی
\multicolumn	\چندستونی
\multiply	\ضرب
\multispan	\چندادغام
\muskip	\میوفاصله
\muskipdef	\تعریف میوفاصله
\@namedef	\@ترنام
\@nameuse	\@کاربردنام
\@ne	\یک@
\name	\نام
\natural	\طبیعی
\nearrow	\باریک
\nearrower	\باریکتر
\NeedsTeXFormat	\شکلبندی مورد نیاز
\neg	\منفی
\negmedspace	\فضای متوسط منفی
\negthickspace	\فضای ضخیم منفی
\negthinspace	\دوری کوچک منفی
\newboolean	\بولی نو
\newbox	\کادر جدید
\newcommand	\فرمان نو
\newcount	\شمار جدید
\newcounter	\شمارنده جدید
\newdimen	\بعد جدید
\newenvironment	\محیط نو
\newfam	\خانواده جدید
\newfont	\قلم نو
\newhelp	\کمک جدید
\newif	\اگر جدید
\newinsert	\درج جدید
\newlabel	\برچسب جدید
\newlength	\تعریف بعد جدید
\newline	\سطر جدید
\newlinechar	\نویسه سطر جدید
\newmuskip	\میوفاصله جدید
\newpage	\صفحه جدید

*Continued on next page*



## Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X    Equivalent Persian Command

<code>\newread</code>	<code>\بخوان جدید</code>
<code>\newsavebox</code>	<code>\تعریف کادر جدید</code>
<code>\newskip</code>	<code>\فاصله جدید</code>
<code>\newtheorem</code>	<code>\قضیه جدید</code>
<code>\newtoks</code>	<code>\جزء جدید</code>
<code>\newwrite</code>	<code>\بنویس جدید</code>
<code>\noalign</code>	<code>\بی ردیف</code>
<code>\nobreak</code>	<code>\نشکن</code>
<code>\nobreakspace</code>	<code>\فاصله نشکستی</code>
<code>\nocite</code>	<code>\بدون سند</code>
<code>\noexpand</code>	<code>\نگستر</code>
<code>\nofiles</code>	<code>\بدون پرونده</code>
<code>\noindent</code>	<code>\بدون تورفتگی</code>
<code>\nointerlineskip</code>	<code>\بی فاصله سطر</code>
<code>\nolimits</code>	<code>\بدون حد</code>
<code>\nolinebreak</code>	<code>\سطرنشکن</code>
<code>\nonstopmode</code>	<code>\پردازش بدون توقف</code>
<code>\nonfrenchspacing</code>	<code>\فواصل متعارف لاتین</code>
<code>\nonumber</code>	<code>\بدون شماره</code>
<code>\nopagebreak</code>	<code>\صفحه نشکن</code>
<code>\normalbaselines</code>	<code>\کرسیهای متعارف</code>
<code>\normalbaselineskip</code>	<code>\فاصله کرسی متعارف</code>
<code>\normalcolor</code>	<code>\رنگ عادی</code>
<code>\normalfont</code>	<code>\قلم عادی</code>
<code>\normallineskip</code>	<code>\فاصله سطر متعارف</code>
<code>\normallineskiplimit</code>	<code>\حد فاصله سطر متعارف</code>
<code>\normalmarginpar</code>	<code>\در حاشیه عادی</code>
<code>\normalsize</code>	<code>\اندازه عادی</code>
<code>\notag</code>	<code>\بدون اتیکت</code>
<code>\null</code>	<code>\نول</code>
<code>\nullfont</code>	<code>\قلم تهی</code>
<code>\number</code>	<code>\عدد</code>
<code>\numberline</code>	<code>\سطر عددی</code>
<code>\numberwithin</code>	<code>\شماره مطابق</code>
<code>\@evenfoot</code>	<code>\پایین صفحه زوج</code>
<code>\@evenhead</code>	<code>\بالای صفحه زوج</code>
<code>\@oddfoot</code>	<code>\پایین صفحه فرد</code>
<code>\@oddhead</code>	<code>\بالای صفحه فرد</code>
<code>\@outeqntrue</code>	<code>\شماره بیرون درست</code>
<code>\@outeqnfalse</code>	<code>\شماره بیرون نادرست</code>

*Continued on next page*



## Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

<code>\obeylines</code>	<code>\سطربه سطر</code>
<code>\obeyspaces</code>	<code>\فضا فعال</code>
<code>\oddsidemargin</code>	<code>\حاشیه فرد</code>
<code>\offinterlineskip</code>	<code>\سطور بی فاصله</code>
<code>\omit</code>	<code>\حذف</code>
<code>\@onlypreamble</code>	<code>\@تنها در پیش در آمد</code>
<code>\onecolumn</code>	<code>\یک ستون</code>
<code>\onlynotes</code>	<code>\تنها یادداشت ها</code>
<code>\onlyslides</code>	<code>\تنها اسلایدها</code>
<code>\openin</code>	<code>\بازکن ورودی</code>
<code>\openout</code>	<code>\بازکن خروجی</code>
<code>\OptionNotUsed</code>	<code>\گزینه مصرف نشده</code>
<code>\or</code>	<code>\یا</code>
<code>\outer</code>	<code>\برونی</code>
<code>\output</code>	<code>\صفحه بندی</code>
<code>\outputpenalty</code>	<code>\جریمه صفحه بندی</code>
<code>\overfullrule</code>	<code>\علامت سرریز</code>
<code>\@preamblecmds</code>	<code>\@فرمان های پیش در آمد</code>
<code>\p@</code>	<code>\@پو</code>
<code>\PackageError</code>	<code>\خطای سبک</code>
<code>\PackageInfo</code>	<code>\اطلاع سبک</code>
<code>\PackageWarning</code>	<code>\هشدار سبک</code>
<code>\PackageWarningNoLine</code>	<code>\هشدار سبک بی سطر</code>
<code>\pagebreak</code>	<code>\صفحه شکن</code>
<code>\pagecolor</code>	<code>\رنگ صفحه</code>
<code>\pagedepth</code>	<code>\عمق صفحه</code>
<code>\pagefilllstretch</code>	<code>\کشش پرر صفحه</code>
<code>\pagefillstretch</code>	<code>\کشش پرر صفحه</code>
<code>\pagefilstretch</code>	<code>\کشش پرر صفحه</code>
<code>\pagegoal</code>	<code>\غایت صفحه</code>
<code>\pagename</code>	<code>\نام صفحه</code>
<code>\pagenumbering</code>	<code>\شماره گذاری صفحه</code>
<code>\pageref</code>	<code>\ارجوع صفحه</code>
<code>\pagerulewidth</code>	<code>\ضخامت خط صفحه</code>
<code>\pageshrink</code>	<code>\فشرده گی صفحه</code>
<code>\pagestretch</code>	<code>\کشش صفحه</code>
<code>\pagestyle</code>	<code>\سبک صفحه</code>
<code>\pagetotal</code>	<code>\جمع صفحه</code>
<code>\paperheight</code>	<code>\بلندای کاغذ</code>
<code>\paperwidth</code>	<code>\پهنای کاغذ</code>

*Continued on next page*





### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X    Equivalent Persian Command

<code>\par</code>	<code>\بند</code>
<code>\paragraph</code>	<code>\پاراگراف</code>
<code>\parallel</code>	<code>\موازی</code>
<code>\parbox</code>	<code>\کادر پار</code>
<code>\parfillskip</code>	<code>\فاصله ته بند</code>
<code>\parindent</code>	<code>\تورفتگی سر بند</code>
<code>\parsep</code>	<code>\فاصله بند لیست</code>
<code>\parshape</code>	<code>\شکل بند</code>
<code>\parskip</code>	<code>\فاصله بند</code>
<code>\part</code>	<code>\بخش</code>
<code>\partname</code>	<code>\عنوان بخش</code>
<code>\partopsep</code>	<code>\فاصله بالای لیست بند</code>
<code>\PassOptionToClass</code>	<code>\ارسال گزینه به کلاس</code>
<code>\PassOptionToPackage</code>	<code>\ارسال گزینه به پکیج</code>
<code>\path</code>	<code>\مسیر</code>
<code>\patterns</code>	<code>\الگوها</code>
<code>\pausing</code>	<code>\مکث</code>
<code>\penalty</code>	<code>\جریمه</code>
<code>\phantom</code>	<code>\غیب</code>
<code>\poptabs</code>	<code>\الگوی قبلی</code>
<code>\postdisplaypenalty</code>	<code>\جریمه پس نمایش</code>
<code>\predisplaydirection</code>	<code>\جهت پیش نمایش</code>
<code>\predisplaypenalty</code>	<code>\جریمه پیش نمایش</code>
<code>\predisplaysize</code>	<code>\اندازه پیش نمایش</code>
<code>\pretolerance</code>	<code>\پیش حد بدنمایی</code>
<code>\prevdepth</code>	<code>\عمق قبلی</code>
<code>\prevgraf</code>	<code>\بند قبلی</code>
<code>\printindex</code>	<code>\نمایه در اینجا</code>
<code>\ProcessOptions</code>	<code>\پردازش گزینه ها</code>
<code>\protect</code>	<code>\تامین</code>
<code>\providecommand</code>	<code>\تهیه فرمان</code>
<code>\ProvidesClass</code>	<code>\آماده سازی طبقه</code>
<code>\ProvidesFile</code>	<code>\آماده سازی پرونده</code>
<code>\ProvidesPackage</code>	<code>\آماده سازی سبک</code>
<code>\pushtabs</code>	<code>\ثبت الگو</code>
<code>\quad</code>	<code>\کواد</code>
<code>\qqquad</code>	<code>\کو کواد</code>
<code>\@outputpagerestore</code>	<code>\@بازآیی خروج صفحه</code>
<code>\radical</code>	<code>\رادیكال</code>
<code>\raggedbottom</code>	<code>\پایین بی تنظیم</code>

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\raggedleft</code>	<code>\تنظیم از راست</code>
<code>\raggedright</code>	<code>\تنظیم از چپ</code>
<code>\raise</code>	<code>\انتقال ببالا</code>
<code>\raisebox</code>	<code>\بالا بر</code>
<code>\raisetag</code>	<code>\ترفع اتيکت</code>
<code>\rangle</code>	<code>\زاويه ر</code>
<code>\rceil</code>	<code>\سقف ر</code>
<code>\read</code>	<code>\بخوان</code>
<code>\ref</code>	<code>\رجوع</code>
<code>\reflectbox</code>	<code>\کادر قرينه</code>
<code>\refname</code>	<code>\عنوان مراجع</code>
<code>\refstepcounter</code>	<code>\گام شمارنده مرجع</code>
<code>\relax</code>	<code>\راحت</code>
<code>\removelastskip</code>	<code>\رفع آخرين فاصله</code>
<code>\renewcommand</code>	<code>\فرمان از نو</code>
<code>\renewenvironment</code>	<code>\محيط از نو</code>
<code>\repeat</code>	<code>\از نو</code>
<code>\RequirePackage</code>	<code>\سبک مورد نیاز</code>
<code>\RequirePackageWithOptions</code>	<code>\سبک مورد نیاز با گزینه</code>
<code>\resizebox</code>	<code>\کادر کشیده</code>
<code>\reversemarginpar</code>	<code>\در حاشیه معکوس</code>
<code>\rfloor</code>	<code>\کف ر</code>
<code>\right</code>	<code>\راست</code>
<code>\rightmargin</code>	<code>\حاشیه راست</code>
<code>\rightmark</code>	<code>\علامت راست</code>
<code>\rightpageskip</code>	<code>\کادر تا راست</code>
<code>\rightskip</code>	<code>\فاصله انتهای سطر</code>
<code>\rmdefault</code>	<code>\رومن عادی</code>
<code>\rmfamily</code>	<code>\فامیل رومن</code>
<code>\Roman</code>	<code>\رومن بزرگ</code>
<code>\roman</code>	<code>\رومن کوچک</code>
<code>\romannumeral</code>	<code>\عدد رومی</code>
<code>\rotatebox</code>	<code>\کادر چرخان</code>
<code>\rowcolor</code>	<code>\رنگ ردیف</code>
<code>\rule</code>	<code>\خط</code>
<code>\@secondoftwo</code>	<code>\@دومی از دو</code>
<code>\@spaces</code>	<code>\@فضاها</code>
<code>\samepage</code>	<code>\همین صفحه</code>
<code>\savebox</code>	<code>\مقدار کادر</code>
<code>\sbox</code>	<code>\مقدار</code>

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\scalebox</code>	<code>\کادراندازه</code>
<code>\sdefault</code>	<code>\پیش فرض تمام بزرگ</code>
<code>\scshape</code>	<code>\شکل تمام بزرگ</code>
<code>\scriptfont</code>	<code>\قلم توان</code>
<code>\scriptscriptfont</code>	<code>\قلم توان توان</code>
<code>\scriptscriptstyle</code>	<code>\سبک ته نوشت ته نوشت</code>
<code>\scriptsize</code>	<code>\اندازه پانویس</code>
<code>\scripstyle</code>	<code>\سبک ته نوشت</code>
<code>\scrollmode</code>	<code>\پردازش گذری</code>
<code>\section</code>	<code>\قسمت</code>
<code>\secdef</code>	<code>\تعریف قسمت</code>
<code>\see</code>	<code>\ببینید</code>
<code>\seealso</code>	<code>\نیز ببینید</code>
<code>\seename</code>	<code>\نام ببینید</code>
<code>\selectfont</code>	<code>\قلم بردار</code>
<code>\setboolean</code>	<code>\تنظیم بولی</code>
<code>\setbox</code>	<code>\درکادر</code>
<code>\setcounter</code>	<code>\مقدار شمارنده</code>
<code>\setkeys</code>	<code>\مقدار کلیدها</code>
<code>\setlength</code>	<code>\مقدار بعد</code>
<code>\setminus</code>	<code>\تنظیم منها</code>
<code>\SetSymbolFont</code>	<code>\تعریف قلم علائم</code>
<code>\settodepth</code>	<code>\تنظیم به عمق</code>
<code>\settoheight</code>	<code>\تنظیم به ارتفاع</code>
<code>\settowidth</code>	<code>\مقدار بعد به اندازه</code>
<code>\sfcode</code>	<code>\کد ضریب فاصله</code>
<code>\sfdefault</code>	<code>\پیش فرض س ف</code>
<code>\sffamily</code>	<code>\فامیل سن سریف</code>
<code>\shadowbox</code>	<code>\کادر سایه دار</code>
<code>\sharp</code>	<code>\تیز</code>
<code>\shipout</code>	<code>\بفرست</code>
<code>\shortstack</code>	<code>\پشته کوتاه</code>
<code>\show</code>	<code>\نمایش بده</code>
<code>\showbox</code>	<code>\نمایش بده کادر</code>
<code>\showboxbreadth</code>	<code>\میزان نمایش کادر</code>
<code>\showboxdepth</code>	<code>\عمق نمایش کادر</code>
<code>\showlists</code>	<code>\نمایش بده لیستها</code>
<code>\showthe</code>	<code>\نمایش بده محتوای</code>
<code>\simplefontmode</code>	<code>\حالت ساده قلم</code>
<code>\sixt@@n</code>	<code>\شانزد@@</code>

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

<code>\skewchar</code>	<code>\نویسه اریب</code>
<code>\skip</code>	<code>\فاصله</code>
<code>\skip@</code>	<code>@فاصل</code>
<code>\skipdef</code>	<code>\تعریف فاصله</code>
<code>\sl</code>	<code>\خوابیده</code>
<code>\sldefault</code>	<code>\پیش فرض خو</code>
<code>\slshape</code>	<code>\شکل خوابیده</code>
<code>\sloppy</code>	<code>\راحت چین</code>
<code>\slshape</code>	<code>\شمایل خو</code>
<code>\small</code>	<code>\کوچک</code>
<code>\smallskip</code>	<code>\پرش کوتاه</code>
<code>\smallskipamount</code>	<code>\مقدار پرش کوتاه</code>
<code>\smash</code>	<code>\کوب</code>
<code>\smile</code>	<code>\لبخند</code>
<code>\snglftlocatcode</code>	<code>\کدمکان همانطور</code>
<code>\space</code>	<code>\فضا</code>
<code>\spacefactor</code>	<code>\ضریب فاصله</code>
<code>\spaceskip</code>	<code>\فاصله کلمات</code>
<code>\spadesuit</code>	<code>\پیک</code>
<code>\span</code>	<code>\ادغام</code>
<code>\special</code>	<code>\ویژه</code>
<code>\splitmaxdepth</code>	<code>\حد اکثر عمق ستون</code>
<code>\splittopskip</code>	<code>\فاصله بالای ستون</code>
<code>\star</code>	<code>\ستاره</code>
<code>\stepcounter</code>	<code>\گام شمارنده</code>
<code>\stretch</code>	<code>\کشی</code>
<code>\string</code>	<code>\رشته</code>
<code>\strut</code>	<code>\شمع</code>
<code>\strutbox</code>	<code>\کادر شمع</code>
<code>\subitem</code>	<code>\زیر بند</code>
<code>\subparagraph</code>	<code>\زیر پاراگراف</code>
<code>\subsection</code>	<code>\زیر قسمت</code>
<code>\substack</code>	<code>\زیر پشته</code>
<code>\subsubitem</code>	<code>\زیر زیر بند</code>
<code>\subsubsection</code>	<code>\زیر زیر قسمت</code>
<code>\subset</code>	<code>\زیر مجموعه</code>
<code>\subseteq</code>	<code>\زیر مجموعه مسا</code>
<code>\supereject</code>	<code>\منتهای صفحه</code>
<code>\suppressfloats</code>	<code>\حذف مکان شناور</code>
<code>\@tempa</code>	<code>@موقت آ</code>

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

\@tempb	\@موقت ب
\@tempc	\@موقت پ
\@tempd	\@موقت ت
\@tempe	\@موقت ث
\@tempboxa	\@کادرقت آ
\@tempcnta	\@شماقت آ
\@tempcntb	\@شماقت ب
\@tempdima	\@بعدقت آ
\@tempdimb	\@بعدقت ب
\@tempdimc	\@بعدقت پ
\@tempskipa	\@فاقت آ
\@tempskipb	\@فاقت ب
\@tempswafalse	\@سواقت آنادرست
\@tempswatrue	\@سواقت آدرست
\@temptokena	\@جزقت آ
\@thefnmark	\انگ زیرنویس
\@thirdofthree	\@سومی ازسه
\tabbingsep	\فاصله جاگذاری
\tabcolsep	\فاصله بین ستونها
\tableofcontents	\فهرست مطالب
\tablename	\عنوان جدول
\tabskip	\فاصله ستونها
\tabularnewline	\ته سطرجدول
\tag	\اتیکت
\telephone	\تلفن
\TeX	\تک
\text	\متن
\textbullet	\گلوله متنی
\textfont	\قلم متن
\textemdash	\ام دش متنی
\textendash	\ان دش متنی
\textexclamdown	\تعجب وارونه متنی
\textperiodcentered	\نقطه وسط متنی
\textquestiondown	\سوال وارونه متنی
\textquotedblleft	\نقل چپ متنی دولا
\textquotedblright	\نقل راست متنی دولا
\textquoteleft	\نقل متنی چپ
\textquoteright	\نقل متنی راست
\textvisiblespace	\فضای نمایان متنی
\textbackslash	\شکافت پشت متنی

*Continued on next page*



### Command in T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X      Equivalent Persian Command

<code>\textbar</code>	\میلۀ متنی
<code>\textgreater</code>	\بزرگ ترممتی
<code>\textless</code>	\کمترمتی
<code>\textbf</code>	\متن سیاه
<code>\textcircled</code>	\مدورمتی
<code>\textcolor</code>	\رنگ متن
<code>\textcompwordmark</code>	\نشان کلمه مرکب متن
<code>\textfloatsep</code>	\فاصله متن و شناور
<code>\textfraction</code>	\نسبت متن
<code>\textheight</code>	\بلندای متن
<code>\textindent</code>	\متن تورفته
<code>\textit</code>	\متن ایتالیک
<code>\textmd</code>	\متن نازک
<code>\textnormal</code>	\متن نرمال
<code>\textregistered</code>	\ثبتي متني
<code>\textrm</code>	\متن رومن
<code>\textsc</code>	\متن تمام بزرگ
<code>\textsf</code>	\متن سن سریف
<code>\textsl</code>	\متن خوابیده
<code>\textstyle</code>	\سبک متنی
<code>\textsuperscript</code>	\بالا نویسی متنی
<code>\texttrademark</code>	\علامت تجاری متنی
<code>\texttt</code>	\متن تایپ
<code>\textup</code>	\متن ایستاده
<code>\textwidth</code>	\پهنای متن
<code>\thanks</code>	\زیرنویس عنوان
<code>\the</code>	\محتوای
<code>\thempfn</code>	\این زیرنویس
<code>\thicklines</code>	\خط ها ضخیم
<code>\thickmuskip</code>	\فاصله زیاد ریاضی
<code>\thinmuskip</code>	\فاصله کم ریاضی
<code>\thickspace</code>	\فضا ضخیم
<code>\thinlines</code>	\خط ها نازک
<code>\thinspace</code>	\دوری کوچک
<code>\thisfancy page</code>	\این صفحه تجملی
<code>\thispage style</code>	\سبک این صفحه
<code>\thr@@</code>	\سه @
<code>\tilde</code>	\مد
<code>\tiny</code>	\ظریف
<code>\time</code>	\زمان

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\times</code>	\ضرب در
<code>\title</code>	\عنوان
<code>\to</code>	\به
<code>\today</code>	\امروز
<code>\toks</code>	\جزء
<code>\toksdef</code>	\تعریف جزء
<code>\tolerance</code>	\حدبدنمایی
<code>\top</code>	\بالا
<code>\topfigrule</code>	\خط بالای شناور
<code>\topfraction</code>	\نسبت بالا
<code>\topmargin</code>	\حاشیه بالا
<code>\topmark</code>	\علامت بالا
<code>\toppageskip</code>	\کادر تا بالا
<code>\topsep</code>	\فاصله بالای لیست
<code>\topskip</code>	\فاصله بالا
<code>\totalheight</code>	\بلندای کل
<code>\tracingall</code>	\ردگیری کل
<code>\tracingcommands</code>	\ردگیری فرامین
<code>\tracinglostchars</code>	\ردگیری حروف
<code>\tracingmacros</code>	\ردگیری ماکروها
<code>\tracingonline</code>	\ردگیری نمایی
<code>\tracingoutput</code>	\ردگیری صفحه بندی
<code>\tracingpages</code>	\ردگیری صفحات
<code>\tracingparagraphs</code>	\ردگیری بندها
<code>\tracingrestores</code>	\ردگیری بازگردانی
<code>\tracingstats</code>	\ردگیری آمارها
<code>\triangle</code>	\مثلث
<code>\ttdefault</code>	\پیش فرض تایپ
<code>\ttfamily</code>	\فامیل تایپ
<code>\tw@</code>	\دو@
<code>\twocolumn</code>	\دو ستون
<code>\typein</code>	\درنویس
<code>\typeout</code>	\برنویس
<code>\uccode</code>	\کد بزرگ
<code>\uchyph</code>	\تیره بندی بزرگ
<code>\undefined</code>	\تعریف نشده
<code>\underline</code>	\زیرخط
<code>\unhbox</code>	\بی کادر
<code>\unhcopy</code>	\بی کپی
<code>\unitlength</code>	\واحد طول

*Continued on next page*



Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\unkern</code>	<code>\برگشت دوری</code>
<code>\unpenalty</code>	<code>\برگشت جریمه</code>
<code>\unskip</code>	<code>\برگشت فاصله</code>
<code>\unvbox</code>	<code>\بی کادرو</code>
<code>\unvcopy</code>	<code>\بی کپی و</code>
<code>\updefault</code>	<code>\پیش فرض ایستاده</code>
<code>\upshape</code>	<code>\شکل ایستاده</code>
<code>\usebox</code>	<code>\از کادر</code>
<code>\usecounter</code>	<code>\باشمارشگر</code>
<code>\usefont</code>	<code>\گزینه قلم</code>
<code>\usepackage</code>	<code>\سبک لازم</code>
<code>\@vobeyspaces</code>	<code>\@فضاهای فعال</code>
<code>\@void</code>	<code>\@تهی</code>
<code>\vadjust</code>	<code>\تنظیم و</code>
<code>\valign</code>	<code>\ردیف و</code>
<code>\value</code>	<code>\محتوای شمارنده</code>
<code>\vbadness</code>	<code>\بدنمایی و</code>
<code>\vbox</code>	<code>\کادرو</code>
<code>\vcenter</code>	<code>\کادرو وسط</code>
<code>\verb</code>	<code>\همانطور</code>
<code>\vfil</code>	<code>\پرو</code>
<code>\vfill</code>	<code>\پررو</code>
<code>\vfilneg</code>	<code>\رفع پرو</code>
<code>\vfuzz</code>	<code>\پرزعمودی</code>
<code>\visible</code>	<code>\نمایان</code>
<code>\vline</code>	<code>\خط عمود</code>
<code>\voffset</code>	<code>\حاشیه و</code>
<code>\voidb@x</code>	<code>\ک@درتهی</code>
<code>\vpageref</code>	<code>\ارجاع صفحه ع</code>
<code>\vrbboxsep</code>	<code>\فاصله وگرد</code>
<code>\vref</code>	<code>\ارجاع ع</code>
<code>\vrule</code>	<code>\خط و</code>
<code>\vsize</code>	<code>\طول صفحه</code>
<code>\vskip</code>	<code>\فاصله و</code>
<code>\vspace</code>	<code>\فضای و</code>
<code>\vsplit</code>	<code>\شکست و</code>
<code>\vss</code>	<code>\هر دو و</code>
<code>\vtop</code>	<code>\کادرگود</code>
<code>\wd</code>	<code>\عرض</code>
<code>\whiledo</code>	<code>\مادام بکن</code>

*Continued on next page*





Command in T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Equivalent Persian Command
<code>\widehat</code>	<code>\کلاه‌پهن</code>
<code>\widetilde</code>	<code>\مد‌پهن</code>
<code>\widowpenalty</code>	<code>\جریمه‌ته‌بند</code>
<code>\width</code>	<code>\پهنا</code>
<code>\wlog</code>	<code>\درکارنامه</code>
<code>\write</code>	<code>\بنویس</code>
<code>\@xobeysp</code>	<code>\@فضای‌لاتین</code>
<code>\@xxxii</code>	<code>\سی‌@‌دو</code>
<code>\xdef</code>	<code>\ترگج</code>
<code>\xleaders</code>	<code>\نش‌انگ‌رگسترشی</code>
<code>\xspaceskip</code>	<code>\فاصله‌اضافی‌کلمات</code>
<code>\year</code>	<code>\سال</code>
<code>\z@</code>	<code>\@فر</code>
<code>\z@skip</code>	<code>\@فرفاصله</code>

Table 2: The Equivalent XePersian Commands

Command in XePersian	Equivalent Persian Command
<code>\autofootnoterule</code>	<code>\خط‌زیرنویس‌خودکار</code>
<code>\AutoMathsDigits</code>	<code>\اعداد‌فرمول‌ها‌خودکار</code>
<code>\DefaultMathsDigits</code>	<code>\اعداد‌فرمول‌ها‌لاتین</code>
<code>\deflatinfont</code>	<code>\تعریف‌قلم‌لاتین</code>
<code>\defpersianfont</code>	<code>\تعریف‌قلم‌پارسی</code>
<code>\hboxL</code>	<code>\کادر‌را‌چپ</code>
<code>\hboxR</code>	<code>\کادر‌را‌ست</code>
<code>\keyval@eq@alias@key</code>	<code>\معادل‌@‌کلید</code>
<code>\Latincite</code>	<code>\مرجع‌لاتین</code>
<code>\latinfont</code>	<code>\قلم‌لاتین</code>
<code>\latintoday</code>	<code>\امروز‌لاتین</code>
<code>\leftfootnoterule</code>	<code>\خط‌زیرنویس‌چپ</code>
<code>\lr</code>	<code>\متن‌لاتین</code>
<code>\LRE</code>	<code>\چپ‌بر‌است</code>
<code>\LTRdblcol</code>	<code>\دو‌ستونی‌چپ</code>
<code>\LTRfootnote</code>	<code>\پانویس</code>
<code>\LTRfootnotetext</code>	<code>\متن‌پانویس</code>
<code>\LTRthanks</code>	<code>\پانویس‌عنوان</code>
<code>\persianday</code>	<code>\روز‌پارسی</code>
<code>\persianfont</code>	<code>\قلم‌پارسی</code>
<code>\PersianMathsDigits</code>	<code>\اعداد‌فرمول‌ها‌پارسی</code>
<code>\persianmonth</code>	<code>\ماه‌پارسی</code>
<code>\persianyear</code>	<code>\سال‌پارسی</code>

*Continued on next page*



Command in XePersian	Equivalent Persian Command
\plq	\علامت چپ نقل قول پارسی
\prq	\علامت راست نقل قول پارسی
\rightfootnoterule	\خط زیرنویس راست
\rl	\متن پارسی
\RLE	\راست بچپ
\RTLdblcol	\دوستونی راست
\RTLfootnote	\پانوش
\RTLfootnotetext	\متن پانوش
\RTLthanks	\پانوش عنوان
\@SepMark	@\علامت بین
\SepMark	\علامت بین
\setdefaultbibitems	\بگذارمرجوعات عادی
\setdefaultmarginpar	\بگذاردرحاشیه عادی
\setmathdigitfont	\گزینش قلم اعداد فرمولها
\setfootnoteLR	\بگذارزیرنویس چپ
\setfootnoteRL	\بگذارزیرنویس راست
\setlatintextfont	\گزینش قلم لاتین متن
\setLTR	\بگذارمتن چپ
\setLTRbibitems	\بگذارمرجوعات چپ
\setLTRmarginpar	\بگذاردرحاشیه چپ
\setRTL	\بگذارمتن راست
\setRTLbibitems	\بگذارمرجوعات راست
\setRTLmarginpar	\بگذاردرحاشیه راست
\settextfont	\گزینش قلم متن
\textwidthfootnoterule	\خط زیرنویس پهنای متن
\twocolumnstableofcontents	\فهرست مطالب دوستونی
\unsetfootnoteRL	\نگذارزیرنویس راست
\unsetLTR	\نگذارمتن چپ
\unsetRTL	\نگذارمتن راست
\vboxL	\کادر وازچپ
\vboxR	\کادر وازراست
\XeLaTeX	\زی لاتک
\XePersian	\زی پرشین
\xepersianversion	\گونه زی پرشین
\xepersiandate	\تاریخ گونه زی پرشین
\XeTeX	\زی تک

Table 3: The Equivalent  $\text{\LaTeX}$  Environments

Environment in $\text{\LaTeX}$	Equivalent Persian Environment
abstract	چکیده
appendix	پیوست

*Continued on next page*



Environment in $\text{\LaTeX}$	Equivalent Persian Environment
array	آرایه
center	وسط چین
description	توضیح
displaymath	ریاضی نمایشی
document	نوشتار
enumerate	شمارش
figure	شکل
figure*	شکل*
filecontents	محتوای پرونده
filecontents*	محتوای پرونده*
flushleft	چپ چین
flushright	راست چین
itemize	فقرات
letter	نامه
list	لیست
longtable	جدول دراز
lrbox	کادر چپ
math	ریاضی
matrix	ماتریس
minipage	صفحه کوچک
multicols	چند ستونی ها
multline	چند خطی
note	یادداشت
overlay	انباشتن
picture	تصویر
quotation	اقتباس
quote	نقل
slide	اسلاید
sloppypar	پارنا مرتب
split	شکافتن
subarray	زیر آرایه
tabbing	جاگذاری
table	لوح
table*	لوح*
tabular	جدول
tabular*	جدول*
thebibliography	مراجع
theindex	محتوای نمایه
titlepage	صفحه عنوان
trivlist	لیست بدوی

*Continued on next page*



Environment in $\LaTeX$	Equivalent Persian Environment
verbatim	همانطورکه هست
verbatim*	همانطورکه هست*
verse	شعر

Table 4: The Equivalent XePersian Environments

Environment in XePersian	Equivalent Persian Environment
latin	لاتین
LTR	متن چپ
LTRitems	دسته بندی چپ
persian	پارسی
RTL	متن راست
RTLitems	دسته بندی راست

**Localisation of position arguments.** Some environments like `tabular` and some commands like `\parbox` have an argument which specifies the position. Table [Table 5](#) shows their localisations.

Table 5: The Equivalent  $\LaTeX$  position arguments

Position argument in $\LaTeX$	Equivalent Persian position argument
b	ز
c	و
C	س
h	ا
H	آ
J	ت
l	چ
L	ف
m	م
p	پ
p	ص
r	ر
R	ا
s	ک
t	ب

☞ There are two ps in [Table 5](#), first p and its Persian equivalent پ stand for paragraph (used in `tabular` and similar environments) and the second p and its Persian equivalent ص stand for page (used in float-like environments).

#### 2.4.8 Localizations of the keys and key values of `graphicx` package

The equivalent Persian keys and key values of `graphicx` package is shown in [Table 6](#) and [Table 7](#) respectively.



Table 6: Persian Equivalent keys of graphicx package

Original Key	Equivalent Persian Key
draft	پیش نویس
origin	مبدا
clip	بی اضافه
keepaspectratio	حفظ تناسب
natwidth	پهنای طبیعی
natheight	بلندای طبیعی
bb	مختصات
viewport	محدوده نمایش
trim	حذف اطراف
angle	زاویه
width	پهنا
height	بلندا
totalheight	بلندای کل
scale	ضریب
type	نوع
ext	پسوند
read	خواندنی
command	فرمان
x	طول
y	عرض
units	واحد

Table 7: Persian Equivalent key values of graphicx package

Original Key value	Equivalent Persian Key value
b	ز
B	ک
false	نادرست
l	چ
r	ر
t	ب
true	درست

#### 2.4.9 Localizations of font features and font feature options

The equivalent Persian font features and font feature options is shown in [Table 8](#) and [Table 9](#) respectively.

Table 8: Persian Equivalent font features

Original font feature	Equivalent Persian font feature
ExternalLocation	مکان خارجی
ExternalLocation	مسیر

*Continued on next page*



Original font feature	Equivalent Persian font feature
Renderer	تحويل دهنده
BoldFont	قلم سیاه
Language	زبان
Script	خط
UprightFont	قلم عمودی
ItalicFont	قلم ایتالیک
BoldItalicFont	قلم ایتالیک سیاه
SlantedFont	قلم خوابیده
BoldSlantedFont	قلم خوابیده سیاه
SmallCapsFont	قلم کلاه کوچک
UprightFeatures	ویژگی های قلم عمودی
BoldFeatures	ویژگی های قلم سیاه
ItalicFeatures	ویژگی های قلم ایتالیک
BoldItalicFeatures	ویژگی های قلم ایتالیک سیاه
SlantedFeatures	ویژگی های قلم خوابیده
BoldSlantedFeatures	ویژگی های قلم خوابیده سیاه
SmallCapsFeatures	ویژگی های قلم کلاه کوچک
SizeFeatures	ویژگی های اندازه
Scale	ضریب
WordSpace	فضای کلمه
PunctuationSpace	فضای نقطه گذاری
FontAdjustment	تنظیم قلم
LetterSpace	فضای حرف
HyphenChar	نویسه تیره
Color	رنگ
Opacity	کدری
Mapping	نگاشت
Weight	سنگینی
Width	پهنا
OpticalSize	اندازه چشمی
FakeSlant	خوابیده تقلبی
FakeStretch	کشش تقلبی
FakeBold	سیاه تقلبی
AutoFakeSlant	خوابیده تقلبی خودکار
AutoFakeBold	سیاه تقلبی خودکار
Ligatures	دو یا چند حرف متصل به هم
Alternate	متناوب
Variant	گوناگون
Variant	مجموعه سبکی
CharacterVariant	گوناگونی نویسه

*Continued on next page*



Original font feature	Equivalent Persian font feature
Style	سبک
Annotation	یادداشت
RawFeature	ویژگی های کال
CharacterWidth	پهنای نویسه
Numbers	ارقام
Contextuals	متنی
Diacritics	تفکیک کننده ها
Letters	حروف
Kerning	دوری
VerticalPosition	موقعیت عمودی
Fractions	کسر

Table 9: Persian Equivalent font feature options

font feature	font feature option	Persian font feature option
Language	Default	پیش فرض
Language	Parsi	پارسی
Script	Parsi	پارسی
Script	Latin	لاتین
Style	MathScript	اسکرپیت ریاضی
Style	MathScriptScript	اسکرپیت اسکرپیت ریاضی

## 2.5 A Sample Input T<sub>E</sub>X File

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofar}
4 \title{یک سند نمونه}
5 \author{نام نویسنده}
6 \begin{document}
7 \maketitle
8 \tableofcontents
9 \part{عنوان بخش}
10 ...
11 \section{عنوان قسمت}
12 ...
13 \subsection{عنوان زیرقسمت}
14 ...
15 \subsubsection{عنوان زیر زیر قسمت}
16 ...
17 \end{document}

```

## 2.6 Font Commands



### 2.6.1 Basic Font Commands

```
\settextfont [Options] {\font name}  
\setlatintextfont [Options] {\font name}  
\setmathdigitfont [Options] {\font name}  
\setmathsfdigitfont [Options] {\font name}  
\setmathttdigitfont [Options] {\font name}
```

- ☞ Options in any font command in this documentation are anything that fontspec package provides as the option of loading fonts, except Script and Mapping.
- ☞ `\settextfont` will choose the default font for Persian texts of your document.
- ☞ `\setlatintextfont` will choose the font for Latin texts of your document. If you do not use this command at all, the default T<sub>E</sub>X font (fonts used in this documentation) will be used for Latin texts of your document.
- ☞ `\setmathdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ `\setmathsfdigitfont` will choose the Persian font for digits in math mode inside `\mathsf`. By using this command, digits in math mode inside `\mathsf` will appear in Persian form and if you do not use this command at all, you will get default T<sub>E</sub>X font for digits in math mode inside `\mathsf` and digits appear in their original form (Western).
- ☞ `\setmathttdigitfont` will choose the Persian font for digits in math mode inside `\mathtt`. By using this command, digits in math mode inside `\mathtt` will appear in Persian form and if you do not use this command at all, you will get default T<sub>E</sub>X font for digits in math mode inside `\mathtt` and digits appear in their original form (Western).

### 2.6.2 Defining Extra Persian and Latin Fonts

```
\defpersianfont\CS [Options] {\font name}  
\deflatinfont\CS [Options] {\font name}
```

- ☞ With `\defpersianfont`, you can define extra Persian fonts.

```
\defpersianfont\Nastaliq[Scale=1]{IranNastaliq}
```

In this example, we define `\Nastaliq` to stand for IranNastaliq font.

- ☞ With `\deflatinfont`, you can define extra Latin fonts.

```
\deflatinfont\junicode[Scale=1]{Junicode}
```

In this example, we define `\junicode` to stand for Junicode font.





### 2.6.3 Choosing Persian Sans Font

```
\setpersiansansfont [Options] {\font name}  
\persiansffamily \textpersiansf{\text}
```

### 2.6.4 Choosing Persian Mono Font

```
\setpersianmonofont [Options] {\font name}  
\persianttfamily \textpersiantt{\text}
```

### 2.6.5 Choosing Persian Iranic Font

```
\setiraniconfont [Options] {\font name}  
\iranicfamily \textiranicon{\text}
```

### 2.6.6 Choosing Persian Navar Font

```
\setnavarfont [Options] {\font name}  
\navarfamily \textnavar{\text}
```

### 2.6.7 Choosing Persian Pook Font

```
\setpookfont [Options] {\font name}  
\pookfamily \textpook{\text}
```

### 2.6.8 Choosing Persian Sayeh Font

```
\setsayehfont [Options] {\font name}  
\sayehfamily \textsayeh{\text}
```

### 2.6.9 Choosing Latin Sans Font

```
\setlatinsansfont [Options] {\font name}  
\sffamily \textsf{\text}
```

### 2.6.10 Choosing Latin Mono Font

```
\setlatinmonofont [Options] {\font name}  
\ttfamily \texttt{\text}
```



### 3 Latin and Persian Environment

```
\begin{latin} <text> \end{latin}  
\begin{persian} <text> \end{persian}
```

☞ `latin` environment both changes direction of the paragraphs to LTR and font to Latin font.

☞ `persian` environment both changes direction of the Paragraphs to RTL and font to Persian font.

#### 3.1 `latinitems` and `parsiitems` environments

```
\begin{latinitems}  
  \item <text>  
  ...  
\end{latinitems}
```

☞ `latinitems` environment is similar to `LTItems` environment but changes the font to Latin font.

```
\begin{parsiitems}  
  \item <text>  
  ...  
\end{parsiitems}
```

☞ `parsiitems` environment is similar to `RTLItems` environment but changes the font to Persian font.

#### 3.2 Short Latin and Persian Texts

```
\lr{<text>} \rl{<text>}
```

☞ With `\lr` command, you can typeset short LTR texts.

☞ With `\rl` command, you can typeset short RTL texts.

#### 3.3 Miscellaneous Commands

```
\persianyear \persianmonth \persianday  
\today \latintoday \twocolumnstableofcontents \XePersian  
\plq \prq
```

☞ `\persianyear` is Persian equivalent of `\year`.



- ☞ `\persianmonth` is Persian equivalent of `\month`.
- ☞ `\persianday` is Persian equivalent of `\day`.
- ☞ `\today` typesets current Persian date and `\latintoday` typesets current Latin date.
- ☞ `\twocolumnstableofcontents` typesets table of contents in two columns. This requires that you have loaded `multicol` package before `XePersian` package, otherwise an error will be issued.
- ☞ `\XePersian` typesets XePersian's logo.
- ☞ `\plq` and `\prq` typeset Persian left quote and Persian right quote respectively.

### 3.4 New Commands

`\Latincite`

- ☞ `\Latincite` functions exactly like `\cite` command with only one difference; the reference to biblabel item is printed in Latin font in the text.

### 3.5 Additional Counters

XePersian defines several additional counters to what already  $\text{\LaTeX}$  offers. These counters are `harfi`, `adadi`, and `tartibi`. In addition, the following commands are also provided:

`\harfinumeral{⟨integer⟩}`   `\adadinumeral{⟨integer⟩}`   `\tartibinumeral{⟨integer⟩}`

- ☞ The range of `harfi` counter is integers between 1 and 32 (number of the Persian alphabets) and `adadi` and `tartibi` counters, are integers between 0 and 999,999,999.
- ☞ For `harfi` counter, if you give an integer bigger than 32 or a negative integer (if you give integer 0, it returns nothing), then you get error and for `adadi` and `tartibi` counters, if you give an integer bigger than 999,999,999, then you get an error message.
- ☞ For `adadi` and `tartibi` counters, if you give an integer less than 0 (a negative integer), then `adadi` and `tartibi` counters return **adadi** and **tartibi** form of the integer 0, respectively.
- ☞ `\harfinumeral` returns the **harfi** form of  $\langle integer \rangle$ , where  $1 \leq integer \leq 32$  and `\adadinumeral`, and `\tartibinumeral` return **adadi**, and **tartibi** form of  $\langle integer \rangle$  respectively, where  $0 \leq integer \leq 999,999,999$ .



### 3.6 Things To Know About `\setmathdigitfont`, `\setmathsfdigitfont`, and `\setmathtttdigitfont`

<code>\DefaultMathsDigits</code> <code>\PersianMathsDigits</code> <code>\AutoMathsDigits</code>
---

☞ As we discussed before, `\setmathdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.

☞ As we discussed before, `\setmathsfdigitfont`, and `\setmathtttdigitfont` will choose the Persian sans serif and typewriter fonts for digits in math mode. By using this command, digits in math mode will appear in Persian form and if you do not use this command at all, you will get default T<sub>E</sub>X font for digits in math mode and digits appear in their original form (Western).

If you use `\setmathdigitfont`, `\setmathsfdigitfont`, and `\setmathtttdigitfont`, then you should know that:

☞ By default, `\AutoMathsDigits` is active, which means that in Persian mode, you get Persian digits in math mode and in Latin mode, you get T<sub>E</sub>X's default font and digits in math mode.

☞ If you use `\PersianMathsDigits` anywhere, you will overwrite XePersian's default behaviour and you will always get Persian digits in math mode.

☞ If you use `\DefaultMathsDigits` anywhere, again you will overwrite XePersian's default behaviour and you will always get T<sub>E</sub>X's default font and digits in math mode.

## 4 New Conditionals

### 4.1 Shell escape (or `write18`) conditional

<pre>\ifwritexviii   <i>&lt;material when Shell escape (or write18) is enabled&gt;</i> \else   <i>&lt;material when Shell escape (or write18) is not enabled&gt;</i> \fi</pre>
--

## 5 Bilingual Captions

XePersian sets caption bilingually. This means if you are in RTL mode, you get Persian caption and if you are in LTR mode, you get English caption.



## 5.1 Support For Various Packages

In addition to what bidi package supports, XePersian also support a few packages. This support is more about language aspect rather than directionality. These packages are algorithmic, algorithm, enumerate, and backref packages.

### 5.1.1 Things You Should Know about Support For enumerate Package

The enumerate package gives the enumerate environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens A, a, I, i, or 1 produces the value of the counter printed with (respectively) \Alph, \alph, \Roman, \roman or \arabic.

In addition with the extra support that XePersian provides, an occurrence of one of the tokens l, ی, or ت produces the value of the counter printed with (respectively) \harfi, \adadi, or \tartibi.

These letters may be surrounded by any strings involving any other T<sub>E</sub>X expressions, however the tokens A, a, I, i, 1, l, ی, ت must be inside a {} group if they are not to be taken as special.

To see an Example, please look at enumerate package documentation.

## 5.2 Index Generation

For generating index, you are advised to use xindy program, any other program such as makeindex is not recommended.

## 5.3 Converting Your FarsiT<sub>E</sub>X Files To XePersian or Unicode

There is a python program written by Mostafa Vahedi that enables you to convert FarsiT<sub>E</sub>X files to XePersian or unicode. This program can be found in doc folder with the name ftxe-0.12.py. To convert your FarsiT<sub>E</sub>X files to XePersian, put ftxe-0.12.py in the same directory that your FarsiT<sub>E</sub>X file is, and then open a terminal/command prompt and do the following:

```
python ftxe-0.12.py file.ftx file.tex
```

This will convert your file.ftx (FarsiT<sub>E</sub>X file) to file.tex (XePersian file).

The general syntax of using the python script is as follow:

```
python ftxe-0.12.py [-r] [-s] [-x] [-u] input-filename1 input-filename2
```

Where

-r (DEFAULT) recursively consider files included in the given files

-s do not recursively consider files

-x (DEFAULT) insert XePersian related commands



-u only convert to unicode (and not to XePersian)

Please note that the python script will not work with versions of python later than 2.6. So you are encouraged to use version 2.6 of python to benefit from this python script.

## 6 Extra Packages And Classes

### 6.1 Magazine Typesetting

#### 6.1.1 Introduction

xepersian-magazine class allows you to create magazines, newspapers and any other types of papers. The output document has a front page and as many inner pages as desired. Articles appear one after another, telling the type, number of columns, heading, subheading, images, author and so forth. It is possible to change the aspect of (almost) everything therefore it is highly customisable. Commands to add different titles, headings and footers are also provided.

#### 6.1.2 Usage

To create<sup>2</sup> a magazine just load the class as usual<sup>3</sup>, with

```
\documentclass [Options] {xepersian-magazine}
```

at the beginning of your source file. The class options are described in [subsubsection 6.1.12](#).

From this point it is possible to include packages and renew class commands described in [subsubsection 6.1.9](#).

#### 6.1.3 Front Page

As every magazine, xepersian-magazine has its own front page. It includes main headings, an index, the magazine logo and other useful information. This environment should be the first you use within xepersian-magazine class but it is not mandatory.

```
\firstimage \firstarticle
```

The first two commands you can use inside the `frontpage` environment are `\firstimage` and `\firstarticle` which include, respectively, the main image and the main heading in the front page. The first one takes two arguments  $\langle image \rangle$  and  $\langle description \rangle$ . Notice that second argument is optional and it declares the image

<sup>2</sup>For a sample file, please look at `magazine-sample.tex` in the doc folder

<sup>3</sup>You also need to load `graphicx`, `xunicode` and `xepersian` packages respectively, after loading the document class and choose fonts for the main text, Latin text and digits in maths formulas. For more detail see [section 2](#) of the documentation.



caption; *<image>* defines the relative path to the image. In order to include the first piece of article use

```
\firstarticle{<title>}{<opening>}{<time>}
```

first two arguments are mandatory and represent heading and the opening paragraph. Last argument is optional (you can leave it blank) and indicates the time when article happened.

```
\secondarticle
```

The second piece of article is included using the command `\secondarticle` just as the first article. The main difference are that this second piece has two more arguments and it does not include an image.

```
\secondarticle{<title>}{<subtitle>}{<opening>}{<pagesof>}{<time>}
```

The new arguments *<subtitle>* and *<pagesof>* define a subtitle and the name of the section for this piece of article.

```
\thirdarticle
```

The third piece of article is the last one in the xepersian-magazine front page. It works like the `\secondarticle`.

```
\thirdarticle{<title>}{<subtitle>}{<opening>}{<pagesof>}{<time>}
```

The arguments meaning is the same as `\secondarticle` command.

The front page includes three information blocks besides the news: `indexblock` which contains the index, `authorblock` which includes information about the author and a `weatherblock` containing a weather forecast. All these three environments are mostly a frame in the front page therefore they can be redefined to fit your personal wishes but I kept them to give an example and to respect the original xepersian-magazine format.

```
\indexitem
```

The `indexblock` environment contains a manually edited index of xepersian-magazine. It takes one optional argument *<title>* and places a title over the index block. To add entries inside the index just type

```
\indexitem{<title>}{<reference>}
```

inside the environment. The *<title>* is the index entry text and the *<reference>* points to a article inside xepersian-magazine. It will be more clear when you read [subsub-](#)



[section 6.1.4](#). In order to get a correct output, it is necessary to leave a blank line between index items.

The `authorblock` environment can include whatever you would like. I called it `authorblock` because I think it is nice to include some author reference in the front page: who you are, why are you doing this... This environment creates a frame box in the bottom right corner of the front page with your own logo at the top.

```
\weatheritem
```

Finally, the `weatherblock` lets you include a weather forecast. It takes one optional argument  $\langle title \rangle$  that places a title over the weather block. It can fit up to three weather icons with maximum and minimum temperatures, description and name. To add each of the weather entries type the following

```
\weatheritem{\langle image \rangle}{\langle day-name \rangle}{\langle max \rangle}{\langle min \rangle}{\langle short-des \rangle}
```

The first argument includes the path to the weather icon (i.e. sunny or rainy),  $\langle day-name \rangle$  like Monday,  $\langle max \rangle$  and  $\langle min \rangle$  are the highest and lowest day temperatures and  $\langle short-des \rangle$  is a brief description of the weather condition: partly cloudy, sunny and windy ...

#### 6.1.4 Inside

Once we have created the front page we should include all articles inside our magazine. `xepersian-magazine` arranges all articles one after each other, expanding headings all over the page and splitting the article text in the number of columns we wish. There are three different environments to define a piece of article: the `article` environment described in [subsubsection 6.1.5](#), the `editorial` environment [subsubsection 6.1.6](#) for opinion articles and the `shortarticle` environment explained in [subsubsection 6.1.7](#).

#### 6.1.5 The article environment

The main environment to include a piece of article is called `article`. It takes four arguments that set up the headings and structure of the article.

```
\begin{article}{\langle num-of-columns \rangle}{\langle title \rangle}{\langle subtitle \rangle}{\langle pagesof \rangle}{\langle label \rangle}  
... \langle text \rangle ...  
\end{article}
```

The first argument  $\langle num-of-columns \rangle$  sets the number of columns the article will be divided whereas  $\langle label \rangle$  is used when pointing an article from the index in the front page. The rest of the arguments are easy to understand.

Inside the `article` environment, besides the main text of the article, it is possible to include additional information using several class commands.





```
\authorandplace \timestamp
```

The `\authorandplace{<author>}{<place>}` inserts the name of the editor and the place where the article happened in the way many magazines do. Another useful command is `\timestamp{<time>}` which includes the time and a separator just before the text. These two commands should be used before the text because they type the text as the same place they are executed.

```
\image
```

To include images within the text of an article, xepersian-magazine provides an `\image` command. Since multicols package does not provide any float support for its multicols environment, I created a macro that includes an image only if that is possible, calculating if there is enough space for the image. It is not the best solution but it works quite well and I could not find a better one. To include an image use the command and its two arguments: the relative path to the image and a short description.

```
\image{<image>}{<description>}
```

```
\columnntitle \expandedtitle
```

Within the text of the article, it is possible to add column and expanded titles. The main difference between them is that the first one keeps inside the width of an article column whereas the second expands all over the width of the page, breaking all the columns. Their use is analogous, as follows

```
\columnntitle{<type>}{<text>}  
\expandedtitle{<type>}{<text>}
```

These two commands use fancybox package features. That is why there are five different types of titles which correspond mainly with fancybox ones: shadowbox, doublebox, ovalbox, Ovalbox and lines.

### 6.1.6 The editorial environment

In addition to the editorial article environment, one can use the editorial environment to create editorial or opinion texts. The main feature is that it transforms the style of the heading. Although this environment accepts all the commands article takes, it does not make any sense to use the `\authorandplace` command within it since it includes an author argument. To create an editorial text use



```
\begin{editorial}{\langle num-of-columns \rangle}{\langle title \rangle}{\langle author \rangle}{\langle label \rangle}
...{\langle text \rangle}...
\end{editorial}
```

All arguments have the same meaning as article environment (see [subsubsection 6.1.5](#)).

### 6.1.7 The shortarticle environment

The shortarticle environment creates a block of short article. Although it has its own title and subtitle, each piece of article within it may have a title. To use it just type:

```
\begin{shortarticle}{\langle num-of-columns \rangle}{\langle title \rangle}{\langle subtitle \rangle}{\langle label \rangle}
...{\langle text \rangle}...
\shortarticleitem{\langle title \rangle}{\langle text \rangle}
...
\end{shortarticle}
```

You can also specify the number of columns of the block like editorial and article environments. To add a piece of article inside the shortarticle use the `\shortarticleitem`, indicating a title and the text of the issue.

### 6.1.8 Commands between articles

```
\articlesep \newsection
```

There are two commands you can use among the articles inside xepersian-magazine: `\articlesep` and `\newsection`. The first one does not take any parameter and just draws a line between two articles. The second changes the content of `\xepersian@section` to the new `\langle section name \rangle`. From the point it is used, all articles which follow will be grouped within the new section.

```
\newsection{\langle section name \rangle}
```

### 6.1.9 Customization

xepersian-magazine includes many commands which can be used to customize its aspect, from the front page to the last page. I will list them grouped so it is easy to find them. Treat them as standard  $\text{\LaTeX}$  commands, using `\renewcommand` to change their behaviour.



### 6.1.10 Front Page

```
\customlogo \customminilogo \custommagazinenam
```

When creating a magazine, everyone wants to show its own logo instead of xepersian-magazine default heading. To achieve this, you need to put the following command at the preamble of your document:

```
\customlogo{<text>}  
\customminilogo{<text>}  
\custommagazinenam{<text>}
```

```
\edition \editionformat
```

The edition text has to be declared in the preamble of the document. One important thing to know is that `\author`, `\date` and `\title` have no effect inside xepersian-magazine since the magazine date is taken from `\today` command and the other two are only for the title page (if using `\maketitle`).

```
\indexFormat \indexEntryFormat \indexEntryPageTxt  
\indexEntryPageFormat \indexEntrySeparator
```

When defining the index in the front page, there are several commands to customize the final index style. `\indexFormat` sets the format of the title; `\indexEntryFormat`, the format of each index entry; `\indexEntryPageTxt` and `\indexEntryPageFormat` lets you define which is the text that goes with the page number and its format. Finally, xepersian-magazine creates a thin line between index entries, you can redefine it using `\indexEntrySeparator`. To get the index with `\xepersian@indexwidth` is provided.

```
\weatherFormat \weatherTempFormat \weatherUnits
```

Relating to the weather block, the title format can be changed redefining `\weatherFormat`. In order to customize the format of the temperature numbers and their units it is necessary to redefine `\weatherTempFormat` and `\weatherUnits` respectively.

```
\*TitleFormat \*SubtitleFormat \*TextFormat
```

The main article that appear in the front page can change their formats. To obtain that there are three standard commands to modify the title, subtitle and text style. You just have to replace the star (\*) with first, second or third depending on which article you are editing. Note that first piece of article has no subtitle therefore it does not make any sense to use the non-existent command `\firstSubtitleFormat`.



```
\pictureCaptionFormat \pagesFormat
```

Two other elements to configure are the picture captions and the pages or section format in the entire document. To proceed just redefine the macros `\pictureCaptionFormat` and `\pagesFormat`.

#### 6.1.11 Inside The Magazine

```
\innerTitleFormat \innerSubtitleFormat \innerAuthorFormat  
\innerPlaceFormat
```

The articles inside `xepersian-magazine` may have a different format from the ones in the front page. To change their title or subtitle format redefine `\innerTitleFormat` and `\innerSubtitleFormat`. The article text format matches the document general definition. When using the `\authorandplace` command, you might want to change the default style. Just renew `\innerAuthorFormat` and `\innerPlaceFormat` to get the results.

```
\timestampTxt \timestampSeparator \timestampFormat
```

The `\timestamp` command described in [subsubsection 6.1.5](#) lets you introduce the time of the event before the article text. You can configure its appearance by altering several commands: `\timestampTxt` which means the text after the timestamp; `\timestampSeparator` which defines the element between the actual timestamp and the beginning of the text and, finally, `\timestampFormat` to change the entire timestamp format.

```
\innerTextFinalMark
```

`xepersian-magazine` puts a small black square at the end of the article. As I wanted to create a highly customizable  $\text{\LaTeX}$  class I added the macro `\innerTextFinalMark` to change this black square. This item will appear always following the last character of the text with the `~` character.

```
\minraggedcols \raggedFormat
```

The `\minraggedcols` counter is used to tell `xepersian-magazine` when article text should be ragged instead of justified. The counter represents the minimum number of columns that are needed in order to use ragged texts. For example, if `\minraggedcols` is set to 3, all articles with 3 columns or more will be ragged. Articles with 1, 2 columns will have justified text. By default, `\minraggedcols` is set to 4.

The `\raggedFormat` macro can be redefined to fit user ragged style. Default value is `\RaggedLeft`.



```
\heading \foot
```

xepersian-magazine includes package fancyhdr for changing headings and footers. Although it is possible to use its own commands to modify xepersian-magazine style, there are two commands to change headings and foot appearance. Place them in the preamble of your xepersian-magazine document.

```
\heading{\left}\{center}\{right}\  
\foot{\left}\{center}\{right}
```

If you still prefer to use fancyhdr macros, use them after the `frontpage` environment. xepersian-magazine by default places no headers and footers. If you want headers and footers, then after loading xepersian package, you should write `\pagestyle{fancy}` at the preamble of your document.

### 6.1.12 Class Options

The xepersian-magazine class is in itself an alteration of the standard article class, thus it inherits most of its class options but twoside, twocolumn, notitlepage and a4paper. If you find problems when loading other article features, please let me know to fix it. There are also five own options that xepersian-magazine implements.

**a3paper** (false) This option makes xepersian-magazine 297 mm width by 420 mm height. This option is implemented because the standard article class does not allow this document size.

**9pt** (false) Allows the 9pt font size that article class does not include (default is 10pt).

**columnlines** columnlines (false) Adds lines between columns in the entire xepersian-magazine. The default line width is 0.1pt but it is possible to change this by setting length `\columnlines` in the preamble.

**showgrid** (false) This option is only for developing purposes. Because the front page has a personal design using the textpos package, I created this grid to make easier the layout.

## 6.2 Typesetting Multiple-choice Questions

### 6.2.1 Introduction

xepersian-multiplechoice is a package for making multiple choices questionnaires under  $\text{\LaTeX}$ . A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. xepersian-multiplechoice not only formats the questions for you, but also generates a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students’ forms.



### 6.2.2 Usage

Here we now explain the usage of this package, however there are four example files, namely `test-question-only.tex`, `test-solution-form.tex`, `test-empty-form.tex` and `test-correction.tex`, available in `doc` folder that you may want to look at.

### 6.2.3 Loading The Package

You can load the package as usual by:

```
\usepackage [Options] {xepersian-multiplechoice}
```

The available options are described along the text, where appropriate.

### 6.2.4 Creating Questions

Here's a simple example demonstrating how to produce a new question:

```
1 \begin{question}{سؤال}
2 \false \ جواب
3 \true ۲ جواب
4 \false ۳ جواب
5 \false ۴ جواب
6 \end{question}
7 \begin{correction}
8 جواب واقعی و علت اینکه این جواب، جواب واقعی هست
9 \end{correction}
```

### 6.2.5 The question Environment

The `question` environment allows you to insert questions into your document. It takes one mandatory argument which specifies the actual question's text. The question will be displayed in a frame box, the size of the line.

```
\true \false
```

The proposed answers are displayed below the question in a list fashion (the question environment is a list-based one). Instead of using `\item` however, use either `\true` or `\false` to insert a possible answer.

### 6.2.6 Question Numbers

The `question` environment is associated with a  $\TeX$  counter named `question`. This counter stores the number of the next (or current) question. It is initialized to 1, and automatically incremented at the end of `question` environments. You might want to use it to format question titles. For instance, you could decide that each question belongs to a subsection in the `article` class, and use something like this before each question: `\subsection*{Question \thethequestion}`



### 6.2.7 The Form and the Mask

`\makeform \makemask`

Based on the questions appearing in your document, xepersian-multiplechoice has the ability to generate a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). This can make the correction process easier.

To generate a form and a mask, use the macros `\makeform` and `\makemask`. xepersian-multiplechoice uses two auxiliary files to build them. These files have respectively an extension of `frm` and `msk`. If you use these macros, you will need two passes of L<sup>A</sup>T<sub>E</sub>X in order to get a correctly formatted document.

### 6.2.8 Typesetting corrections

The “correction” mode allows you to automatically typeset and distribute corrections to your students. These corrections are slightly modified versions of your questionnaire: each possible answer is prefixed with a small symbol (a visual clue) indicating whether the answer was correct or wrong. In addition, you can typeset explanations below each question.

To activate the correction mode, use the `correction` option. It is off by default.

To typeset explanations below the questions, use the `correction` environment (no argument). The contents of this environment is displayed only in correction mode. In normal mode, it is simply discarded.

In addition, note that xepersian-multiplechoice cancels the actions performed by `\makeform` and `\makemask` in `correction` mode. This is to avoid further edition of the source when typesetting a correction.

### 6.2.9 Important Note

Currently, xepersian-multiplechoice requires that you provide a constant number of proposed answers across all questions in your xepersian-multiplechoice. This is something natural when you want to build forms, but this might be too restrictive otherwise, I’m not sure, so it is possible that this restriction will be removed in future versions.

Currently, there is a built-in mechanism for checking that the number of proposed answers remains constant: when xepersian-multiplechoice encounters the first occurrence of the `question` environment, it remembers the number of proposed answers from there. Afterwards, any noticed difference in subsequent occurrences will generate an error. As a consequence, you never have to tell xepersian-multiplechoice explicitly what that number is.

## 6.3 Customising The Package



### 6.3.1 The question environment

`\questionspace \answerstitlefont \answernumberfont`

`\questionspace` is the amount of extra vertical space to put under the question, before the list of proposed answers. This is a  $\text{\LaTeX}$  length that defaults to 0pt. Before the list of possible answers, a short title is displayed (for English, it reads “Possible answers:”). The `\answerstitlefont` macro takes one mandatory argument which redefines the font to use for the answers title. By default, `\bfseries` is used. Each proposed answer in the list is numbered automatically (and alphabetically). The `\answernumberfont` macro takes one mandatory argument which redefines the font to use for displaying the answer number. By default, `\bfseries` is used.

### 6.3.2 The Form and the Mask

`\headerfont \X`

The `\headerfont` macro takes one mandatory argument which redefines the font to use for the headers (first line and first column) of the form and mask arrays. By default, `\bfseries` is used.

In the mask, correct answers are checked in by filling the corresponding cell with an “X” character. If you want to change this, call the `\X` macro with one (mandatory) argument.

### 6.3.3 The correction

`\truesymbol \falsesymbol`

In correction mode, labels in front of answers are modified to give a visual clue about whether the answer was correct or wrong. By default, a cross and a small arrow are used. You can change these symbols by using the `\truesymbol` and `\falsesymbol` macros. For instance, you could give a fancier look to your correction by using the `pifont` package and issuing:

`\truesymbol{\ding{'063}~}  
\falsesymbol{\ding{'067}~}`

`\correctionstyle`

The appearance of the contents of the correction environment can be adjusted by using the `\correctionstyle` macro. By default, `\itshape` is used.

## 7 xepersian implementation

### 7.1 algorithmic-xepersian.def





```

1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textbf{ :}\else\textbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textbf{ :}\else\textbf{Ensure:}\fi}

```

## 7.2 algorithm-xepersian.def

```

4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\ Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}

```

## 7.3 amsart-xepersian.def

```

8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@tartibi\c@part}
10 \def\appendix{\par\c@section\z@ \c@subsection\z@
11 \let\sectionname\appendixname
12 \def\thesection{\@harfi\c@section}}
13

```

## 7.4 amsbook-xepersian.def

```

14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
16 \renewcommand \thepart {\@tartibi\c@part}
17 \def\appendix{\par
18 \c@chapter\z@ \c@section\z@
19 \let\chaptername\appendixname
20 \def\thechapter{\@harfi\c@chapter}}
21
22

```

## 7.5 appendix-xepersian.def

```

23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resets@pp}{\par
25 \@ppsavesec
26 \stepcounter{pps}
27 \setcounter{section}{0}%
28 \if@chapter@pp
29 \setcounter{chapter}{0}%
30 \renewcommand\@chapapp{\appendixname}%
31 \renewcommand\thechapter{\@harfi\c@chapter}%
32 \else
33 \setcounter{subsection}{0}%
34 \renewcommand\thesection{\@harfi\c@section}%
35 \fi
36 \restoreapp
37 }

```

## 7.6 article-xepersian.def

```

38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]

```



```

39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43   \gdef\thesection{\@harfi\c@section}}

```

## 7.7 artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49   \gdef\thesection{\@harfi\c@section}}

```

## 7.8 artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55   \gdef\thesection{\@harfi\c@section}}

```

## 7.9 artikel3-xepersian.def

```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61   \gdef\thesection{\@harfi\c@section}}

```

## 7.10 backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\   pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[#1]{#2}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite \string`#2\string'}%
68   \fi
69   \Hy@backout{#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \@ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%

```



```

80 }%
81 }%

```

### 7.11 bidentuftsidenote-xepersian.def

```

82 \ProvidesFile{bidentuftsidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to bidentufts
83
84 \setLTRcitationfont{\resetlatinfont\footnotesize}
85
86 \renewcommand*{\@bidentuftsidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
87
88 \renewcommand*{\@bidentuftsidenote@RTLmarginfont}{\setpersianfont\footnotesize}
89
90

```

### 7.12 bidimoderncv-xepersian.def

```

91 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
92 \def\refname{\if@RTL else\      Publications\fi}

```

### 7.13 boek3-xepersian.def

```

93 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
94 \renewcommand*\thepart{\@tartibi\c@part}
95 \renewcommand*\frontmatter{%
96   \cleardoublepage
97   \@mainmatterfalse
98   \pagenumbering{harfi}}
99 \renewcommand*\appendix{\par
100   \setcounter{chapter}{0}%
101   \setcounter{section}{0}%
102   \gdef\@chapapp{\appendixname}%
103   \gdef\thechapter{\@harfi\c@chapter}}

```

### 7.14 boek-xepersian.def

```

104 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
105 \renewcommand*\thepart{\@tartibi\c@part}
106 \renewcommand*\frontmatter{%
107   \cleardoublepage
108   \@mainmatterfalse
109   \pagenumbering{harfi}}
110 \renewcommand*\appendix{\par
111   \setcounter{chapter}{0}%
112   \setcounter{section}{0}%
113   \gdef\@chapapp{\appendixname}%
114   \gdef\thechapter{\@harfi\c@chapter}}

```

### 7.15 bookest-xepersian.def

```

115 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
116 \renewcommand \thepart {\@tartibi\c@part}
117 \renewcommand\appendix{\par

```



```

118 \setcounter{chapter}{0}%
119 \setcounter{section}{0}%
120 \gdef\@chapapp{\appendixname}%
121 \gdef\thechapter{\@harfi\c@chapter}
122 }%end appendix

```

## 7.16 book-xepersian.def

```

123 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
124 \renewcommand\frontmatter{%
125     \cleardoublepage
126     \@mainmatterfalse
127     \pagenumbering{harfi}}
128 \renewcommand \thepart {\@tartibi\c@part}
129 \renewcommand\appendix{\par
130     \setcounter{chapter}{0}%
131     \setcounter{section}{0}%
132     \gdef\@chapapp{\appendixname}%
133     \gdef\thechapter{\@harfi\c@chapter}
134 }%end appendix

```

## 7.17 breqn-xepersian.def

```

135 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
136 \def\@dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
137     \everydisplay\expandafter{\the\everydisplay \display@setup}%
138     \if@noskipsec \leavevmode \fi
139     \if@inlabel \leavevmode \global\@inlabelfalse \fi
140     \if\eq@group\else\eq@prelim\fi
141     \setkeys{breqn}{#1}%
142     \the\eqstyle
143     \eq@setnumber
144     \begingroup
145     \eq@setup@a
146     \eq@startup
147 }
148 \def\@dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
149     \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
150     \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
151     \global\let\GRP@label\@empty
152     \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
153     \global\grp@linewidth\z@\global\grp@wdNum\z@
154     \global\let\grp@eqs@numbered\@False
155     \global\let\grp@aligned\@True
156     \global\let\grp@shiftnumber\@False
157     \eq@prelim
158     \setkeys{breqn}{#1}%
159     \if\grp@hasNumber \grp@setnumber \fi
160 }
161 \def\@dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
162     \let\display@setup\dseries@display@setup

```



```

163 % Question: should this be the default for dseries???
164 \global\eq@wdCond\z@
165 \@dmath[layout={M},#1]%
166 \mathsurround\z@\@math \penalty\@Mi
167 \let\endmath\ends@math
168 \def\premath{%
169     \ifdim\lastskip<.3em \unskip
170     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
171 }%
172 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
173 \ignorespaces
174 }

```

## 7.18 latex-localise-commands-xepersian.def

```

175 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of L
176 \eqcommand{ }{@arstrut}
177 \eqcommand{ }{above}
178 \eqcommand{ }{abovedisplayshortskip}
179 \eqcommand{ }{abovedisplayskip}
180 \eqcommand{ }{abstractname}
181 \eqcommand{ }{accent}
182 \eqcommand{ }{active}
183 \eqcommand{ }{addcontentsline}
184 \eqcommand{ }{addpenalty}
185 \eqcommand{ }{address}
186 \eqcommand{ }{addtocontents}
187 \eqcommand{ }{addtocounter}
188 \eqcommand{ }{addtolength}
189 \eqcommand{ }{addvspace}
190 \eqcommand{ }{adjdemerits}
191 \eqcommand{ }{advance}
192 \eqcommand{ }{afterassignment}
193 \eqcommand{ }{aftergroup}
194 \eqcommand{ }{aleph}
195 \eqcommand{ }{aliasfontfeature}
196 \eqcommand{ }{aliasfontfeatureoption}
197 \eqcommand{ }{allowbreak}
198 \eqcommand{ @}{alloc@}
199 \eqcommand{ }{allocationnumber}
200 \eqcommand{ }{allowdisplaybreaks}
201 \eqcommand{ }{Alph}
202 \eqcommand{ }{alph}
203 \eqcommand{ }{alsoname}
204 \eqcommand{ }{and}
205 \eqcommand{ }{angle}
206 \eqcommand{ }{appendixname}
207 \eqcommand{ }{approx}
208 \eqcommand{ }{arabic}
209 \eqcommand{ }{arg}

```



```

210 \eqcommand{    }\{arrayrulecolor\}
211 \eqcommand{    }\{arraycolsep\}
212 \eqcommand{    }\{arrayrulewidth\}
213 \eqcommand{    }\{arraystretch\}
214 \eqcommand{    }\{AtBeginDocument\}
215 \eqcommand{    }\{AtEndDocument\}
216 \eqcommand{    }\{AtEndOfClass\}
217 \eqcommand{    }\{AtEndOfPackage\}
218 \eqcommand{    }\{author\}
219 \eqcommand{    }\{backmatter\}
220 \eqcommand{    }\{backslash\}
221 \eqcommand{    }\{badness\}
222 \eqcommand{    }\{bar\}
223 \eqcommand{    }\{baselineskip\}
224 \eqcommand{    }\{baselinestretch\}
225 \eqcommand{    }\{batchmode\}
226 \eqcommand{    }\{begin\}
227 \eqcommand{    }\{beginL\}
228 \eqcommand{    }\{beginR\}
229 \eqcommand{    }\{begingroup\}
230 \eqcommand{    }\{belowdisplayshortskip\}
231 \eqcommand{    }\{belowdisplayskip\}
232 \eqcommand{    }\{bf\}
233 \eqcommand{    }\{bfdefault\}
234 \eqcommand{    }\{bfseries\}
235 \eqcommand{    }\{bgroup\}
236 \eqcommand{    }\{bibitem\}
237 \eqcommand{    }\{bibliography\}
238 \eqcommand{    }\{bibliographystyle\}
239 \eqcommand{    }\{bibname\}
240 \eqcommand{    }\{bigskip\}
241 \eqcommand{    }\{bigskipamount\}
242 \eqcommand{    }\{botfigrule\}
243 \eqcommand{    }\{botmark\}
244 \eqcommand{    }\{bottompageskip\}
245 \eqcommand{    }\{bottomfraction\}
246 \eqcommand{    }\{box\}
247 \eqcommand{    }\{boxmaxdepth\}
248 \eqcommand{    }\{break\}
249 \eqcommand{    }\{bullet\}
250 \eqcommand{ @ }\{@cclv\}
251 \eqcommand{ @ }\{@cclvi\}
252 \eqcommand{    }\{caption\}
253 \eqcommand{    }\{catcode\}
254 \eqcommand{    }\{cc\}
255 \eqcommand{    }\{ccname\}
256 \eqcommand{    }\{cdot\}
257 \eqcommand{    }\{cdots\}
258 \eqcommand{    }\{centering\}
259 \eqcommand{    }\{centerline\}

```



```

260 \eqcommand{ @ }{ch@ck}
261 \eqcommand{ }{chapter}
262 \eqcommand{ }{chaptername}
263 \eqcommand{ }{char}
264 \eqcommand{ }{chardef}
265 \eqcommand{ }{CheckCommand}
266 \eqcommand{ }{cite}
267 \eqcommand{ }{ClassError}
268 \eqcommand{ }{ClassInfo}
269 \eqcommand{ }{ClassWarning}
270 \eqcommand{ }{ClassWarningNoLine}
271 \eqcommand{ }{cleaders}
272 \eqcommand{ }{cleardoublepage}
273 \eqcommand{ }{clearpage}
274 \eqcommand{ }{cline}
275 \eqcommand{ }{closein}
276 \eqcommand{ }{closeout}
277 \eqcommand{ }{closing}
278 \eqcommand{ }{clubpenalty}
279 \eqcommand{ }{clubsuit}
280 \eqcommand{ }{colbotmark}
281 \eqcommand{ }{colfirstmark}
282 \eqcommand{ }{color}
283 \eqcommand{ }{colorbox}
284 \eqcommand{ }{coltopmark}
285 \eqcommand{ }{columncolor}
286 \eqcommand{ }{columnsep}
287 \eqcommand{ }{columnwidth}
288 \eqcommand{ }{columnseprule}
289 \eqcommand{ }{contentsline}
290 \eqcommand{ }{contentsname}
291 \eqcommand{ }{copy}
292 \eqcommand{ }{copyright}
293 \eqcommand{ }{count}
294 \eqcommand{ @}{count@}
295 \eqcommand{ }{countdef}
296 \eqcommand{ }{cr}
297 \eqcommand{ }{crrr}
298 \eqcommand{ }{csname}
299 \eqcommand{ }{CurrentOption}
300 \eqcommand{ }{dashbox}
301 \eqcommand{ }{dashv}
302 \eqcommand{ @ }{@date}
303 \eqcommand{ }{date}
304 \eqcommand{ }{day}
305 \eqcommand{ }{dblbotfigrule}
306 \eqcommand{ }{dblbottomfraction}
307 \eqcommand{ }{dblfigrule}
308 \eqcommand{ }{dblfloatpagefraction}
309 \eqcommand{ }{dblfloatsep}

```



```

310 \eqcommand{      }\{dblfontlocatecode}
311 \eqcommand{      }\{dbltextfloatsep}
312 \eqcommand{      }\{dbltopfraction}
313 \eqcommand{      }\{DeclareFixedFont}
314 \eqcommand{      }\{DeclareGraphicsExtensions}
315 \eqcommand{      }\{DeclareGraphicsRule}
316 \eqcommand{      }\{DeclareOldFontCommand}
317 \eqcommand{      }\{DeclareOption}
318 \eqcommand{      }\{DeclareRobustCommand}
319 \eqcommand{      }\{DeclareSymbolFont}
320 \eqcommand{      }\{deadcycles}
321 \eqcommand{ }\{def}
322 \eqcommand{ @ }\{define@key}
323 \eqcommand{   }\{definecolor}
324 \eqcommand{ }\{deg}
325 \eqcommand{ }\{delcode}
326 \eqcommand{ }\{delimiter}
327 \eqcommand{ }\{delimiterfactor}
328 \eqcommand{ }\{depth}
329 \eqcommand{ }\{diamondsuit}
330 \eqcommand{ }\{dim}
331 \eqcommand{ }\{dimen}
332 \eqcommand{ @ }\{dimen@}
333 \eqcommand{ @ }\{dimen@i}
334 \eqcommand{ @ }\{dimen@ii}
335 \eqcommand{   }\{dimendef}
336 \eqcommand{   }\{discretionary}
337 \eqcommand{   }\{displaybreak}
338 \eqcommand{   }\{displayindent}
339 \eqcommand{   }\{displaystyle}
340 \eqcommand{   }\{displaywidth}
341 \eqcommand{ }\{divide}
342 \eqcommand{   }\{documentclass}
343 \eqcommand{ }\{do}
344 \eqcommand{   }\{dospecials}
345 \eqcommand{ }\{dot}
346 \eqcommand{ }\{doteq}
347 \eqcommand{ }\{dotfill}
348 \eqcommand{ }\{dots}
349 \eqcommand{ }\{doublebox}
350 \eqcommand{   }\{doublerulesepcolor}
351 \eqcommand{   }\{doublerulesep}
352 \eqcommand{ }\{downarrow}
353 \eqcommand{ }\{dp}
354 \eqcommand{ }\{dump}
355 \eqcommand{ }\{edef}
356 \eqcommand{ }\{egroup}
357 \eqcommand{ }\{eject}
358 \eqcommand{ }\{else}
359 \eqcommand{ }\{em}

```





```

360 \eqcommand{    }{emergencystretch}
361 \eqcommand{    }{emph}
362 \eqcommand{@    }{@empty}
363 \eqcommand{    }{empty}
364 \eqcommand{    }{emptyset}
365 \eqcommand{    }{end}
366 \eqcommand{    }{endL}
367 \eqcommand{    }{endR}
368 \eqcommand{    }{endcsname}
369 \eqcommand{    }{endfirsthead}
370 \eqcommand{    }{endfoot}
371 \eqcommand{    }{endgraf}
372 \eqcommand{    }{endgroup}
373 \eqcommand{    }{endhead}
374 \eqcommand{    }{endinput}
375 \eqcommand{    }{endlastfoot}
376 \eqcommand{    }{enlargethispage}
377 \eqcommand{    }{endline}
378 \eqcommand{    }{endlinechar}
379 \eqcommand{    }{enspace}
380 \eqcommand{    }{enskip}
381 \eqcommand{    }{eqcommand}
382 \eqcommand{    }{eqenvironment}
383 \eqcommand{    }{eqref}
384 \eqcommand{    }{errhelp}
385 \eqcommand{    }{errmessage}
386 \eqcommand{    }{errorcontextlines}
387 \eqcommand{    }{errorstopmode}
388 \eqcommand{    }{escapechar}
389 \eqcommand{    }{euro}
390 \eqcommand{    }{evensidemargin}
391 \eqcommand{    }{everycr}
392 \eqcommand{    }{everydisplay}
393 \eqcommand{    }{everyhbox}
394 \eqcommand{    }{everyjob}
395 \eqcommand{    }{everymath}
396 \eqcommand{    }{everypar}
397 \eqcommand{    }{everyvbox}
398 \eqcommand{    }{ExecuteOptions}
399 \eqcommand{    }{exhyphenpenalty}
400 \eqcommand{    }{expandafter}
401 \eqcommand{    }{extracolsep}
402 \eqcommand{@    }{@firstofone}
403 \eqcommand{@    }{@firstoftwo}
404 \eqcommand{ @ }{f@ur}
405 \eqcommand{    }{fam}
406 \eqcommand{    }{fancy page}
407 \eqcommand{    }{fbox}
408 \eqcommand{    }{fboxrule}
409 \eqcommand{    }{fboxsep}

```



```

410 \eqcommand{    }{fcolorbox}
411 \eqcommand{ }{fi}
412 \eqcommand{    }{figurename}
413 \eqcommand{    }{filbreak}
414 \eqcommand{ }{fill}
415 \eqcommand{    }{firstmark}
416 \eqcommand{ }{flat}
417 \eqcommand{    }{floatpagefraction}
418 \eqcommand{    }{floatingpenalty}
419 \eqcommand{    }{floatsep}
420 \eqcommand{    }{flushbottom}
421 \eqcommand{    }{fmtname}
422 \eqcommand{    }{fmtversion}
423 \eqcommand{    }{fnsymbol}
424 \eqcommand{ }{font}
425 \eqcommand{    }{fontdimen}
426 \eqcommand{    }{fontencoding}
427 \eqcommand{    }{fontfamily}
428 \eqcommand{    }{fontname}
429 \eqcommand{    }{fontseries}
430 \eqcommand{    }{fontshape}
431 \eqcommand{    }{fontsize}
432 \eqcommand{    }{footheight}
433 \eqcommand{    }{footins}
434 \eqcommand{    }{footnote}
435 \eqcommand{    }{footnotemark}
436 \eqcommand{    }{footnoterule}
437 \eqcommand{    }{footnotesep}
438 \eqcommand{    }{footnotesize}
439 \eqcommand{    }{footnotetext}
440 \eqcommand{    }{footskip}
441 \eqcommand{ }{frame}
442 \eqcommand{    }{framebox}
443 \eqcommand{    }{frenchspacing}
444 \eqcommand{    }{frontmatter}
445 \eqcommand{    }{futurelet}
446 \eqcommand{@    }{@gobble}
447 \eqcommand{@    }{@gobbletwo}
448 \eqcommand{@    }{@gobblefour}
449 \eqcommand{@    }{@gtempa}
450 \eqcommand{@    }{@gtempb}
451 \eqcommand{ }{gdef}
452 \eqcommand{    }{GenericInfo}
453 \eqcommand{    }{GenericWarning}
454 \eqcommand{    }{GenericError}
455 \eqcommand{ }{global}
456 \eqcommand{    }{globaldefs}
457 \eqcommand{    }{glossary}
458 \eqcommand{    }{glossaryentry}
459 \eqcommand{    }{goodbreak}

```



```

460 \eqcommand{    }\{graphpaper\}
461 \eqcommand{    }\{guillemotleft\}
462 \eqcommand{    }\{guillemotright\}
463 \eqcommand{    }\{guilsinglleft\}
464 \eqcommand{    }\{guilsinglright\}
465 \eqcommand{    }\{halign\}
466 \eqcommand{    }\{hang\}
467 \eqcommand{    }\{hangafter\}
468 \eqcommand{    }\{hangindent\}
469 \eqcommand{    }\{hbadness\}
470 \eqcommand{    }\{hbox\}
471 \eqcommand{    }\{headheight\}
472 \eqcommand{    }\{headsep\}
473 \eqcommand{    }\{headtoname\}
474 \eqcommand{    }\{heartsuit\}
475 \eqcommand{    }\{height\}
476 \eqcommand{    }\{hfil\}
477 \eqcommand{    }\{hfill\}
478 \eqcommand{    }\{hfilneg\}
479 \eqcommand{    }\{hfuzz\}
480 \eqcommand{    }\{hideskip\}
481 \eqcommand{    }\{hidewidth\}
482 \bidi@csletcs{ }\{hline\}% this is an exception
483 \eqcommand{    }\{hoffset\}
484 \eqcommand{    }\{holdinginserts\}
485 \eqcommand{    }\{hrboxsep\}
486 \eqcommand{    }\{hrule\}
487 \eqcommand{    }\{hrulefill\}
488 \eqcommand{    }\{hsize\}
489 \eqcommand{    }\{hskip\}
490 \eqcommand{    }\{hspace\}
491 \eqcommand{    }\{hss\}
492 \eqcommand{    }\{ht\}
493 \eqcommand{    }\{huge\}
494 \eqcommand{    }\{Huge\}
495 \eqcommand{    }\{hyperlink\}
496 \eqcommand{    }\{hypersetup\}
497 \eqcommand{    }\{hypertarget\}
498 \eqcommand{    }\{hyphenation\}
499 \eqcommand{    }\{hyphenchar\}
500 \eqcommand{    }\{hyphenpenalty\}
501 \eqcommand{@    }\{@ifclassloaded\}
502 \eqcommand{@    }\{@ifdefinable\}
503 \eqcommand{@    }\{@ifnextchar\}
504 \eqcommand{@    }\{@ifpackageloaded\}
505 \eqcommand{@    }\{@ifstar\}
506 \eqcommand{@    }\{@ifundefined\}
507 \eqcommand{    }\{if\}
508 \eqcommand{    @ }\{if@tempswa\}
509 \eqcommand{    }\{ifcase\}

```



```

510 \eqcommand{ }{ifcat}
511 \eqcommand{ }{ifdefined}
512 \eqcommand{ }{ifdim}
513 \eqcommand{ }{ifeof}
514 \eqcommand{ }{iff}
515 \eqcommand{ }{iffalse}
516 \eqcommand{ }{IfFileExists}
517 \eqcommand{ }{ifhbox}
518 \eqcommand{ }{ifhmode}
519 \eqcommand{ }{ifinner}
520 \eqcommand{ }{ifmmode}
521 \eqcommand{ }{ifnum}
522 \eqcommand{ }{ifodd}
523 \eqcommand{ }{ifthenelse}
524 \eqcommand{ }{iftrue}
525 \eqcommand{ }{ifvbox}
526 \eqcommand{ }{ifvmode}
527 \eqcommand{ }{ifvoid}
528 \eqcommand{ }{ifx}
529 \eqcommand{ }{ignorespaces}
530 \eqcommand{ }{immediate}
531 \eqcommand{ }{include}
532 \eqcommand{ }{includegraphics}
533 \eqcommand{ }{includeonly}
534 \eqcommand{ }{indent}
535 \eqcommand{ }{index}
536 \eqcommand{ }{indexentry}
537 \eqcommand{ }{indexname}
538 \eqcommand{ }{indexspace}
539 \eqcommand{ }{input}
540 \eqcommand{ }{InputIfFileExists}
541 \eqcommand{ }{inputlineno}
542 \eqcommand{ }{insert}
543 \eqcommand{ }{insertpenalties}
544 \eqcommand{ }{interfootnotelinepenalty}
545 \eqcommand{ }{interdisplaylinepenalty}
546 \eqcommand{ }{interlinepenalty}
547 \eqcommand{ }{intertext}
548 \eqcommand{ }{intertextsep}
549 \eqcommand{ }{invisible}
550 \eqcommand{ }{itdefault}
551 \eqcommand{ }{itshape}
552 \eqcommand{ }{item}
553 \eqcommand{ }{itemindent}
554 \eqcommand{ }{itemsep}
555 \eqcommand{ }{iterate}
556 \eqcommand{ }{itshape}
557 \eqcommand{ }{jobname}
558 \eqcommand{ }{jot}
559 \eqcommand{ }{kern}

```



```

560 \eqcommand{ }{kill}
561 \eqcommand{ }{label}
562 \eqcommand{ }{labelenumi}
563 \eqcommand{ }{labelenumii}
564 \eqcommand{ }{labelenumiii}
565 \eqcommand{ }{labelenumiv}
566 \eqcommand{ }{labelitemi}
567 \eqcommand{ }{labelitemii}
568 \eqcommand{ }{labelitemiii}
569 \eqcommand{ }{labelitemiv}
570 \eqcommand{ }{labelsep}
571 \eqcommand{ }{labelwidth}
572 \eqcommand{ }{language}
573 \eqcommand{ }{large}
574 \eqcommand{ }{Large}
575 \eqcommand{ }{LARGE}
576 \eqcommand{ }{lastbox}
577 \eqcommand{ }{lastkern}
578 \eqcommand{ }{lastpenalty}
579 \eqcommand{ }{lastskip}
580 \eqcommand{ }{LaTeX}
581 \eqcommand{ }{LaTeXe}
582 \eqcommand{ }{lccode}
583 \eqcommand{ }{ldots}
584 \eqcommand{ }{leaders}
585 \eqcommand{ }{leavevmode}
586 \eqcommand{ }{left}
587 \eqcommand{ }{leftmargin}
588 \eqcommand{ }{leftmargini}
589 \eqcommand{ }{leftmarginii}
590 \eqcommand{ }{leftmarginiii}
591 \eqcommand{ }{leftmarginiv}
592 \eqcommand{ }{leftmarginv}
593 \eqcommand{ }{leftmarginvi}
594 \eqcommand{ }{leftmark}
595 \eqcommand{ }{leftpageskip}
596 \eqcommand{ }{leftskip}
597 \eqcommand{ }{let}
598 \eqcommand{ }{line}
599 \eqcommand{ }{linebreak}
600 \eqcommand{ }{linepenalty}
601 \eqcommand{ }{lineskip}
602 \eqcommand{ }{lineskiplimit}
603 \eqcommand{ }{linespread}
604 \eqcommand{ }{linethickness}
605 \eqcommand{ }{linewidth}
606 \eqcommand{ }{listfigurename}
607 \eqcommand{ }{listfiles}
608 \eqcommand{ }{listoffigures}
609 \eqcommand{ }{listoftables}

```



```

610 \eqcommand{      }{\listparindent}
611 \eqcommand{      }{\listtablename}
612 \eqcommand{      }{\LoadClass}
613 \eqcommand{      }{\LoadClassWithOptions}
614 \eqcommand{ }{\location}
615 \eqcommand{ }{\long}
616 \eqcommand{ }{\looseness}
617 \eqcommand{ }{\lower}
618 \eqcommand{@ }{@makeother}
619 \eqcommand{@ }{@m}
620 \eqcommand{ @ }{@M}
621 \eqcommand{ @ }{@Mi}
622 \eqcommand{ @ }{@Mii}
623 \eqcommand{ @ }{@Miii}
624 \eqcommand{ @ }{@Miv}
625 \eqcommand{ @ }{@MM}
626 \eqcommand{ @ }{@m@ne}
627 \eqcommand{ }{\mag}
628 \eqcommand{ }{\magstep}
629 \eqcommand{ }{\magstephalf}
630 \eqcommand{ }{\mainmatter}
631 \eqcommand{ }{\makeatletter}
632 \eqcommand{ }{\makeatother}
633 \eqcommand{ }{\makebox}
634 \eqcommand{ }{\makeglossary}
635 \eqcommand{ }{\makeindex}
636 \eqcommand{ }{\makelabel}
637 \eqcommand{ }{\makelabels}
638 \eqcommand{ }{\MakeLowercase}
639 \eqcommand{ }{\maketitle}
640 \eqcommand{ }{\MakeUppercase}
641 \eqcommand{ }{\marginpar}
642 \eqcommand{ }{\marginparpush}
643 \eqcommand{ }{\marginparsep}
644 \eqcommand{ }{\marginparwidth}
645 \eqcommand{ }{\mark}
646 \eqcommand{ }{\markboth}
647 \eqcommand{ }{\markright}
648 \eqcommand{ }{\mathaccent}
649 \eqcommand{ }{\mathchar}
650 \eqcommand{ }{\mathchardef}
651 \eqcommand{ }{\mathcode}
652 \eqcommand{ }{\mathrm}
653 \eqcommand{ }{\maxdeadcycles}
654 \eqcommand{ }{\maxdepth}
655 \eqcommand{ }{\maxdimen}
656 \eqcommand{ }{\mbox}
657 \eqcommand{ }{\mdseries}
658 \eqcommand{ }{\meaning}
659 \eqcommand{ }{\mediumseries}

```



```

660 \eqcommand{      }{medmuskip}
661 \eqcommand{      }{medskip}
662 \eqcommand{      }{medskipamount}
663 \eqcommand{      }{medspace}
664 \eqcommand{ }{message}
665 \eqcommand{      }{MessageBreak}
666 \eqcommand{      }{minrowclearance}
667 \eqcommand{      }{mkern}
668 \eqcommand{ }{month}
669 \eqcommand{      }{moveleft}
670 \eqcommand{      }{moveright}
671 \eqcommand{      }{mskip}
672 \eqcommand{ @ }{m@th}
673 \eqcommand{      }{multicolumn}
674 \eqcommand{ }{multiply}
675 \eqcommand{      }{multispan}
676 \eqcommand{      }{muskip}
677 \eqcommand{      }{muskipdef}
678 \eqcommand{@ }{@namedef}
679 \eqcommand{@ }{@nameuse}
680 \eqcommand{ @}{@ne}
681 \eqcommand{ }{name}
682 \eqcommand{      }{natural}
683 \eqcommand{      }{nearrow}
684 \eqcommand{      }{nearrower}
685 \eqcommand{      }{NeedsTeXFormat}
686 \eqcommand{ }{neg}
687 \eqcommand{      }{negmedspace}
688 \eqcommand{      }{negthickspace}
689 \eqcommand{      }{negthinspace}
690 \eqcommand{      }{newboolean}
691 \eqcommand{      }{newbox}
692 \eqcommand{      }{newcommand}
693 \eqcommand{      }{newcount}
694 \eqcommand{      }{newcounter}
695 \eqcommand{      }{newdimen}
696 \eqcommand{      }{newenvironment}
697 \eqcommand{      }{newfam}
698 \eqcommand{ }{newfont}
699 \eqcommand{      }{newhelp}
700 \eqcommand{      }{newinsert}
701 \eqcommand{      }{newlabel}
702 \eqcommand{      }{newlength}
703 \eqcommand{      }{newline}
704 \eqcommand{      }{newlinechar}
705 \eqcommand{      }{newmuskip}
706 \eqcommand{      }{newpage}
707 \eqcommand{      }{newread}
708 \eqcommand{      }{newsavebox}
709 \eqcommand{      }{newskip}

```



```

710 \eqcommand{      }\{newtheorem\}
711 \eqcommand{      }\{newtoks\}
712 \eqcommand{      }\{newwrite\}
713 \eqcommand{      }\{noalign\}
714 \eqcommand{      }\{nobreak\}
715 \eqcommand{      }\{nobreakspace\}
716 \eqcommand{      }\{nocite\}
717 \eqcommand{      }\{noexpand\}
718 \eqcommand{      }\{nofiles\}
719 \eqcommand{      }\{noindent\}
720 \eqcommand{      }\{nointerlineskip\}
721 \eqcommand{      }\{nolimits\}
722 \eqcommand{      }\{nolinebreak\}
723 \eqcommand{      }\{nonstopmode\}
724 \eqcommand{      }\{nonfrenchspacing\}
725 \eqcommand{      }\{nonumber\}
726 \eqcommand{      }\{nopagebreak\}
727 \eqcommand{      }\{normalbaselines\}
728 \eqcommand{      }\{normalbaselineskip\}
729 \eqcommand{      }\{normalcolor\}
730 \eqcommand{      }\{normalfont\}
731 \eqcommand{      }\{normallineskip\}
732 \eqcommand{      }\{normallineskiplimit\}
733 \eqcommand{      }\{normalmarginpar\}
734 \eqcommand{      }\{normalsize\}
735 \eqcommand{      }\{notag\}
736 \eqcommand{      }\{null\}
737 \eqcommand{      }\{nullfont\}
738 \eqcommand{      }\{number\}
739 \eqcommand{      }\{numberline\}
740 \eqcommand{      }\{numberwithin\}
741 \eqcommand{      }\{@evenfoot\}
742 \eqcommand{      }\{@evenhead\}
743 \eqcommand{      }\{@oddfoot\}
744 \eqcommand{      }\{@oddhead\}
745 \eqcommand{      }\{@outeqntrue\}
746 \eqcommand{      }\{@outeqnfalse\}
747 \eqcommand{      }\{obeylines\}
748 \eqcommand{      }\{obeyspaces\}
749 \eqcommand{      }\{oddsidemargin\}
750 \eqcommand{      }\{offinterlineskip\}
751 \eqcommand{      }\{omit\}
752 \eqcommand{@      }\{@onlypreamble\}
753 \eqcommand{      }\{onecolumn\}
754 \eqcommand{      }\{onlynotes\}
755 \eqcommand{      }\{onlyslides\}
756 \eqcommand{      }\{openin\}
757 \eqcommand{      }\{openout\}
758 \eqcommand{      }\{OptionNotUsed\}
759 \eqcommand{      }\{or\}

```





```

760 \eqcommand{ }{outer}
761 \eqcommand{ }{output}
762 \eqcommand{ }{outputpenalty}
763 \eqcommand{ }{overfullrule}
764 \eqcommand{@ }{@preamblecmds}
765 \eqcommand{@ }{p@}
766 \eqcommand{ }{PackageError}
767 \eqcommand{ }{PackageInfo}
768 \eqcommand{ }{PackageWarning}
769 \eqcommand{ }{PackageWarningNoLine}
770 \eqcommand{ }{pagebreak}
771 \eqcommand{ }{pagecolor}
772 \eqcommand{ }{pagedepth}
773 \eqcommand{ }{pagefilllstretch}
774 \eqcommand{ }{pagefillstretch}
775 \eqcommand{ }{pagefilstretch}
776 \eqcommand{ }{pagegoal}
777 \eqcommand{ }{pagename}
778 \eqcommand{ }{pagenumbering}
779 \eqcommand{ }{pageref}
780 \eqcommand{ }{pagerulewidth}
781 \eqcommand{ }{pageshrink}
782 \eqcommand{ }{pagestretch}
783 \eqcommand{ }{pagestyle}
784 \eqcommand{ }{pagetotal}
785 \eqcommand{ }{paperheight}
786 \eqcommand{ }{paperwidth}
787 \bidi@csdefcs{ }{par}% this is an exception since \par is redefined only in some circumstances
788 \eqcommand{ }{paragraph}
789 \eqcommand{ }{parallel}
790 \eqcommand{ }{parbox}
791 \eqcommand{ }{parfillskip}
792 \eqcommand{ }{parindent}
793 \eqcommand{ }{parsep}
794 \eqcommand{ }{parshape}
795 \eqcommand{ }{parskip}
796 \eqcommand{ }{part}
797 \eqcommand{ }{partname}
798 \eqcommand{ }{partopsep}
799 \eqcommand{ }{PassOptionToClass}
800 \eqcommand{ }{PassOptionToPackage}
801 \eqcommand{ }{path}
802 \eqcommand{ }{patterns}
803 \eqcommand{ }{pausing}
804 \eqcommand{ }{penalty}
805 \eqcommand{ }{phantom}
806 \eqcommand{ }{poptabs}
807 \eqcommand{ }{postdisplaypenalty}
808 \eqcommand{ }{predisplaydirection}
809 \eqcommand{ }{predisplaypenalty}

```



```

810 \eqcommand{      }{predisplaysize}
811 \eqcommand{      }{pretolerance}
812 \eqcommand{      }{prevdepth}
813 \eqcommand{      }{prevgraf}
814 \eqcommand{      }{printindex}
815 \eqcommand{      }{ProcessOptions}
816 \eqcommand{ }{protect}
817 \eqcommand{      }{providecommand}
818 \eqcommand{      }{ProvidesClass}
819 \eqcommand{      }{ProvidesFile}
820 \eqcommand{      }{ProvidesPackage}
821 \eqcommand{      }{pushtabs}
822 \eqcommand{ }{quad}
823 \eqcommand{      }{qqquad}
824 \eqcommand{@      }{@outputpagerestore}
825 \eqcommand{      }{radical}
826 \eqcommand{      }{raggedbottom}
827 \eqcommand{      }{raggedleft}
828 \eqcommand{      }{raggedright}
829 \eqcommand{      }{raise}
830 \eqcommand{      }{raisebox}
831 \eqcommand{      }{raisetag}
832 \eqcommand{      }{rangle}
833 \eqcommand{ }{rceil}
834 \eqcommand{      }{read}
835 \eqcommand{ }{ref}
836 \eqcommand{      }{reflectbox}
837 \eqcommand{      }{refname}
838 \eqcommand{      }{refstepcounter}
839 \eqcommand{ }{relax}
840 \eqcommand{      }{removelastskip}
841 \eqcommand{      }{renewcommand}
842 \eqcommand{      }{renewenvironment}
843 \eqcommand{      }{RequirePackage}
844 \eqcommand{      }{RequirePackageWithOptions}
845 \eqcommand{      }{resizebox}
846 \eqcommand{      }{reversemarginpar}
847 \eqcommand{ }{rfloor}
848 \eqcommand{ }{right}
849 \eqcommand{      }{rightmargin}
850 \eqcommand{      }{rightmark}
851 \eqcommand{      }{rightpageskip}
852 \eqcommand{      }{rightskip}
853 \eqcommand{      }{rmdefault}
854 \eqcommand{      }{rmfamily}
855 \eqcommand{      }{Roman}
856 \eqcommand{      }{roman}
857 \eqcommand{      }{romannumeral}
858 \eqcommand{      }{rotatebox}
859 \eqcommand{      }{rowcolor}

```



```

860 \eqcommand{ }{rule}
861 \eqcommand{@ }{@secondoftwo}
862 \eqcommand{@ }{@spaces}
863 \eqcommand{ }{samepage}
864 \eqcommand{ }{savebox}
865 \eqcommand{ }{sbox}
866 \eqcommand{ }{scalebox}
867 \eqcommand{ }{scdefault}
868 \eqcommand{ }{scshape}
869 \eqcommand{ }{setkeys}
870 \eqcommand{ }{scriptfont}
871 \eqcommand{ }{scriptscriptfont}
872 \eqcommand{ }{scriptscriptstyle}
873 \eqcommand{ }{scriptsize}
874 \eqcommand{ }{scripstyle}
875 \eqcommand{ }{scrollmode}
876 \eqcommand{ }{section}
877 \eqcommand{ }{secdef}
878 \eqcommand{ }{see}
879 \eqcommand{ }{seealso}
880 \eqcommand{ }{seename}
881 \eqcommand{ }{selectfont}
882 \eqcommand{ }{setboolean}
883 \eqcommand{ }{setbox}
884 \eqcommand{ }{setcounter}
885 \eqcommand{ }{setlength}
886 \eqcommand{ }{setminus}
887 \eqcommand{ }{SetSymbolFont}
888 \eqcommand{ }{settodepth}
889 \eqcommand{ }{settoheight}
890 \eqcommand{ }{settowidth}
891 \eqcommand{ }{sfcode}
892 \eqcommand{ }{sfdefault}
893 \eqcommand{ }{sffamily}
894 \eqcommand{ }{shadowbox}
895 \eqcommand{ }{sharp}
896 \eqcommand{ }{shipout}
897 \eqcommand{ }{shortstack}
898 \eqcommand{ }{show}
899 \eqcommand{ }{showbox}
900 \eqcommand{ }{showboxbreadth}
901 \eqcommand{ }{showboxdepth}
902 \eqcommand{ }{showlists}
903 \eqcommand{ }{showthe}
904 \eqcommand{ }{simplefontmode}
905 \eqcommand{ @}{sxt@@n}
906 \eqcommand{ }{skewchar}
907 \eqcommand{ }{skip}
908 \eqcommand{ @}{skip@}
909 \eqcommand{ }{skipdef}

```



```

910 \eqcommand{      }\{sl\}
911 \eqcommand{      }\{sldefault\}
912 \eqcommand{      }\{slshape\}
913 \eqcommand{      }\{sloppy\}
914 \eqcommand{      }\{slshape\}
915 \eqcommand{      }\{small\}
916 \eqcommand{      }\{smallskip\}
917 \eqcommand{      }\{smallskipamount\}
918 \eqcommand{      }\{smash\}
919 \eqcommand{      }\{smile\}
920 \eqcommand{      }\{snglftlocatencode\}
921 \eqcommand{      }\{space\}
922 \eqcommand{      }\{spacefactor\}
923 \eqcommand{      }\{spaceskip\}
924 \eqcommand{      }\{spadesuit\}
925 \eqcommand{      }\{span\}
926 \eqcommand{      }\{special\}
927 \eqcommand{      }\{splitmaxdepth\}
928 \eqcommand{      }\{splittopskip\}
929 \eqcommand{      }\{star\}
930 \eqcommand{      }\{stepcounter\}
931 \eqcommand{      }\{stretch\}
932 \eqcommand{      }\{string\}
933 \eqcommand{      }\{strut\}
934 \eqcommand{      }\{strutbox\}
935 \eqcommand{      }\{subitem\}
936 \eqcommand{      }\{subparagraph\}
937 \eqcommand{      }\{subsection\}
938 \eqcommand{      }\{substack\}
939 \eqcommand{      }\{subsubitem\}
940 \eqcommand{      }\{subsubsection\}
941 \eqcommand{      }\{subset\}
942 \eqcommand{      }\{subseteq\}
943 \eqcommand{      }\{supereject\}
944 \eqcommand{      }\{suppressfloats\}
945 \eqcommand{@      }\{@tempa\}
946 \eqcommand{@      }\{@tempb\}
947 \eqcommand{@      }\{@tempc\}
948 \eqcommand{@      }\{@tempd\}
949 \eqcommand{@      }\{@tempe\}
950 \eqcommand{@      }\{@tempboxa\}
951 \eqcommand{@      }\{@tempcnta\}
952 \eqcommand{@      }\{@tempcntb\}
953 \eqcommand{@      }\{@tempdima\}
954 \eqcommand{@      }\{@tempdimb\}
955 \eqcommand{@      }\{@tempdimc\}
956 \eqcommand{@      }\{@tempskipa\}
957 \eqcommand{@      }\{@tempskipb\}
958 \eqcommand{@      }\{@tempswafalse\}
959 \eqcommand{@      }\{@tempswatruel\}

```



```

960 \eqcommand{@ }{@temptokena}
961 \eqcommand{ }{@thefnmark}
962 \eqcommand{@ }{@thirdofthree}
963 \eqcommand{ }{tabbingsep}
964 \eqcommand{ }{tabcolsep}
965 \eqcommand{ }{tableofcontents}
966 \eqcommand{ }{tablename}
967 \eqcommand{ }{tabskip}
968 \eqcommand{ }{tabularnewline}
969 \eqcommand{ }{tag}
970 \eqcommand{ }{telephone}
971 \eqcommand{ }{TeX}
972 \eqcommand{ }{text}
973 \eqcommand{ }{textbullet}
974 \eqcommand{ }{textfont}
975 \eqcommand{ }{textemdash}
976 \eqcommand{ }{textendash}
977 \eqcommand{ }{textexclamdown}
978 \eqcommand{ }{textperiodcentered}
979 \eqcommand{ }{textquestiondown}
980 \eqcommand{ }{textquotedblleft}
981 \eqcommand{ }{textquotedblright}
982 \eqcommand{ }{textquoteleft}
983 \eqcommand{ }{textquoteright}
984 \eqcommand{ }{textvisiblespace}
985 \eqcommand{ }{textbackslash}
986 \eqcommand{ }{textbar}
987 \eqcommand{ }{textgreater}
988 \eqcommand{ }{textless}
989 \eqcommand{ }{textbf}
990 \eqcommand{ }{textcircled}
991 \eqcommand{ }{textcolor}
992 \eqcommand{ }{textcompwordmark}
993 \eqcommand{ }{textfloatsep}
994 \eqcommand{ }{textfraction}
995 \eqcommand{ }{textheight}
996 \eqcommand{ }{textindent}
997 \eqcommand{ }{textit}
998 \eqcommand{ }{textmd}
999 \eqcommand{ }{textnormal}
1000 \eqcommand{ }{textregistered}
1001 \eqcommand{ }{textrm}
1002 \eqcommand{ }{textsc}
1003 \eqcommand{ }{textsf}
1004 \eqcommand{ }{textsl}
1005 \eqcommand{ }{textstyle}
1006 \eqcommand{ }{textsuperscript}
1007 \eqcommand{ }{texttrademark}
1008 \eqcommand{ }{texttt}
1009 \eqcommand{ }{textup}

```



```

1010 \eqcommand{      }{textwidth}
1011 \eqcommand{      }{thanks}
1012 \eqcommand{      }{the}
1013 \eqcommand{      }{thempfn}
1014 \eqcommand{      }{thicklines}
1015 \eqcommand{      }{thickmuskip}
1016 \eqcommand{      }{thinmuskip}
1017 \eqcommand{      }{thickspace}
1018 \eqcommand{      }{thinlines}
1019 \eqcommand{      }{thinspace}
1020 \eqcommand{      }{thisfancypage}
1021 \eqcommand{      }{thispagestyle}
1022 \eqcommand{ @}{thr@@}
1023 \eqcommand{ }{tilde}
1024 \eqcommand{ }{tiny}
1025 \eqcommand{ }{time}
1026 \eqcommand{ }{times}
1027 \eqcommand{ }{title}
1028 \eqcommand{ }{to}
1029 \eqcommand{ }{today}
1030 \eqcommand{ }{toks}
1031 \eqcommand{      }{toksdef}
1032 \eqcommand{      }{tolerance}
1033 \eqcommand{ }{top}
1034 \eqcommand{      }{topfigrule}
1035 \eqcommand{      }{topfraction}
1036 \eqcommand{      }{topmargin}
1037 \eqcommand{      }{topmark}
1038 \eqcommand{      }{toppageskip}
1039 \eqcommand{      }{topsep}
1040 \eqcommand{      }{topskip}
1041 \eqcommand{      }{totalheight}
1042 \eqcommand{      }{tracingall}
1043 \eqcommand{      }{tracingcommands}
1044 \eqcommand{      }{tracinglostchars}
1045 \eqcommand{      }{tracingmacros}
1046 \eqcommand{      }{tracingonline}
1047 \eqcommand{      }{tracingoutput}
1048 \eqcommand{      }{tracingpages}
1049 \eqcommand{      }{tracingparagraphs}
1050 \eqcommand{      }{tracingrestores}
1051 \eqcommand{      }{tracingstats}
1052 \eqcommand{ }{triangle}
1053 \eqcommand{      }{ttdefault}
1054 \eqcommand{      }{ttfamily}
1055 \eqcommand{ @}{tw@}
1056 \eqcommand{      }{twocolumn}
1057 \eqcommand{      }{typein}
1058 \eqcommand{      }{typeout}
1059 \eqcommand{      }{uccode}

```



```

1060 \eqcommand{      }\{uchyph}
1061 \eqcommand{      }\{underline}
1062 \eqcommand{      }\{unhbox}
1063 \eqcommand{      }\{unhcopy}
1064 \eqcommand{      }\{unitlength}
1065 \eqcommand{      }\{unkern}
1066 \eqcommand{      }\{unpenalty}
1067 \eqcommand{      }\{unskip}
1068 \eqcommand{      }\{unvbox}
1069 \eqcommand{      }\{unvcopy}
1070 \eqcommand{      }\{updefault}
1071 \eqcommand{      }\{upshape}
1072 \eqcommand{      }\{usebox}
1073 \eqcommand{      }\{usecounter}
1074 \eqcommand{      }\{usefont}
1075 \eqcommand{      }\{usepackage}
1076 \eqcommand{@      }\{@vobeyspaces}
1077 \eqcommand{@      }\{@void}
1078 \eqcommand{      }\{vadjust}
1079 \eqcommand{      }\{valign}
1080 \eqcommand{      }\{value}
1081 \eqcommand{      }\{vbadness}
1082 \eqcommand{      }\{vbox}
1083 \eqcommand{      }\{vcenter}
1084 \eqcommand{      }\{verb}
1085 \eqcommand{      }\{vfil}
1086 \eqcommand{      }\{vfill}
1087 \eqcommand{      }\{vfilneg}
1088 \eqcommand{      }\{vfuzz}
1089 \eqcommand{      }\{visible}
1090 \eqcommand{      }\{vline}
1091 \eqcommand{      }\{voffset}
1092 \eqcommand{      }\{@}\{voidb@x}
1093 \eqcommand{      }\{vpageref}
1094 \eqcommand{      }\{vrboxsep}
1095 \eqcommand{      }\{vref}
1096 \eqcommand{      }\{vrule}
1097 \eqcommand{      }\{vsize}
1098 \eqcommand{      }\{vskip}
1099 \eqcommand{      }\{vspace}
1100 \eqcommand{      }\{vsplit}
1101 \eqcommand{      }\{vss}
1102 \eqcommand{      }\{vtop}
1103 \eqcommand{      }\{wd}
1104 \eqcommand{      }\{whiledo}
1105 \eqcommand{      }\{widehat}
1106 \eqcommand{      }\{widetilde}
1107 \eqcommand{      }\{widowpenalty}
1108 \eqcommand{      }\{width}
1109 \eqcommand{      }\{wlog}

```



```

1110 \eqcommand{ }{write}
1111 \eqcommand{@ }{@xobeysp}
1112 \eqcommand{ @ }{@xxxii}
1113 \eqcommand{ }{xdef}
1114 \eqcommand{ }{xleaders}
1115 \eqcommand{ }{xspaceskip}
1116 \eqcommand{ }{year}
1117 \eqcommand{@ }{z@}
1118 \eqcommand{@ }{z@skip}

```

## 7.19 color-localise-xepersian.def

```

1119 color{ } \-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1120 0}{rgb}{ } \0,,0}
1121 1}{rgb}{ } \1,,1}
1122 1}{rgb}{ } \0,,0}
1123 0}{rgb}{ } \1,,0}
1124 0}{rgb}{ } \0,,1}
1125 1}{cmyk}{ } \0,,0,0}
1126 0}{cmyk}{ } \1,,0,0}
1127 0}{cmyk}{ } \0,,1,0}

```

## 7.20 xepersian-localise-commands-xepersian.def

```

1128 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation]
1129 \eqcommand{ }{autofootnoterule}
1130 \eqcommand{ }{AutoMathsDigits}
1131 \eqcommand{ }{DefaultMathsDigits}
1132 \eqcommand{ @ }{keyval@eq@alias@key}
1133 \eqcommand{ }{deflatinfont}
1134 \eqcommand{ }{defpersianfont}
1135 \eqcommand{ }{hboxL}
1136 \eqcommand{ }{hboxR}
1137 \eqcommand{ }{Latincite}
1138 \eqcommand{ }{latinfont}
1139 \eqcommand{ }{latintoday}
1140 \eqcommand{ }{leftfootnoterule}
1141 \eqcommand{ }{lr}
1142 \eqcommand{ }{LRE}
1143 \eqcommand{ }{LTRdblcol}
1144 \eqcommand{ }{LTRfootnote}
1145 \eqcommand{ }{LTRfootnotetext}
1146 \eqcommand{ }{LTRthanks}
1147 \eqcommand{ }{persianday}
1148 \eqcommand{ }{persianfont}
1149 \eqcommand{ }{PersianMathsDigits}
1150 \eqcommand{ }{persianmonth}
1151 \eqcommand{ }{persianyear}
1152 \eqcommand{ }{plq}
1153 \eqcommand{ }{prq}
1154 \eqcommand{ }{rightfootnoterule}

```





```

1155 \eqcommand{      }\{rl\}
1156 \eqcommand{      }\{RLE\}
1157 \eqcommand{      }\{RTLdblcol\}
1158 \eqcommand{      }\{RTLfootnote\}
1159 \eqcommand{      }\{RTLfootnotetext\}
1160 \eqcommand{      }\{RTLthanks\}
1161 \eqcommand{@      }\{@SepMark\}
1162 \eqcommand{      }\{SepMark\}
1163 \eqcommand{      }\{setdefaultbibitems\}
1164 \eqcommand{      }\{setdefaultmarginpar\}
1165 \eqcommand{      }\{setmathdigitfont\}
1166 \eqcommand{      }\{setfootnoteLR\}
1167 \eqcommand{      }\{setfootnoteRL\}
1168 \eqcommand{      }\{setlatintextfont\}
1169 \eqcommand{      }\{setLTR\}
1170 \eqcommand{      }\{setLTRbibitems\}
1171 \eqcommand{      }\{setLTRmarginpar\}
1172 \eqcommand{      }\{setRTL\}
1173 \eqcommand{      }\{setRTLbibitems\}
1174 \eqcommand{      }\{setRTLmarginpar\}
1175 \eqcommand{      }\{settextfont\}
1176 \eqcommand{      }\{textwidthfootnoterule\}
1177 \eqcommand{      }\{twocolumnstableofcontents\}
1178 \eqcommand{      }\{unsetfootnoteRL\}
1179 \eqcommand{      }\{unsetLTR\}
1180 \eqcommand{      }\{unsetRTL\}
1181 \eqcommand{      }\{vboxL\}
1182 \eqcommand{      }\{vboxR\}
1183 \eqcommand{      }\{XeLaTeX\}
1184 \eqcommand{      }\{XePersian\}
1185 \eqcommand{      }\{xepersianversion\}
1186 \eqcommand{      }\{xepersiandate\}
1187 \eqcommand{      }\{XeTeX\}

```

## 7.21 enumerate-xepersian.def

```

1188 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1189 \def\@enloop@{f%
1190   \ifx entemp@ \def\@tempa{\@enLabel\harfi } \else
1191   \ifx entemp@ \def\@tempa{\@enLabel\adadi } \else
1192   \ifx entemp@ \def\@tempa{\@enLabel\tartibi } \else
1193   \ifx A\entemp \def\@tempa{\@enLabel\Alph } \else
1194   \ifx a\entemp \def\@tempa{\@enLabel\alph } \else
1195   \ifx i\entemp \def\@tempa{\@enLabel\roman } \else
1196   \ifx I\entemp \def\@tempa{\@enLabel\Roman } \else
1197   \ifx l\entemp \def\@tempa{\@enLabel\arabic} \else
1198   \ifx \sptoken\entemp \let\@tempa\@enSpace \else
1199   \ifx \bgroup\entemp \let\@tempa\@enGroup \else
1200   \ifx \enum@\entemp \let\@tempa\@gobble \else
1201   \let\@tempa\@enOther

```





```

1247 \eqenvironment{    }\{split}
1248 \eqenvironment{    }\{subarray}
1249 \eqenvironment{    }\{tabbing}
1250 \eqenvironment{    }\{table}
1251 \eqenvironment{    }\{table*}
1252 \eqenvironment{    }\{tabular}
1253 \eqenvironment{    }\{tabular*}
1254 \eqenvironment{    }\{thebibliography}
1255 \eqenvironment{    }\{theindex}
1256 \eqenvironment{    }\{titlepage}
1257 \eqenvironment{    }\{trivlist}
1258 \eqenvironment{    }\{verse}

```

## 7.24 xepersian-localise-environments-xepersian.def

```

1259 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisat
1260 \eqenvironment{    }\{latin}
1261 \eqenvironment{    }\{LTR}
1262 \eqenvironment{    }\{LTRitems}
1263 \eqenvironment{    }\{modernpoem}
1264 \eqenvironment{    }\{modernpoem*}
1265 \eqenvironment{    }\{persian}
1266 \eqenvironment{    }\{RTL}
1267 \eqenvironment{    }\{RTLitems}
1268 \eqenvironment{    }\{traditionalpoem}
1269 \eqenvironment{    }\{traditionalpoem*}

```

## 7.25 extarticle-xepersian.def

```

1270 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1271 \renewcommand\thepart      {\@tartibi\c@part}
1272 \renewcommand\appendix{\par
1273   \setcounter{section}{0}%
1274   \setcounter{subsection}{0}%
1275   \gdef\thesection{\@harfi\c@section}}

```

## 7.26 extbook-xepersian.def

```

1276 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1277 \renewcommand\frontmatter{%
1278   \cleardoublepage
1279   \@mainmatterfalse
1280   \pagenumbering{harfi}}
1281 \renewcommand \thepart {\@tartibi\c@part}
1282 \renewcommand\appendix{\par
1283   \setcounter{chapter}{0}%
1284   \setcounter{section}{0}%
1285   \gdef\@chapapp{\appendixname}%
1286   \gdef\thechapter{\@harfi\c@chapter}
1287 }%end appendix

```

## 7.27 extrafootnotefeatures-xepersian.def



```

1288 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafo
1289 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1290 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1291 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}

```

## 7.28 extreport-xepersian.def

```

1292 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1293 \renewcommand\thepart {\@tartibi\c@part}
1294 \renewcommand\appendix{\par
1295 \setcounter{chapter}{0}%
1296 \setcounter{section}{0}%
1297 \gdef\@chapapp{\appendixname}%
1298 \gdef\thechapter{\@harfi\c@chapter}}

```

## 7.29 flowfram-xepersian.def

```

1299 \ProvidesFile{flowfram-xepersian.def}[2010/07/25 v0.1 adaptations for flowfram package]
1300 \def\@outputpage{%
1301 \begingroup
1302 \let\protect\noexpand
1303 \@resetactivechars
1304 \global\let\@@if@newlist\if@newlist
1305 \global\@newlistfalse\@parboxrestore
1306 \shipout\vbox{\set@typeset@protect
1307 \aftergroup
1308 \endgroup
1309 \aftergroup
1310 \set@typeset@protect
1311 \reset@font\normalsize\normalsfcodes
1312 \let\label\@gobble
1313 \let\index\@gobble
1314 \let\glossary\@gobble
1315 \baselineskip\z@skip
1316 \lineskip\z@skip
1317 \lineskiplimit\z@
1318 \vskip\topmargin\moveright\@themargin
1319 \vbox{%
1320 \vskip\headheight
1321 \vskip\headsep
1322 \box\@outputbox
1323 }}%
1324 \global\let\if@newlist\@@if@newlist
1325 \stepcounter{page}%
1326 \setcounter{displayedframe}{0}%
1327 \let\firstmark\botmark}

```

## 7.30 footnote-xepersian.def

```

1328 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1329
1330 \renewcommand*{\bidi@@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}

```



```

1331
1332 \renewcommand*{\bidi@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1333
1334 \renewcommand*{\bidi@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1335

```

### 7.31 framed-xepersian.def

```

1336 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package]
1337 \renewenvironment{titled-frame}[1]{%
1338   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1339     \TitleBarFrame{\textbf{#1}}}%
1340   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1341     \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1}}}%
1342   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1343     \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1} (\if@RTL
1344     \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1345       \TitleBarFrame{\textbf{#1} (\if@RTL else\ cont\fi))}%
1346   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
1347 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1348 % could interfere with the width measurement.
1349 {\endMakeFramed}

```

### 7.32 glossaries-xepersian.def

```

1350 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries package]
1351 \glsaddprotectedpagefmt{@harfi}
1352 \glsaddprotectedpagefmt{@tartibi}
1353 \glsaddprotectedpagefmt{@adadi}

```

### 7.33 hyperref-xepersian.def

```

1354 \ProvidesFile{hyperref-xepersian.def}[2015/02/02 v0.6 bilingual captions for hyperref package]
1355 \def\equationautorefname{\if@RTL else\ Equation\fi}%
1356 \def\footnoteautorefname{\if@RTL else\ footnote\fi}%
1357 \def\itemautorefname{\if@RTL else\ item\fi}%
1358 \def\figureautorefname{\if@RTL else\ Figure\fi}%
1359 \def\tableautorefname{\if@RTL else\ Table\fi}%
1360 \def\partautorefname{\if@RTL else\ Part\fi}%
1361 \def\appendixautorefname{\if@RTL else\ Appendix\fi}%
1362 \def\chapterautorefname{\if@RTL else\ chapter\fi}%
1363 \def\sectionautorefname{\if@RTL else\ section\fi}%
1364 \def\subsectionautorefname{\if@RTL else\ subsection\fi}%
1365 \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi}%
1366 \def\paragraphautorefname{\if@RTL else\ paragraph\fi}%
1367 \def\subparagraphautorefname{\if@RTL else\ subparagraph\fi}%
1368 \def\FancyVerbLineautorefname{\if@RTL else\ line\fi}%
1369 \def\theoremautorefname{\if@RTL else\ Theorem\fi}%
1370 \def\pageautorefname{\if@RTL else\ page\fi}%
1371 \AtBeginDocument{%
1372 \let\HyOrg@appendix\appendix
1373 \def\appendix{%

```



```

1374 \ltx@ifundefined{chapter}%
1375   {\gdef\theHsection{\Alph{section}}}%
1376   {\gdef\theHchapter{\Alph{chapter}}}%
1377 \xdef\Hy@chapapp{\Hy@appendixstring}%
1378 \HyOrg@appendix
1379 }
1380 }
1381 \pdfstringdefDisableCommands{%
1382 \let\lr\@firstofone
1383 \let\rl\@firstofone
1384 \def\XePersian{\XePersian}
1385 }
1386 \ltx@ifundefined{@resets@pp}{%
1387 }{%
1388 \let\HyOrg@resets@pp\@resets@pp
1389 \def\@resets@pp{%
1390 \ltx@ifundefined{chapter}{%
1391 \gdef\theHsection{\Hy@AlphNoErr{section}}%
1392 }{%
1393 \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1394 }%
1395 \xdef\Hy@chapapp{\Hy@appendixstring}%
1396 \HyOrg@resets@pp
1397 }%
1398 }

```

### 7.34 imspc-xepersian.def

```

1399 \ProvidesFile{imspc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imspc class f
1400
1401 \renewcommand \thepart {\@tartibi\c@part}
1402 \def\appendix{\par\c@section\z@ \c@subsection\z@
1403 \let\sectionname\appendixname
1404 \def\thesection{\@harfi\c@section}}
1405

```

### 7.35 kashida-xepersian.def

```

1406 \ProvidesFile{kashida-xepersian.def}[2018/01/04 v0.6 implementation of Kashida for xepersian p
1407 \chardef\xepersian@zwj="200D % zero-width joiner
1408 \chardef\xepersian@kashidachar="0640 % kashida
1409
1410 \chardef\xepersian@D=10 % dual-joiner class
1411 \chardef\xepersian@L=11 % lam
1412 \chardef\xepersian@R=12 % right-joiner
1413 \chardef\xepersian@A=13 % alef
1414 \chardef\xepersian@H=14 % heh
1415 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1416 \newif\if@Kashida@on
1417 \newif\if@Kashida@XB@fix
1418 \def\xepersian@kashida{\if@Kashida@on\xepersian@zwj\nobreak%

```



```

1419 \leaders\hrule height \XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@kashidachar dep
1420
1421 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1422 \expandafter\dosetclass\charlist,\end}
1423 \def\dosetclass#1,#2\end{%
1424 \def\test{#1}\def\charlist{#2}%
1425 \ifx\test\empty\let\next\finishsetclass
1426 \else \XeTeXcharclass "\test = \theclass
1427 \let\next\dosetclass \fi
1428 \expandafter\next\charlist,,\end}
1429 \def\finishsetclass#1,,\end{}
1430
1431 \setclass \xepersian@A {0622,0623,0625,0627}
1432 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1433 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1434 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1435 %\setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1436 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0649,064A}
1437 \setclass \xepersian@H {0647}
1438 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1439 \setclass \xepersian@L {0644}
1440 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1441
1442 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1443 \XeTeXinterchartoks \xepersian@H \xepersian@D = {\if@Kashida@XB@fix\else\xepersian@kashida\fi}
1444 \XeTeXinterchartoks \xepersian@D \xepersian@H = {\xepersian@kashida}
1445 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1446 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1447 \XeTeXinterchartoks \xepersian@L \xepersian@H = {\xepersian@kashida}
1448 \XeTeXinterchartoks \xepersian@H \xepersian@L = {\if@Kashida@XB@fix\else\xepersian@kashida\fi}
1449 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1450 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1451 \XeTeXinterchartoks \xepersian@H \xepersian@R = {\if@Kashida@XB@fix\else\xepersian@kashida\fi}
1452 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1453 \XeTeXinterchartoks \xepersian@H \xepersian@A = {\if@Kashida@XB@fix\else\xepersian@kashida\fi}
1454 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1455 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1456
1457 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1458 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1459
1460 \newcommand{\KashidaXBFixOn}{\@Kashida@XB@fixtrue}
1461 \newcommand{\KashidaXBFixOff}{\@Kashida@XB@fixfalse}
1462 \KashidaOn

```

## 7.36 listings-xepersian.def

```

1463 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1464 \def\lstlistingname{\if@RTL \else \Listing\fi}
1465 \def\lstlistlistingname{\if@RTL \else \Listings\fi}

```



## 7.37 loadingorder-xepersian.def

```

1466 \ProvidesFile{loadingorder-xepersian.def}[2017/09/06 v0.4 making sure that xepersian is the la
1467 \bidi@isloaded{algorithmic}
1468 \bidi@isloaded{algorithm}
1469 \bidi@isloaded{backref}
1470 \bidi@isloaded{enumerate}
1471 \bidi@isloaded{enumitem}
1472 \bidi@isloaded{tocloft}
1473 \bidi@isloaded{url}
1474 \AtBeginDocument{
1475   \if@bidi@algorithmicloaded@else
1476     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xe
1477   \fi%
1478   \if@bidi@algorithmloaded@else
1479     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xep
1480   \fi%
1481   \if@bidi@backrefloaded@else
1482     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepers
1483   \fi%
1484   \if@bidi@enumerateloaded@else
1485     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xep
1486   \fi%
1487   \if@bidi@enumitemloaded@else
1488     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumitem after xepers
1489   \fi%
1490   \if@bidi@tocloftloaded@else
1491     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepers
1492   \fi%
1493   \if@bidi@urlloaded@else
1494     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian
1495   \fi%
1496 }

```

## 7.38 localise-xepersian.def

```

1497 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeX2e]
1498 \newcommand{\makezwnjletter}{\catcode`\relax}
1499 \makezwnjletter
1500 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}
1501 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1502 \@ifpackageloaded{keyval}{%
1503 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1504   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1505   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1506 }{\@ifpackageloaded{xkeyval}{%
1507 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1508   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1509   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1510 }{}}
1511 \input{latex-localise-commands-xepersian.def}

```





```

1512 \input{xepersian-localise-commands-xepersian.def}
1513 \input{latex-localise-environments-xepersian.def}
1514 \input{xepersian-localise-environments-xepersian.def}
1515 \input{latex-localise-messages-xepersian.def}
1516 \input{latex-localise-misc-xepersian.def}
1517 \input{packages-localise-xepersian.def}
1518 \aliasfontfeature{ExternalLocation}{ }
1519 \aliasfontfeature{ExternalLocation}{ }
1520 \aliasfontfeature{Renderer}{ }
1521 \aliasfontfeature{BoldFont}{ }
1522 \aliasfontfeature{Language}{ }
1523 \aliasfontfeature{Script}{ }
1524 \aliasfontfeature{UprightFont}{ }
1525 \aliasfontfeature{ItalicFont}{ }
1526 \aliasfontfeature{BoldItalicFont}{ }
1527 \aliasfontfeature{SlantedFont}{ }
1528 \aliasfontfeature{BoldSlantedFont}{ }
1529 \aliasfontfeature{SmallCapsFont}{ }
1530 \aliasfontfeature{UprightFeatures}{ }
1531 \aliasfontfeature{BoldFeatures}{ }
1532 \aliasfontfeature{ItalicFeatures}{ }
1533 \aliasfontfeature{BoldItalicFeatures}{ }
1534 \aliasfontfeature{SlantedFeatures}{ }
1535 \aliasfontfeature{BoldSlantedFeatures}{ }
1536 \aliasfontfeature{SmallCapsFeatures}{ }
1537 \aliasfontfeature{SizeFeatures}{ }
1538 \aliasfontfeature{Scale}{ }
1539 \aliasfontfeature{WordSpace}{ }
1540 \aliasfontfeature{PunctuationSpace}{ }
1541 \aliasfontfeature{FontAdjustment}{ }
1542 \aliasfontfeature{LetterSpace}{ }
1543 \aliasfontfeature{HyphenChar}{ }
1544 \aliasfontfeature{Color}{ }
1545 \aliasfontfeature{Opacity}{ }
1546 \aliasfontfeature{Mapping}{ }
1547 \aliasfontfeature{Weight}{ }
1548 \aliasfontfeature{Width}{ }
1549 \aliasfontfeature{OpticalSize}{ }
1550 \aliasfontfeature{FakeSlant}{ }
1551 \aliasfontfeature{FakeStretch}{ }
1552 \aliasfontfeature{FakeBold}{ }
1553 \aliasfontfeature{AutoFakeSlant}{ }
1554 \aliasfontfeature{AutoFakeBold}{ }
1555 \aliasfontfeature{Ligatures}{ }
1556 \aliasfontfeature{Alternate}{ }
1557 \aliasfontfeature{Variant}{ }
1558 \aliasfontfeature{Variant}{ }
1559 \aliasfontfeature{CharacterVariant}{ }
1560 \aliasfontfeature{Style}{ }
1561 \aliasfontfeature{Annotation}{ }

```



```

1562 \aliasfontfeature{RawFeature}{      }
1563 \aliasfontfeature{CharacterWidth}{    }
1564 \aliasfontfeature{Numbers}{          }
1565 \aliasfontfeature{Contextuals}{       }
1566 \aliasfontfeature{Diacritics}{        }
1567 \aliasfontfeature{Letters}{           }
1568 \aliasfontfeature{Kerning}{           }
1569 \aliasfontfeature{VerticalPosition}{   }
1570 \aliasfontfeature{Fractions}{         }
1571 \aliasfontfeatureoption{Language}{Default}{  }
1572 \aliasfontfeatureoption{Language}{Parsi}{    }
1573 \aliasfontfeatureoption{Script}{Parsi}{      }
1574 \aliasfontfeatureoption{Script}{Latin}{      }
1575 \aliasfontfeatureoption{Style}{MathScript}{  }
1576 \aliasfontfeatureoption{Style}{MathScriptScript}{  }

```

### 7.39 memoir-xepersian.def

```

1577 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1578 \renewcommand{\@memfront}{%
1579   \@smemfront\pagenumbering{harfi}}
1580 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1581 \renewcommand*{\thebook}{\@tartibi\c@book}
1582 \renewcommand*{\thepart}{\@tartibi\c@part}
1583 \renewcommand{\appendix}{\par
1584   \setcounter{chapter}{0}%
1585   \setcounter{section}{0}%
1586   \gdef\@chapapp{\appendixname}%
1587   \gdef\thechapter{\@harfi\c@chapter}%
1588   \anappendixtrue}

```

### 7.40 latex-localise-messages-xepersian.def

```

1589 latex} \-localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeX2e messages]

```

### 7.41 minitoc-xepersian.def

```

1590 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1591 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1592 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1593 \def\plttitle{\if@RTL else\ List of Tables\fi}%
1594 \def\mtctitle{\if@RTL else\ Contents\fi}%
1595 \def\mlftitle{\if@RTL else\ Figures\fi}%
1596 \def\mlttitle{\if@RTL else\ Tables\fi}%
1597 \def\stctitle{\if@RTL else\ Contents\fi}%
1598 \def\slftitle{\if@RTL else\ Figures\fi}%
1599 \def\slttitle{\if@RTL else\ Tables\fi}%

```

### 7.42 latex-localise-misc-xepersian.def

```

1600 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localis
1601 %}1# \ \
1602 \@ \ @ \

```



```

1603      \1# \
1604      \1# @\
1605      \1# @\
1606 {\@ \ \
1607 \%}2#1# @\ \
1608 %1# \ @\ \ \ \
1609      \2# \ @\ \
1610 {{2#1# \}}
1611 undefined\ \ \
1612
1613 \%{ \ \ \ \1#} \ \} \1# \ \
1614      \ { \ \ \
1615 \ \ \
1616
1617
1618 \ \ \ \%} \#1
1619 \1#} \ \ \% \
1620      \ \ \
1621      }%
1622 \
1623 \ \ \
1624 }
1625 \= \ \
1626
1627
1628 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
1629 \def\@xfloat #1[#2]{%
1630 \nodocument
1631 \def \@capytype {#1}%
1632 \def \@fps {#2}%
1633 \@onelevel@sanitize \@fps
1634 \def \reserved@b {!}%
1635 \ifx \reserved@b \@fps
1636 \@fpsadddefault
1637 \else
1638 \ifx \@fps \@empty
1639 \@fpsadddefault
1640 \fi
1641 \fi
1642 \ifhmode
1643 \@bsphack
1644 \@floatpenalty -\@Mii
1645 \else
1646 \@floatpenalty-\@Miii
1647 \fi
1648 \ifinner
1649 \@parmoderr\@floatpenalty\z@
1650 \else
1651 \@next\@currbox\@freelist
1652 {%

```



```

1653 \@tempcnta \sixt@@n
1654 \expandafter \@tfor \expandafter \reserved@a
1655 \expandafter :\expandafter =\@fps
1656 \do
1657 {%
1658 \if \reserved@a h%
1659 \ifodd \@tempcnta
1660 \else
1661 \advance \@tempcnta \@ne
1662 \fi
1663 \fi
1664 \if \reserved@a %
1665 \ifodd \@tempcnta
1666 \else
1667 \advance \@tempcnta \@ne
1668 \fi
1669 \fi
1670 \if \reserved@a t%
1671 \@setfpsbit \tw@
1672 \fi
1673 \if \reserved@a %
1674 \@setfpsbit \tw@
1675 \fi
1676 \if \reserved@a b%
1677 \@setfpsbit 4%
1678 \fi
1679 \if \reserved@a %
1680 \@setfpsbit 4%
1681 \fi
1682 \if \reserved@a p%
1683 \@setfpsbit 8%
1684 \fi
1685 \if \reserved@a %
1686 \@setfpsbit 8%
1687 \fi
1688 \if \reserved@a !%
1689 \ifnum \@tempcnta>15
1690 \advance\@tempcnta -\sixt@@n\relax
1691 \fi
1692 \fi
1693 }%
1694 \@tempcntb \csname ftype@\@capttype \endcsname
1695 \multiply \@tempcntb \@xxxii
1696 \advance \@tempcnta \@tempcntb
1697 \global \count\@currbox \@tempcnta
1698 }%
1699 \@fltovf
1700 \fi
1701 \global \setbox\@currbox
1702 \color@vbox

```



```

1703      \normalcolor
1704      \vbox \bgroup
1705          \hsize\columnwidth
1706          \@parboxrestore
1707          \@floatboxreset
1708 }
1709 \let\bm@ \bm@c
1710 \let\bm@ \bm@l
1711 \let\bm@ \bm@r
1712 \let\bm@ \bm@b
1713 \let\bm@ \bm@t
1714 \let\bm@ \bm@s
1715 \long\def\@iiparbox#1#2[#3]#4#5{%
1716     \leavevmode
1717     \@pboxswfalse
1718     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1719     \ifRTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi
1720     \setlength\@tempdima{#4}%
1721     \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
1722     \ifx\relax#2\else
1723         \setlength\@tempdimb{#2}%
1724         \edef\@parboxto{to\the\@tempdimb}%
1725     \fi
1726     \if#1b\vbox
1727     \else\if#1\vbox
1728     \else\if #1t\top
1729     \else\if vtop\ #1
1730     \else\ifmmode\vcenter
1731     \else\@pboxswtrue $\vcenter
1732     \fi\fi\fi\fi\fi
1733     \@parboxto{\let\hss\vss\let\unhbox\unvbox
1734         \csname bm@#3\endcsname}%
1735     \if@pboxsw \m@th$\fi
1736     \@end@tempboxa}
1737 \def\@iiiminipage#1#2[#3]#4{%
1738     \leavevmode
1739     \@pboxswfalse
1740     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1741     \ifRTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi
1742     \setlength\@tempdima{#4}%
1743     \def\@mpargs{{#1}{#2}[#3]{#4}}%
1744     \setbox\@tempboxa\vbox\bgroup
1745         \color@begingroup
1746         \hsize\@tempdima
1747         \textwidth\hsize \columnwidth\hsize
1748         \@parboxrestore
1749         \def\@mpfn{\mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
1750         \let\@footnotetext\@mpfootnotetext
1751         \let\@LTRfootnotetext\@mpLTRfootnotetext
1752         \let\@RTLfootnotetext\@mpRTLfootnotetext

```



```

1753 \let\@listdepth\@mplistdepth \@mplistdepth\z@
1754 \@minipagerestore
1755 \setminipage}
1756 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
1757 \ifnum \@lastchclass=3 5 \else
1758 \z@ \if #1c\@chnum \z@ \else
1759 \if chnum@\ #1 \z@ \else
1760 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1761 \if \if@RTLtab#1 \else#1 \fi\@chnum \@ne \else
1762 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1763 \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
1764 \@chclass \if #1|\@ne \else
1765 \if #1@\tw@ \else
1766 \if #1p3 \else
1767 \if 3 #1 \else \z@ \@preamerr 0\fi
1768 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1769 \fi}%
1770 }{}
1771 \@ifdefinitionfileloaded{array-xetex-bidi}{%
1772 \def\@testpach{\@chclass
1773 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1774 \ifnum \@lastchclass=7 5 \else
1775 \ifnum \@lastchclass=8 \tw@ \else
1776 \ifnum \@lastchclass=9 \thr@@
1777 \else \z@
1778 \ifnum \@lastchclass = 10 \else
1779 \edef\@nextchar{\expandafter\string\@nextchar}%
1780 \@chnum
1781 \if \@nextchar c\z@ \else
1782 \if \@nextchar @z\ \else
1783 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1784 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
1785 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1786 \if \@nextchar \if@RTLtab else\ @fi\@tw\ \else
1787 \z@ \@chclass
1788 \if\@nextchar |\@ne \else
1789 \if \@nextchar !6 \else
1790 \if \@nextchar @7 \else
1791 \if \@nextchar <8 \else
1792 \if \@nextchar >9 \else
1793 10
1794 \@chnum
1795 \if \@nextchar m\thr@@\else
1796 \if \@nextchar thr@@\else\
1797 \if \@nextchar p4 \else
1798 \if \@nextchar 4 \else
1799 \if \@nextchar b5 \else
1800 \if \@nextchar 5 \else
1801 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi
1802 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}%

```



```

1803 }{}
1804 \@ifdefinitionfileloaded{arydshln-xetex-bidi}{
1805 \ifadl@usingarypkg
1806 \def\@testpach{\@chclass
1807 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1808 \ifnum \@lastchclass=7 5 \else
1809 \ifnum \@lastchclass=8 \tw@ \else
1810 \ifnum \@lastchclass=9 \thr@@
1811 \else \z@
1812 \ifnum \@lastchclass = 10 \else
1813 \edef\@nextchar{\expandafter\string\@nextchar}%
1814 \@chnum
1815 \if \@nextchar c\z@ \else
1816 \if \@nextchar @z\ \else
1817 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1818 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
1819 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1820 \if \@nextchar \if@RTLtab else\ @fi\tw\ \else
1821 \z@ \@chclass
1822 \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1823 \if \@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1824 \if \@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1825 \if \@nextchar !6 \else
1826 \if \@nextchar @7 \else
1827 \if \@nextchar <8 \else
1828 \if \@nextchar >9 \else
1829 10
1830 \@chnum
1831 \if \@nextchar m\thr@@\else
1832 \if \@nextchar thr@@\else\
1833 \if \@nextchar p4 \else
1834 \if \@nextchar 4 \else
1835 \if \@nextchar b5 \else
1836 \if \@nextchar 5 \else
1837 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1838 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1839
1840 \def\@classz{\@classx
1841 \@tempcnta \count@
1842 \prepnext@tok
1843 \@addtopreamble{\ifcase \@chnum
1844 \hfil
1845 \adl@putlrc{\dollarbegin \insert@column \dollarend}\hfil \or
1846 \hskip1sp\adl@putlrc{\dollarbegin \insert@column \dollarend}\hfil \or
1847 \hfil\hskip1sp\adl@putlrc{\dollarbegin \insert@column \dollarend}\or
1848 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1849 \adl@endmbox\or
1850 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1851 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1852 \fi}\prepnext@tok}

```



```

1853 \def\adl@class@start{4}
1854 \def\adl@class@iiiorvii{7}
1855
1856 \else
1857 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1858     \ifnum \@lastchclass=\thr@@ 5\relax \else
1859     \z@ \if #1c\@chnum \z@ \else
1860     \if @chnum\z@\ #1 \else
1861     \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1862     \if \if@RTLtab#1 \else#1 \fi\@chnum \@ne \else
1863     \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1864     \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
1865     \@chclass
1866     \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1867     \if #1:\@ne \let\@arraydashrule\adl@arraydashrule \else
1868     \if #1;\@ne \let\@arraydashrule\adl@arraydashrule \else
1869     \if #1@\tw@ \else
1870     \if #1p\thr@@ \else
1871     \if @thr\ #1 \else\z@ \@preamerr 0\fi
1872     \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1873
1874 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1875     \or \or \@addamp \or
1876     \@acolampacol \or \@firstampfalse \@acol \fi
1877     \edef\@preamble{\@preamble
1878     \ifcase \@chnum
1879     \hfil\adl@putlrc{$\relax\@sharp$}\hfil
1880     \or \adl@putlrc{$\relax\@sharp$}\hfil
1881     \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
1882 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1883     \or \or \@addamp \or
1884     \@acolampacol \or \@firstampfalse \@acol \fi
1885     \edef\@preamble{\@preamble
1886     \ifcase \@chnum
1887     \hfil\adl@putlrc{\@sharp\unskip}\hfil
1888     \or \adl@putlrc{\@sharp\unskip}\hfil
1889     \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1890 \def\adl@class@start{6}
1891 \def\adl@class@iiiorvii{3}
1892 \fi
1893 }{}
1894 \@ifdefinitionfileloaded{tabulary-xetex-bidi}{%
1895 \def\@testpach{\@chclass
1896 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1897 \ifnum \@lastchclass=7 5 \else
1898 \ifnum \@lastchclass=8 \tw@ \else
1899 \ifnum \@lastchclass=9 \thr@@
1900 \else \z@
1901 \ifnum \@lastchclass = 10 \else
1902 \edef\@nextchar{\expandafter\string\@nextchar}%

```





[illegible]

```

1953 \ifstylefalse\else\ifstyletrue\fi
1954 \setbox\@currbox\color\@vbox\normalcolor
1955 \vbox\bgroup \hsize\columnwidth \@parboxrestore
1956 \floatboxreset \setnobreak
1957 \ignorespaces}
1958 }{}
1959 \begingroup \catcode `|=0 \catcode `[= 1
1960 \catcode `]=2 \catcode `{\=12 \catcode `}=12
1961 \catcode`\=12 \gdef\@x@xepersian@localize@verbatim#1[[ ] |1#]{ }
1962 \gdef\@sx@xepersian@localize@verbatim#1[[* ] |1#]{* }
1963 \endgroup
1964 \def\@verbatim \frenchspacing\@vobeyspaces \@x@xepersian@localize@verbatim}
1965 \def\end \if@newlist \leavevmode\fi\endtrivlist}
1966 \ExplSyntaxOn
1967 \AtBeginDocument{\@namedef{ }*\@verbatim \fontspec_print_visible_spaces: \@sx@xepersian
1968 \ExplSyntaxOff
1969 \expandafter\let\csname end * \endcsname =\end

```

## 7.43 natbib-xepersian.def

```

1970 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
1971 \renewcommand\NAT@set@cites{%
1972 \ifNAT@numbers
1973 \ifNAT@super \let\@cite\NAT@citesuper
1974 \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
1975 \let\citeyearpar=\citeyear
1976 \let\NAT@space\relax
1977 \def\NAT@super@kern{\kern\p}%
1978 \else
1979 \let\NAT@mbox=\mbox
1980 \let\@cite\NAT@citenum
1981 \let\NAT@space\NAT@spacechar
1982 \let\NAT@super@kern\relax
1983 \fi
1984 \let\@citex\NAT@citexnum
1985 \let\@Latincitex\NAT@Latin@citexnum
1986 \let\@biblabel\NAT@biblabelnum
1987 \let\@bibsetup\NAT@bibsetnum
1988 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
1989 \def\natexlab##1{}%
1990 \def\NAT@penalty{\penalty\@m}%
1991 \else
1992 \let\@cite\NAT@cite
1993 \let\@citex\NAT@citex
1994 \let\@Latincitex\NAT@Latin@citex
1995 \let\@biblabel\NAT@biblabel
1996 \let\@bibsetup\NAT@bibsetup
1997 \let\NAT@space\NAT@spacechar
1998 \let\NAT@penalty\@empty
1999 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%

```



```

2000 \def\natexlab##1{##1}%
2001 \fi}
2002 \newcommand\NAT@Latin@citex{}
2003 \def\NAT@Latin@citex%
2004   [#1] [#2] #3{%
2005   \NAT@reset@parser
2006   \NAT@sort@cites{#3}%
2007   \NAT@reset@citea
2008   \@cite{\lr{\let\NAT@nm\@empty\let\NAT@year\@empty
2009   \@for\@citeb:=\NAT@cite@list\do
2010   {\@safe@activestrue
2011   \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2012   \@safe@activesfalse
2013   \@ifundefined{b@\@citeb\@extra@b@citeb}{\@citea%
2014     {\reset@font\bfseries ?}\NAT@citeundefined
2015       \PackageWarning{natbib}%
2016       {Citation '\@citeb' on page \thepage \space undefined}}\def\NAT@date{}}%
2017   {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2018   \NAT@parse{\@citeb}%
2019   \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@citeb}{%
2020     \let\NAT@name=\NAT@all@names
2021     \global\@namedef{bv@\@citeb\@extra@b@citeb}{}}}%
2022   \fi
2023   \ifNAT@full\let\NAT@nm\NAT@all@names\else
2024     \let\NAT@nm\NAT@name\fi
2025   \ifNAT@swa\ifcase\NAT@ctype
2026     \if\relax\NAT@date\relax
2027       \@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}\NAT@date}%
2028     \else
2029       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2030         \ifx\NAT@last@yr\NAT@year
2031           \def\NAT@temp{?}%
2032           \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2033             {Multiple citation on page \thepage: same authors and
2034             year\MessageBreak without distinguishing extra
2035             letter,\MessageBreak appears as question mark}\fi
2036           \NAT@hyper@{\NAT@exlab}%
2037         \else\unskip\NAT@spacechar
2038           \NAT@hyper@{\NAT@date}%
2039         \fi
2040       \else
2041         \@citea\NAT@hyper@{%
2042           \NAT@nmfmt{\NAT@nm}%
2043           \hyper@natlinkbreak{%
2044             \NAT@aysep\NAT@spacechar}{\@citeb\@extra@b@citeb
2045           }%
2046           \NAT@date
2047         }%
2048       \fi
2049     \fi

```



```

2050 \or\@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2051 \or\@citea\NAT@hyper@{\NAT@date}%
2052 \or\@citea\NAT@hyper@{\NAT@alias}%
2053 \fi \NAT@def@citea
2054 \else
2055 \ifcase\NAT@ctype
2056 \if\relax\NAT@date\relax
2057 \@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2058 \else
2059 \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2060 \ifx\NAT@last@yr\NAT@year
2061 \def\NAT@temp{?}%
2062 \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2063 {Multiple citation on page \thepage: same authors and
2064 year\MessageBreak without distinguishing extra
2065 letter,\MessageBreak appears as question mark}\fi
2066 \NAT@hyper@{\NAT@exlab}%
2067 \else
2068 \unskip\NAT@spacechar
2069 \NAT@hyper@{\NAT@date}%
2070 \fi
2071 \else
2072 \@citea\NAT@hyper@{%
2073 \NAT@nmfmt{\NAT@nm}%
2074 \hyper@natlinkbreak{\NAT@spacechar\NAT@@open\if*#1*\else#1\NAT@spacechar\fi}%
2075 {\@citeb\@extra@b@citeb}%
2076 \NAT@date
2077 }%
2078 \fi
2079 \fi
2080 \or\@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2081 \or\@citea\NAT@hyper@{\NAT@date}%
2082 \or\@citea\NAT@hyper@{\NAT@alias}%
2083 \fi
2084 \if\relax\NAT@date\relax
2085 \NAT@def@citea
2086 \else
2087 \NAT@def@citea@close
2088 \fi
2089 \fi
2090 }}\ifNAT@swa\else\if*#2*\else\NAT@cmt#2\fi
2091 \if\relax\NAT@date\relax\else\NAT@@close\fi\fi}}{#1}{#2}}
2092 \newcommand\NAT@Latin@citexnum{}
2093 \def\NAT@Latin@citexnum[#1][#2]#3{%
2094 \NAT@reset@parser
2095 \NAT@sort@cites{#3}%
2096 \NAT@reset@citea
2097 \@cite{\lr{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\@empty
2098 \@for\@citeb:=\NAT@cite@list\do
2099 {\@safe@activestrue

```



```

2100 \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2101 \@safe@activesfalse
2102 \ifundefined{b@\@citeb\@extra@b@citeb}{%
2103   {\reset@font\bfseries?}
2104   \NAT@citeundefined\PackageWarning{natbib}%
2105   {Citation `@\@citeb' on page \thepage \space undefined}}%
2106 {\let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2107  \NAT@parse{\@citeb}%
2108  \ifNAT@longnames\ifundefined{bv@\@citeb\@extra@b@citeb}{%
2109    \let\NAT@name=\NAT@all@names
2110    \global\@namedef{bv@\@citeb\@extra@b@citeb}{}}}%
2111  \fi
2112  \ifNAT@full\let\NAT@nm\NAT@all@names\else
2113    \let\NAT@nm\NAT@name\fi
2114  \ifNAT@swa
2115    \ifnum{\NAT@ctype>\@ne}{%
2116      \citea
2117      \NAT@hyper@{\@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}%
2118    }{%
2119      \ifnum{\NAT@cmprs>\z@}{%
2120        \NAT@ifcat@num\NAT@num
2121        {\let\NAT@nm=\NAT@num}%
2122        {\def\NAT@nm{-2}}%
2123        \NAT@ifcat@num\NAT@last@num
2124        {\@tempcnta=\NAT@last@num\relax}%
2125        {\@tempcnta\m@ne}%
2126        \@ifnum{\NAT@nm=\@tempcnta}{%
2127          \@ifnum{\NAT@merge>\@ne}{\NAT@last@yr@mbbox}%
2128        }{%
2129          \advance\@tempcnta by\@ne
2130          \@ifnum{\NAT@nm=\@tempcnta}{%
2131            \ifx\NAT@last@yr\relax
2132              \def\NAT@last@yr{\@citea}%
2133            \else
2134              \def\NAT@last@yr{--\NAT@penalty}%
2135            \fi
2136          }{%
2137            \NAT@last@yr@mbbox
2138          }%
2139        }%
2140      }{%
2141        \@tempswatrue
2142        \@ifnum{\NAT@merge>\@ne}{\@ifnum{\NAT@last@num=\NAT@num\relax}{\@tempswafalse}{}}}%
2143        \if@tempswa\NAT@citea@mbbox\fi
2144      }%
2145    }%
2146    \NAT@def@citea
2147  \else
2148    \ifcase\NAT@ctype
2149      \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else

```



```

2150         \citea \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@@open}%
2151         \fi
2152         \if*#1*\else#1\NAT@spacechar\fi
2153         \NAT@mbox{\NAT@hyper@{\citenumfont{\NAT@num}}}%
2154         \NAT@def@citea@box
2155     \or
2156         \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2157     \or
2158         \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2159     \or
2160         \NAT@hyper@citea@space\NAT@alias
2161     \fi
2162 \fi
2163 }%
2164 }%
2165 \@ifnum{\NAT@cmprs>\z@}{\NAT@last@yr}{}%
2166 \ifNAT@swa\else
2167     \@ifnum{\NAT@ctype=\z@}{%
2168         \if*#2*\else\NAT@cmt#2\fi
2169     }{%
2170         \NAT@mbox{\NAT@@close}%
2171     \fi
2172 }}{#1}{#2}%
2173 }%
2174 \AtBeginDocument{\NAT@set@cites}
2175 \DeclareRobustCommand\Latincite
2176     {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatrue
2177     \@ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2178 \newcommand\NAT@Latin@cites{\@ifnextchar [{\NAT@@Latin@@citetp}{%
2179     \ifNAT@numbers\else
2180     \NAT@swafalse
2181     \fi
2182     \NAT@@Latin@@citetp[]}}
2183 \newcommand\NAT@@Latin@@citetp{}
2184 \def\NAT@@Latin@@citetp[#1]{\@ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}

```

## 7.44 packages-localise-xepersian.def

```

2185 packages} \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeX2e Packages]
2186 color} \}{color} @\-localise-xepersian.def}}{}
2187 \ifpackageloaded{multicol}{%
2188 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2189 \newenvironment{ *}{\begin{multicols*}}{\end{multicols*}}%
2190 }{}
2191 \ifpackageloaded{verbatim}{%
2192 \begingroup
2193 \vrb@catcodes
2194 \lccode`!=`\\ \lccode`\[=`{\ \lccode`]=`~}
2195 \catcode`~=\active \lccode`~=\^M
2196 \lccode`C=`\C

```



```

2197 \lowercase{\endgroup
2198 \def\xepersian@localize@verbatim@start#1{%
2199 \verbatim@startline
2200 \if\noexpand#1\noexpand~%
2201 \let\next\xepersian@localize@verbatim@
2202 \else \def\next{\xepersian@localize@verbatim@#1}\fi
2203 \next}%
2204 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@@#1! \@nil}%
2205 \def\xepersian@localize@verbatim@@#1! {%
2206 \verbatim@addtoline{#1}%
2207 \futurelet\next\xepersian@localize@verbatim@@@}%
2208 \def\xepersian@localize@verbatim@@@#1\@nil{%
2209 \ifx\next\@nil
2210 \verbatim@processline
2211 \verbatim@startline
2212 \let\next\xepersian@localize@verbatim@
2213 \else
2214 \def\@tempa##1! \@nil{##1}%
2215 \@temptokena{! }%
2216 \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\@nil~}%
2217 \fi \next}%
2218 \def\xepersian@localize@verbatim@test#1{%
2219 \let\next\xepersian@localize@verbatim@test
2220 \if\noexpand#1\noexpand~%
2221 \expandafter\verbatim@addtoline
2222 \expandafter{\the\@temptokena}%
2223 \verbatim@processline
2224 \verbatim@startline
2225 \let\next\xepersian@localize@verbatim@
2226 \else \if\noexpand#1
2227 \@temptokena\expandafter{\the\@temptokena#1}%
2228 \else \if\noexpand#1\noexpand[%
2229 \let\@tempc\@empty
2230 \let\next\xepersian@localize@verbatim@testend
2231 \else
2232 \expandafter\verbatim@addtoline
2233 \expandafter{\the\@temptokena}%
2234 \def\next{\xepersian@localize@verbatim@#1}%
2235 \fi\fi\fi
2236 \next}%
2237 \def\xepersian@localize@verbatim@testend#1{%
2238 \if\noexpand#1\noexpand~%
2239 \expandafter\verbatim@addtoline
2240 \expandafter{\the\@temptokena}%
2241 \expandafter\verbatim@addtoline
2242 \expandafter{\@tempc}%
2243 \verbatim@processline
2244 \verbatim@startline
2245 \let\next\xepersian@localize@verbatim@
2246 \else\if\noexpand#1\noexpand[%

```



```

2247         \let\next\xepersian@localize@verbatim@@testend
2248     \else\if\noexpand#1\noexpand!%
2249         \expandafter\verbatim@addtoline
2250         \expandafter{\the\@temptokena[]}%
2251     \expandafter\verbatim@addtoline
2252     \expandafter{\@tempc}%
2253     \def\next{\xepersian@localize@verbatim@!}%
2254     \else \expandafter\def\expandafter\@tempc\expandafter
2255     {\@tempc#1}\fi\fi\fi
2256     \next}%
2257 \def\xepersian@localize@verbatim@@testend{%
2258     \ifx\@tempc\@currentvir
2259     \verbatim@finish
2260     \edef\next{\noexpand\end{\@currentvir}%
2261         \noexpand\xepersian@localize@verbatim@rescan{\@currentvir}}}%
2262     \else
2263     \expandafter\verbatim@addtoline
2264     \expandafter{\the\@temptokena[]}%
2265     \expandafter\verbatim@addtoline
2266     \expandafter{\@tempc}}%
2267     \let\next\xepersian@localize@verbatim@
2268     \fi
2269     \next}%
2270 \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2271     \warning{Characters dropped after `\'string\end{#1}''}\fi}}%
2272 \def\
2273     {\begingroup\@verbatim \frenchspacing\@vobeyspaces
2274     \xepersian@localize@verbatim@start}
2275 \@namedef{
2276     *}{\begingroup\@verbatim\xepersian@localize@verbatim@start}
2277 \def\end
2278     {\endtrivlist\endgroup\@doendpe}
2279 \expandafter\let\csname end
2280     *\endcsname =\end
2281 }{}
2282 \ExplSyntaxOn
2283 \AtBeginDocument{
2284     \xepersian_localize_patch_verbatim:
2285 }
2286 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2287     \@ifpackageloaded{verbatim}{
2288         \cs_set:cpn {*
2289             } }
2290         \group_begin: \@verbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@st
2291     }
2292     }{
2293     }
2294 }
2295 \ExplSyntaxOff
2296 \@ifpackageloaded{graphicx}{%
2297     \def\Gin@boolkey#1#2{%
2298         \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2299             \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2300         \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2301             \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%

```





```

2297 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}
2298 \define@key{Grot}{origin}[c]{%
2299 \@tfor\@tempa:=#1\do{%
2300 \if l\@tempa \Grot@x\z@ \else
2301 \if tempa@ \Grot@x\z@ \else
2302 \if r\@tempa \Grot@x\width \else
2303 \if tempa@ \Grot@x\width \else
2304 \if t\@tempa \Grot@y\height \else
2305 \if tempa@ \Grot@y\height \else
2306 \if b\@tempa \Grot@y-\depth \else
2307 \if tempa@ \Grot@y-\depth \else
2308 \if B\@tempa \Grot@y\z@ \else
2309 \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi}}
2310 {draft}{ }{Gin} @ \
2311 {origin}{ }{Gin} @ \
2312 {origin}{ }{Grot} @ \
2313 {clip}{ }{Gin} @ \
2314 {keepaspectratio}{ }{Gin} @ \
2315 {natwidth}{ }{Gin} @ \
2316 {natheight}{ }{Gin} @ \
2317 {bb}{ }{Gin} @ \
2318 {viewport}{ }{Gin} @ \
2319 {trim}{ }{Gin} @ \
2320 {angle}{ }{Gin} @ \
2321 {width}{ }{Gin} @ \
2322 {height}{ }{Gin} @ \
2323 {totalheight}{ }{Gin} @ \
2324 {scale}{ }{Gin} @ \
2325 {type}{ }{Gin} @ \
2326 {ext}{ }{Gin} @ \
2327 {read}{ }{Gin} @ \
2328 {command}{ }{Gin} @ \
2329 {x}{ }{Grot} @ \
2330 {y}{ }{Grot} @ \
2331 {units}{ }{Grot} @ \
2332 {}{}

```

## 7.45 parsidigits.map

```

2333 LHSName "Digits"
2334 RHSName "ParsiDigits"
2335
2336 pass(Unicode)
2337 U+0030 <> U+06F0 ;
2338 U+0031 <> U+06F1 ;
2339 U+0032 <> U+06F2 ;
2340 U+0033 <> U+06F3 ;
2341 U+0034 <> U+06F4 ;
2342 U+0035 <> U+06F5 ;
2343 U+0036 <> U+06F6 ;

```



```

2344 U+0037 <> U+06F7 ;
2345 U+0038 <> U+06F8 ;
2346 U+0039 <> U+06F9 ;
2347
2348
2349 U+002C <> U+060C ; comma > arabic comma
2350 U+003F <> U+061F ; question mark -> arabic qm
2351 U+003B <> U+061B ; semicolon -> arabic semicolon
2352
2353 ; ligatures from Knuth's original CMR fonts
2354 U+002D U+002D <> U+2013 ; -- -> en dash
2355 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2356
2357 U+0027 <> U+2019 ; ' -> right single quote
2358 U+0027 U+0027 <> U+201D ; '' -> right double quote
2359 U+0022 > U+201D ; " -> right double quote
2360
2361 U+0060 <> U+2018 ; ` -> left single quote
2362 U+0060 U+0060 <> U+201C ; `` -> left double quote
2363
2364 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2365 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2366
2367 ; additions supported in T1 encoding
2368 U+002C U+002C <> U+201E ; ,, -> DOUBLE LOW-9 QUOTATION MARK
2369 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2370 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

## 7.46 rapport1-xepersian.def

```

2371 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2372 \renewcommand*\thepart{\@tartibi\c@part}
2373 \renewcommand*\appendix{\par
2374   \setcounter{chapter}{0}%
2375   \setcounter{section}{0}%
2376   \gdef\@chapapp{\appendixname}%
2377   \gdef\thechapter{\@harfi\c@chapter}}

```

## 7.47 rapport3-xepersian.def

```

2378 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2379 \renewcommand*\thepart{\@tartibi\c@part}
2380 \renewcommand*\appendix{\par
2381   \setcounter{chapter}{0}%
2382   \setcounter{section}{0}%
2383   \gdef\@chapapp{\appendixname}%
2384   \gdef\thechapter{\@harfi\c@chapter}}

```

## 7.48 refrep-xepersian.def

```

2385 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2386 \renewcommand \thepart {\@tartibi\c@part}

```



```

2387 \renewcommand\appendix{\par
2388   \setcounter{chapter}{0}%
2389   \setcounter{section}{0}%
2390   \gdef\@chapapp{\appendixname}%
2391   \gdef\thechapter{\@harfi\c@chapter}
2392 }%end appendix

```

## 7.49 report-xepersian.def

```

2393 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2394 \renewcommand \thepart {\@tartibi\c@part}
2395 \renewcommand\appendix{\par
2396   \setcounter{chapter}{0}%
2397   \setcounter{section}{0}%
2398   \gdef\@chapapp{\appendixname}%
2399   \gdef\thechapter{\@harfi\c@chapter}
2400 }%end appendix

```

## 7.50 scrartcl-xepersian.def

```

2401 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2402 \renewcommand*{\thepart}{\@tartibi\c@part}
2403 \renewcommand*\appendix{\par%
2404   \setcounter{section}{0}%
2405   \setcounter{subsection}{0}%
2406   \gdef\thesection{\@harfi\c@section}%
2407   \csname appendixmore\endcsname
2408 }
2409 \renewcommand*{\@maybeautodot}[1]{%
2410   \ifx #1\@stop\let\@maybeautodot\relax
2411   \else
2412     \ifx #1\harfi \@autodottrue\fi
2413     \ifx #1\adadi \@autodottrue\fi
2414     \ifx #1\tartibi \@autodottrue\fi
2415     \ifx #1\Alph \@autodottrue\fi
2416     \ifx #1\alph \@autodottrue\fi
2417     \ifx #1\Roman \@autodottrue\fi
2418     \ifx #1\roman \@autodottrue\fi
2419     \ifx #1\@harfi \@autodottrue\fi
2420     \ifx #1\@adadi \@autodottrue\fi
2421     \ifx #1\@tartibi \@autodottrue\fi
2422     \ifx #1\@Alph \@autodottrue\fi
2423     \ifx #1\@alph \@autodottrue\fi
2424     \ifx #1\@Roman \@autodottrue\fi
2425     \ifx #1\@roman \@autodottrue\fi
2426     \ifx #1\romannumeral \@autodottrue\fi
2427   \fi
2428   \@maybeautodot
2429 }

```

## 7.51 scrbook-xepersian.def



```

2430 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2431 \renewcommand*\frontmatter{%
2432   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2433   \@mainmatterfalse\pagenumbering{harfi}%
2434 }
2435 \renewcommand*\thepart{\@tartibi\c@part}
2436 \renewcommand*\appendix{\par%
2437   \setcounter{chapter}{0}%
2438   \setcounter{section}{0}%
2439   \gdef\@chapapp{\appendixname}%
2440   \gdef\thechapter{\@harfi\c@chapter}%
2441   \csname appendixmore\endcsname
2442 }
2443 \renewcommand*\@maybeautodot[1]{%
2444   \ifx #1\@stop\let\@maybeautodot\relax
2445   \else
2446     \ifx #1\harfi \@autodottrue\fi
2447     \ifx #1\adadi \@autodottrue\fi
2448     \ifx #1\tartibi \@autodottrue\fi
2449     \ifx #1\Alph \@autodottrue\fi
2450     \ifx #1\alph \@autodottrue\fi
2451     \ifx #1\Roman \@autodottrue\fi
2452     \ifx #1\roman \@autodottrue\fi
2453     \ifx #1\@harfi \@autodottrue\fi
2454     \ifx #1\@adadi \@autodottrue\fi
2455     \ifx #1\@tartibi \@autodottrue\fi
2456     \ifx #1\@Alph \@autodottrue\fi
2457     \ifx #1\@alph \@autodottrue\fi
2458     \ifx #1\@Roman \@autodottrue\fi
2459     \ifx #1\@roman \@autodottrue\fi
2460     \ifx #1\romannumeral \@autodottrue\fi
2461   \fi
2462   \@maybeautodot
2463 }

```

## 7.52 scrreprt-xepersian.def

```

2464 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2465 \renewcommand*\thepart{\@tartibi\c@part}
2466 \renewcommand*\appendix{\par%
2467   \setcounter{chapter}{0}%
2468   \setcounter{section}{0}%
2469   \gdef\@chapapp{\appendixname}%
2470   \gdef\thechapter{\@harfi\c@chapter}%
2471   \csname appendixmore\endcsname
2472 }
2473 \renewcommand*\@maybeautodot[1]{%
2474   \ifx #1\@stop\let\@maybeautodot\relax
2475   \else
2476     \ifx #1\harfi \@autodottrue\fi

```



```

2477 \ifx #1\adadi \@autodottrue\fi
2478 \ifx #1\tartibi \@autodottrue\fi
2479 \ifx #1\Alph \@autodottrue\fi
2480 \ifx #1\alph \@autodottrue\fi
2481 \ifx #1\Roman \@autodottrue\fi
2482 \ifx #1\roman \@autodottrue\fi
2483 \ifx #1\@harfi \@autodottrue\fi
2484 \ifx #1\@adadi \@autodottrue\fi
2485 \ifx #1\@tartibi \@autodottrue\fi
2486 \ifx #1\@Alph \@autodottrue\fi
2487 \ifx #1\@alph \@autodottrue\fi
2488 \ifx #1\@Roman \@autodottrue\fi
2489 \ifx #1\@roman \@autodottrue\fi
2490 \ifx #1\romannumeral \@autodottrue\fi
2491 \fi
2492 \@@maybeautodot
2493 }

```

## 7.53 soul-xepersian.def

```

2494 \ProvidesFile{soul-xepersian.def}[2015/10/16 v0.1 adaptations for soul package]
2495 \let\SOUL@tt\relax
2496 \newfontface{\SOUL@tt}{Times New Roman}

```

## 7.54 tkz-linknodes-xepersian.def

```

2497 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes packa
2498 \renewcommand*{\@SetTab}{%
2499 \let\@alph\@linalph%
2500 \ifnum \value{C@NumTab}>25\relax%
2501 \setcounter{C@NumTab}{1}%
2502 \else%
2503 \stepcounter{C@NumTab}%
2504 \fi%
2505 \setcounter{C@NumGroup}{0}%
2506 \newcommand*{\PrefixCurrentTab}{\alph{C@NumTab}}
2507 \setboolean{B@FirstLink}{true}
2508 \setboolean{B@NewGroup}{false}
2509 \setcounter{C@NumGroup}{0}
2510 \setcounter{C@CurrentGroup}{0}
2511 \setcounter{NumC@Node}{0}
2512 \setcounter{NumC@stop}{0}
2513 \setcounter{C@NextNode}{0}
2514 \setcounter{C@CurrentStop}{0}
2515 \setcounter{C@CurrentNode}{0}
2516 }%

```

## 7.55 tocloft-xepersian.def

```

2517 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2518 \renewcommand*{\cftchapname}{\if@RTL else\ chapter\fi}
2519 \renewcommand*{\cftsecname}{\if@RTL else\ section\fi}

```



```

2520 \renewcommand*{\cftsubsecname}{\if@RTL else\ subsection\fi}
2521 \renewcommand*{\cftsubsubsecname}{\if@RTL else\ subsubsection\fi}
2522 \renewcommand*{\cftparaname}{\if@RTL else\ paragraph\fi}
2523 \renewcommand*{\cftsubparaname}{\if@RTL else\ subparagraph\fi}
2524 \renewcommand*{\cftfigname}{\if@RTL else\ figure\fi}
2525 \renewcommand*{\cftsubfigname}{\if@RTL else\ subfigure\fi}
2526 \renewcommand*{\cfttabname}{\if@RTL else\ table\fi}
2527 \renewcommand*{\cftsubtabname}{\if@RTL else\ subtable\fi}

```

## 7.56 xepersian.sty

```

2528 \NeedsTeXFormat{LaTeX2e}
2529 \def\xepersianversion{v20.6}
2530 \def\xepersiandate{2018/01/08}
2531 \ProvidesPackage{xepersian}[\xepersiandate\space \xepersianversion\space
2532 Persian typesetting in XeLaTeX]
2533 \RequirePackage{fontspec}
2534 \RequirePackage{xepersian-persiancal}
2535 \RequirePackage{xepersian-mathsdigitspec}
2536 \RequirePackage{bidi}
2537 \edef\xepersian@info{*****~J%
2538 * ~J%
2539 * xepersian package (Persian for LaTeX, using XeTeX engine)~J%
2540 * ~J%
2541 * Description: The package supports Persian~J%
2542 * typesetting, using fonts provided in the~J%
2543 * distribution.~J%
2544 * ~J%
2545 * Copyright (c) 2008--2018 Vafa Khalighi~J%
2546 * ~J%
2547 * \xepersianversion, \xepersiandate~J%
2548 * ~J%
2549 * License: LaTeX Project Public License, version~J%
2550 * 1.3c or higher (your choice)~J%
2551 * ~J%
2552 * Location on CTAN: /macros/xetex/latex/xepersian~J%
2553 * ~J%
2554 * Issue tracker: https://github.com/tex-xet/xepersian/issues~J%
2555 * ~J%
2556 * Support: persian-tex@tug.org~J%
2557 * ~J%
2558 *****}
2559 \typeout{\xepersian@info}
2560 \edef\xepersian@everyjob{\the\everyjob}
2561 \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
2562 \edef\@bidi@strip@v\xepersianversion{\expandafter\@gobble\xepersianversion}
2563 \newcommand*{\IfxepersianPackageVersionLater}[1]{%
2564 \ifdim\@bidi@strip@v\xepersianversion pt > #1 pt %
2565 \expandafter\@firstoftwo
2566 \else

```



```

2567 \expandafter\@secondoftwo
2568 \fi}
2569 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
2570 \ifdim\@bidi@strip@v@xepersianversion pt < #1 pt %
2571 \expandafter\@firstoftwo
2572 \else
2573 \expandafter\@secondoftwo
2574 \fi}
2575 \newcommand*{\IfxepersianPackageVersion}[1]{%
2576 \ifdim\@bidi@strip@v@xepersianversion pt = #1 pt %
2577 \expandafter\@firstoftwo
2578 \else
2579 \expandafter\@secondoftwo
2580 \fi}
2581 \def\prq{«}
2582 \def\plq{»}
2583 \def\xepersian@cmds@temp#1{%
2584 \begingroup\expandafter\expandafter\expandafter\endgroup
2585 \expandafter\ifx\csname xepersian@#1\endcsname\relax
2586 \begingroup
2587 \escapechar=-1 %
2588 \edef\x{\expandafter\meaning\csname#1\endcsname}%
2589 \def\y{#1}%
2590 \def\z##1->{%}
2591 \edef\y{\expandafter\z\meaning\y}%
2592 \expandafter\endgroup
2593 \ifx\x\y
2594 \expandafter\def\csname xepersian@#1\expandafter\endcsname
2595 \expandafter{%
2596 \csname#1\endcsname
2597 }%
2598 \fi
2599 \fi
2600 }%
2601 \xepersian@cmds@temp{shellescape}
2602 \newif\ifwritexviii
2603 \ifnum\xepersian@shellescape=1\relax
2604 \writexviii>true
2605 \else
2606 \writexviii>false
2607 \fi
2608 \newfontscript{Parsi}{arab}
2609 \newfontlanguage{Parsi}{FAR}
2610 \ExplSyntaxOn
2611
2612 \DeclareDocumentCommand \settextfont { 0{ } m 0{ } }
2613 {
2614 \__xepersian_main_settextfont:nn {#1,#3} {#2}
2615 }
2616 \cs_new:Nn \__xepersian_main_settextfont:nn

```



```

2617 {
2618   \fontspec_set_family:Nnn \g__xepersian_persianfont_family {Script=Parsi,Language=Parsi,Mappi
2619   \tl_set_eq:NN \rmdefault \g__xepersian_persianfont_family
2620   \use:x { \exp_not:n { \DeclareRobustCommand \persianfont }
2621     {
2622       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2623       \exp_not:N \fontfamily { \g__xepersian_persianfont_family }
2624       \exp_not:N \selectfont
2625     }
2626   }
2627   \str_if_eq_x:nnT {\familydefault} {\rmdefault}
2628   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2629   \__xepersian_settextfont_hook:nn {#1} {#2}
2630   \normalfont
2631   \ignorespaces
2632 }
2633
2634 \cs_set_eq:NN \__xepersian_settextfont_hook:nn \use_none:nn
2635
2636 \DeclareDocumentCommand \settextdigitfont { 0{ } m 0{ } }
2637 {
2638   \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
2639 }
2640 \cs_new:Nn \__xepersian_main_settextdigitfont:nn
2641 {
2642   \fontspec_set_family:Nnn \g__xepersian_textdigitfont_family {Mapping=parsidigits,#1} {#2}
2643   \use:x
2644   {
2645     \exp_not:n { \DeclareRobustCommand \xepersian@textdigitfont }
2646     {
2647       \exp_not:N \fontfamily { \g__xepersian_textdigitfont_family }
2648       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2649       \exp_not:N \selectfont
2650     }
2651   }
2652   \__xepersian_settextdigitfont_hook:nn {#1} {#2}
2653   \XeTeXinterchartoks \e@alloc@intercharclass@top \bidi@digits@charclass = {\xepersian@@start
2654   \XeTeXinterchartoks \bidi@digits@charclass \e@alloc@intercharclass@top = {\xepersian@@stop
2655   \XeTeXinterchartoks \z@ \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2656   \XeTeXinterchartoks \bidi@digits@charclass \z@ = {\xepersian@@stop@switch@textdigitfont}
2657   \XeTeXinterchartoks \bidi@digits@charclass \bidi@sepmark@charclass = {\DigitsDotDashInterC
2658   \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterC
2659   \if@bidi@csundef{xepersian@D}{}%
2660     \XeTeXinterchartoks \xepersian@D \bidi@digits@charclass = {\xepersian@@start@switch@text
2661     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@D = {\xepersian@@stop@switch@textd
2662     \XeTeXinterchartoks \xepersian@L \bidi@digits@charclass = {\xepersian@@start@switch@text
2663     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@L = {\xepersian@@stop@switch@textd
2664     \XeTeXinterchartoks \xepersian@A \bidi@digits@charclass = {\xepersian@@start@switch@text
2665     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@A = {\xepersian@@stop@switch@textd
2666     \XeTeXinterchartoks \xepersian@R \bidi@digits@charclass = {\xepersian@@start@switch@text

```





```

2667 \XeTeXinterchartoks \bidi@digits@charclass \xepersian@R = {\xepersian@@stop@switch@textd
2668 \XeTeXinterchartoks \xepersian@H \bidi@digits@charclass = {\xepersian@@start@switch@textd
2669 \XeTeXinterchartoks \bidi@digits@charclass \xepersian@H = {\xepersian@@stop@switch@textd
2670 }
2671 \newcommand*{\xepersian@@start@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlat
2672 \newcommand*{\xepersian@@stop@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlati
2673 }
2674
2675 \cs_set_eq:NN \__xepersian_settextdigitfont_hook:nn \use_none:nn
2676
2677 \DeclareDocumentCommand \setdigitfont { 0{ } m 0{ } }
2678 {
2679 \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
2680 \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
2681 }
2682
2683
2684 \DeclareDocumentCommand \setlatintextfont { 0{ } m 0{ } }
2685 {
2686 \__xepersian_main_setlatintextfont:nn {#1,#3} {#2}
2687 }
2688 \cs_new:Nn \__xepersian_main_setlatintextfont:nn
2689 {
2690 \fontspec_set_family:Nnn \g__xepersian_latinfont_family {Mapping=tex-text,#1} {#2}
2691 \use:x { \exp_not:n { \DeclareRobustCommand \latinfont }
2692 {
2693 \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2694 \exp_not:N \fontfamily { \g__xepersian_latinfont_family }
2695 \exp_not:N \selectfont
2696 }
2697 }
2698 \str_if_eq_x:nnT {\familydefault} {\rmdefault}
2699 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2700 \__xepersian_setlatintextfont_hook:nn {#1} {#2}
2701 \normalfont
2702 \ignorespaces
2703 }
2704
2705 \cs_set_eq:NN \__xepersian_setlatintextfont_hook:nn \use_none:nn
2706
2707 \tl_set_eq:NN \setlatinsansfont \setsansfont
2708 \tl_set_eq:NN \setlatinmonofont \setmonofont
2709
2710 \DeclareDocumentCommand \defpersianfont { m 0{ } m 0{ } }
2711 {
2712 \__xepersian_main_defpersianfont:nnn {#1} {#2,#4} {#3}
2713 }
2714 \cs_new:Nn \__xepersian_main_defpersianfont:nnn
2715 {
2716 \fontspec_set_family:cnn { g__xepersian_ \cs_to_str:N #1 _family } {Script=Parsi,Language=Pa

```



```

2717 \use:x
2718 {
2719   \exp_not:N \DeclareRobustCommand \exp_not:N #1
2720   {
2721     \exp_not:N \fontfamily { \use:c {g__xepersian_ \cs_to_str:N #1 _family} }
2722     \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2723     \exp_not:N \selectfont
2724   }
2725 }
2726 }
2727
2728 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
2729 {
2730   \__xepersian_main_deflatinfont:nnn {#1} {#2,#4} {#3}
2731 }
2732 \cs_new:Nn \__xepersian_main_deflatinfont:nnn
2733 {
2734   \fontspec_set_family:cnn { g__xepersian_ \cs_to_str:N #1 _family } {Mapping=tex-text,#2} {#3}
2735   \use:x
2736   {
2737     \exp_not:N \DeclareRobustCommand \exp_not:N #1
2738     {
2739       \exp_not:N \fontfamily { \use:c {g__xepersian_ \cs_to_str:N #1 _family} }
2740       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2741       \exp_not:N \selectfont
2742     }
2743   }
2744 }
2745
2746 \newcommand\persiansfdefault{}
2747 \newcommand\persianttdefault{}
2748 \newcommand\iranicsfdefault{}
2749 \newcommand\navarsfdefault{}
2750 \newcommand\pooksfdefault{}
2751 \newcommand\sayehsfdefault{}
2752 \DeclareRobustCommand\persiansffamily
2753   {\not@math@alphabet\persiansffamily\mathpersiansf
2754   \fontfamily\persiansfdefault\selectfont}
2755 \DeclareRobustCommand\persianttffamily
2756   {\not@math@alphabet\persianttffamily\mathpersiantt
2757   \fontfamily\persianttdefault\selectfont}
2758 \DeclareRobustCommand\iranicsffamily
2759   {\not@math@alphabet\iranicsffamily\mathiranicsf
2760   \fontfamily\iranicsfdefault\selectfont}
2761 \DeclareRobustCommand\navarsffamily
2762   {\not@math@alphabet\navarsffamily\mathnavarsf
2763   \fontfamily\navarsfdefault\selectfont}
2764 \DeclareRobustCommand\pooksffamily
2765   {\not@math@alphabet\pooksffamily\mathpooksf
2766   \fontfamily\pooksfdefault\selectfont}

```



```

2767 \DeclareRobustCommand\sayehfamily
2768     {\not@math@alphabet\sayehfamily\mathsayeh
2769       \fontfamily\sayehdefault\selectfont}
2770 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
2771 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
2772 \DeclareTextFontCommand{\textiranica}{\iranicafamily}
2773 \DeclareTextFontCommand{\textnavar}{\navarfamilly}
2774 \DeclareTextFontCommand{\textpook}{\pookfamily}
2775 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
2776
2777 \DeclareDocumentCommand \setpersiansansfont { 0{} m 0{} }
2778 {
2779   \__xepersian_main_setpersiansansfont:nn {#1,#3} {#2}
2780 }
2781 \cs_new:Nn \__xepersian_main_setpersiansansfont:nn
2782 {
2783   \fontspec_set_family:Nnn \g__xepersian_persiansffamily_family {Script=Parsi,Language=Parsi,M
2784   \tl_set_eq:NN \persiansfdefault \g__xepersian_persiansffamily_family
2785   \use:x { \exp_not:n { \DeclareRobustCommand \persiansffamily }
2786     {
2787       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2788       \exp_not:N \fontfamily { \g__xepersian_persiansffamily_family }
2789       \exp_not:N \selectfont
2790     }
2791   }
2792   \str_if_eq_x:nnT {\familydefault} {\persiansfdefault}
2793     { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2794   \__xepersian_setpersiansansfont_hook:nn {#1} {#2}
2795   \normalfont
2796   \ignorespaces
2797 }
2798
2799 \cs_set_eq:NN \__xepersian_setpersiansansfont_hook:nn \use_none:nn
2800
2801 \DeclareDocumentCommand \setpersianmonofont { 0{} m 0{} }
2802 {
2803   \__xepersian_main_setpersianmonofont:nn {#1,#3} {#2}
2804 }
2805 \cs_new:Nn \__xepersian_main_setpersianmonofont:nn
2806 {
2807   \fontspec_set_family:Nnn \g__xepersian_persianttfamily_family {Script=Parsi,Language=Parsi,M
2808   \tl_set_eq:NN \persianttdefault \g__xepersian_persianttfamily_family
2809   \use:x { \exp_not:n { \DeclareRobustCommand \persianttfamily }
2810     {
2811       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2812       \exp_not:N \fontfamily { \g__xepersian_persianttfamily_family }
2813       \exp_not:N \selectfont
2814     }
2815   }
2816   \str_if_eq_x:nnT {\familydefault} {\persianttdefault}

```



```

2817 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2818 \__xepersian_setpersianmonofont_hook:nn {#1} {#2}
2819 \normalfont
2820 \ignorespaces
2821 }
2822
2823 \cs_set_eq:NN \__xepersian_setpersianmonofont_hook:nn \use_none:nn
2824
2825 \DeclareDocumentCommand \setnavarfont { 0{ } m 0{ } }
2826 {
2827   \__xepersian_main_setnavarfont:nn {#1,#3} {#2}
2828 }
2829 \cs_new:Nn \__xepersian_main_setnavarfont:nn
2830 {
2831   \fontspec_set_family:Nnn \g__xepersian_navarfamilly_family {Script=Parsi,Language=Parsi,Mappin
2832   \tl_set_eq:NN \navardefault \g__xepersian_navarfamilly_family
2833   \use:x { \exp_not:n { \DeclareRobustCommand \navarfamilly }
2834     {
2835       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2836       \exp_not:N \fontfamily { \g__xepersian_navarfamilly_family }
2837       \exp_not:N \selectfont
2838     }
2839   }
2840   \str_if_eq_x:nnT {\familydefault} {\navardefault}
2841   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2842   \__xepersian_setnavarfont_hook:nn {#1} {#2}
2843   \normalfont
2844   \ignorespaces
2845 }
2846
2847 \cs_set_eq:NN \__xepersian_setnavarfont_hook:nn \use_none:nn
2848
2849 \DeclareDocumentCommand \setpookfont { 0{ } m 0{ } }
2850 {
2851   \__xepersian_main_setpookfont:nn {#1,#3} {#2}
2852 }
2853 \cs_new:Nn \__xepersian_main_setpookfont:nn
2854 {
2855   \fontspec_set_family:Nnn \g__xepersian_pookfamily_family {Script=Parsi,Language=Parsi,Mappin
2856   \tl_set_eq:NN \pookdefault \g__xepersian_pookfamily_family
2857   \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily }
2858     {
2859       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2860       \exp_not:N \fontfamily { \g__xepersian_pookfamily_family }
2861       \exp_not:N \selectfont
2862     }
2863   }
2864   \str_if_eq_x:nnT {\familydefault} {\pookdefault}
2865   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2866   \__xepersian_setpookfont_hook:nn {#1} {#2}

```



```

2867 \normalfont
2868 \ignorespaces
2869 }
2870
2871 \cs_set_eq:NN \__xepersian_setpookfont_hook:nn \use_none:nn
2872
2873 \DeclareDocumentCommand \setsayehfont { 0{} m 0{} }
2874 {
2875     \__xepersian_main_setsayehfont:nn {#1,#3} {#2}
2876 }
2877 \cs_new:Nn \__xepersian_main_setsayehfont:nn
2878 {
2879     \fontspec_set_family:Nnn \g__xepersian_sayehfamily_family {Script=Parsi,Language=Parsi,Mapping=Persian}
2880     \tl_set_eq:NN \sayehdefault \g__xepersian_sayehfamily_family
2881     \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily }
2882     {
2883         \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2884         \exp_not:N \fontfamily { \g__xepersian_sayehfamily_family }
2885         \exp_not:N \selectfont
2886     }
2887 }
2888 \str_if_eq_x:nnT {\familydefault} {\sayehdefault}
2889 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2890 \__xepersian_setsayehfont_hook:nn {#1} {#2}
2891 \normalfont
2892 \ignorespaces
2893 }
2894
2895 \cs_set_eq:NN \__xepersian_setsayehfont_hook:nn \use_none:nn
2896
2897 \DeclareDocumentCommand \setiraniconfont { 0{} m 0{} }
2898 {
2899     \__xepersian_main_setiraniconfont:nn {#1,#3} {#2}
2900 }
2901 \cs_new:Nn \__xepersian_main_setiraniconfont:nn
2902 {
2903     \fontspec_set_family:Nnn \g__xepersian_iraniconfamily_family {Script=Parsi,Language=Parsi,Mapping=Persian}
2904     \tl_set_eq:NN \iranicondefault \g__xepersian_iraniconfamily_family
2905     \use:x { \exp_not:n { \DeclareRobustCommand \iraniconfamily }
2906     {
2907         \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2908         \exp_not:N \fontfamily { \g__xepersian_iraniconfamily_family }
2909         \exp_not:N \selectfont
2910     }
2911 }
2912 \str_if_eq_x:nnT {\familydefault} {\iranicondefault}
2913 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2914 \__xepersian_setiraniconfont_hook:nn {#1} {#2}
2915 \normalfont
2916 \ignorespaces

```



```

2917 }
2918
2919 \cs_set_eq:NN \_xepersian_setiranifont_hook:nn \use_none:nn
2920
2921 \ExplSyntaxOff
2922 \def\resetlatinfont{%
2923 \let\@xepersian@@fontsize@scale\xepersian@@fontsize@scale%
2924 \let\@xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
2925 \def\xepersian@@fontsize@scale{%
2926 \strip@pt\dimexpr 1pt * \dimexpr
2927 \xepersian@@latin@fontsize@scale pt\relax
2928 / \dimexpr \@xepersian@@fontsize@scale pt\relax\relax
2929 }%
2930 \def\xepersian@@baselineskip@scale{%
2931 \strip@pt\dimexpr 1pt * \dimexpr
2932 \xepersian@@latin@baselineskip@scale pt\relax
2933 / \dimexpr \@xepersian@@baselineskip@scale pt\relax\relax
2934 }%
2935 \@nonlatinfalse%
2936 \let\normalfont\latinfont%
2937 \let\reset@font\normalfont%
2938 \latinfont%
2939 \fontsize\fontsize\font@baselineskip%
2940 \selectfont%
2941 \let\xepersian@@fontsize@scale\xepersian@@latin@fontsize@scale%
2942 \let\xepersian@@baselineskip@scale\xepersian@@latin@baselineskip@scale%
2943 }
2944 \def\setpersianfont{%
2945 \let\@xepersian@@fontsize@scale\xepersian@@fontsize@scale%
2946 \let\@xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
2947 \let\xepersian@@fontsize@scale\one%
2948 \let\xepersian@@baselineskip@scale\one%
2949 \@nonlatintrue%
2950 \let\normalfont\persianfont%
2951 \let\reset@font\normalfont%
2952 \persianfont%
2953 \fontsize\fontsize\font@baselineskip%
2954 \selectfont%
2955 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
2956 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
2957 }
2958 \bidi@newrobustcmd*{\lr}[1]{\LRE{\resetlatinfont#1}}
2959 \bidi@newrobustcmd*{\rl}[1]{\RLE{\setpersianfont#1}}
2960 \def\latin{\LTR\LatinAlphs\@RTL@footnotefalse\resetlatinfont}
2961 \def\endlatin{\endLTR}
2962 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
2963 \def\endpersian{\endRTL}
2964 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end{LATINITEMS}}
2965 \newenvironment{persiitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end{PERSIITEMS}}
2966 \let\originaltoday=\today

```



```

2967 \def\latintoday{\lr{\originaltoday}}
2968 \def\today{\rl{\persiantoday}}
2969 \def \@LTRmarginparreset {%
2970     \reset@font
2971     \resetlatinfont
2972     \normalsize
2973     \@minipagetrue
2974     \everypar{\@minipagefalse\everypar{}\beginL}%
2975 }
2976 \DeclareRobustCommand\Latincite{%
2977     \@ifnextchar [{\@tempwatrue\@Latincitex}{\@tempwafalse\@Latincitex[]}]
2978 \def\@Latincitex[#1]#2{\leavevmode
2979     \let\@citea\@empty
2980     \@cite{\lr{\@for\@citeb:=#2\do
2981         {\@citea\def\@citea{,\penalty\@m\ }%
2982         \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2983         \if@filesw\immediate\write\@auxout{\string\citation{\@citeb}}\fi
2984         \@ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}%
2985         \@refundefinedtrue
2986         \@latex@warning
2987             {Citation `'\@citeb' on page \thepage \space undefined}}%
2988         {\@cite@ofmt{\csname b@\@citeb\endcsname}}}\}\{#1}}
2989
2990 \renewcommand*{\bidi@font@@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
2991
2992 \newif\if@xepersian@@computeautoilg
2993 \newcount\xepersian@tcl
2994 \newdimen\xepersian@ilg
2995 \newdimen\xepersian@strutilg
2996 \chardef\f@ur=4
2997 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
2998 \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
2999 \loop
3000 \iffontchar\font\xepersian@tcl
3001 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\z@
3002 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3003 \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3004 \fi
3005 \else
3006 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl<\z@
3007 \ifdim-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3008 \xepersian@ilg=-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3009 \fi
3010 \fi
3011 \fi
3012 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\z@
3013 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3014 \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3015 \fi
3016 \else

```



```

3017 \ifdim\XeTeXglyphbounds\fontur \the\XeTeXcharglyph\xepersian@tcl<\z@
3018 \ifdim-\XeTeXglyphbounds\fontur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3019 \xepersian@strutilg=-\XeTeXglyphbounds\fontur \the\XeTeXcharglyph\xepersian@tcl
3020 \fi
3021 \fi
3022 \fi
3023 \fi
3024 \advance\xepersian@tcl\@ne
3025 \ifnum\xepersian@tcl<1792\repeat
3026 \advance\xepersian@strutilg\xepersian@ilg
3027 % \ifdim\xepersian@strutilg>\baselineskip
3028 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3029 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3030 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
3031 % \selectfont
3032 % \fi
3033 }
3034
3035 \newif\if@@textdigitfont@on
3036
3037 \newcommand{\TextDigitFontOn}{\@@textdigitfont@ontrue}
3038 \newcommand{\TextDigitFontOff}{\@@textdigitfont@onfalse}
3039
3040 \TextDigitFontOn
3041
3042 \newcommand*\xepersian@setlength[4]{%
3043   \ifdim #2<\ifdim #2=\z@ \z@ \else \p@\fi
3044     \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3045       \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3046         \setlength{#1}{\p@ \@plus\p@ \@minus\p@}%
3047       \else
3048         \setlength{#1}{\p@ \@plus\p@ \@minus#4}%
3049       \fi
3050     \else
3051       \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3052         \setlength{#1}{\p@ \@plus#3 \@minus\p@}%
3053       \else
3054         \setlength{#1}{\p@ \@plus#3 \@minus#4}%
3055       \fi
3056     \fi
3057   \else
3058     \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3059       \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3060         \setlength{#1}{#2 \@plus\p@ \@minus\p@}%
3061       \else
3062         \setlength{#1}{#2 \@plus\p@ \@minus#4}%
3063       \fi
3064     \else
3065       \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3066         \setlength{#1}{#2 \@plus#3 \@minus\p@}%

```





```

3067         \else
3068             \setlength{#1}{#2 \@plus#3 \@minus#4}%
3069         \fi
3070     \fi
3071 \fi
3072 }
3073
3074 \newcommand*{\setfontsize}[2][1.2\@tempdima]{%
3075     \@defaultunits\@tempdima#2pt\relax\@nnil
3076     \setlength{\@tempdimc}{\@tempdima}%
3077     \addtolength{\@tempdimc}{-10\p}%
3078     \edef\@ptsize{\strip@pt\@tempdimc}%
3079     \@defaultunits\@tempdimb#1pt\relax\@nnil
3080     \setlength{\@tempdimc}{\dimexpr (100\@tempdimb / \@tempdima * \p)}%
3081     \edef\@tempb{\the\@tempdimc}%
3082     \setlength{\@tempdimc}{\@tempdima}%
3083     \def\@tempa##1##2##3##4##5\@nnil{\def##1{##2.##3##4}}%
3084     \expandafter\@tempa\expandafter\@tempb\@tempb\@nnil%
3085     \xepersian@setlength{\abovedisplayskip}%
3086         {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3087     \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3088     \xepersian@setlength{\belowdisplayshortskip}%
3089         {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3090     \setlength{\belowdisplayskip}{\abovedisplayskip}%
3091     \edef\normalsize{%
3092         \noexpand\@setfontsize\noexpand\normalsize
3093         {\the\@tempdima}{\the\@tempdimb}%
3094         \abovedisplayskip \the\abovedisplayskip
3095         \abovedisplayshortskip \the\abovedisplayshortskip
3096         \belowdisplayskip \the\belowdisplayskip
3097         \belowdisplayshortskip \the\belowdisplayshortskip
3098         \let\noexpand\@listi\noexpand\@listI
3099     }%
3100     \setlength{\@tempdima}{0.9125\@tempdimc}%
3101     \setlength{\@tempdimb}{\@tempb\@tempdima}%
3102     \xepersian@setlength{\abovedisplayskip}%
3103         {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3104     \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3105     \xepersian@setlength{\belowdisplayshortskip}%
3106         {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3107     \setlength{\belowdisplayskip}{\abovedisplayskip}%
3108     \edef\small{%
3109         \noexpand\@setfontsize\noexpand\small
3110         {\the\@tempdima}{\the\@tempdimb}%
3111         \abovedisplayskip \the\abovedisplayskip
3112         \abovedisplayshortskip \the\abovedisplayshortskip
3113         \belowdisplayskip \the\belowdisplayskip
3114         \belowdisplayshortskip \the\belowdisplayshortskip
3115         \let\noexpand\@listi\noexpand\@listi@small
3116     }%

```



```

3117 \setlength{\@tempdima}{.83334\@tempdimc}%
3118 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3119 \xepersian@setlength{\abovedisplayskip}%
3120         {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3121 \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3122 \xepersian@setlength{\belowdisplayshortskip}%
3123         {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3124 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3125 \edef\footnotesize{%
3126     \noexpand\setfontsize\noexpand\footnotesize
3127     {\the\@tempdima}{\the\@tempdimb}%
3128     \abovedisplayskip \the\abovedisplayskip
3129     \abovedisplayshortskip \the\abovedisplayshortskip
3130     \belowdisplayskip \the\belowdisplayskip
3131     \belowdisplayshortskip \the\belowdisplayshortskip
3132     \let\noexpand\@listi\noexpand\@listi\footnotesize
3133 }%
3134 \setlength{\@tempdima}{.66667\@tempdimc}%
3135 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3136 \edef\scriptsize{%
3137     \noexpand\setfontsize\noexpand\scriptsize
3138     {\the\@tempdima}{\the\@tempdimb}%
3139 }%
3140 \setlength{\@tempdima}{.5\@tempdimc}%
3141 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3142 \edef\tiny{%
3143     \noexpand\setfontsize\noexpand\tiny
3144     {\the\@tempdima}{\the\@tempdimb}%
3145 }%
3146 \setlength{\@tempdima}{1.2\@tempdimc}%
3147 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3148 \edef\large{%
3149     \noexpand\setfontsize\noexpand\large
3150     {\the\@tempdima}{\the\@tempdimb}%
3151 }%
3152 \setlength{\@tempdima}{1.44\@tempdimc}%
3153 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3154 \edef\Large{%
3155     \noexpand\setfontsize\noexpand\Large
3156     {\the\@tempdima}{\the\@tempdimb}%
3157 }%
3158 \setlength{\@tempdima}{1.728\@tempdimc}%
3159 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3160 \edef\LARGE{%
3161     \noexpand\setfontsize\noexpand\LARGE
3162     {\the\@tempdima}{\the\@tempdimb}%
3163 }%
3164 \setlength{\@tempdima}{2.074\@tempdimc}%
3165 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3166 \edef\huge{%

```



```

3167 \noexpand\setfontsize\noexpand\huge
3168 {\the\@tempdima}{\the\@tempdimb}%
3169 }%
3170 \setlength{\@tempdima}{2.488\@tempdimc}%
3171 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3172 \edef\Huge{%
3173 \noexpand\setfontsize\noexpand\Huge
3174 {\the\@tempdima}{\the\@tempdimb}%
3175 }%
3176 \normalsize
3177 \setlength{\@tempdimb}{\f@baselineskip}%
3178 \xepersian@setlength{\parsep}%
3179 { .3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3180 \xepersian@setlength{\topsep}%
3181 { .6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3182 \@tempswafalse
3183 \begingroup
3184 \def\@list@extra{\aftergroup\@tempwattrue}%
3185 \csname @listi\endcsname
3186 \endgroup
3187 \edef\@listi{\leftmargin\leftmargini
3188 \topsep \the\topsep
3189 \parsep \the\parsep
3190 \itemsep \parsep
3191 \if@tempswa\noexpand\@list@extra\fi
3192 }%
3193 \let\@listI\@listi
3194 \xepersian@setlength{\parsep}%
3195 { .1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3196 \xepersian@setlength{\topsep}%
3197 { .3333\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3198 \@tempswafalse
3199 \begingroup
3200 \def\@list@extra{\aftergroup\@tempwattrue}%
3201 \csname @listi\endcsname
3202 \endgroup
3203 \edef\@listi@small{\leftmargin\leftmargini
3204 \topsep \the\topsep
3205 \parsep \the\parsep
3206 \itemsep \parsep
3207 \if@tempswa\noexpand\@list@extra\fi
3208 }%
3209 \xepersian@setlength{\parsep}%
3210 { .125\@tempdimb}{.0625\@tempdimb}{.0625\@tempdimb}%
3211 \xepersian@setlength{\topsep}%
3212 { .25\@tempdimb}{.125\@tempdimb}{.125\@tempdimb}
3213 \@tempswafalse
3214 \begingroup
3215 \def\@list@extra{\aftergroup\@tempwattrue}%
3216 \csname @listi\endcsname

```



```

3217 \endgroup
3218 \edef\@listi@footnotesize{\leftmargin\leftmargini
3219 \topsep \the\topsep
3220 \parsep \the\parsep
3221 \itemsep \parsep
3222 \if@tempswa\noexpand\@list@extra\fi
3223 }%
3224 \xepersian@setlength{\parsep}%
3225 { .1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3226 \xepersian@setlength{\topsep}%
3227 { .3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3228 \@tempswafalse
3229 \begingroup
3230 \def\@list@extra{\aftergroup\@tempswatrue}%
3231 \csname @listii\endcsname
3232 \endgroup
3233 \edef\@listii{\leftmargin\leftmarginii
3234 \labelwidth=\dimexpr \leftmargin-\labelsep
3235 \topsep \the\topsep
3236 \parsep \the\parsep
3237 \itemsep \parsep
3238 \if@tempswa\noexpand\@list@extra\fi
3239 }%
3240 \xepersian@setlength{\topsep}%
3241 { .1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3242 \setlength{\partopsep}{\z@ \@plus\z@ \@minus\p@}%
3243 \@tempswafalse
3244 \begingroup
3245 \def\@list@extra{\aftergroup\@tempswatrue}%
3246 \csname @listiii\endcsname
3247 \endgroup
3248 \edef\@listiii{\leftmargin\leftmarginiii
3249 \labelwidth=\dimexpr \leftmargin-\labelsep
3250 \topsep \the\topsep
3251 \parsep \z@
3252 \partopsep \the\partopsep
3253 \itemsep \topsep
3254 \if@tempswa\noexpand\@list@extra\fi
3255 }%
3256 \@tempswafalse
3257 \begingroup
3258 \def\@list@extra{\aftergroup\@tempswatrue}%
3259 \csname @listiv\endcsname
3260 \endgroup
3261 \edef\@listiv{\leftmargin\leftmarginiv
3262 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3263 \if@tempswa\noexpand\@list@extra\fi
3264 }%
3265 \@tempswafalse
3266 \begingroup

```



```

3267 \def\@list@extra{\aftergroup\@tempswattrue}%
3268 \csname @listv\endcsname
3269 \endgroup
3270 \edef\@listv{\leftmargin\leftmarginv
3271 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3272 \if@tempswa\noexpand\@list@extra\fi
3273 }%
3274 \@tempswafalse
3275 \begingroup
3276 \def\@list@extra{\aftergroup\@tempswattrue}%
3277 \csname @listvi\endcsname
3278 \endgroup
3279 \edef\@listvi{\leftmargin\leftmarginvi
3280 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3281 \if@tempswa\noexpand\@list@extra\fi
3282 }%
3283 \@listi
3284 \setlength{\@tempdimb}{\f@baselineskip}%
3285 \setlength{\footnotesep}{.555\@tempdimb}%
3286 \xepersian@setlength{\skip\footins}%
3287 { .75\@tempdimb}{.3333\@tempdimb}{.1667\@tempdimb}%
3288 \xepersian@setlength{\floatsep}%
3289 {\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3290 \xepersian@setlength{\textfloatsep}%
3291 {1.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3292 \setlength{\intextsep}{\floatsep}%
3293 \setlength{\dblfloatsep}{\floatsep}%
3294 \setlength{\dbltextfloatsep}{\textfloatsep}%
3295 \setlength{\@fptop}{\z@ \@plus 1fil}%
3296 \setlength{\@fpsep}{.6667\@tempdimb \@plus 2fil}%
3297 \setlength{\@fpbot}{\@fptop}%
3298 \setlength{\@dblfpsep}{\@fpsep}%
3299 \setlength{\@dblfpbot}{\@fpsep}%
3300 \setlength{\@dblfpbot}{\@fpsep}%
3301 \xepersian@setlength{\partopsep}{.2\@tempdimb}{.1\@tempdimb}{.1\@tempdimb}%
3302 }
3303
3304 \newcommand\twocolumnstableofcontents{%
3305 \if@bidi@csundef{multi@column@out}{%
3306 \PackageError{xepersian}{Oops! you should load multicol package before xepersian package for b
3307 \begin{multicols}{2}[\section*{\contentsname}]%
3308 \small
3309 \@starttoc{toc}%
3310 \end{multicols}}}%
3311 \bidi@newrobustcmd*{\XePersian}{\leavevmode$\smash{\hbox{X\lower.5ex
3312 \hbox{\kern-.125em\bidi@reflect@box{E}}Persian}}}$}
3313 \def\figurename{\if@RTL else\ Figure\fi}
3314 \def\tablename{\if@RTL else\ Table\fi}
3315 \def\contentsname{\if@RTL else\ Contents\fi}

```



```

3316 \def\listfigurename{\if@RTL     else\    List of Figures\fi}
3317 \def\listtablename{\if@RTL     else\    List of Tables\fi}
3318 \def\appendixname{\if@RTL else\    Appendix\fi}
3319 \def\indexname{\if@RTL else\    Index\fi}
3320 \def\refname{\if@RTL else\    References\fi}
3321 \def\abstractname{\if@RTL else\    Abstract\fi}
3322 \def\partname{\if@RTL else\    Part\fi}
3323 \def\datename{\if@RTL else\    Date:\fi}
3324 \def\@and{\if@RTL else\    and\fi}
3325 \def\bibname{\if@RTL else\    Bibliography\fi}
3326 \def\chaptername{\if@RTL else\    Chapter\fi}
3327 \def\ccname{\if@RTL else\    cc\fi}
3328 \def\enclname{\if@RTL else\    encl\fi}
3329 \def\pagename{\if@RTL else\    Page\fi}
3330 \def\headtoname{\if@RTL else\    To\fi}
3331 \def\proofname{\if@RTL else\    Proof\fi}
3332 \def\@Abjad#1{%
3333   \ifcase#1\or or\ or\ or\ %
3334   \or or\ or\ or\ or\ %
3335   \or or\ or\ or\ or\ %
3336   \or or\ or\ or\ %
3337   \or or\ or\ or\ or\ %
3338   \or or\ or\ or\ or\ %
3339   \else\@ctrerr\fi}
3340 \def\Abjad#1{\expandafter\@Abjad\csname c@#1\endcsname}
3341 \let\Abjadnumeral\@Abjad
3342 \def\@harfi#1{\ifcase#1\or or\ or\ or\ or\ or\ or\
3343 or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\
3344 or\ or\ or\ or\ or\ or\ or\ or\ or\ {else\@ctrerr\fi}
3345 \def\harfi#1{\expandafter\@harfi\csname c@#1\endcsname}
3346 \let\harfinumeral\@harfi
3347 \newcommand{\adadi}[1]{%
3348 \expandafter\@adadi\csname c@#1\endcsname%
3349 }
3350 \newcommand{\@adadi}[1]{%
3351 \xepersian@numberstring{#1}\xepersian@yekanii{ }{}}%
3352 }
3353 \let\adadinumeral\@adadi%
3354 \def\xepersian@numberoutofrange#1#2{%
3355 \PackageError{xepersian}{The number `#1' is too large %
3356 to be formatted using xepersian}{The largest possible %
3357 number is 999,999,999.}%
3358 }
3359 \def\xepersian@numberstring#1#2#3#4{%
3360 \ifnum\number#1<\@ne%
3361 #3%
3362 \else\ifnum\number#1<1000000000 %
3363 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3364 \else%
3365 \xepersian@numberoutofrange{#1}{#4}%

```



```

3366 \fi\fi%
3367 }
3368 \def\xepersian@adadi#1#2{%
3369 \expandafter\xepersian@@adadi%
3370 \ifcase%
3371 \ifnum#1<10 1%
3372 \else\ifnum#1<100 2%
3373 \else\ifnum#1<\@m 3%
3374 \else\ifnum#1<\@M 4%
3375 \else\ifnum#1<100000 5%
3376 \else\ifnum#1<1000000 6%
3377 \else\ifnum#1<10000000 7%
3378 \else\ifnum#1<100000000 8%
3379 \else9%
3380 \fi\fi\fi\fi\fi\fi\fi\fi %
3381 \or00000000#1% case 1: Add 8 leading zeros
3382 \or0000000#1% case 2: Add 7 leading zeros
3383 \or000000#1% case 3: Add 6 leading zeros
3384 \or00000#1% case 4: Add 5 leading zeros
3385 \or0000#1% case 5: Add 4 leading zeros
3386 \or000#1% case 6: Add 3 leading zeros
3387 \or00#1% case 7: Add 2 leading zeros
3388 \or0#1% case 8: Add 1 leading zero
3389 \or#1% case 9: Add no leading zeros
3390 \or%
3391 \@nil#2%
3392 \fi%
3393 }
3394 \def\xepersian@@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3395 \ifnum#1#2#3>\z@
3396 \xepersian@milyoongan#1#2#3%
3397 \ifnum#7>\z@\ifnum#4#5#6>\z@ \else\ \fi\else\ifnum#4#5#6>\z@ \fi\fi%
3398 \fi%
3399 \ifnum#4#5#6>\z@%
3400 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3401 \ifnum#4#5#6>\@ne\fi%
3402 %
3403 \ifnum#7>\z@ \fi%
3404 \fi%
3405 \xepersian@sadgan#7{#4#5#6}1#9%
3406 }
3407 \def\xepersian@milyoongan#1#2#3{%
3408 \ifnum#1#2#3=\@ne%
3409 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3410 %
3411 %
3412 \else%
3413 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3414 %
3415 %

```



```

3416 \fi%
3417 }
3418 \def\xepersian@sadgan#1#2#3#4#5#6{%
3419 \ifnum#1>\z@%
3420 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3421 %
3422 \ifnum#2#3>\z@\ \fi%
3423 \fi%
3424 \ifnum#2#3<20%
3425 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
3426 \else%
3427 \xepersian@dahgan#2%
3428 \ifnum#3>\z@\ \xepersian@yekani#3\fi%
3429 #60%
3430 \fi%
3431 }
3432 \def\xepersian@yekani#1{%
3433 \ifcase#1\@empty\or or\ or\ or\ or\ or\ %
3434 \or or\ or\ or\ or\ or\ or\ %
3435 \or or\ or\ or\ %
3436 \or or\ %fi\
3437 }
3438 \def\xepersian@yekanii#1{%
3439 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3440 }
3441 \def\xepersian@yekaniii#1{%
3442 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3443 }
3444 \def\xepersian@yekaniv#1{%
3445 \ifcase#1\@empty\or\or or\ or\ or\ or\ %
3446 \or or\ or\ %fi\
3447 }
3448 \def\xepersian@dahgan#1{%
3449 \ifcase#1\or\or or\ or\ %
3450 \or or\ or\ or\ %
3451 \or %fi\
3452 }
3453 \newcommand{\tartibi}[1]{%
3454 \expandafter\@tartibi\csname c@#1\endcsname%
3455 }
3456 \newcommand{\@tartibi}[1]{%
3457 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
3458 }
3459 \let\tartibinumeral\@tartibi%
3460 \def\xepersian@numberstring@tartibi#1#2#3#4{%
3461 \ifnum\number#1<\@ne%
3462 #3%
3463 \else\ifnum\number#1<1000000000 %
3464 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3465 \else%

```





```

3466 \xepersian@numberoutofrange{#1}{#4}%
3467 \fi\fi%
3468 }
3469 \def\xepersian@adadi@tartibi#1#2{%
3470 \expandafter\xepersian@@adadi@tartibi%
3471 \ifcase%
3472 \ifnum#1<10 1%
3473 \else\ifnum#1<100 2%
3474 \else\ifnum#1<\@m 3%
3475 \else\ifnum#1<\@M 4%
3476 \else\ifnum#1<100000 5%
3477 \else\ifnum#1<1000000 6%
3478 \else\ifnum#1<10000000 7%
3479 \else\ifnum#1<100000000 8%
3480 \else9%
3481 \fi\fi\fi\fi\fi\fi\fi\fi %
3482 \or00000000#1% case 1: Add 8 leading zeros
3483 \or0000000#1% case 2: Add 7 leading zeros
3484 \or000000#1% case 3: Add 6 leading zeros
3485 \or00000#1% case 4: Add 5 leading zeros
3486 \or0000#1% case 5: Add 4 leading zeros
3487 \or000#1% case 6: Add 3 leading zeros
3488 \or00#1% case 7: Add 2 leading zeros
3489 \or0#1% case 8: Add 1 leading zero
3490 \or#1% case 9: Add no leading zeros
3491 \or%
3492 \@nil#2%
3493 \fi%
3494 }
3495 \def\xepersian@@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3496 \ifnum#1#2#3>\z@
3497 \xepersian@milyoongan@tartibi#1#2#3%
3498 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \else\ \fi\else\ifnum#4#5#6>\z@\ \fi\fi%
3499 \fi%
3500 \ifnum#4#5#6>\z@%
3501 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3502 \ifnum#4#5#6>\@ne \fi%
3503 %
3504 \ifnum#7>\z@\ \fi%
3505 \fi%
3506 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3507 }
3508 \def\xepersian@milyoongan@tartibi#1#2#3{%
3509 \ifnum#1#2#3=\@ne%
3510 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekanii%
3511 %
3512 %
3513 \else%
3514 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3515 %

```



```

3516 %
3517 \fi%
3518 }
3519 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3520 \ifnum#1>\z@%
3521 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3522 %
3523 \ifnum#2#3>\z@ \fi%
3524 \fi%
3525 \ifnum#2#3<20%
3526 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
3527 \else%
3528 \ifnum#2#3=30%
3529 \xepersian@dahgan@tartibi#2%
3530 \else%
3531 \xepersian@dahgan#2%
3532 \fi%
3533 \ifnum#3>\z@ \xepersian@yekanv#3\fi%
3534 #60%
3535 \fi%
3536 }
3537 \def\xepersian@dahgan@tartibi#1{%
3538 \ifcase#1\or\or\or\or\ %
3539 \or\or\or\or\ %
3540 \or\ %fi\
3541 }
3542 \def\xepersian@tartibi#1{%
3543 \ifcase#1\or\or\or\or\ %
3544 \or\or\or\or\ %
3545 \or\or\or\ %
3546 \or\or\or\ %
3547 \or\or\or\ %fi\
3548 }
3549 \def\xepersian@yekanv#1{%
3550 \ifcase#1\@empty\or\or\or\or\or\or\ %
3551 \or\or\or\or\or\or\ %
3552 \or\or\or\or\ %
3553 \or\or\ %fi\
3554 }
3555 \providecommand*\xpg@warning}[1]{%
3556 \PackageWarning{XePersian}%
3557 {#1}}
3558 \if@bidi@csundef{@abjad}{%
3559 \def\@abjad#1{%
3560 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}
3561 \else
3562 \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3563 \else
3564 \ifnum#1<10\expandafter\abj@num@i\number#1%
3565 \else

```



```

3566 \ifnum#1<100\expandafter\abj@num@ii\number#1%
3567 \else
3568 \ifnum#1<\@m\expandafter\abj@num@iii\number#1%
3569 \else
3570 \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3571 \fi
3572 \fi
3573 \fi
3574 \fi
3575 \fi
3576 \fi
3577 }
3578 \def\abjad#1{\expandafter\@abjad\csname c@#1\endcsname}
3579 \let\abjadnumeral\@abjad
3580 \def\abjad@zero{}
3581 \def\abj@num@i#1{%
3582 \ifcase#1\or or\ or\ or\ %
3583 \or or\ or\ or\ or\ fi\
3584 \ifnum#1=\z@\abjad@zero\fi}
3585 \def\abj@num@ii#1{%
3586 \ifcase#1\or or\ or\ or\ or\ %
3587 \or or\ or\ or\ fi\
3588 \ifnum#1=\z@\fi\abj@num@i}
3589 \def\abj@num@iii#1{%
3590 \ifcase#1\or or\ or\ or\ or\ %
3591 \or or\ or\ or\ fi\
3592 \ifnum#1=\z@\fi\abj@num@ii}
3593 \def\abj@num@iv#1{%
3594 \ifcase#1\or fi\
3595 \ifnum#1=\z@\fi\abj@num@iii}
3596 }{}
3597 \let\@latinalph\@alph%
3598 \let\@latinAlph\@Alph%
3599 \def\LatinAlphs{%
3600 \let\@alph\@latinalph%
3601 \let\@Alph\@latinAlph%
3602 }
3603 \def\thempfootnote{\itshape\@latinalph\c@mpfootnote}
3604 \renewcommand*\bidi@thebibliography@font@hook{%
3605 \if@LTRbibitems
3606 \resetlatinfont
3607 \fi}
3608 \bidi@AfterEndPreamble{%
3609 \if@bidi@cundef{persianfont}}%
3610 \PackageError{xepersian}{You have not specified any font\MessageBreak
3611 for the main Persian text}{Use '\settextfont' to load a font.}%
3612 }{}
3613 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
3614 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}
3615 \@ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}

```



```

3616 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
3617 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
3618 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
3619 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
3620 \@ifpackageloaded{flowfram}{\input{flowfram-xepersian.def}}{}
3621 \@ifpackageloaded{bidityftesidenote}{\input{bidityftesidenote-xepersian.def}}{}
3622 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}
3623 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}
3624 \@ifpackageloaded{enumitem}{\input{enumitem-xepersian.def}}{}
3625 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}
3626 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
3627 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
3628 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
3629 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
3630 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}
3631 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
3632 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{\input{tocloft-xepersian.def}}{}}{}
3633 \@ifclassloaded{article}{\input{article-xepersian.def}}{}
3634 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}
3635 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}
3636 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}
3637 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}
3638 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}
3639 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
3640 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
3641 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
3642 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
3643 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
3644 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
3645 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
3646 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
3647 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
3648 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
3649 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
3650 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
3651 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
3652 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
3653 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
3654 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
3655 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
3656
3657 \def\xepersian@@fontsize@branch#1{%
3658   \@tempcnta\z@
3659   \@for\xepersian@tmp:=#1\do{%
3660     \KV@@sp@def\xepersian@frag{\xepersian@tmp}%
3661     \ifcase\@tempcnta\relax% cnta == 0
3662       \edef\xepersian@value{\xepersian@frag}%
3663       \setfontsize{\xepersian@frag}%
3664     \or% cnta == 1
3665       \setfontsize[\xepersian@frag]{\xepersian@value}%

```



```

3666 \else\fi
3667 \advance\@tempcnta\@ne}%
3668 }
3669
3670
3671 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,default}
3672 \ifcase\xepersian@tempb\relax
3673 \AutoMathsDigits
3674 \or
3675 \DefaultMathsDigits
3676 \or
3677 \PersianMathsDigits
3678 \fi}
3679 \define@choicekey{xepersian.sty}{inlinemathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,default}
3680 \ifcase\xepersian@tempb\relax
3681 \AutoInlineMathsDigits
3682 \or
3683 \DefaultInlineMathsDigits
3684 \or
3685 \PersianInlineMathsDigits
3686 \fi}
3687 \define@choicekey{xepersian.sty}{displaymathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,default}
3688 \ifcase\xepersian@tempb\relax
3689 \AutoDisplayMathsDigits
3690 \or
3691 \DefaultDisplayMathsDigits
3692 \or
3693 \PersianDisplayMathsDigits
3694 \fi}
3695 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3696 \ifcase\xepersian@tempb\relax
3697 \@RTLtrue
3698 \or
3699 \@RTLfalse
3700 \fi}
3701
3702 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
3703 \ifcase\xepersian@tempb\relax
3704 \@RTLtrue
3705 \or
3706 \@RTLfalse
3707 \fi}
3708
3709
3710 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
3711 \ifcase\xepersian@tempb\relax
3712 \@RTLtabtrue
3713 \or
3714 \@RTLtabfalse
3715 \fi}

```



```

3716
3717 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[lat
3718 \ifcase\xepersian@tempb\relax
3719 \nonlatinfalse
3720 \or
3721 \nonlatintrue
3722 \fi}
3723
3724 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3725 \ifcase\xepersian@tempb\relax
3726 \RTLtrue
3727 \or
3728 \RTLfalse
3729 \fi}
3730 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,lef
3731 \ifcase\xepersian@tempb\relax
3732 \autofootnoterule
3733 \or
3734 \leftfootnoterule
3735 \or
3736 \rightfootnoterule
3737 \or
3738 \SplitFootnoteRule
3739 \or
3740 \textwidthfootnoterule
3741 \fi}
3742 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{righttol
3743 \ifcase\xepersian@tempb\relax
3744 \RTL@footnotetrue
3745 \or
3746 \RTL@footnotefalse
3747 \fi}
3748 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,
3749 \ifcase\xepersian@tempb\relax
3750 \footdir@debugtrue
3751 \or
3752 \footdir@debugfalse
3753 \fi}
3754 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3755 \ifcase\xepersian@tempb\relax
3756 \input{kashida-xepersian.def}
3757 \fi}
3758 \define@choicekey{xepersian.sty}{KashidaXBFix}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3759 \ifcase\xepersian@tempb\relax
3760 \@Kashida@XB@fixtrue
3761 \or
3762 \@Kashida@XB@fixfalse
3763 \fi}
3764 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3765 \ifcase\xepersian@tempb\relax

```



```

3766 \input{localise-xepersian.def}
3767 \fi}
3768 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,off}{on}{%
3769 \ifcase\xepersian@tempb\relax
3770 \extrafootnotefeaturestrue
3771 \or
3772 \extrafootnotefeaturesfalse
3773 \fi}
3774 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}{on}{%
3775 \ifcase\xepersian@tempb\relax
3776 \PackageWarning{xepersian}{Obsolete option}%
3777 \ifwritexviii%
3778 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th
3779 \renewcommand\printindex{\newpage%
3780 \immediate\closeout\@indexfile
3781 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.
3782 \@input@{\jobname.ind}}}%
3783 \else
3784 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "
3785 \fi
3786 \fi}
3787 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,off}{on}{%
3788 \ifcase\xepersian@tempb\relax
3789 \ifwritexviii%
3790 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th
3791 \renewcommand\printindex{\newpage%
3792 \immediate\closeout\@indexfile
3793 \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobnam
3794 \@input@{\jobname.ind}}}%
3795 \else
3796 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
3797 \fi
3798 \fi}
3799 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,off}{on}{%
3800 \ifcase\xepersian@tempb\relax
3801 \ifwritexviii%
3802 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th
3803 \renewcommand\printindex{\newpage%
3804 \immediate\closeout\@indexfile
3805 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
3806 \@input@{\jobname.ind}}}%
3807 \else
3808 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
3809 \fi
3810 \fi}
3811 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
3812 \ifcase\xepersian@tempb\relax
3813 \def\PersianAlphs{%
3814 \let\@alph\@abjad%
3815 \let\@Alph\@abjad%

```



```

3816     }
3817   \or
3818     \def\PersianAlphs{%
3819       \let\@alph\@Abjad%
3820       \let\@Alph\@Abjad%
3821     }
3822   \fi}
3823 \DeclareOptionX{defaultlatinfontfeatures}{%
3824 \defaultfontfeatures
3825   [\latinfont]
3826   {#1}
3827 }
3828
3829 \DeclareOptionX{mathfontsizescale}{%
3830   \def\xepersian@@math@fontsize@scale{#1}%
3831   }
3832
3833 \DeclareOptionX{fontsizescale}{%
3834   \def\xepersian@@fontsize@scale{#1}%
3835   }
3836
3837 \DeclareOptionX{fontsize}{%
3838   \xepersian@@fontsize@branch{#1}%
3839   }
3840
3841 \DeclareOptionX{latinfontsizescale}{%
3842   \def\xepersian@@latin@fontsize@scale{#1}%
3843   }
3844
3845 \DeclareOptionX{baselineskipscale}{%
3846   \def\xepersian@@baselineskip@scale{#1}%
3847   }
3848
3849 \DeclareOptionX{latinbaselineskipscale}{%
3850   \def\xepersian@@latin@baselineskip@scale{#1}%
3851   }
3852
3853 \define@choicekey{xepersian.sty}{computeautoilg}{[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3854   \ifcase\xepersian@tempb\relax
3855     \xepersian@@computeautoilgtrue
3856   \or
3857     \xepersian@@computeautoilgfalse
3858   \fi}
3859
3860 \define@choicekey{xepersian.sty}{DetectColumn}{[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3861   \ifcase\xepersian@tempb\relax
3862     \def\bidi@firstcolumn@status@write{%
3863       \protected@write\@auxout{%
3864         {\string\bidi@column@status
3865           {1}}}%

```





```

3866 \def\bidi@lastcolumn@status@write{%
3867     \protected@write\@auxout{%
3868         {\string\bidi@column@status{2}}}%
3869     \or
3870     \let\bidi@firstcolumn@status@write\relax
3871     \let\bidi@lastcolumn@status@write\relax
3872 \fi}
3873
3874
3875 \define@choicekey{xepersian.sty}{debugtextdigitfont}[\xepersian@tempa\xepersian@tempb]{on,off}
3876 \ifcase\xepersian@tempb\relax
3877     \bidi@AtEndPreamble{%
3878         \bidi@patchcmd{\xepersian@@start@switch@textdigitfont}%
3879             {\xepersian@textdigitfont}{\addfontfeature{Color=C71585}}{}{}%
3880     }
3881     \or
3882     \relax
3883 \fi}
3884
3885 \ExecuteOptionsX{%
3886     documentdirection=righttoleft,
3887     tabledirection=righttoleft,
3888     script=nonlatin,
3889     footnotedirection=righttoleft,
3890     footnoterule=automatic,
3891     abjadvariant=two,
3892     DetectColumn=off,
3893     fontsizescale=\@ne,
3894     latinfontsizescale=\@ne,
3895     mathfontsizescale=\@ne,
3896     baselineskipscale=\@ne,
3897     latinbaselineskipscale=\@ne
3898 }
3899
3900 \ProcessOptionsX
3901
3902 \if@extrafootnotefeatures
3903     \input{extrafootnotefeatures-xetex-bidi.def}
3904     \input{extrafootnotefeatures-xepersian.def}
3905 \fi
3906
3907 \bidi@patchcmd{\set@fontsize}{\@tempdimb#2pt}{%
3908     \@tempdimb\xepersian@@fontsize@scale\dimexpr#2pt\relax
3909 }{}{}
3910
3911 \bidi@patchcmd{\set@fontsize}{\@tempkipa#3pt}{%
3912     \@tempkipa\xepersian@@baselineskip@scale\dimexpr#3pt\relax
3913 }{}{}
3914
3915

```



```

3916 \newcommand*{\xepersian@@update@math@fontsize}[1]{%
3917   \strip@pt\dimexpr\xepersian@@math@fontsize@scale
3918   \dimexpr 1pt * \dimexpr #1 pt\relax /
3919   \dimexpr \xepersian@@fontsize@scale pt\relax
3920   \relax\relax
3921 }
3922
3923 \bidi@patchcmd{\getanddefine@fonts}{%
3924   \xdef\font@name{\csname \string#2/\tf@size\endcsname}%
3925 }{%
3926   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\tf@size\endcsname}%
3927 }{}{}
3928
3929 \bidi@patchcmd{\getanddefine@fonts}{%
3930   \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
3931 }{%
3932   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\sf@size\endcsname}%
3933 }{}{}
3934
3935 \bidi@patchcmd{\getanddefine@fonts}{%
3936   \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
3937 }{%
3938   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\ssf@size\endcsname}%
3939 }{}{}
3940
3941
3942 \if\xepersian@@computeautoilg
3943 \bidi@patchcmd{\set@fontsize}{%
3944 \baselineskip\f@baselineskip\relax
3945 }{%
3946 \baselineskip\f@baselineskip\relax
3947 \xepersian@computeautoilg
3948 \ifdim\xepersian@strutilg>\baselineskip
3949 \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3950 \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
3951 \baselineskip\xepersian@strutilg
3952 \ifdim\footnotesep=.7\baselineskip
3953   \else
3954     \footnotesep.7\baselineskip
3955   \fi
3956 \fi
3957 }{}{}
3958 \fi
3959
3960 \setlatintextfont[ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-boldita
3961 \PersianAlphs

```

## 7.57 xepersian-magazine.cls

```

3962 \NeedsTeXFormat{LaTeX2e}

```



```

3963 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
3964 \RequirePackage{ifthen}
3965 \newlength{\xepersian@imgsize}
3966 \newlength{\xepersian@coltitsize}
3967 \newlength{\xepersian@pageneed}
3968 \newlength{\xepersian@pageleft}
3969 \newlength{\xepersian@indexwidth}
3970 \newcommand{\xepersian@ncolumns}{0}
3971 \newlength{\columnlines}
3972 \setlength{\columnlines}{0 pt} % no lines by default
3973 \newboolean{xepersian@hyphenatedtitles}
3974 \setboolean{xepersian@hyphenatedtitles}{true}
3975 \newboolean{xepersian@ninepoints}
3976 \setboolean{xepersian@ninepoints}{false}
3977 \newboolean{xepersian@showgrid}
3978 \setboolean{xepersian@showgrid}{false}
3979 \newboolean{xepersian@a3paper}
3980 \setboolean{xepersian@a3paper}{false}
3981 \newboolean{xepersian@insidefrontpage}
3982 \setboolean{xepersian@insidefrontpage}{false}
3983 \newboolean{xepersian@insideweather}
3984 \setboolean{xepersian@insideweather}{false}
3985 \newboolean{xepersian@insideindex}
3986 \setboolean{xepersian@insideindex}{false}
3987 \newcount\xepersian@gridrows
3988 \newcount\xepersian@gridcolumns
3989 \xepersian@gridrows=40
3990 \xepersian@gridcolumns=50
3991 \newcount\minraggedcols
3992 \minraggedcols=5
3993 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
3994 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
3995 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
3996 \DeclareOption{twocolumn}%
3997 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
3998 \DeclareOption{notitlepage}%
3999 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
4000 \DeclareOption{twoside}%
4001 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
4002 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
4003 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
4004 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
4005 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
4006 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
4007 \ProcessOptions\relax
4008 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
4009 \RequirePackage{ifxetex}
4010 \RequirePackage{multido}
4011 \RequirePackage{datetime}
4012 \RequirePackage{multicol}

```



```

4013 \RequirePackage{fancyhdr}
4014 \RequirePackage{fancybox}
4015 \ifthenelse{\boolean{xepersian@a3paper}}{%
4016 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4017 }{
4018 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4019 }
4020 \RequirePackage[absolute]{textpos} % absolute positioning
4021 \RequirePackage{hyphenat} % when hyphenate
4022 \RequirePackage{lastpage} % to know the last page number
4023 \RequirePackage{setspace} % set space between lines
4024 \RequirePackage{ragged2e}
4025 \newcommand{\raggedFormat}{\RaggedLeft}
4026 \AtEndOfClass{\xepersianInit}
4027 \ifthenelse{\boolean{xepersian@showgrid}}{%
4028 \AtBeginDocument{
4029 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4030 \advance\minraggedcols by -1
4031 }{%
4032 \AtBeginDocument{
4033 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4034 \advance\minraggedcols by -1
4035 }
4036 \ifthenelse{\boolean{xepersian@ninepoints}}{
4037 \renewcommand{\normalsize}{%
4038 \setfontsize{\normalsize}{9pt}{10pt}%
4039 \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
4040 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4041 \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
4042 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4043
4044 \renewcommand{\tiny}{\setfontsize{\tiny}{5pt}{6pt}}
4045
4046 \renewcommand{\scriptsize}{\setfontsize{\scriptsize}{7pt}{8pt}}
4047
4048 \renewcommand{\small}{%
4049 \setfontsize{\small}{8pt}{9pt}%
4050 \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
4051 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4052 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4053 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4054
4055 \renewcommand{\footnotesize}{%
4056 \setfontsize{\footnotesize}{8pt}{9pt}%
4057 \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
4058 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4059 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4060 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4061
4062 \renewcommand{\large}{\setfontsize{\large}{11pt}{13pt}}

```



```

4063 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}
4064 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}
4065 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
4066 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
4067 }{}
4068 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
4069 \newcommand{\xepersian@wwwFormat}{\sffamily}
4070 \newcommand{\xepersian@www}{%
4071 \raisebox{-3pt}{\{\xepersian@wwwFormat\@customwwwTxt}}
4072 }
4073 \newcommand{\xepersian@edition}{ {
4074 \newcommand{\editionFormat}{\large\bfseries\texttt}
4075 \newcommand{\xepersian@editionLogo}{%
4076 \raisebox{-3pt}{%
4077 {\editionFormat\xepersian@edition}%
4078 }%
4079 }
4080 \newcommand{\indexFormat}{\large\bfseries}
4081 \newcommand{\xepersian@indexFrameTitle}[1]
4082 {\begin{flushright}{\{\indexFormat #1}\end{flushright}}
4083
4084 \newcommand{\indexEntryFormat}{\normalsize}
4085 \newcommand{\xepersian@indexEntry}[1]{\begin{minipage}{13\TPHorizModule}%
4086 {\indexEntryFormat\noindent\ignorespaces{#1}}%
4087 \end{minipage}}
4088 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
4089 \newcommand{\indexEntryPageTxt}{ }
4090 \newcommand{\indexEntryPageFormat}{\footnotesize}
4091 \newcommand{\xepersian@indexEntryPage}[1]{%
4092 {\indexEntryPageFormat{\indexEntryPageTxt{~#1}}}%
4093 }
4094 \newcommand{\headDateTimeFormat}{ }
4095 \newcommand{\xepersian@headDateTime}{%
4096 \headDateTimeFormat\date\hspace{5pt}$\parallel$\hspace{5pt}%
4097 \currenttime %
4098 }
4099 \newcommand{\weatherFormat}{\bfseries}
4100 \newcommand{\xepersian@weather}[1]{%
4101 \noindent{\weatherFormat #1}%
4102 }
4103 \newcommand{\weatherTempFormat}{\small}
4104 \newcommand{\weatherUnits}{\textdegree{ }C}
4105 \newcommand{\xepersian@section}[0]{ {
4106 \newcommand{\xepersian@headleft}{%
4107 {\small\bfseries \@custommagazinename} \date
4108 }
4109 \newcommand{\xepersian@headcenter}{%
4110 \xepersian@section{
4111 }
4112 \newcommand{\xepersian@headright}{%

```



```

4113 \small\xepersian@edition%
4114 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
4115 }
4116
4117 \newcommand{\heading}[3]{%
4118 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
4119 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
4120 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
4121 }
4122 \newcommand{\xepersian@footright}{%
4123 {\footnotesize\lr{\copyright\ \@customwwwTxt{}}-- - \lr{\XePersian}}%
4124 }
4125 \newcommand{\xepersian@footcenter}{%
4126 }
4127 \newcommand{\xepersian@footleft}{%
4128 }
4129
4130 \newcommand{\foot}[3]{%
4131 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
4132 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
4133 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
4134 }
4135 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
4136 \newcommand{\xepersian@firstTitle}[1]{%
4137 {%
4138 \begin{spacing}{2.0}{%
4139 \noindent\ignorespaces
4140 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4141 {\nohyphens{\firstTitleFormat #1}}%
4142 {\{\firstTitleFormat #1}}%
4143 }%
4144 \end{spacing}%
4145 }%
4146 }
4147 \newcommand{\firstTextFormat}{%
4148 \newcommand{\xepersian@firstText}[1]{%
4149 {\noindent\ignorespaces\firstTextFormat #1}%
4150 }
4151 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
4152 \newcommand{\xepersian@secondTitle}[1]{%
4153 \begin{spacing}{1.5}{%
4154 \noindent\ignorespaces\flushright
4155 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4156 {\nohyphens{\secondTitleFormat #1}}%
4157 {\{\secondTitleFormat #1}}%
4158 }\end{spacing}%
4159 }
4160 \newcommand{\secondSubtitleFormat}{\large}
4161 \newcommand{\xepersian@secondSubtitle}[1]{%
4162 {\noindent\ignorespaces{\secondSubtitleFormat #1}}%

```



```

4163 }
4164 \newcommand{\secondTextFormat}{}
4165 \newcommand{\xepersian@secondText}[1]{%
4166 \begin{multicols}{2}
4167 {\noindent\ignorespaces\secondTextFormat #1}
4168 \end{multicols}
4169 }
4170 \newcommand{\thirdTitleFormat}{\Large\bfseries}
4171 \newcommand{\xepersian@thirdTitle}[1]{%
4172 \begin{spacing}{1.5}{%
4173 \noindent\ignorespaces\flushright
4174 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4175 {\nohyphens{\thirdTitleFormat #1}}%
4176 {\thirdTitleFormat #1}}%
4177 }\end{spacing}%
4178 }
4179 \newcommand{\thirdSubtitleFormat}{\large}
4180 \newcommand{\xepersian@thirdSubtitle}[1]{%
4181 {\noindent\ignorespaces\thirdSubtitleFormat #1}}
4182 \newcommand{\thirdTextFormat}{}
4183 \newcommand{\xepersian@thirdText}[1]{\thirdTextFormat #1}}
4184 \newcommand{\pictureCaptionFormat}{\small\bfseries}
4185 \newcommand{\xepersian@pictureCaption}[1]{%
4186 {\noindent\pictureCaptionFormat #1}}%
4187 }
4188 \newcommand{\pagesFormat}{\bfseries\footnotesize}
4189 \newcommand{\xepersian@pages}[1]{%
4190 {\noindent{\pagesFormat\MakeUppercase{#1}}}
4191 \newcommand{\innerTitleFormat}{\Huge}
4192 \newcommand{\xepersian@innerTitle}[1]{%
4193 \begin{flushright}{%
4194 \noindent
4195 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4196 {\nohyphens{\innerTitleFormat #1}}%
4197 {\innerTitleFormat #1}}%
4198 }%
4199 \\\%
4200 \end{flushright}}%
4201 }
4202 \newcommand{\innerSubtitleFormat}{\large}
4203 \newcommand{\xepersian@innerSubtitle}[1]{\innerSubtitleFormat #1}}
4204 \newcommand{\timestampTxt}{}
4205 \newcommand{\timestampSeparator}{|}
4206 \newcommand{\timestampFormat}{\small}
4207 \newcommand{\timestamp}[1]{%
4208 {\timestampFormat%
4209 #1~\timestampTxt}%
4210 }~\timestampSeparator}%
4211 }
4212 \newcommand{\innerAuthorFormat}{\footnotesize}

```



```

4213 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
4214 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
4215 \newcommand{\editorialTitleFormat}{\LARGE\textit}
4216 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
4217 \newcommand{\editorialAuthorFormat}{\textsc}
4218 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
4219 \newcommand{\xepersian@shortarticleTitle}[1]{\shortarticleTitleFormat #1}
4220 \newcommand{\shortarticleSubtitleFormat}{\Large}
4221 \newcommand{\xepersian@shortarticleSubtitle}[1]{\shortarticleSubtitleFormat #1}
4222 \newcommand{\shortarticleItemTitleFormat}{\large\bfseries}
4223 \newcommand{\xepersian@shortarticleItemTitle}[1]{\shortarticleItemTitleFormat #1}
4224 \renewcommand{\maketitle}{\begin{titlepage}%
4225   \let\footnotesize\small
4226   \let\footnoterule\relax
4227   \let \footnote \thanks
4228   \null\vfil
4229   \vskip 60\p@
4230   \begin{center}%
4231     {\LARGE \@title \par}%
4232     \vskip 1em%
4233     {\LARGE «\xepersian@edition» \par}%
4234     \vskip 3em%
4235     {\large
4236       \lineskip .75em%
4237       \begin{tabular}[t]{c}%
4238         \@author
4239       \end{tabular}\par}%
4240       \vskip 1.5em%
4241       {\large \@date \par}%
4242   \end{center}\par
4243   \@thanks
4244   \vfil\null
4245   \end{titlepage}%
4246   \setcounter{footnote}{0}%
4247   \global\let\thanks\relax
4248   \global\let\maketitle\relax
4249   \global\let\@thanks\@empty
4250   \global\let\@author\@empty
4251   \global\let\@date\@empty
4252   \global\let\@title\@empty
4253   \global\let\title\relax
4254   \global\let\author\relax
4255   \global\let\date\relax
4256   \global\let\and\relax
4257 }
4258 \newcommand{\xepersian@say}[1]{\typeout{#1}}
4259 \newsavebox{\xepersian@fmbox}
4260 \newenvironment{xepersian@fmpage}[1]
4261 {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
4262 {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}

```





```

4263 \newcommand{\image}[2]{
4264 \vspace{5pt}
4265 \setlength{\fboxsep}{1pt}
4266 \addtolength{\xepersian@imgsize}{\columnwidth}
4267 \addtolength{\xepersian@imgsize}{-1\columnsep}
4268 \ifxetex
4269 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
4270 \addtolength{\xepersian@pageneed}{50pt}
4271 \ClassWarning{xepersian-magazine}{%
4272 Image #1 needs: \the\xepersian@pageneed \space %
4273 and there is left: \the\page@free\space%
4274 }
4275 \ifdim \xepersian@pageneed < \page@free
4276
4277 {\centering\fbox{%
4278 \includegraphics[width = \xepersian@imgsize,
4279 height = \xepersian@imgsize,
4280 keepaspectratio ]{#1}}}
4281 \xepersian@pictureCaption{#2}
4282
4283 \vspace{5pt}
4284 \else
4285 \ClassWarning{Image #1 needs more space!%
4286 It was not inserted!}
4287 \fi
4288 \fi
4289 }
4290 \textblockorigin{1cm}{1cm}
4291 \newdimen\xepersian@dx
4292 \newdimen\xepersian@dy
4293 \newcount\xepersian@cx
4294 \newcount\xepersian@cy
4295 \newcommand{\grid}[3][]{
4296 \xepersian@dx=\textwidth%
4297 \xepersian@dy=\textheight%
4298 \xepersian@cx=#3% %columns
4299 \xepersian@cy=#2% %rows
4300
4301 \count1=#3%
4302 \advance\count1 by 1
4303
4304 \count2=#2%
4305 \advance\count2 by 1
4306
4307 \divide\xepersian@dx by #3
4308 \divide\xepersian@dy by #2
4309
4310 \setlength{\TPHorizModule}{\xepersian@dx}
4311 \setlength{\TPVertModule}{\xepersian@dy}
4312

```



```

4313 \ifthenelse{\equal{#1}{show}}{
4314 \multido{\xepersian@nrow=0+1}{\count2}{
4315 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
4316 \rule[0pt]{\textwidth}{.1pt}
4317 \end{textblock}
4318 }
4319
4320 \multido{\xepersian@ncol=0+1}{\count1}{
4321 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
4322 \rule[0pt]{.1pt}{\textheight}
4323 \end{textblock}
4324 }
4325 }{}
4326 }
4327 \newcommand{\xepersianInit}{
4328 \setlength{\headheight}{14pt}
4329 \renewcommand{\headrulewidth}{0.4pt}
4330
4331 \pagestyle{fancy}
4332
4333 \setlength{\columnseprule}{\columnlines}
4334 \setlength{\fboxrule}{0.1 pt}
4335
4336 }
4337
4338 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
4339 \def\customminilogo#1{\gdef\@customminilogo{\beginR#1\endR}}
4340 \def\custommagazinenamename#1{\gdef\@custommagazinenamename{\beginR#1\endR}}
4341 \newcommand{\logo}[0]{
4342 %% Heading %%
4343 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
4344
4345 \vspace*{-3pt}
4346
4347 {\Large\bfseries \@customlogo}
4348 \hrulefill
4349 \hspace{10pt}\xepersian@headDateTime
4350
4351 }
4352 \newcommand{\minilogo}[0]{
4353 {\large\bfseries \@customminilogo}
4354
4355 \vspace*{5pt}
4356 }
4357 \newcommand{\mylogo}[1]{
4358 {\beginR#1\endR}
4359
4360 \noindent
4361 \xepersian@editionLogo\hspace{5pt}
4362 \hrulefill

```



```

4363 \hspace{5pt}\xepersian@headDateTime
4364 }
4365 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
4366 \newenvironment{frontpage}[0]
4367 {
4368 \setboolean{xepersian@insidefrontpage}{true}
4369 \thispagestyle{empty}
4370 \logo
4371
4372 }%
4373 {
4374 \thispagestyle{empty}
4375 \clearpage
4376 \newpage
4377 \fancyhead{}
4378 \fancyfoot{}
4379 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
4380 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
4381 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
4382 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
4383 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
4384 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
4385 \renewcommand{\headrulewidth}{0.4pt}
4386 \setboolean{xepersian@insidefrontpage}{false}
4387
4388 }
4389 \newcommand{\firstarticle}[3]
4390 {
4391 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4392 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4393 \begin{textblock}{24}(22,5)
4394 }
4395 {
4396 \begin{textblock}{28}(22,5)
4397 }
4398 \vspace{-7pt}
4399 \xepersian@firstTitle{#1}
4400 \end{textblock}
4401 \begin{textblock}{29}(22,10)
4402 \vspace{5pt plus 2pt minus 2pt}
4403
4404 \xepersian@firstText{\timestamp{#3}~#2}
4405
4406 \end{textblock}
4407
4408 \begin{textblock}{50}(0,15)
4409 \rule{50\TPHorizModule}{.3pt}
4410 \end{textblock}
4411 }{%else
4412 \ClassError{xepersian-magazine}{%

```



```

4413 \protect\firstarticle\space in a wrong place.\MessageBreak
4414 \protect\firstarticle\space may only appear inside frontpage environment.
4415 }{%
4416 \protect\firstarticle\space may only appear inside frontpage environment.
4417 }%
4418 }
4419 }
4420 \newcommand{\secondarticle}[5]
4421 {
4422 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4423 \begin{textblock}{33}(2,16)
4424 \xepersian@pages{#4}
4425 \vspace{-5pt}
4426 \xepersian@secondTitle{#1}
4427
4428 \vspace*{5pt}
4429
4430 \xepersian@secondSubtitle{#2}
4431
4432 \vspace*{-7pt}
4433
4434 \xepersian@secondText{\timestamp{#5}~#3}
4435
4436 \end{textblock}
4437
4438 \begin{textblock}{33}(2,25)
4439 \vspace{5pt plus 2pt minus 2pt}
4440
4441 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4442 \end{textblock}
4443 }{%else
4444 \ClassError{xepersian-magazine}{%
4445 \protect\secondarticle\space in a wrong place.\MessageBreak
4446 \protect\secondarticle\space may only appear inside frontpage environment.
4447 }{%
4448 \protect\secondarticle\space may only appear inside frontpage environment.
4449 }%
4450 }
4451 }
4452 \newcommand{\thirdarticle}[6]
4453 {
4454 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4455 \begin{textblock}{32}(2,26)
4456 \xepersian@pages{#5}
4457 \vspace{-5pt}
4458 \setlength{\fboxsep}{1pt}
4459 \xepersian@thirdTitle{#1}
4460
4461 \vspace*{5pt}
4462

```



```

4463 \xepersian@thirdSubtitle{#2}
4464
4465 \vspace*{5pt}
4466
4467 {\noindent\ignorespaces %
4468 \ifthenelse{\equal{#4}{}}{}}
4469
4470 \xepersian@thirdText{\timestamp{#6}~#3}
4471
4472 }
4473
4474 \vspace*{5pt}
4475
4476 \end{textblock}
4477 }{%else
4478 \ClassError{xepersian-magazine}{%
4479 \protect\thirdarticle\space in a wrong place.\MessageBreak
4480 \protect\thirdarticle\space may only appear inside frontpage environment.
4481 }{%
4482 \protect\thirdarticle\space may only appear inside frontpage environment.
4483 }%
4484 }
4485 }
4486 \newcommand{\firstimage}[2]
4487 {
4488 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4489 \begin{textblock}{18}(2,5)
4490 \setlength{\fboxsep}{1pt}
4491 \ifxetex % only in PDF
4492 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4493 \fi
4494
4495 \xepersian@pictureCaption{#2}
4496 \end{textblock}%
4497 }
4498 {\ClassError{xepersian-magazine}{%
4499 \protect\firstimage\space in a wrong place.\MessageBreak
4500 \protect\firstimage\space may only appear inside frontpage environment.
4501 }{%
4502 \protect\firstimage\space may only appear inside frontpage environment.
4503 }}
4504 }%
4505 \newcommand{\weatheritem}[5]{%
4506 \ifthenelse{\boolean{xepersian@insideweather}}{
4507 \begin{minipage}{45pt}
4508 \ifxetex
4509 \includegraphics[width=40pt]{#1}
4510 \fi
4511 \end{minipage}
4512 \begin{minipage}{50pt}

```



```

4513 \weatherTempFormat
4514 #2\\
4515 \beginL#3 $\|$ #4 \lr{\weatherUnits{}}\endL\\
4516 #5
4517 \end{minipage}
4518 }{%else
4519 \ClassError{xepersian-magazine}{%
4520 \protect\weatheritem\space in a wrong place.\MessageBreak
4521 \protect\weatheritem\space may only appear inside weatherblock environment.
4522 }{%
4523 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4524 weatherblock environment may only appear inside frontpage environment.
4525 }%
4526 }
4527 }
4528 \newenvironment{weatherblock}[1]
4529 {
4530 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4531 \setboolean{xepersian@insideweather}{true}
4532 \begin{textblock}{32}(2,38)
4533 \vspace*{-15pt}
4534
4535 \xepersian@weather{\beginR#1\endR}
4536
4537 \vspace*{5pt}
4538
4539 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4540 \begin{minipage}{32\TPHorizModule}
4541 \hspace{5pt}
4542
4543 }{%
4544 \ClassError{xepersian-magazine}{%
4545 weatherblock in a wrong place.\MessageBreak
4546 weatherblock may only appear inside frontpage environment.
4547 }{%
4548 weatherblock may only appear inside frontpage environment.
4549 }
4550 }
4551 }%
4552 {
4553 \end{minipage}
4554 \end{xepersian@fmpage}
4555 \end{textblock}
4556 \setboolean{xepersian@insideweather}{false}
4557 }
4558 \newenvironment{authorblock}[0]
4559 {
4560 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4561 \begin{textblock}{15}(36,35)
4562 \setlength{\fboxsep}{5pt}

```



```

4563 \begin{xepersian@fmpage}{13\TPHorizModule}
4564 \begin{minipage}{13\TPHorizModule}
4565 \centering
4566 \minilogo
4567
4568 }{%else
4569 \ClassError{xepersian-magazine}{%
4570 authorblock in a wrong place.\MessageBreak
4571 authorblock may only appear inside frontpage environment.
4572 }{%
4573 authorblock may only appear inside frontpage environment.
4574 }
4575 }
4576 }
4577 {
4578 \end{minipage}
4579 \end{xepersian@fmpage}
4580 \end{textblock}
4581 }
4582 \newenvironment{indexblock}[1]
4583 {
4584 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4585 \setboolean{xepersian@insideindex}{true}%let's in
4586 \begin{textblock}{15}(36,16)
4587 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4588 \xepersian@indexFrameTitle{#1}
4589
4590 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4591 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4592 \begin{minipage}{\xepersian@indexwidth}
4593 \vspace*{10pt}
4594 }{%else
4595 \ClassError{xepersian-magazine}{%
4596 indexblock in a wrong place.\MessageBreak
4597 indexblock may only appear inside frontpage environment.
4598 }{%
4599 indexblock may only appear inside frontpage environment.
4600 }
4601 }
4602 }%
4603 {
4604 \end{minipage}
4605 \end{xepersian@fmpage}
4606 \end{textblock}
4607 \setboolean{xepersian@insideindex}{false}%let's out
4608 }
4609 \newcommand{\indexitem}[2]
4610 {
4611 \ifthenelse{\boolean{xepersian@insideindex}}{
4612 \xepersian@indexEntry{#1 \xepersian@indexEntryPage{\pageref{#2}}}}

```



```

4613
4614 \vspace{0.5cm}
4615
4616 \noindent\ignorespaces\indexEntrySeparator{}
4617 }{%else
4618 \ClassError{xepersian-magazine}{%
4619 \protect\indexitem\space in a wrong place.\MessageBreak
4620 \protect\indexitem\space may only appear inside indexblock environment.
4621 }{%
4622 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
4623 indexblock environment may only appear inside frontpage environment.
4624 }%
4625 }
4626 }
4627 \newcommand{\xepersian@inexpandedtitle}[1]{
4628 \begin{minipage}{.95\textwidth}
4629 \begin{center}
4630 \noindent\Large\textbf{\beginR#1\endR}
4631 \end{center}
4632 \end{minipage}
4633 }
4634 \newcommand{\expandedtitle}[2]{
4635 \end{multicols}
4636
4637 \begin{center}
4638 \setlength{\fboxsep}{5pt}
4639 \setlength{\shadowsize}{2pt}
4640 \ifthenelse{\equal{#1}{shadowbox}}{%
4641 \shadowbox{%
4642 \xepersian@inexpandedtitle{#2}%
4643 }%
4644 }{}
4645 \ifthenelse{\equal{#1}{doublebox}}{%
4646 \doublebox{%
4647 \xepersian@inexpandedtitle{#2}%
4648 }%
4649 }{}
4650 \ifthenelse{\equal{#1}{ovalbox}}{%
4651 \ovalbox{%
4652 \xepersian@inexpandedtitle{#2}%
4653 }%
4654 }{}
4655 \ifthenelse{\equal{#1}{ovalbox}}{%
4656 \Ovalbox{%
4657 \xepersian@inexpandedtitle{#2}%
4658 }%
4659 }{}
4660 \ifthenelse{\equal{#1}{lines}}{
4661 \hrule
4662 \vspace*{8pt}

```





```

4663 \begin{center}
4664 \noindent\Large\textbf{#2}
4665 \end{center}
4666 \vspace*{8pt}
4667 \hrule
4668 {}
4669 \end{center}
4670
4671 \begin{multicols}{\xepersian@ncolumns{}}
4672 \ifnum \xepersian@ncolumns > \minraggedcols
4673 \raggedFormat
4674 \fi
4675 }
4676 \newcommand{\xepersian@incolumntitle}[2]{
4677 \begin{minipage}{#1}
4678 \begin{center}
4679 \noindent\normalsize\textbf{#2}
4680 \end{center}
4681 \end{minipage}
4682 }
4683
4684 \newcommand{\columnntitle}[2]{
4685 \vspace*{5pt}
4686 \begin{center}
4687 \setlength{\fboxsep}{5pt}
4688 \setlength{\shadowsize}{2pt}
4689 \addtolength{\xepersian@coltitsize}{\columnwidth}
4690 \addtolength{\xepersian@coltitsize}{-1\columnsep}
4691 \addtolength{\xepersian@coltitsize}{-5pt}
4692 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
4693 \ifthenelse{\equal{#1}{shadowbox}}{%
4694 \shadowbox{%
4695 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4696 }%
4697 }{}
4698 \ifthenelse{\equal{#1}{doublebox}}{%
4699 \doublebox{%
4700 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4701 }%
4702 }{}
4703 \ifthenelse{\equal{#1}{ovalbox}}{%
4704 \ovalbox{%
4705 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4706 }%
4707 }{}
4708 \ifthenelse{\equal{#1}{ovalbox}}{%
4709 \ovalbox{%
4710 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4711 }%
4712 }{}

```



```

4713 \ifthenelse{\equal{#1}{lines}}{
4714 \hrule
4715 \vspace*{5pt}
4716 \begin{center}
4717 \noindent\normalsize\textbf{#2}
4718 \end{center}
4719 \vspace*{5pt}
4720 \hrule
4721 }{}
4722 \end{center}
4723 }
4724 \renewcommand{\date}{%
4725 \longdate{\today}%
4726 }
4727 \newcommand{\authorandplace}[2]{%
4728 \rightline{%
4729 {\innerAuthorFormat #1},\space{}\{\innerPlaceFormat #2}%
4730 }%
4731 \par %
4732 }
4733 \newcommand{\newsection}[1]{
4734 \renewcommand{\xepersian@section}{#1}
4735 }
4736 \newenvironment{article}[5]
4737 {
4738 \xepersian@say{Adding a new piece of article}
4739 \renewcommand{\xepersian@ncolumns}{#1}
4740 \begin{multicols}{#1}[
4741 \xepersian@pages{#4}
4742 \xepersian@innerTitle{#2}%
4743 \xepersian@innerSubtitle{#3}%
4744 ] [4cm]%
4745 \label{#5}
4746 \ifnum #1 > \minraggedcols
4747 \raggedFormat
4748 \fi
4749 }
4750 {\sim\innerTextFinalMark{}
4751 \end{multicols}
4752 }
4753 \newcommand{\articlesep}{%
4754 \setlength{\xepersian@pageneed}{16000pt}
4755 \setlength\xepersian@pageleft{\pagegoal}
4756 \addtolength\xepersian@pageleft{-\pagetotal}
4757
4758 \xepersian@say{How much left \the\xepersian@pageleft}
4759
4760 \ifdim \xepersian@pageneed < \xepersian@pageleft
4761 \xepersian@say{Not enough space}
4762 \else

```



```

4763 \xepersian@say{Adding sep line between articles}
4764 \vspace*{10pt plus 10pt minus 5pt}
4765 \hrule
4766 \vspace*{10pt plus 5pt minus 5pt}
4767 \fi
4768
4769 }
4770 \newcommand{\xepersian@editorialTit}[2]{
4771 \setlength{\arrayrulewidth}{.1pt}
4772 \begin{center}
4773 \begin{tabular}{c}
4774 \noindent
4775 \xepersian@editorialTitle{#1}
4776 \vspace{2pt plus 1pt minus 1pt}
4777 \\
4778 \hline
4779 \vspace{2pt plus 1pt minus 1pt}
4780 \\
4781 \editorialAuthorFormat{#2}
4782 \end{tabular}
4783 \end{center}
4784 }
4785 \newenvironment{editorial}[4]
4786 {
4787 \xepersian@say{Adding a new editorial}
4788 \begin{multicols}{#1}[%
4789 \xepersian@editorialTit{#2}{#3}%
4790 ] [4cm]
4791 \label{#4}
4792 \ifnum #1 > \minraggedcols
4793 \raggedFormat
4794 \fi
4795 }
4796 {
4797 \end{multicols}
4798 }
4799 \newcommand{\xepersian@shortarticleTit}[2]{
4800 \begin{center}
4801 \vbox{%
4802 \noindent
4803 \xepersian@shortarticleTitle{#1}
4804 \vspace{4pt plus 2pt minus 2pt}
4805 \hrule
4806 \vspace{4pt plus 2pt minus 2pt}
4807 \xepersian@shortarticleSubtitle{#2}
4808 }
4809 \end{center}
4810 }
4811 \newenvironment{shortarticle}[4]
4812 {

```



```

4813 \xepersian@say{Adding a short article block}
4814 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}][4cm] %
4815     \label{#4}
4816 \par %
4817 \ifnum #1 > \minraggedcols
4818 \raggedFormat
4819 \fi
4820 }
4821 {
4822 \end{multicols}
4823 }
4824 \newcommand{\shortarticleitem}[2]{
4825 \goodbreak
4826 \vspace{5pt plus 3pt minus 3pt}
4827 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
4828 \vspace{5pt plus 3pt minus 3pt}
4829 {\noindent #2}\\
4830 }

```

## 7.58 xepersian-mathsdigitspec.sty

```

4831 \NeedsTeXFormat{LaTeX2e}
4832 \ProvidesPackage{xepersian-mathsdigitspec}
4833 [2018/01/01 v1.1.5 Unicode Persian maths digits in XeLaTeX]
4834 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
4835 \let\newfam\new@mathgroup
4836 \def\select@group#1#2#3#4{%
4837 \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
4838 {%
4839 \ifmmode
4840 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4841 \begingroup
4842 \escapechar\m@ne
4843 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4844 \globaldefs\@ne \math@fonts
4845 \endgroup
4846 \init@restore@version
4847 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
4848 {\number\csname c@mv@\math@version\endcsname}}}%
4849 \global\advance\csname c@mv@\math@version\endcsname\@ne
4850 \else
4851 \let#1\relax
4852 \@latex@error{Too many math alphabets used in
4853 version \math@version}%
4854 \@eha
4855 \fi
4856 \else \expandafter\non@alpherr\fi
4857 #1{#4}%
4858 }%
4859 }

```



```

4860 \def\document@select@group#1#2#3#4{%
4861 \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
4862 {%
4863 \ifmmode
4864 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4865 \begingroup
4866 \escapechar\m@ne
4867 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4868 \globaldefs\@ne \math@fonts
4869 \endgroup
4870 \expandafter\extract@alph@from@version
4871 \csname mv@\math@version\expandafter\endcsname
4872 \expandafter{\number\csname
4873 c@mv@\math@version\endcsname}%
4874 #1%
4875 \global\advance\csname c@mv@\math@version\endcsname\@ne
4876 \else
4877 \let#1\relax
4878 \@latex@error{Too many math alphabets used
4879 in version \math@version}%
4880 \@eha
4881 \fi
4882 \else \expandafter\non@alpherr\fi
4883 #1{#4}%
4884 }%
4885 }
4886 \ExplSyntaxOn
4887 \bool_set_false:N \g__fontspec_math_bool
4888 \tl_map_inline:nn
4889 {
4890 \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
4891 \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
4892 \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
4893 \version@list\version@elt\alpha@list\alpha@elt
4894 \restore@mathversion\init@restore@version\dorestore@version\process@table
4895 \new@mathversion\DeclareSymbolFont\group@list\group@elt
4896 \new@symbolfont\SetSymbolFont\SetSymbolFont@get@cdp
4897 \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@
4898 \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
4899 \set@mathsymbol\DeclareMathDelimiter\@xxDeclareMathDelimiter
4900 \@DeclareMathDelimiter\@xDeclareMathDelimiter\set@mathdelimiter
4901 \set@@mathdelimiter\DeclareMathRadical\mathchar@type
4902 \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@
4903 }
4904 {
4905 \tl_remove_once:Nn \@preamblecmds {\do#1}
4906 }
4907 \ExplSyntaxOff
4908 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigitsspec}{#1}}
4909 \newcommand\SetMathCode[4]{%

```



```

4910 \Umathcode#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4911 \newcommand\SetMathCharDef[4]{%
4912 \Umathchardef#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4913 \ExplSyntaxOn
4914 \cs_new_eq:NN \orig_mathbf:n \mathbf
4915 \cs_new_eq:NN \orig_mathit:n \mathit
4916 \cs_new_eq:NN \orig_mathrm:n \mathrm
4917 \cs_new_eq:NN \orig_mathsf:n \mathsf
4918 \cs_new_eq:NN \orig_mathtt:n \mathtt
4919 \NewDocumentCommand \new@mathbf { m } {
4920 \orig_mathbf:n {
4921 \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4922 \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
4923 }
4924 #1
4925 }
4926 }
4927 \NewDocumentCommand \new@mathit { m } {
4928 \orig_mathit:n {
4929 \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4930 \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
4931 }
4932 #1
4933 }
4934 }
4935 \NewDocumentCommand \new@mathrm { m } {
4936 \orig_mathrm:n {
4937 \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4938 \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
4939 }
4940 #1
4941 }
4942 }
4943 \NewDocumentCommand \new@mathsf { m } {
4944 \orig_mathsf:n {
4945 \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4946 \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
4947 }
4948 #1
4949 }
4950 }
4951 \NewDocumentCommand \new@mathtt { m } {
4952 \orig_mathtt:n {
4953 \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4954 \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
4955 }
4956 #1
4957 }
4958 }
4959

```



```

4960 \DeclareDocumentCommand \setmathdigitfont { 0{} m 0{} }
4961 {
4962   \_xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
4963 }
4964 \cs_new:Nn \_xepersian_main_setmathdigitfont:nn
4965 {
4966   \let\glb@currsizel\relax
4967   \fontspec_set_family:Nnn \g__xepersian_mathdigitsfamily_tl {Mapping=parsidigits,#1} {#2}
4968   \_xepersian_setmathdigitfont_hook:nn {#1} {#2}
4969   \xepersian@PackageInfo{Defining the default Persian maths digits font as '#2'}
4970   \DeclareSymbolFont{OPERATORS} {\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsfamily_tl}
4971   \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsfamily_tl}
4972   \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsfamily_tl}
4973   \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsfamily_tl}
4974   \def\persianmathsfdigits{%
4975     \SetMathCode{`0}{\mathalpha}{OPERATORS}{`0}
4976     \SetMathCode{`1}{\mathalpha}{OPERATORS}{`1}
4977     \SetMathCode{`2}{\mathalpha}{OPERATORS}{`2}
4978     \SetMathCode{`3}{\mathalpha}{OPERATORS}{`3}
4979     \SetMathCode{`4}{\mathalpha}{OPERATORS}{`4}
4980     \SetMathCode{`5}{\mathalpha}{OPERATORS}{`5}
4981     \SetMathCode{`6}{\mathalpha}{OPERATORS}{`6}
4982     \SetMathCode{`7}{\mathalpha}{OPERATORS}{`7}
4983     \SetMathCode{`8}{\mathalpha}{OPERATORS}{`8}
4984     \SetMathCode{`9}{\mathalpha}{OPERATORS}{`9}
4985     \SetMathCode{`\%}{\mathbin}{OPERATORS}{` }
4986     \SetMathCharDef{\decimalseparator}{\mathord}{OPERATORS}{"066B}
4987     \tl_set_eq:NN \mathbf \new@mathbf
4988     \tl_set_eq:NN \mathit \new@mathit
4989     \tl_set_eq:NN \mathrm \new@mathrm}
4990 }
4991
4992 \cs_set_eq:NN \_xepersian_setmathdigitfont_hook:nn \use_none:nn
4993
4994 \DeclareDocumentCommand \setmathsfdigitfont { 0{} m 0{} }
4995 {
4996   \_xepersian_main_setmathsfdigitfont:nn {#1,#3} {#2}
4997 }
4998 \cs_new:Nn \_xepersian_main_setmathsfdigitfont:nn
4999 {
5000   \fontspec_set_family:Nnn \g__xepersian_mathsfdigitfamily_tl {Mapping=parsidigits,#1} {#2}
5001   \_xepersian_setmathsfdigitfont_hook:nn {#1} {#2}
5002   \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathsfamily_tl}
5003   \def\persianmathsfdigits{\tl_set_eq:NN \mathsf \new@mathsf}
5004 }
5005
5006 \cs_set_eq:NN \_xepersian_setmathsfdigitfont_hook:nn \use_none:nn
5007
5008 \DeclareDocumentCommand \setmathttdigitfont { 0{} m 0{} }

```



```

5009 {
5010   \_xepersian_main_setmathttdigitfont:nn {#1,#3} {#2}
5011 }
5012 \cs_new:Nn \_xepersian_main_setmathttdigitfont:nn
5013 {
5014   \fontspec_set_family:Nnn \g__xepersian_mathttdigitfamily_tl {Mapping=parsidigits,#1} {#2}
5015   \_xepersian_setmathttdigitfont_hook:nn {#1} {#2}
5016   \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathtt
5017   \def\persianmathttdigits{\tl_set_eq:NN \mathtt \new@mathtt}
5018 }
5019
5020 \cs_set_eq:NN \_xepersian_setmathttdigitfont_hook:nn \use_none:nn
5021
5022 \ExplSyntaxOff
5023 \ifx\newcommand\undefined\else
5024   \newcommand{\ZifferAn}{}
5025 \fi
5026 \mathchardef\ziffer@DotOri="013A
5027 {\ZifferAn
5028   \catcode`\.=\active\gdef.{\begingroup\obeyspaces\futurelet\n\ziffer@dcheck}}
5029 \def\ziffer@dcheck{\ziffer@check\ZifferLeer\ziffer@DotOri}
5030 \def\ziffer@check#1#2{%
5031   \ifx\n1\endgroup#1\else
5032     \ifx\n2\endgroup#1\else
5033       \ifx\n3\endgroup#1\else
5034         \ifx\n4\endgroup#1\else
5035           \ifx\n5\endgroup#1\else
5036             \ifx\n6\endgroup#1\else
5037               \ifx\n7\endgroup#1\else
5038                 \ifx\n8\endgroup#1\else
5039                   \ifx\n9\endgroup#1\else
5040                     \ifx\n0\endgroup#1\else
5041                       \ifx\n\overline\endgroup#1\else
5042                         \endgroup#2%
5043                     \fi
5044                 \fi
5045             \fi
5046         \fi
5047     \fi
5048 \fi
5049 \fi
5050 \fi
5051 \fi
5052 \fi
5053 \fi}
5054 \mathcode`\.= "8000\relax
5055 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
5056 \def\DefaultInlineMathsDigits{\def\SetInlineMathsDigits{}}
5057 \def\DefaultDisplayMathsDigits{\def\SetDisplayMathsDigits{}}
5058 \def\DefaultMathsDigits{%

```





```

5059 \DefaultInlineMathsDigits%
5060 \DefaultDisplayMathsDigits%
5061 }
5062 \def\PersianInlineMathsDigits{\def\SetInlineMathsDigits{%
5063 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
5064 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
5065 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
5066 \def\PersianDisplayMathsDigits{\def\SetDisplayMathsDigits{%
5067 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
5068 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
5069 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
5070 \def\PersianMathsDigits{%
5071 \PersianInlineMathsDigits%
5072 \PersianDisplayMathsDigits%
5073 }
5074 \def\AutoInlineMathsDigits{\def\SetInlineMathsDigits{%
5075 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
5076 \ifx\persianmathsfdigits\undefined\else\if@nonlatin\persianmathsfdigits\fi\fi%
5077 \ifx\persianmathttdigits\undefined\else\if@nonlatin\persianmathttdigits\fi\fi}}
5078 \def\AutoDisplayMathsDigits{\def\SetDisplayMathsDigits{%
5079 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
5080 \ifx\persianmathsfdigits\undefined\else\if@nonlatin\persianmathsfdigits\fi\fi%
5081 \ifx\persianmathttdigits\undefined\else\if@nonlatin\persianmathttdigits\fi\fi}}
5082 \def\AutoMathsDigits{%
5083 \AutoInlineMathsDigits%
5084 \AutoDisplayMathsDigits%
5085 }
5086 \AutoMathsDigits
5087 \everymath\expandafter{\the\everymath\SetInlineMathsDigits%
5088 \let\SetDisplayMathsDigits\relax%
5089 }
5090 \everydisplay\expandafter{%
5091 \the\everydisplay\SetDisplayMathsDigits%
5092 \let\SetInlineMathsDigits\relax%
5093 }

```

## 7.59 xepersian-multiplechoice.sty

```

5094 \NeedsTeXFormat{LaTeX2e}
5095 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
5096 Multiple Choice Questionnaire class for Persian in XeLaTeX]
5097 \RequirePackage{pifont}
5098 \RequirePackage{fullpage}
5099 \RequirePackage{ifthen}
5100 \RequirePackage{calc}
5101 \RequirePackage{verbatim}
5102 \RequirePackage{tabularx}
5103 \def\@headerfont{\bfseries}
5104 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
5105 \def\@X{X}

```



```

5106 \newcommand\X[1]{\gdef\@X{#1}}
5107 \def\pbs#1{\let\tmp=\#1\let\=\tmp}
5108 \newcolumnntype{D}{>{\pbs\centering}X}
5109 \newcolumnntype{Q}{>{\@headerfont}X}
5110
5111 \renewcommand\tabularxcolumn[1]{m{#1}}
5112 \newcommand\makeform@nocorrection{%
5113   \addtocontents{frm}{\protect\end{tabularx}}
5114   \@starttoc{frm}}
5115 \newcommand\makeform@correction{%
5116   \addtocontents{frm}{\protect\end{tabularx}}}
5117 \newcommand\makemask@nocorrection{%
5118   \addtocontents{msk}{\protect\end{tabularx}}
5119   \@starttoc{msk}}
5120 \newcommand\makemask@correction{%
5121   \addtocontents{msk}{\protect\end{tabularx}}}
5122 \newlength\questionspace
5123 \setlength\questionspace{0pt}
5124 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
5125 \def\@answerstitlefont{\bfseries}
5126 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
5127 \def\@answernumberfont{\bfseries}
5128 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
5129 \newcounter{question}\stepcounter{question}
5130 \newcounter{choice}
5131 \def\@initorcheck{%
5132   \xdef\@choices{\the@choice}%
5133   \setcounter{choice}{1}%
5134   \gdef\@arraydesc{||}%
5135   \gdef\@headerline{}}
5136 \whiledo{\not{\value{choice}>\@choices}}{
5137   \xdef\@arraydesc{\@arraydesc D|}
5138   \def\@appendheader{\g@addto@macro\@headerline}
5139   \@appendheader{&\protect\@headerfont}
5140   \edef\@the@choice{{\alph{choice}}}
5141   \expandafter\@appendheader\@the@choice
5142   \stepcounter{choice}}%
5143 \addtocontents{frm}{%
5144   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
5145   \protect\hline
5146   \@headerline\protect\\\protect\hline\protect\hline}%
5147 \addtocontents{msk}{%
5148   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
5149   \protect\hline
5150   \@headerline\protect\\\protect\hline\protect\hline}%
5151 \gdef\@initorcheck{%
5152   \ifthenelse{\value{choice} = \@choices}{}{%
5153     \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
5154       (\the@choice\space instead of \@choices)}{%
5155       Questions must all have the same number of proposed answers.%

```



```

5156         \MessageBreak
5157         Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}
5158 \newenvironment{question}[1]{%
5159   %% \begin{question}
5160   \begin{minipage}{\textwidth}
5161     \xdef\@formanswerline{\@questionheader}%
5162     \xdef\@maskanswerline{\@questionheader}%
5163     \fbox{\parbox[c]{\linewidth}{\#1}}
5164     \vspace\questionspace\par
5165     {\@answerstylefont\@answerstyle}
5166     \begin{list}{\@answerfont\alph{@choice}}~{\usecounter{@choice}}}{%
5167   %% \end{question}
5168     \end{list}
5169     \@initcheck%
5170     \addtocontents{frm}{\@formanswerline\protect\\protect\hline}%
5171     \addtocontents{msk}{\@maskanswerline\protect\\protect\hline}%
5172   \end{minipage}
5173   \stepcounter{question}}
5174 \def\@truesymbol{\ding{52}~}
5175 \def\@falsesymbol{\ding{56}~}
5176 \newcommand\truesymbol[1]{\gdef\@truesymbol{\#1}}
5177 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{\#1}}
5178 \def\@true@nocorrection{\item}
5179 \def\@false@nocorrection{\item}
5180 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
5181 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
5182 \newcommand\true{%
5183   \xdef\@formanswerline{\@formanswerline\&}%
5184   \xdef\@maskanswerline{\@maskanswerline\&X}%
5185   \@true}%
5186 \newcommand>false{%
5187   \xdef\@formanswerline{\@formanswerline\&}%
5188   \xdef\@maskanswerline{\@maskanswerline\&}%
5189   \@false}%
5190 \def\@correctionstyle{\itshape}
5191 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{\#1}}
5192 \newenvironment{correction}{\@correctionstyle}{\@correctionstyle}{}
5193 \def\@questionheader{ \thequestion}
5194 \answerstyle{ \thequestion}
5195 \DeclareOption{nocorrection}{%
5196   \let\@true\@true@nocorrection
5197   \let\@false\@false@nocorrection
5198   \let\correction\comment
5199   \let\endcorrection\endcomment
5200   \def\makeform{\makeform@nocorrection}
5201   \def\makemask{\makemask@nocorrection}}
5202 \DeclareOption{correction}{%
5203   \let\@true\@true@correction
5204   \let\@false\@false@correction
5205   \let\correction\@correction

```



```

5206 \let\endcorrection\end@correction
5207 \def\makeform{\makeform@correction}
5208 \def\makemask{\makemask@correction}}
5209 \ExecuteOptions{nocorrection}
5210 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
5211 \def\@questiontitlefont{\bfseries}
5212 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
5213 \newlength\questiontitlespace
5214 \setlength\questiontitlespace{5pt}
5215 \newlength\questionsepspace
5216 \setlength\questionsepspace{20pt}
5217 \gdef\@questionsepspace{0pt}
5218 \let\old@question\question
5219 \let\old@endquestion\endquestion
5220 \renewenvironment{question}[1]{%
5221   %% \begin{question}
5222   \vspace\@questionsepspace
5223   \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
5224   \nopagebreak\vspace\questiontitlespace\par
5225   \old@question{#1}}{%
5226   %% \end{question}
5227   \old@endquestion
5228   \gdef\@questionsepspace{\questionsepspace}}
5229 \questiontitle{ \thequestion:}
5230 \ProcessOptions

```

## 7.60 xepersian-persiancal.sty

```

5231 \NeedsTeXFormat{LaTeX2e}
5232 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
5233
5234 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
5235 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
5236 \newcount\XePersian@latini \newcount\XePersian@persiani
5237 \newcount\XePersian@latinii \newcount\XePersian@persianii
5238 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
5239 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
5240 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5241 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5242 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
5243 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
5244 \newcount\XePersian@latinix \newcount\XePersian@persianix
5245 \newcount\XePersian@latinix \newcount\XePersian@persianix
5246 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
5247 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
5248 \newcount\XePersian@persianxiii
5249
5250 \newcount\XePersian@temp
5251 \newcount\XePersian@temptwo
5252 \newcount\XePersian@tempthree

```



```

5253 \newcount\XePersian@yModHundred
5254 \newcount\XePersian@thirtytwo
5255 \newcount\XePersian@dn
5256 \newcount\XePersian@sn
5257 \newcount\XePersian@mminusone
5258
5259
5260 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
5261 \XePersian@temp=\XePersian@y
5262 \divide\XePersian@temp by 100\relax
5263 \multiply\XePersian@temp by 100\relax
5264 \XePersian@yModHundred=\XePersian@y
5265 \advance\XePersian@yModHundred by -\XePersian@temp\relax
5266 \ifodd\XePersian@yModHundred
5267   \XePersian@leapfalse
5268 \else
5269   \XePersian@temp=\XePersian@yModHundred
5270   \divide\XePersian@temp by 2\relax
5271   \ifodd\XePersian@temp\XePersian@leapfalse
5272   \else
5273     \ifnum\XePersian@yModHundred=0%
5274       \XePersian@temp=\XePersian@y
5275       \divide\XePersian@temp by 400\relax
5276       \multiply\XePersian@temp by 400\relax
5277       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
5278     \else\XePersian@leaptrue
5279     \fi
5280   \fi
5281 \fi
5282 \XePersian@latini=31\relax
5283 \ifXePersian@leap
5284   \XePersian@latinii = 29\relax
5285 \else
5286   \XePersian@latinii = 28\relax
5287 \fi
5288 \XePersian@latiniii = 31\relax
5289 \XePersian@latiniv = 30\relax
5290 \XePersian@latinvi = 31\relax
5291 \XePersian@latinvi = 30\relax
5292 \XePersian@latinvii = 31\relax
5293 \XePersian@latinviii = 31\relax
5294 \XePersian@latinix = 30\relax
5295 \XePersian@latinx = 31\relax
5296 \XePersian@latinxi = 30\relax
5297 \XePersian@latinxii = 31\relax
5298 \XePersian@thirtytwo=32\relax
5299 \XePersian@temp=\XePersian@y
5300 \advance\XePersian@temp by -17\relax
5301 \XePersian@temptwo=\XePersian@temp
5302 \divide\XePersian@temptwo by 33\relax

```



```

5303 \multiply\XePersian@temptwo by 33\relax
5304 \advance\XePersian@temp by -\XePersian@temptwo
5305 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
5306 \else
5307   \XePersian@temptwo=\XePersian@temp
5308   \divide\XePersian@temptwo by 4\relax
5309   \multiply\XePersian@temptwo by 4\relax
5310   \advance\XePersian@temp by -\XePersian@temptwo
5311   \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
5312 \fi
5313 \XePersian@tempthree=\XePersian@y % Number of Leap years
5314 \advance\XePersian@tempthree by -1
5315 \XePersian@temp=\XePersian@tempthree % T := (MY-1) div 4
5316 \divide\XePersian@temp by 4\relax
5317 \XePersian@temptwo=\XePersian@tempthree % T := T - ((MY-1) div 100)
5318 \divide\XePersian@temptwo by 100\relax
5319 \advance\XePersian@temp by -\XePersian@temptwo
5320 \XePersian@temptwo=\XePersian@tempthree % T := T + ((MY-1) div 400)
5321 \divide\XePersian@temptwo by 400\relax
5322 \advance\XePersian@temp by \XePersian@temptwo
5323 \advance\XePersian@tempthree by -611 % Number of Kabise years
5324 \XePersian@temptwo=\XePersian@tempthree % T := T - ((SY+10) div 33) * 8
5325 \divide\XePersian@temptwo by 33\relax
5326 \multiply\XePersian@temptwo by 8\relax
5327 \advance\XePersian@temp by -\XePersian@temptwo
5328 \XePersian@temptwo=\XePersian@tempthree %
5329 \divide\XePersian@temptwo by 33\relax
5330 \multiply\XePersian@temptwo by 33\relax
5331 \advance\XePersian@tempthree by -\XePersian@temptwo
5332 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T)
5333 \divide\XePersian@tempthree by 4\relax % T := T - ((SY+10) mod 33) div 4
5334 \advance\XePersian@temp by -\XePersian@tempthree
5335 \advance\XePersian@temp by -137 % T := T - 137 Adjust the value
5336 \XePersian@persiani=31
5337 \advance\XePersian@persiani by -\XePersian@temp % now 31 - T is the persiani
5338 \XePersian@persianii = 30\relax
5339 \if\XePersian@kabiseh
5340   \XePersian@persianiii = 30\relax
5341 \else
5342   \XePersian@persianiii = 29\relax
5343 \fi
5344 \XePersian@persianiv = 31\relax
5345 \XePersian@persianv = 31\relax
5346 \XePersian@persianvi = 31\relax
5347 \XePersian@persianvii = 31\relax
5348 \XePersian@persianviii = 31\relax
5349 \XePersian@persianix = 31\relax
5350 \XePersian@persianx = 30\relax
5351 \XePersian@persianxi = 30\relax
5352 \XePersian@persianxii = 30\relax

```



```

5353 \XePersian@persianxiii= 30\relax
5354 \XePersian@dn= 0\relax
5355 \XePersian@sn= 0\relax
5356 \XePersian@mminusone=\XePersian@m
5357 \advance\XePersian@mminusone by -1\relax
5358 \XePersian@i=0\relax
5359 \ifnum\XePersian@i < \XePersian@mminusone
5360 \loop
5361 \advance \XePersian@i by 1\relax
5362 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
5363 \ifnum\XePersian@i<\XePersian@mminusone \repeat
5364 \fi
5365 \advance \XePersian@dn by \XePersian@d
5366 \XePersian@i=1\relax
5367 \XePersian@sn = \XePersian@persiani
5368 \ifnum \XePersian@sn<\XePersian@dn
5369 \loop
5370 \advance \XePersian@i by 1\relax
5371 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5372 \ifnum \XePersian@sn<\XePersian@dn \repeat
5373 \fi
5374 \ifnum \XePersian@i < 4
5375 \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
5376 \advance \XePersian@y by -622\relax
5377 \else
5378 \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
5379 \advance \XePersian@y by -621\relax
5380 \fi
5381 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i%
5382 \endcsname
5383 \ifnum\XePersian@i = 1
5384 \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@
5385 \else
5386 \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
5387 \fi
5388 \newcommand*{\persiantoday}{%
5389 \number\XePersian@d\space%
5390 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
5391 }
5392 \let\persianyear\XePersian@y
5393 \let\persianmonth\XePersian@m
5394 \let\persianday\XePersian@d
5395 \def\XePersian@persian@month#1{\ifcase#1\or or\
5396 or\
5397 or\ or\
5398 or\
5399 or\ or\
5400 or\ or\
5401 or\ or\
5402 \fi\

```



## Index

### Symbols

<code>\!</code> .....	2194
<code>\%</code> .....	4985
<code>\.</code> .....	5028
<code>\@and</code> .....	3324
<code>\@if@newlist</code> .....	1304, 1324
<code>\@math</code> .....	166
<code>\@maybeautodot</code> .....	
..	2409, 2410, 2428, 2443, 2444, 2462, 2473, 2474, 2492
<code>\@par</code> .....	1721
<code>\@textdigitfont@onfalse</code>	3038
<code>\@textdigitfont@ontrue</code>	3037
<code>\@Abjad</code> ..	1209, 3332, 3340, 3341, 3819, 3820
<code>\@Alph</code> ...	2422, 2456, 2486, 3598, 3601, 3815, 3820
<code>\@DeclareMathDelimiter</code> ..	4900
<code>\@DeclareMathSizes</code> .....	4891
<code>\@False</code> .....	154, 156
<code>\@Kashida@XB@fixfalse</code>	1461, 3762
<code>\@Kashida@XB@fixtrue</code>	1460, 3760
<code>\@Kashida@onfalse</code> .....	1458
<code>\@Kashida@ontrue</code> .....	1457
<code>\@LTRfootnotetext</code> .....	1751
<code>\@LTRmarginparreset</code> ....	2969
<code>\@Latincitex</code> ..	73, 74, 1985, 1994, 2184, 2977, 2978
<code>\@M</code> .....	170, 3374, 3475, 3570
<code>\@Mi</code> .....	166
<code>\@Mii</code> .....	1644
<code>\@Miii</code> .....	1646
<code>\@RTL@footnotefalse</code>	2960, 2964, 3746
<code>\@RTL@footnotetrue</code>	2962, 2965, 3744
<code>\@RTLfalse</code> ..	136, 148, 161, 3699, 3706, 3728
<code>\@RTLfootnotetext</code> .....	1752
<code>\@RTLtabfalse</code> .....	3714
<code>\@RTLtabtrue</code> .....	3712
<code>\@RTLtrue</code> ....	3697, 3704, 3726
<code>\@Roman</code> .....	2424, 2458, 2488
<code>\@SepMark</code> .....	1580
<code>\@SetTab</code> .....	2498
<code>\@True</code> .....	149, 155
<code>\@X</code> .....	5105, 5106, 5184
<code>\@abjad</code> ..	1210, 3559, 3578, 3579, 3814, 3815
<code>\@acol</code> .....	1876, 1884
<code>\@acolampacol</code> ..	1874, 1876, 1882, 1884
<code>\@adadi</code> ..	1207, 2420, 2454, 2484, 3348, 3350, 3353
<code>\@addamp</code> .....	1875, 1883
<code>\@addtopreamble</code> .....	1843
<code>\@alph</code> ...	2423, 2457, 2487, 2499, 3597, 3600, 3814, 3819
<code>\@ampacol</code> .....	1874, 1882
<code>\@answernumberfont</code> .	5127, 5128, 5166
<code>\@answerstitle</code> .....	5124, 5165
<code>\@answerstitlefont</code> .	5125, 5126, 5165
<code>\@appendheader</code> .	5138, 5139, 5141
<code>\@arrayclassz</code> .....	1874
<code>\@arraydesc</code>	5134, 5137, 5144, 5148
<code>\@arrayrule</code>	1822, 1823, 1824, 1866, 1867, 1868
<code>\@author</code> .....	4238, 4250
<code>\@autodottrue</code> .....	2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490
<code>\@auxout</code> .....	2983, 3863, 3867
<code>\@begin@tempboxa</code> .....	1721
<code>\@biblabel</code> .....	1986, 1995
<code>\@bibsetup</code> .....	1987, 1996



\@bidi@list@minipage@parbox@not@nobtr	\@currentenv	.. 2258, 2260, 2261
..... 1718, 1740	\@customlogo	..... 4338, 4347
\@bidi@list@minipage@parboxtrue	\@custommagazinenam	4107, 4340
..... 1719, 1741	\@customminilogo	... 4339, 4353
\@bidi@strip@v@xepersianversion	\@customwwwTxt	. 4068, 4071, 4123
. 2562, 2564, 2570, 2576	\@date	..... 4241, 4251
\@bidi@tuftesidenote@LTRmarginfont	\@dblfpbot	..... 3300
..... 86	\@dblfpsep	..... 3299
\@bidi@tuftesidenote@RTLmarginfont	\@dblfpstop	..... 3298
..... 88	\@defaultunits	..... 3075, 3079
\@bsphack	\@dgroup	..... 148
..... 1643	\@dmath	..... 136, 165
\@capytype	\@doendpe	..... 2275
.. 1631, 1694, 1941, 1951	\@dseries	..... 161
\@ccclvi	\@eha	..... 4854, 4880
..... 4834, 4840, 4864	\@empty	..... 151, 1638,
\@chapapp	1998, 2008, 2011, 2097, 2100,	
.. 30, 102, 113, 120, 132,	2229, 2979, 2982, 3433, 3439,	
1285, 1297, 1586, 2376, 2383,	3442, 3445, 3550, 4249, 4250,	
2390, 2398, 2439, 2469	4251, 4252	
\@chclass	\@emptytoks	..... 150
. 1756, 1764, 1772, 1787,	\@enGroup	..... 1199
1801, 1806, 1821, 1837, 1857,	\@enLabel	.. 1190, 1191, 1192, 1193,
1865, 1895, 1918, 1932	1194, 1195, 1196, 1197	
\@chnum	\@enOther	..... 1201
... 1758, 1759, 1760, 1761,	\@enSpace	..... 1198
1762, 1763, 1773, 1780, 1794,	\@end@tempboxa	..... 1736
1807, 1814, 1830, 1843, 1859,	\@endpbox	..... 1850, 1851
1860, 1861, 1862, 1863, 1864,	\@enhook	..... 1202
1878, 1886, 1896, 1903, 1925	\@enloop@	..... 1189
\@choices	\@entemp	1190, 1191, 1192, 1193, 1194,
. 5132, 5136, 5152, 5154	1195, 1196, 1197, 1198, 1199,	
\@cite	1200	
... 1973, 1980, 1992, 2008,	\@enum@	..... 1200
2097, 2980	\@extra@b@citeb	2013, 2019, 2021,
\@cite@ofmt	2044, 2075, 2102, 2108, 2110	
..... 2988	\@extrafootnotefeaturesfalse	
\@citea	..... 3772	
.. 2013, 2027, 2041, 2050,	\@extrafootnotefeaturestrue	
2051, 2052, 2057, 2072, 2080,	..... 3770	
2081, 2082, 2116, 2132, 2150,	\@false	..... 5189, 5197, 5204
2979, 2981	\@false@correction	. 5181, 5204
\@citeb	\@false@nocorrection	5179, 5197
..... 2009, 2011, 2013,	\@falsesymbol	.. 5175, 5177, 5181
2016, 2018, 2019, 2021, 2044,	\@firstampfalse	.... 1876, 1884
2075, 2098, 2100, 2102, 2105,		
2107, 2108, 2110, 2980, 2982,		
2983, 2984, 2987, 2988		
\@citex		
..... 1984, 1993		
\@classx		
..... 1840		
\@classz		
..... 1840		
\@correction		
..... 5205		
\@correctionstyle		
.. 5190, 5191,		
5192		
\@ctrerr		
..... 3339, 3344		
\@currbox		
. 1651, 1697, 1701, 1940,		
1944, 1950, 1954		



\@firstofone . . . 1382, 1383, 2011,  
2100, 2982, 4837, 4861  
\@firstoftwo . . . 2565, 2571, 2577  
\@float@HH . . . . . 1937, 1938  
\@float@Hx . . . . . 1936, 1937  
\@float@ . . . . . 1937, 1948  
\@floatboxreset 1707, 1946, 1956  
\@floatcapt . . . . . 1941, 1951  
\@floatpenalty . 1644, 1646, 1649  
\@flstylefalse . . . . 1943, 1953  
\@flstyletrue . . . . . 1943, 1953  
\@fltovf . . . . . 1699  
\@footnotetext . . . . . 1750  
\@for . . . . 2009, 2098, 2980, 3659  
\@formanswerline 5161, 5170, 5183,  
5187  
\@fpbot . . . . . 3297  
\@fps . 1632, 1633, 1635, 1638, 1655  
\@fpsadddefault . . . . 1636, 1639  
\@fpsep . . . . . 3296, 3299  
\@fptop . . 3295, 3297, 3298, 3300  
\@freelist . . . . . 1651  
\@gobble . . 1200, 1312, 1313, 1314,  
2562  
\@harfi . . . . . 12, 20, 31, 34,  
43, 49, 55, 61, 103, 114, 121,  
133, 1208, 1275, 1286, 1298,  
1404, 1587, 2377, 2384, 2391,  
2399, 2406, 2419, 2440, 2453,  
2470, 2483, 3342, 3345, 3346  
\@headerfont . . . 5103, 5104, 5109,  
5139  
\@headerline . . . 5135, 5138, 5146,  
5150  
\@ifclassloaded . . . . .  
. . 3632, 3633, 3634, 3635,  
3636, 3637, 3638, 3639, 3640,  
3641, 3642, 3643, 3644, 3645,  
3646, 3647, 3648, 3649, 3650,  
3651, 3652, 3653, 3654, 3655,  
3778, 3790, 3802  
\@ifdefinable . . . . . 2293, 2295  
\@ifdefinitionfileloaded 1628,  
1771, 1804, 1894, 1935, 3613,  
3614  
\@ifnextchar . . . 1937, 2178, 2184,  
2977  
\@ifnum 2115, 2117, 2119, 2126, 2127,  
2130, 2142, 2165, 2167  
\@ifpackageloaded . . . . .  
. . . . 76, 1502, 1506, 2187,  
2191, 2283, 2291, 3615, 3616,  
3617, 3618, 3619, 3620, 3621,  
3622, 3623, 3624, 3625, 3626,  
3627, 3628, 3629, 3630, 3631,  
3632  
\@ifstar . . . . . 2177  
\@ifundefined . . . 72, 2013, 2019,  
2102, 2108, 2984  
\@ignoretrue . . . . . 172  
\@iiiminipage . . . . . 1737  
\@iiiparbox . . . . . 1715  
\@indexfile . . 3780, 3792, 3804  
\@initorcheck . . 5131, 5151, 5169  
\@inlabelfalse . . . . . 139  
\@input@ . . . . 3782, 3794, 3806  
\@lastchclass . . . . . 1756,  
1757, 1773, 1774, 1775, 1776,  
1778, 1807, 1808, 1809, 1810,  
1812, 1857, 1858, 1874, 1882,  
1896, 1897, 1898, 1899, 1901  
\@latex@error . . . . 4852, 4878  
\@latex@warning . . . . . 2986  
\@latinAlph . . . . . 3598, 3601  
\@latinalph . . 2499, 3597, 3600,  
3603  
\@list@extra . . . . .  
. . . 3184, 3191, 3200, 3207,  
3215, 3222, 3230, 3238, 3245,  
3254, 3258, 3263, 3267, 3272,  
3276, 3281  
\@listI . . . . . 3098, 3193  
\@listdepth . . . . . 1753  
\@listi . . . 3098, 3115, 3132, 3187,  
3193, 3283  
\@listi@footnotesize 3132, 3218  
\@listi@small . . . . . 3115, 3203  
\@listii . . . . . 3233  
\@listiii . . . . . 3248  
\@listiv . . . . . 3261  
\@listv . . . . . 3270  
\@listvi . . . . . 3279



<code>\@m</code> .	1990, 2981, 3373, 3474, 3568
<code>\@mainmatterfalse</code> .	97, 108, 126, 1279, 2433
<code>\@maskanswerline</code>	5162, 5171, 5184, 5188
<code>\@memfront</code> . . . . .	1578
<code>\@minipagefalse</code> . . . . .	2974
<code>\@minipagerestore</code> . . . . .	1754
<code>\@minipagetrue</code> . . . . .	2973
<code>\@minus</code> . .	3046, 3048, 3052, 3054, 3060, 3062, 3066, 3068, 3242
<code>\@mpLTRfootnotetext</code> . . . . .	1751
<code>\@mpRTLfootnotetext</code> . . . . .	1752
<code>\@mpargs</code> . . . . .	1743
<code>\@mpfn</code> . . . . .	1749
<code>\@mpfootnotetext</code> . . . . .	1750
<code>\@mplistdepth</code> . . . . .	1753
<code>\@namedef</code> .	1967, 2021, 2110, 2274
<code>\@ne</code> . . . . .	1661, 1667, 1760, 1761, 1764, 1773, 1783, 1784, 1788, 1807, 1817, 1818, 1822, 1823, 1824, 1861, 1862, 1866, 1867, 1868, 1896, 1906, 1907, 1919, 2115, 2127, 2129, 2142, 2150, 2947, 2948, 3024, 3360, 3401, 3408, 3420, 3425, 3461, 3502, 3509, 3521, 3526, 3667, 3893, 3894, 3895, 3896, 3897, 4844, 4849, 4868, 4875
<code>\@newlistfalse</code> . . . . .	1305
<code>\@next</code> . . . . .	1651
<code>\@nextchar</code> . . . . .	1779, 1781, 1782, 1783, 1784, 1785, 1786, 1788, 1789, 1790, 1791, 1792, 1795, 1796, 1797, 1798, 1799, 1800, 1813, 1815, 1816, 1817, 1818, 1819, 1820, 1822, 1823, 1824, 1825, 1826, 1827, 1828, 1831, 1832, 1833, 1834, 1835, 1836, 1848, 1850, 1851, 1902, 1904, 1905, 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1919, 1920, 1921, 1922, 1923, 1926, 1927, 1928, 1930, 1931
<code>\@nextchar</code> . . . . .	1929
<code>\@nil</code> 2204, 2208, 2209, 2214, 2216, 3391, 3394, 3492, 3495	
<code>\@nnil</code> . . .	3075, 3079, 3083, 3084
<code>\@nodocument</code> . . . . .	1630
<code>\@nonlatinfalse</code> . . . . .	2935, 3719
<code>\@nonlatintrue</code> . . . . .	2949, 3721
<code>\@onelevel@sanitize</code> . . . . .	1633
<code>\@outputbox</code> . . . . .	1322
<code>\@outputpage</code> . . . . .	1300
<code>\@parboxrestore</code>	1305, 1706, 1721, 1748, 1945, 1955
<code>\@parboxto</code> . . . . .	1724, 1733
<code>\@parmoderr</code> . . . . .	1649
<code>\@pboxswfalse</code> . . . . .	1717, 1739
<code>\@pboxswtrue</code> . . . . .	1731
<code>\@plus</code> . . .	3046, 3048, 3052, 3054, 3060, 3062, 3066, 3068, 3242, 3295, 3296
<code>\@ppsavesec</code> . . . . .	25
<code>\@preamble</code> . . . . .	1877, 1885
<code>\@preamblecmds</code> . . . . .	4905
<code>\@preamerr</code>	1767, 1801, 1837, 1871, 1932
<code>\@ptsize</code> . . . . .	3078
<code>\@questionheader</code>	5161, 5162, 5193
<code>\@questionsepspace</code> .	5217, 5222, 5228
<code>\@questiontitle</code> . . . . .	5210, 5223
<code>\@questiontitlefont</code>	5211, 5212, 5223
<code>\@resetactivechars</code> . . . . .	1303
<code>\@resets@pp</code> . . . . .	24, 1388, 1389
<code>\@roman</code> . . . . .	2425, 2459, 2489
<code>\@safe@activesfalse</code>	2012, 2101
<code>\@safe@activetrue</code> .	2010, 2099
<code>\@secondoftwo</code> .	2567, 2573, 2579
<code>\@setfontsize</code> . . . . .	3092, 3109, 3126, 3137, 3143, 3149, 3155, 3161, 3167, 3173, 4038, 4044, 4046, 4049, 4056, 4062, 4063, 4064, 4065, 4066
<code>\@setfpsbit</code>	1671, 1674, 1677, 1680, 1683, 1686
<code>\@setminipage</code> . . . . .	1755
<code>\@setnobreak</code> . . . . .	1946, 1956



\@sharp . . . 1879, 1880, 1881, 1887,  
1888, 1889  
\@smemfront . . . . . 1579  
\@sptoken . . . . . 1198  
\@startpbox . . . . . 1850, 1851  
\@starttoc . . . . . 3309, 5114, 5119  
\@stop . . . . . 2410, 2444, 2474  
\@sx@xepersian@localize@verbatim  
. . . . . 1967  
\@tabclassz . . . . . 1882  
\@tartibi . . . . . 9, 16, 39,  
45, 51, 57, 94, 105, 116, 128,  
1206, 1271, 1281, 1293, 1401,  
1581, 1582, 2372, 2379, 2386,  
2394, 2402, 2421, 2435, 2455,  
2465, 2485, 3454, 3456, 3459  
\@tempa . . . . . 1190,  
1191, 1192, 1193, 1194, 1195,  
1196, 1197, 1198, 1199, 1200,  
1201, 1204, 2214, 2216, 2299,  
2300, 2301, 2302, 2303, 2304,  
2305, 2306, 2307, 2308, 2309,  
3083, 3084  
\@tempb . . . . . 3081, 3084, 3101, 3118,  
3135, 3141, 3147, 3153, 3159,  
3165, 3171  
\@tempboxa . . . . . 1744  
\@tempc . . . . . 2229, 2242, 2252, 2254,  
2255, 2258, 2266  
\@tempcnta . . . . . 1653, 1659, 1661, 1665,  
1667, 1689, 1690, 1696, 1697,  
1841, 2124, 2125, 2126, 2129,  
2130, 3658, 3661, 3667  
\@tempcntb . . . . . 1694, 1695, 1696  
\@tempdima . . . . . 1720,  
1721, 1742, 1746, 3074, 3075,  
3076, 3080, 3082, 3093, 3100,  
3101, 3110, 3117, 3118, 3127,  
3134, 3135, 3138, 3140, 3141,  
3144, 3146, 3147, 3150, 3152,  
3153, 3156, 3158, 3159, 3162,  
3164, 3165, 3168, 3170, 3171,  
3174  
\@tempdimb . . . . . 1723, 1724, 3079, 3080,  
3086, 3087, 3089, 3093, 3101,  
3103, 3104, 3106, 3110, 3118,  
3120, 3121, 3123, 3127, 3135,  
3138, 3141, 3144, 3147, 3150,  
3153, 3156, 3159, 3162, 3165,  
3168, 3171, 3177, 3179,  
3181, 3195, 3197, 3210, 3212,  
3225, 3227, 3241, 3284, 3285,  
3287, 3289, 3291, 3296, 3301,  
3907, 3908  
\@tempdimc . . . . . 3076, 3077, 3078, 3080,  
3081, 3082, 3100, 3117, 3134,  
3140, 3146, 3152, 3158, 3164,  
3170  
\@tempskipa . . . . . 3911, 3912  
\@tempswafalse . . . . . 2142,  
2977, 3182, 3198, 3213, 3228,  
3243, 3256, 3265, 3274  
\@tempwatrue . . . . .  
. . . . . 2141, 2977, 3184, 3200,  
3215, 3230, 3245, 3258, 3267,  
3276  
\@temptokena . . . . . 2215, 2222, 2227,  
2233, 2240, 2250, 2264  
\@testpach . . . . . 1756, 1772, 1806, 1857,  
1895  
\@tfor . . . . . 1654, 2299  
\@thanks . . . . . 4243, 4249  
\@the@choice . . . . . 5140, 5141  
\@themargin . . . . . 1318  
\@title . . . . . 4231, 4252  
\@true . . . . . 5185, 5196, 5203  
\@true@correction . . . . . 5180, 5203  
\@true@nocorrection . . . . . 5178, 5196  
\@truesymbol . . . . . 5174, 5176, 5180  
\@verbatim . . . . . 1964, 1967, 2272, 2274,  
2285  
\@vobeyspaces . . . . . 1964, 2272  
\@warning . . . . . 2271  
\@x@xepersian@localize@verbatim  
. . . . . 1964  
\@xDeclareMathDelimiter . . . . . 4900  
\@xepersian@@@baselineskip@scale  
. . . . . 2924, 2933, 2946, 2956  
\@xepersian@@@computeautoilgfalse  
. . . . . 3857  
\@xepersian@@@computeautoilgtrue  
. . . . . 3855



<code>\@xepersian@fontsize@scale</code> .	<code>\Abjadnumeral</code> . . . . .	3341
. 2923, 2928, 2945, 2955	<code>\abjadnumeral</code> . . . . .	3579
<code>\@xepersian@info</code> . . . 2537, 2559,	<code>\abovedisplayshortskip</code> . . . . .	
2561	. . . . . 3087, 3095, 3104,	
<code>\@xfloat</code> . . . . . 1629, 1936, 1937	3112, 3121, 3129, 4041, 4042,	
<code>\@xxDeclareMathDelimiter</code> 4899	4052, 4053, 4059, 4060	
<code>\@xxxii</code> . . . . . 1695	<code>\abovedisplayskip</code> . . . . . 3085,	
@\ . . . . . 1608, 1609	3090, 3094, 3102, 3107, 3111,	
@\ . . . . . 1604, 1605, 1607	3119, 3124, 3128, 4039, 4040,	
@\ . . . . . 2186	4050, 4051, 4057, 4058	
] \ . . . . . 2194	<code>\abstractname</code> . . . . . 3321	
\\ . . . . . 1961, 2194,	<code>\active</code> . . . . . 2195, 5028	
4199, 4514, 4515, 4777, 4780,	<code>\adadi</code> 1191, 1207, 1212, 2413, 2447,	
4829, 5107, 5146, 5150, 5170,	2477, 3347	
5171	<code>\adadinumeral</code> . . . . . 3353	
<code>\{</code> . . . . . 1960, 2194	<code>\AddEnumerateCounter</code> 1206, 1207,	
<code>\}</code> . . . . . 1960, 2194	1208, 1209, 1210	
<code>\]</code> . . . . . 2194	<code>\addfontfeature</code> . . . . . 3879	
<code>\^</code> . . . . . 2195	<code>\addfontfeatures</code> . . 136, 148, 161	
<code>\_</code> . . 2614, 2616, 2629, 2634, 2638,	<code>\addtocontents</code> . . 5113, 5116, 5118,	
2640, 2652, 2675, 2679, 2680,	5121, 5143, 5147, 5170, 5171	
2686, 2688, 2700, 2705, 2712,	<code>\addtolength</code> . . . . .	
2714, 2730, 2732, 2779, 2781,	. . 3077, 4266, 4267, 4270,	
2794, 2799, 2803, 2805, 2818,	4689, 4690, 4691, 4692, 4756	
2823, 2827, 2829, 2842, 2847,	<code>\addtoversion</code> . . . . . 4892	
2851, 2853, 2866, 2871, 2875,	<code>\adl@argarraydashrule</code> 1824, 1868	
2877, 2890, 2895, 2899, 2901,	<code>\adl@arraydashrule</code> . 1823, 1867	
2914, 2919, 4962, 4964, 4968,	<code>\adl@arrayrule</code> . . . . 1822, 1866	
4992, 4996, 4998, 5001, 5006,	<code>\adl@box</code> . . . . . 1848, 1850, 1851	
5010, 5012, 5015, 5020	<code>\adl@class@iiiorvii</code> 1854, 1891	
<code>\ </code> . . . . . 4515	<code>\adl@class@start</code> . . . 1853, 1890	
<code>\~</code> . . . . . 2195	<code>\adl@endmbox</code> . . . . . 1849	
	<code>\adl@putlrc</code> 1845, 1846, 1847, 1879,	
	1880, 1881, 1887, 1888, 1889	
<code>\sqcup</code> 1343, 1345, 2981, 3397, 3403, 3422,	<code>\adl@startmbox</code> . . . . . 1848	
3428, 3498, 3504, 3523, 3533,	<code>\advance</code> . . . . . 1346, 1661,	
4114, 4123	1667, 1690, 1696, 2129, 3024,	
A	3026, 3667, 4030, 4034, 4302,	
<code>\abj@num@i</code> . . . . 3564, 3581, 3588	4305, 4849, 4875, 5265, 5300,	
<code>\abj@num@ii</code> . . 3566, 3585, 3592	5304, 5310, 5314, 5319, 5322,	
<code>\abj@num@iii</code> . . 3568, 3589, 3595	5323, 5327, 5331, 5332, 5334,	
<code>\abj@num@iv</code> . . . . . 3570, 3593	5335, 5337, 5357, 5361, 5362,	
<code>\Abjad</code> . . . . . 1209, 1214, 3340	5365, 5370, 5371, 5375, 5376,	
<code>\abjad</code> . . . . . 1210, 1215, 3578	5378, 5379, 5381, 5384, 5386	
<code>\abjad@zero</code> . . . . . 3580, 3584	<code>\aftergroup</code> 1307, 1309, 3184, 3200,	
	3215, 3230, 3245, 3258, 3267,	



3276

\ALG@name . . . . . 5, 7

\algorithmicensure . . . . . 3

\algorithmicrequire . . . . . 2

\ALGS@name . . . . . 6, 7

\aliasfontfeature . . . . . 1518,  
1519, 1520, 1521, 1522, 1523,  
1524, 1525, 1526, 1527, 1528,  
1529, 1530, 1531, 1532, 1533,  
1534, 1535, 1536, 1537, 1538,  
1539, 1540, 1541, 1542, 1543,  
1544, 1545, 1546, 1547, 1548,  
1549, 1550, 1551, 1552, 1553,  
1554, 1555, 1556, 1557, 1558,  
1559, 1560, 1561, 1562, 1563,  
1564, 1565, 1566, 1567, 1568,  
1569, 1570

\aliasfontfeatureoption . . 1571,  
1572, 1573, 1574, 1575, 1576

\alloc@ . . . . . 4834

\Alph . . 1193, 1375, 1376, 2415, 2449,  
2479

\alph . 1194, 2416, 2450, 2480, 2506,  
5140, 5166

\alpha@elt . . . . . 4893

\alpha@list . . . . . 4893

\anappendixtrue . . . . . 1588

\and . . . . . 4256

\answernumberfont . . . . . 5128

\answerstitle . . . . . 5124, 5194

\answerstitlefont . . . . . 5126

\appendix . . . . . 10, 17,  
40, 46, 52, 58, 99, 110, 117,  
129, 1272, 1282, 1294, 1372,  
1373, 1402, 1583, 2373, 2380,  
2387, 2395, 2403, 2436, 2466

\appendixautorefname . . . . 1361

\appendixname . . . . . 11, 19,  
30, 102, 113, 120, 132, 1285,  
1297, 1403, 1586, 2376, 2383,  
2390, 2398, 2439, 2469, 3318

\arabic . . . . . 1197

\arrayrulewidth . . . . . 4771

\articlesep . . . . . 4753

\AtBeginDocument . . . . . 71,  
1371, 1474, 1967, 2174, 2279,

4028, 4032

\AtEndOfClass . . . . . 4026

\author . . . . . 4254

\authorandplace . . . . . 4727

\AutoDisplayMathsDigits . 3689,  
5078, 5084

\autofootnoterule . . . . . 3732

\AutoInlineMathsDigits . . 3681,  
5074, 5083

\AutoMathsDigits . . . 3673, 5082,  
5086

**B**

\backrefpagesname . . . . . 63

\baselineskip . . . . .  
. . . 1315, 3027, 3030, 3944,  
3946, 3948, 3951, 3952, 3954

\begin . 2188, 2189, 2964, 2965, 3307,  
4082, 4085, 4138, 4153, 4166,  
4172, 4193, 4224, 4230, 4237,  
4261, 4315, 4321, 4393, 4396,  
4401, 4408, 4423, 4438, 4455,  
4489, 4507, 4512, 4532, 4539,  
4540, 4561, 4563, 4564, 4586,  
4591, 4592, 4628, 4629, 4637,  
4663, 4671, 4677, 4678, 4686,  
4716, 4740, 4772, 4773, 4788,  
4800, 4814, 5144, 5148, 5159,  
5160, 5166, 5221

\beginingroup . . . . . 144, 1301,  
1959, 2176, 2192, 2272, 2274,  
2584, 2586, 3183, 3199, 3214,  
3229, 3244, 3257, 3266, 3275,  
4841, 4865, 5028

\beginL . . . . . 2974, 4114, 4515

\beginR . . . . . 4118, 4119, 4120,  
4131, 4132, 4133, 4338, 4339,  
4340, 4358, 4379, 4380, 4381,  
4382, 4383, 4384, 4535, 4630

\belowdisplayshortskip . . 3088,  
3097, 3105, 3114, 3122, 3131,  
4042, 4053, 4060

\belowdisplayskip . . 3090, 3096,  
3107, 3113, 3124, 3130, 4040,  
4051, 4058

\bfseries . . . . . 2014, 2103, 2984, 4074,





<code>\cftsubfigname</code> . . . . .	2525	2853, 2871, 2877, 2895, 2901,
<code>\cftsubparaname</code> . . . . .	2523	2919, 4914, 4915, 4916, 4917,
<code>\cftsubsecname</code> . . . . .	2520	4918, 4964, 4992, 4998, 5006,
<code>\cftsubsubsecname</code> . . . . .	2521	5012, 5020
<code>\cftsubtabname</code> . . . . .	2527	<code>\csname</code> 1501, 1694, 1734, 1939, 1942,
<code>\cfttabname</code> . . . . .	2526	1949, 1952, 1969, 2276, 2293,
<code>\chapterautorefname</code> . . . .	1362	2294, 2295, 2296, 2297, 2407,
<code>\chaptername</code> . . . . .	19, 3326	2441, 2471, 2585, 2588, 2594,
<code>\chardef</code> 1407, 1408, 1410, 1411, 1412,		2596, 2988, 3185, 3201, 3216,
1413, 1414, 1415, 2996, 4834		3231, 3246, 3259, 3268, 3277,
<code>\charlist</code> . 1421, 1422, 1424, 1428		3340, 3345, 3348, 3454, 3578,
<code>\citation</code> . . . . .	2983	3924, 3926, 3930, 3932, 3936,
<code>\citenumfont</code> . . . . .	2153	3938, 4840, 4843, 4848, 4849,
<code>\citeyear</code> . . . . .	1975	4864, 4867, 4871, 4872, 4875,
<code>\citeyearpar</code> . . . . .	1975	4910, 4912, 5362, 5371, 5381
<code>\ClassError</code> . . . . .	4412,	<code>\currenttime</code> . . . . .
4444, 4478, 4498, 4519, 4544,		4097
4569, 4595, 4618, 5153		<code>\customlogo</code> . . . . .
<code>\ClassWarning</code> . 3997, 3999, 4001,		4338
4271, 4285		<code>\custommagazinenam</code> . . . .
<code>\cleardoubleoddp</code> . . . .	2432	4340
<code>\cleardoublepage</code> 15, 96, 107, 125,		<code>\customminilogo</code> . . . . .
1278		4339
<code>\clearpage</code> . . . . .	2432, 4375	<code>\customwwwText</code> . . . . .
<code>\closeout</code> . . . .	3780, 3792, 3804	4068
<code>\color@begingroup</code> . . . . .	1745	
<code>\color@vbox</code> . . . .	1702, 1944, 1954	
<code>\columnlines</code> . . 3971, 3972, 4004,		
4333		
<code>\columnsep</code> . . . . .	4267, 4690	
<code>\columnseprule</code> . . . . .	4333	
<code>\columntitle</code> . . . . .	4684	
<code>\columnwidth</code> . . . 1705, 1747, 1945,		
1955, 4266, 4689		
<code>\comment</code> . . . . .	5198	
<code>\contentsname</code> . . . . .	3307, 3315	
<code>\copyright</code> . . . . .	4123	
<code>\correction</code> . . . . .	5198, 5205	
<code>\correctionstyle</code> . . . . .	5191	
<code>\count</code> . . . .	1697, 4301, 4302, 4304,	
4305, 4314, 4320		
<code>\count@</code> . . . . .	1841	
<code>\cs</code> . 2282, 2284, 2616, 2634, 2640,		
2675, 2688, 2705, 2714, 2716,		
2721, 2732, 2734, 2739, 2781,		
2799, 2805, 2823, 2829, 2847,		

## D

<code>\dollarbegin</code> . . .	1845, 1846, 1847
<code>\dollarend</code> . . . .	1845, 1846, 1847
<code>\date</code> . . . .	4096, 4107, 4255, 4724
<code>\datename</code> . . . . .	3323
<code>\day</code> . . . . .	5260
<code>\dblfloatsep</code> . . . . .	3293
<code>\dbltextfloatsep</code> . . . . .	3294
<code>\decimalseparator</code> . .	4986, 5055
<code>\DeclareDocumentCommand</code> . . . . .	
. . . . .	2612, 2636, 2677, 2684,
	2710, 2728, 2777, 2801, 2825,
	2849, 2873, 2897, 4960, 4994,
	5008
<code>\DeclareMathAccent</code> . . . . .	4898
<code>\DeclareMathAlphabet</code> . . . .	4897
<code>\DeclareMathDelimiter</code> . . .	4899
<code>\DeclareMathRadical</code> . . . .	4901
<code>\DeclareMathSizes</code> . . . . .	4890
<code>\DeclareMathSymbol</code> . . . . .	4898
<code>\DeclareMathVersion</code> . . . .	4892
<code>\DeclareOption</code> . . . . .	
. . . . .	3993, 3994, 3995, 3996,
	3998, 4000, 4002, 4003, 4004,
	4005, 4006, 5195, 5202





<code>\DeclareOptionX</code>	3823, 3829, 3833, 3837, 3841, 3845, 3849	3318, 3319, 3320, 3321, 3322, 3323, 3324, 3325, 3326, 3327, 3328, 3329, 3330, 3331, 3332, 3340, 3342, 3345, 3354, 3359, 3368, 3394, 3407, 3418, 3432, 3438, 3441, 3444, 3448, 3460, 3469, 3495, 3508, 3519, 3537, 3542, 3549, 3559, 3578, 3580, 3581, 3585, 3589, 3593, 3599, 3603, 3657, 3813, 3818, 3830, 3834, 3842, 3846, 3850, 3862, 3866, 4068, 4338, 4339, 4340, 4834, 4836, 4860, 4974, 5003, 5017, 5029, 5030, 5055, 5056, 5057, 5058, 5062, 5066, 5070, 5074, 5078, 5082, 5103, 5105, 5107, 5125, 5127, 5131, 5138, 5174, 5175, 5178, 5179, 5180, 5181, 5190, 5193, 5200, 5201, 5207, 5208, 5211, 5395
<code>\DeclareRobustCommand</code>	.....	
...	2175, 2620, 2645, 2691, 2719, 2737, 2752, 2755, 2758, 2761, 2764, 2767, 2785, 2809, 2833, 2857, 2881, 2905, 2976	
<code>\DeclareSymbolFont</code>	. 4895, 4970, 4971, 4972, 4973, 5002, 5016	
<code>\DeclareSymbolFontAlphabet</code>	..	
.....	4902	
<code>\DeclareSymbolFontAlphabet@</code>	..	
.....	4902	
<code>\DeclareTextFontCommand</code>	. 2770, 2771, 2772, 2773, 2774, 2775	
<code>\def</code>	... 2, 3, 5, 6, 7, 10, 12, 15, 17, 20, 63, 64, 77, 92, 136, 148, 161, 168, 172, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1300, 1338, 1340, 1342, 1344, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1373, 1384, 1389, 1402, 1404, 1418, 1421, 1423, 1424, 1429, 1464, 1465, 1591, 1592, 1593, 1594, 1595, 1596, 1597, 1598, 1599, 1629, 1631, 1632, 1634, 1715, 1737, 1743, 1749, 1756, 1772, 1806, 1840, 1853, 1854, 1857, 1874, 1882, 1890, 1891, 1895, 1937, 1938, 1941, 1948, 1951, 1964, 1965, 1974, 1977, 1989, 1990, 2000, 2003, 2016, 2031, 2061, 2093, 2097, 2122, 2184, 2198, 2202, 2204, 2205, 2208, 2214, 2216, 2218, 2234, 2237, 2253, 2254, 2257, 2270, 2272, 2275, 2292, 2529, 2530, 2581, 2582, 2583, 2589, 2590, 2594, 2922, 2925, 2930, 2944, 2960, 2961, 2962, 2963, 2967, 2968, 2969, 2978, 2981, 3083, 3184, 3200, 3215, 3230, 3245, 3258, 3267, 3276, 3313, 3314, 3315, 3316, 3317,	2132, 2134
		<code>\def@NAT@last@yr</code> ... 2132, 2134
		<code>\DefaultDisplayMathsDigits</code> ..
		... 3691, 5057, 5060
		<code>\defaultfontfeatures</code> .... 3824
		<code>\DefaultInlineMathsDigits</code> 3683,
		5056, 5059
		<code>\DefaultMathsDigits</code> 3675, 5058
		<code>\define@choicekey</code> .....
		.. 3671, 3679, 3687, 3695, 3702, 3710, 3717, 3724, 3730, 3742, 3748, 3754, 3758, 3764, 3768, 3774, 3787, 3799, 3811, 3853, 3860, 3875
		<code>\define@key</code> ..... 2298
		<code>\define@mathalphabet</code> .... 4892
		<code>\define@mathgroup</code> ..... 4892
		<code>\deflatinfont</code> ..... 2728
		<code>\defpersianfont</code> ..... 2710
		<code>\depth</code> ..... 2306, 2307
		<code>\DigitsDotDashInterCharToks</code> ..
		..... 2657, 2658
		<code>\dimexpr</code> . 2926, 2928, 2931, 2933, 3030, 3080, 3234, 3249, 3262, 3271, 3280, 3908, 3912, 3917, 3918, 3919
		<code>\ding</code> ..... 5174, 5175

`\display@setup` . . . . . 137, 162  
`\divide` . . 4307, 4308, 5262, 5270,  
           5275, 5302, 5308, 5316, 5318,  
           5321, 5325, 5329, 5333  
`\do` 1656, 2009, 2098, 2299, 2980,  
      3659, 4905  
`\document@select@group` . . 4860  
`\dorestore@version` . . . . 4894  
`\dosetclass` . . . 1422, 1423, 1427  
`\doublebox` . . . . . 4646, 4699  
`\dquad` . . . . . 170, 172  
`\dseries@display@setup` . . . 162

## E

`\e@alloc@intercharclass@top` .  
      . . . . . 2653, 2654  
`\edef` . 1724, 1779, 1813, 1877, 1885,  
      1902, 2011, 2100, 2260, 2537,  
      2560, 2562, 2588, 2591, 2982,  
      3078, 3081, 3091, 3108, 3125,  
      3136, 3142, 3148, 3154, 3160,  
      3166, 3172, 3187, 3203, 3218,  
      3233, 3248, 3261, 3270, 3279,  
      3662, 5140  
`\edition` . . . . . 4365  
`\editionFormat` . . . . . 4074, 4077  
`\editorialAuthorFormat` . . 4217,  
      4781  
`\editorialTitleFormat` 4215, 4216  
`\egroup` . . . . . 2672  
`\else` . . . . . 2, 3, 5, 7, 32,  
      63, 92, 140, 170, 1190, 1191,  
      1192, 1193, 1194, 1195, 1196,  
      1197, 1198, 1199, 1200, 1289,  
      1330, 1341, 1343, 1345, 1355,  
      1356, 1357, 1358, 1359, 1360,  
      1361, 1362, 1363, 1364, 1365,  
      1366, 1367, 1368, 1369, 1370,  
      1426, 1443, 1448, 1451, 1453,  
      1464, 1465, 1475, 1478, 1481,  
      1484, 1487, 1490, 1493, 1591,  
      1592, 1593, 1594, 1595, 1596,  
      1597, 1598, 1599, 1637, 1645,  
      1650, 1660, 1666, 1719, 1722,  
      1727, 1728, 1729, 1730, 1731,  
      1741, 1756, 1757, 1758, 1759,

     1760, 1761, 1762, 1763, 1764,  
      1765, 1766, 1767, 1773, 1774,  
      1775, 1777, 1778, 1781, 1782,  
      1783, 1784, 1785, 1786, 1788,  
      1789, 1790, 1791, 1792, 1795,  
      1796, 1797, 1798, 1799, 1800,  
      1807, 1808, 1809, 1811, 1812,  
      1815, 1816, 1817, 1818, 1819,  
      1820, 1822, 1823, 1824, 1825,  
      1826, 1827, 1828, 1831, 1832,  
      1833, 1834, 1835, 1836, 1856,  
      1857, 1858, 1859, 1860, 1861,  
      1862, 1863, 1864, 1866, 1867,  
      1868, 1869, 1870, 1871, 1896,  
      1897, 1898, 1900, 1901, 1904,  
      1905, 1906, 1907, 1908, 1909,  
      1910, 1911, 1912, 1913, 1914,  
      1915, 1916, 1917, 1919, 1920,  
      1921, 1922, 1923, 1926, 1927,  
      1928, 1929, 1930, 1931, 1943,  
      1953, 1978, 1991, 2023, 2028,  
      2037, 2040, 2054, 2058, 2067,  
      2071, 2074, 2086, 2090, 2091,  
      2112, 2133, 2147, 2149, 2152,  
      2166, 2168, 2179, 2202, 2213,  
      2226, 2228, 2231, 2246, 2248,  
      2254, 2262, 2270, 2297, 2300,  
      2301, 2302, 2303, 2304, 2305,  
      2306, 2307, 2308, 2411, 2432,  
      2445, 2475, 2502, 2518, 2519,  
      2520, 2521, 2522, 2523, 2524,  
      2525, 2526, 2527, 2566, 2572,  
      2578, 2605, 2671, 2672, 2990,  
      3005, 3016, 3043, 3044, 3045,  
      3047, 3050, 3051, 3053, 3057,  
      3058, 3059, 3061, 3064, 3065,  
      3067, 3313, 3314, 3315, 3316,  
      3317, 3318, 3319, 3320, 3321,  
      3322, 3323, 3324, 3325, 3326,  
      3327, 3328, 3329, 3330, 3331,  
      3339, 3344, 3362, 3364, 3372,  
      3373, 3374, 3375, 3376, 3377,  
      3378, 3379, 3397, 3412, 3426,  
      3439, 3442, 3463, 3465, 3473,  
      3474, 3475, 3476, 3477, 3478,  
      3479, 3480, 3498, 3513, 3526,



3527, 3530, 3561, 3563, 3565, 3567, 3569, 3666, 3783, 3795, 3807, 3953, 4284, 4762, 4837, 4850, 4856, 4861, 4876, 4882, 5023, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5055, 5063, 5064, 5065, 5067, 5068, 5069, 5075, 5076, 5077, 5079, 5080, 5081, 5268, 5272, 5277, 5278, 5285, 5306, 5311, 5341, 5377, 5385	2592, 3186, 3202, 3217, 3232, 3247, 3260, 3269, 3278, 4845, 4869, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042
<code>\empty</code> . . . . . 1425	<code>\endL</code> . . . . . 4114, 4515
<code>\enclname</code> . . . . . 3328	<code>\endlatin</code> . . . . . 2961
<code>\encodingdefault</code> . . . . .	<code>\endLTR</code> . . . . . 2961
.. 2628, 2699, 2793, 2817, 2841, 2865, 2889, 2913	<code>\endMakeFramed</code> . . . . . 1349
<code>\end</code> . . . . . 1422, 1423, 1428, 1429, 2188, 2189, 2260, 2271, 2964, 2965, 3310, 4082, 4087, 4144, 4158, 4168, 4177, 4200, 4239, 4242, 4245, 4262, 4317, 4323, 4400, 4406, 4410, 4436, 4442, 4476, 4496, 4511, 4517, 4553, 4554, 4555, 4578, 4579, 4580, 4604, 4605, 4606, 4631, 4632, 4635, 4665, 4669, 4680, 4681, 4718, 4722, 4751, 4782, 4783, 4797, 4809, 4822, 5113, 5116, 5118, 5121, 5167, 5168, 5172, 5226	<code>\endmath</code> . . . . . 167
<code>\end@correction</code> . . . . . 5206	<code>\endpersian</code> . . . . . 2963
<code>\endcomment</code> . . . . . 5199	<code>\endquestion</code> . . . . . 5219
<code>\endcorrection</code> . . . . . 5199, 5206	<code>\endR</code> . . . . . 4118, 4119, 4120, 4131, 4132, 4133, 4338, 4339, 4340, 4358, 4379, 4380, 4381, 4382, 4383, 4384, 4535, 4630
<code>\endcsname</code> . . . . .	<code>\endRTL</code> . . . . . 2963
1501, 1694, 1734, 1939, 1942, 1949, 1952, 1969, 2276, 2293, 2294, 2295, 2296, 2297, 2407, 2441, 2471, 2585, 2588, 2594, 2596, 2988, 3185, 3201, 3216, 3231, 3246, 3259, 3268, 3277, 3340, 3345, 3348, 3454, 3578, 3924, 3926, 3930, 3932, 3936, 3938, 4840, 4843, 4848, 4849, 4864, 4867, 4871, 4873, 4875, 4910, 4912, 5362, 5371, 5382	<code>\ends@math</code> . . . . . 167
<code>\endgroup</code> 1308, 2197, 2275, 2584,	<code>\endtrivlist</code> . . . . . 1965, 2275
	<code>\end</code> 1965, 1969, 2275, 2276
	<code>\eq@addpunct</code> . . . . . 172
	<code>\eq@group</code> . . . . . 140, 149
	<code>\eq@GRP@first@dmath</code> . . . . . 149
	<code>\eq@prelim</code> . . . . . 140, 157
	<code>\eq@setnumber</code> . . . . . 143
	<code>\eq@setup@a</code> . . . . . 145
	<code>\eq@startup</code> . . . . . 146
	<code>\eq@wdCond</code> . . . . . 164
	<code>\eqcommand</code> . . . . . 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281,



282, 283, 284, 285, 286, 287,  
288, 289, 290, 291, 292, 293,  
294, 295, 296, 297, 298, 299,  
300, 301, 302, 303, 304, 305,  
306, 307, 308, 309, 310, 311,  
312, 313, 314, 315, 316, 317,  
318, 319, 320, 321, 322, 323,  
324, 325, 326, 327, 328, 329,  
330, 331, 332, 333, 334, 335,  
336, 337, 338, 339, 340, 341,  
342, 343, 344, 345, 346, 347,  
348, 349, 350, 351, 352, 353,  
354, 355, 356, 357, 358, 359,  
360, 361, 362, 363, 364, 365,  
366, 367, 368, 369, 370, 371,  
372, 373, 374, 375, 376, 377,  
378, 379, 380, 381, 382, 383,  
384, 385, 386, 387, 388, 389,  
390, 391, 392, 393, 394, 395,  
396, 397, 398, 399, 400, 401,  
402, 403, 404, 405, 406, 407,  
408, 409, 410, 411, 412, 413,  
414, 415, 416, 417, 418, 419,  
420, 421, 422, 423, 424, 425,  
426, 427, 428, 429, 430, 431,  
432, 433, 434, 435, 436, 437,  
438, 439, 440, 441, 442, 443,  
444, 445, 446, 447, 448, 449,  
450, 451, 452, 453, 454, 455,  
456, 457, 458, 459, 460, 461,  
462, 463, 464, 465, 466, 467,  
468, 469, 470, 471, 472, 473,  
474, 475, 476, 477, 478, 479,  
480, 481, 483, 484, 485, 486,  
487, 488, 489, 490, 491, 492,  
493, 494, 495, 496, 497, 498,  
499, 500, 501, 502, 503, 504,  
505, 506, 507, 508, 509, 510,  
511, 512, 513, 514, 515, 516,  
517, 518, 519, 520, 521, 522,  
523, 524, 525, 526, 527, 528,  
529, 530, 531, 532, 533, 534,  
535, 536, 537, 538, 539, 540,  
541, 542, 543, 544, 545, 546,  
547, 548, 549, 550, 551, 552,  
553, 554, 555, 556, 557, 558,

559, 560, 561, 562, 563, 564,  
565, 566, 567, 568, 569, 570,  
571, 572, 573, 574, 575, 576,  
577, 578, 579, 580, 581, 582,  
583, 584, 585, 586, 587, 588,  
589, 590, 591, 592, 593, 594,  
595, 596, 597, 598, 599, 600,  
601, 602, 603, 604, 605, 606,  
607, 608, 609, 610, 611, 612,  
613, 614, 615, 616, 617, 618,  
619, 620, 621, 622, 623, 624,  
625, 626, 627, 628, 629, 630,  
631, 632, 633, 634, 635, 636,  
637, 638, 639, 640, 641, 642,  
643, 644, 645, 646, 647, 648,  
649, 650, 651, 652, 653, 654,  
655, 656, 657, 658, 659, 660,  
661, 662, 663, 664, 665, 666,  
667, 668, 669, 670, 671, 672,  
673, 674, 675, 676, 677, 678,  
679, 680, 681, 682, 683, 684,  
685, 686, 687, 688, 689, 690,  
691, 692, 693, 694, 695, 696,  
697, 698, 699, 700, 701, 702,  
703, 704, 705, 706, 707, 708,  
709, 710, 711, 712, 713, 714,  
715, 716, 717, 718, 719, 720,  
721, 722, 723, 724, 725, 726,  
727, 728, 729, 730, 731, 732,  
733, 734, 735, 736, 737, 738,  
739, 740, 741, 742, 743, 744,  
745, 746, 747, 748, 749, 750,  
751, 752, 753, 754, 755, 756,  
757, 758, 759, 760, 761, 762,  
763, 764, 765, 766, 767, 768,  
769, 770, 771, 772, 773, 774,  
775, 776, 777, 778, 779, 780,  
781, 782, 783, 784, 785, 786,  
788, 789, 790, 791, 792, 793,  
794, 795, 796, 797, 798, 799,  
800, 801, 802, 803, 804, 805,  
806, 807, 808, 809, 810, 811,  
812, 813, 814, 815, 816, 817,  
818, 819, 820, 821, 822, 823,  
824, 825, 826, 827, 828, 829,  
830, 831, 832, 833, 834, 835,



836, 837, 838, 839, 840, 841,	1093, 1094, 1095, 1096, 1097,
842, 843, 844, 845, 846, 847,	1098, 1099, 1100, 1101, 1102,
848, 849, 850, 851, 852, 853,	1103, 1104, 1105, 1106, 1107,
854, 855, 856, 857, 858, 859,	1108, 1109, 1110, 1111, 1112,
860, 861, 862, 863, 864, 865,	1113, 1114, 1115, 1116, 1117,
866, 867, 868, 869, 870, 871,	1118, 1129, 1130, 1131, 1132,
872, 873, 874, 875, 876, 877,	1133, 1134, 1135, 1136, 1137,
878, 879, 880, 881, 882, 883,	1138, 1139, 1140, 1141, 1142,
884, 885, 886, 887, 888, 889,	1143, 1144, 1145, 1146, 1147,
890, 891, 892, 893, 894, 895,	1148, 1149, 1150, 1151, 1152,
896, 897, 898, 899, 900, 901,	1153, 1154, 1155, 1156, 1157,
902, 903, 904, 905, 906, 907,	1158, 1159, 1160, 1161, 1162,
908, 909, 910, 911, 912, 913,	1163, 1164, 1165, 1166, 1167,
914, 915, 916, 917, 918, 919,	1168, 1169, 1170, 1171, 1172,
920, 921, 922, 923, 924, 925,	1173, 1174, 1175, 1176, 1177,
926, 927, 928, 929, 930, 931,	1178, 1179, 1180, 1181, 1182,
932, 933, 934, 935, 936, 937,	1183, 1184, 1185, 1186, 1187,
938, 939, 940, 941, 942, 943,	1500
944, 945, 946, 947, 948, 949,	\eqenvironment . . 1217, 1218, 1219,
950, 951, 952, 953, 954, 955,	1220, 1221, 1222, 1223, 1224,
956, 957, 958, 959, 960, 961,	1225, 1226, 1227, 1228, 1229,
962, 963, 964, 965, 966, 967,	1230, 1231, 1232, 1233, 1234,
968, 969, 970, 971, 972, 973,	1235, 1236, 1237, 1238, 1239,
974, 975, 976, 977, 978, 979,	1240, 1241, 1242, 1243, 1244,
980, 981, 982, 983, 984, 985,	1245, 1246, 1247, 1248, 1249,
986, 987, 988, 989, 990, 991,	1250, 1251, 1252, 1253, 1254,
992, 993, 994, 995, 996, 997,	1255, 1256, 1257, 1258, 1260,
998, 999, 1000, 1001, 1002,	1261, 1262, 1263, 1264, 1265,
1003, 1004, 1005, 1006, 1007,	1266, 1267, 1268, 1269, 1501
1008, 1009, 1010, 1011, 1012,	\eqstyle . . . . . 142
1013, 1014, 1015, 1016, 1017,	\equal 4313, 4468, 4640, 4645, 4650,
1018, 1019, 1020, 1021, 1022,	4655, 4660, 4693, 4698, 4703,
1023, 1024, 1025, 1026, 1027,	4708, 4713
1028, 1029, 1030, 1031, 1032,	\equationautorefname . . . . 1355
1033, 1034, 1035, 1036, 1037,	\escapechar . . 2587, 4842, 4866
1038, 1039, 1040, 1041, 1042,	\everydisplay . . . 137, 5090, 5091
1043, 1044, 1045, 1046, 1047,	\everyjob . . . . . 2560, 2561
1048, 1049, 1050, 1051, 1052,	\everymath . . . . . 5087
1053, 1054, 1055, 1056, 1057,	\everypar . . . . . 2974
1058, 1059, 1060, 1061, 1062,	\ExecuteOptions . . . . . 5209
1063, 1064, 1065, 1066, 1067,	\ExecuteOptionsX . . . . . 3885
1068, 1069, 1070, 1071, 1072,	\exp 2620, 2622, 2623, 2624, 2645,
1073, 1074, 1075, 1076, 1077,	2647, 2648, 2649, 2691, 2693,
1078, 1079, 1080, 1081, 1082,	2694, 2695, 2719, 2721, 2722,
1083, 1084, 1085, 1086, 1087,	2723, 2737, 2739, 2740, 2741,
1088, 1089, 1090, 1091, 1092,	2785, 2787, 2788, 2789, 2809,



2811, 2812, 2813, 2833, 2835,	\fboxsep . . . . . 1338, 1340,
2836, 2837, 2857, 2859, 2860,	1342, 1344, 4265, 4458, 4490,
2861, 2881, 2883, 2884, 2885,	4562, 4590, 4638, 4687
2905, 2907, 2908, 2909	\fi . . . . . 2, 3, 5, 7, 35,
\expandafter . . . . 137, 1422, 1428,	63, 68, 92, 136, 138, 139, 140,
1654, 1655, 1779, 1813, 1902,	148, 159, 161, 170, 1203, 1289,
1939, 1942, 1949, 1952, 1969,	1330, 1341, 1343, 1345, 1355,
2011, 2100, 2216, 2221, 2222,	1356, 1357, 1358, 1359, 1360,
2227, 2232, 2233, 2239, 2240,	1361, 1362, 1363, 1364, 1365,
2241, 2242, 2249, 2250, 2251,	1366, 1367, 1368, 1369, 1370,
2252, 2254, 2263, 2264, 2265,	1419, 1427, 1443, 1448, 1451,
2266, 2276, 2293, 2294, 2295,	1453, 1464, 1465, 1477, 1480,
2296, 2562, 2565, 2567, 2571,	1483, 1486, 1489, 1492, 1495,
2573, 2577, 2579, 2584, 2585,	1591, 1592, 1593, 1594, 1595,
2588, 2591, 2592, 2594, 2595,	1596, 1597, 1598, 1599, 1640,
2982, 3084, 3340, 3345, 3348,	1641, 1647, 1662, 1663, 1668,
3363, 3369, 3454, 3464, 3470,	1669, 1672, 1675, 1678, 1681,
3564, 3566, 3568, 3570, 3578,	1684, 1687, 1691, 1692, 1700,
4837, 4856, 4861, 4870, 4871,	1718, 1719, 1725, 1732, 1735,
4872, 4882, 5087, 5090, 5141	1740, 1741, 1760, 1761, 1762,
\expandedtitle . . . . . 4634	1763, 1767, 1768, 1769, 1783,
\ExplSyntaxOff . . 1968, 2290, 2921,	1784, 1785, 1786, 1801, 1802,
4907, 5022	1817, 1818, 1819, 1820, 1837,
\ExplSyntaxOn . . 1966, 2278, 2610,	1838, 1852, 1861, 1862, 1863,
4886, 4913	1864, 1871, 1872, 1876, 1881,
\extract@alph@from@version . .	1884, 1889, 1892, 1906, 1907,
. . . . . 4870	1908, 1909, 1932, 1933, 1943,
	1953, 1965, 1983, 2001, 2022,
F	2024, 2035, 2039, 2048, 2049,
\f@baselineskip 2939, 2953, 3177,	2053, 2065, 2070, 2074, 2078,
3284, 3944, 3946	2079, 2083, 2088, 2089, 2090,
\f@family . . . . . 2671, 2672	2091, 2111, 2113, 2135, 2143,
\f@size . . . . . 2939, 2953	2151, 2152, 2161, 2162, 2168,
\f@ur 1419, 2996, 3012, 3013, 3014,	2171, 2181, 2202, 2217, 2235,
3017, 3018, 3019	2255, 2268, 2271, 2297, 2309,
\false . . . . . 5186	2412, 2413, 2414, 2415, 2416,
\falsesymbol . . . . . 5177	2417, 2418, 2419, 2420, 2421,
\familydefault . . . . .	2422, 2423, 2424, 2425, 2426,
. . 2627, 2698, 2792, 2816,	2427, 2432, 2446, 2447, 2448,
2840, 2864, 2888, 2912	2449, 2450, 2451, 2452, 2453,
\fancyfoot 4378, 4382, 4383, 4384	2454, 2455, 2456, 2457, 2458,
\fancyhead 4377, 4379, 4380, 4381	2459, 2460, 2461, 2476, 2477,
\FancyVerbLineautorefname 1368	2478, 2479, 2480, 2481, 2482,
\fbox 4262, 4277, 4492, 5163, 5223	2483, 2484, 2485, 2486, 2487,
\fboxrule . 1338, 1340, 1342, 1344,	2488, 2489, 2490, 2491, 2504,
4334	2518, 2519, 2520, 2521, 2522,



2523, 2524, 2525, 2526, 2527,  
 2568, 2574, 2580, 2598, 2599,  
 2607, 2671, 2672, 2983, 2990,  
 3004, 3009, 3010, 3011, 3015,  
 3020, 3021, 3022, 3023, 3032,  
 3043, 3044, 3045, 3049, 3051,  
 3055, 3056, 3058, 3059, 3063,  
 3065, 3069, 3070, 3071, 3191,  
 3207, 3222, 3238, 3254, 3263,  
 3272, 3281, 3313, 3314, 3315,  
 3316, 3317, 3318, 3319, 3320,  
 3321, 3322, 3323, 3324, 3325,  
 3326, 3327, 3328, 3329, 3330,  
 3331, 3339, 3344, 3366, 3380,  
 3392, 3397, 3398, 3401, 3403,  
 3404, 3416, 3420, 3422, 3423,  
 3425, 3428, 3430, 3436, 3439,  
 3442, 3446, 3451, 3467, 3481,  
 3493, 3498, 3499, 3502, 3504,  
 3505, 3517, 3521, 3523, 3524,  
 3526, 3532, 3533, 3535, 3540,  
 3547, 3553, 3571, 3572, 3573,  
 3574, 3575, 3576, 3583, 3584,  
 3587, 3588, 3591, 3592, 3594,  
 3595, 3607, 3666, 3678, 3686,  
 3694, 3700, 3707, 3715, 3722,  
 3729, 3741, 3747, 3753, 3757,  
 3763, 3767, 3773, 3785, 3786,  
 3797, 3798, 3809, 3810, 3822,  
 3858, 3872, 3883, 3905, 3955,  
 3956, 3958, 4287, 4288, 4493,  
 4510, 4674, 4748, 4767, 4794,  
 4819, 4837, 4855, 4856, 4861,  
 4881, 4882, 5025, 5043, 5044,  
 5045, 5046, 5047, 5048, 5049,  
 5050, 5051, 5052, 5053, 5055,  
 5063, 5064, 5065, 5067, 5068,  
 5069, 5075, 5076, 5077, 5079,  
 5080, 5081, 5277, 5279, 5280,  
 5281, 5287, 5311, 5312, 5332,  
 5343, 5364, 5373, 5380, 5387,  
 5402  
 \figureautorefname ..... 1358  
 \figurename ..... 3313  
 \finishsetclass ..... 1425, 1429  
 \firstarticle .. 4389, 4413, 4414,  
 4416  
 \FirstFrameCommand ..... 1340  
 \firstimage .. 4486, 4499, 4500,  
 4502  
 \firstmark ..... 1327  
 \firstTextFormat ... 4147, 4149  
 \firstTitleFormat .. 4135, 4141,  
 4142  
 \float@box ..... 1940, 1950  
 \float@endH ..... 1939, 1949  
 \floatsep .... 3288, 3292, 3293  
 \flushright ... 4135, 4154, 4173  
 \font ..... 3000  
 \font@name 3924, 3926, 3930, 3932,  
 3936, 3938  
 \fontencoding .....  
 .. 2622, 2648, 2693, 2722,  
 2740, 2787, 2811, 2835, 2859,  
 2883, 2907  
 \fontfamily 2623, 2647, 2694, 2721,  
 2739, 2754, 2757, 2760, 2763,  
 2766, 2769, 2788, 2812, 2836,  
 2860, 2884, 2908  
 \fontsize ..... 2939, 2953  
 \fontspec 1967, 2285, 2618, 2642,  
 2690, 2716, 2734, 2783, 2807,  
 2831, 2855, 2879, 2903, 4967,  
 5000, 5014  
 \foot ..... 4130  
 \footdir@debugfalse .... 3752  
 \footdir@debugtrue .... 3750  
 \footins ..... 3286  
 \footnote ..... 4227  
 \footnoteautorefname .... 1356  
 \footnoterule ..... 4226  
 \footnotesep .. 3285, 3952, 3954  
 \footnotesize ..... 84, 86, 88,  
 1289, 1290, 1291, 1330, 1332,  
 1334, 3125, 3126, 4055, 4056,  
 4090, 4123, 4188, 4212, 4213,  
 4225  
 \foottextfont ..... 1289  
 \FrameCommand ..... 1338  
 \FrameRestore ..... 1346  
 \frenchspacing ..... 1964, 2272



\frontmatter 15, 95, 106, 124, 1277,  
2431  
\futurelet ..... 2207, 5028

## G

\g ... 2618, 2619, 2623, 2642, 2647,  
2690, 2694, 2783, 2784, 2788,  
2807, 2808, 2812, 2831, 2832,  
2836, 2855, 2856, 2860, 2879,  
2880, 2884, 2903, 2904, 2908,  
4887, 4967, 4970, 4971, 4972,  
4973, 5000, 5002, 5014, 5016  
\g@addto@macro ..... 5138  
\G@refundefinedtrue .... 2985  
\gdef ..... 43, 49, 55, 61,  
102, 103, 113, 114, 120, 121,  
132, 133, 1275, 1285, 1286,  
1297, 1298, 1375, 1376, 1391,  
1393, 1586, 1587, 2376, 2377,  
2383, 2384, 2390, 2391, 2398,  
2399, 2406, 2439, 2440, 2469,  
2470, 4068, 4338, 4339, 4340,  
5028, 5104, 5106, 5124, 5126,  
5128, 5134, 5135, 5151, 5176,  
5177, 5191, 5210, 5212, 5217,  
5228  
\get@cdp ..... 4896  
\getanddefine@fonts 3923, 3929,  
3935, 4843, 4867  
\Gin@boolkey ..... 2292  
\glb@currsiz ..... 4966  
\global 73, 74, 139, 149, 150, 151, 152,  
153, 154, 155, 156, 164, 1304,  
1305, 1324, 1697, 1701, 2021,  
2110, 4247, 4248, 4249, 4250,  
4251, 4252, 4253, 4254, 4255,  
4256, 4849, 4875  
\globaldefs ..... 4844, 4868  
\glossary ..... 1314  
\glsaddprotectedpagefmt . 1351,  
1352, 1353  
\goodbreak ..... 4825  
\grid ..... 4029, 4033, 4295  
\Grot@x .. 2300, 2301, 2302, 2303  
\Grot@y .. 2304, 2305, 2306, 2307,  
2308, 2309

\group ..... 2285  
\group@elt ..... 4895  
\group@list ..... 4895  
\grp@aligned ..... 155  
\GRP@box ..... 150  
\grp@eqs@numbered ..... 154  
\grp@hasNumber ..... 159  
\GRP@label ..... 151  
\grp@linewidth ..... 153  
\GRP@queue ..... 150  
\grp@setnumber ..... 159  
\grp@shiftnumber ..... 156  
\grp@wdL ..... 152  
\grp@wdNum ..... 153  
\grp@wdR ..... 152  
\grp@wdT ..... 152

## H

\harfi 1190, 1208, 1213, 1580, 2412,  
2446, 2476, 3345  
\harfinumeral ..... 3346  
\hbox ..... 1848, 2984, 3311, 3312  
\headDateTimeFormat 4094, 4096  
\headerfont ..... 5104  
\headheight ..... 1320, 4328  
\heading ..... 4117  
\headrulewidth ..... 4329, 4385  
\headsep ..... 1321  
\headtoname ..... 3330  
\height ..... 2304, 2305  
\hfil . 1844, 1845, 1846, 1847, 1879,  
1880, 1881, 1887, 1888, 1889  
\hline 4778, 5145, 5146, 5149, 5150,  
5170, 5171  
\hrule 1419, 4661, 4667, 4714, 4720,  
4765, 4805  
\hrulefill ... 4343, 4348, 4362  
\hsize 1346, 1705, 1721, 1746, 1747,  
1945, 1955  
\hskip ..... 1419, 1846, 1847, 1889  
\hspace .. 4096, 4114, 4343, 4349,  
4361, 4363, 4541  
\hss ..... 1733  
\Huge . 3172, 3173, 4066, 4135, 4191  
\huge ..... 3166, 3167, 4065  
\Hy@AlphNoErr ..... 1391, 1393





[\Hy@appendixstring](#) . 1377, 1395  
[\Hy@backout](#) . . . . . 69, 77  
[\Hy@chapapp](#) . . . . . 1377, 1395  
[\HyOrg@appendix](#) . . . . 1372, 1378  
[\HyOrg@resets@pp](#) . . . 1388, 1396  
[\hyper@natlinkbreak](#) 2043, 2074  
[\hyper@natlinkstart](#) . . . . . 77

# I

[\if](#) . . . . . 140, 159,  
 1658, 1664, 1670, 1673, 1676,  
 1679, 1682, 1685, 1688, 1719,  
 1726, 1727, 1728, 1729, 1741,  
 1758, 1759, 1760, 1761, 1762,  
 1763, 1764, 1765, 1766, 1767,  
 1781, 1782, 1783, 1784, 1785,  
 1786, 1788, 1789, 1790, 1791,  
 1792, 1795, 1796, 1797, 1798,  
 1799, 1800, 1815, 1816, 1817,  
 1818, 1819, 1820, 1822, 1823,  
 1824, 1825, 1826, 1827, 1828,  
 1831, 1832, 1833, 1834, 1835,  
 1836, 1859, 1860, 1861, 1862,  
 1863, 1864, 1866, 1867, 1868,  
 1869, 1870, 1871, 1904, 1905,  
 1906, 1907, 1908, 1909, 1910,  
 1911, 1912, 1913, 1914, 1915,  
 1916, 1917, 1919, 1920, 1921,  
 1922, 1923, 1926, 1927, 1928,  
 1929, 1930, 1931, 2026, 2056,  
 2074, 2084, 2090, 2091, 2152,  
 2168, 2200, 2220, 2226, 2228,  
 2238, 2246, 2248, 2270, 2300,  
 2301, 2302, 2303, 2304, 2305,  
 2306, 2307, 2308, 2309  
[\if@@textdigitfont@on](#) . . . 2671,  
 2672, 3035  
[\if@bidi@algorithmicloaded@](#) .  
 . . . . . 1475  
[\if@bidi@algorithmloaded@](#) 1478  
[\if@bidi@backrefloaded@](#) . . 1481  
[\if@bidi@csprimitive](#) . . . . 1500  
[\if@bidi@csundef](#) . . . 2659, 3305,  
 3558, 3609  
[\if@bidi@enumerateloaded@](#) 1484  
[\if@bidi@enumitemloaded@](#) 1487

[\if@bidi@tocloftloaded@](#) . 1490  
[\if@bidi@urlloaded@](#) . . . . 1493  
[\if@chapter@pp](#) . . . . . 28  
[\if@extrafootnotefeatures](#) 3902  
[\if@files](#) . . . . . 2983  
[\if@hboxRconstruct](#) . . 1718, 1740  
[\if@inlabel](#) . . . . . 139  
[\if@Kashida@on](#) . . . . . 1416, 1418  
[\if@Kashida@XB@fix](#) . 1417, 1443,  
 1448, 1451, 1453  
[\if@LTRbibitems](#) . . . . . 3605  
[\if@newlist](#) . . . 1304, 1324, 1965  
[\if@nonlatin](#) . . . . .  
 . . . 2671, 2672, 5075, 5076,  
 5077, 5079, 5080, 5081  
[\if@noskipsec](#) . . . . . 138  
[\if@pboxsw](#) . . . . . 1735  
[\if@RTL](#) . . . . . 2, 3, 5,  
 7, 63, 92, 136, 148, 161, 1341,  
 1343, 1345, 1355, 1356, 1357,  
 1358, 1359, 1360, 1361, 1362,  
 1363, 1364, 1365, 1366, 1367,  
 1368, 1369, 1370, 1464, 1465,  
 1591, 1592, 1593, 1594, 1595,  
 1596, 1597, 1598, 1599, 1719,  
 1741, 2518, 2519, 2520, 2521,  
 2522, 2523, 2524, 2525, 2526,  
 2527, 3313, 3314, 3315, 3316,  
 3317, 3318, 3319, 3320, 3321,  
 3322, 3323, 3324, 3325, 3326,  
 3327, 3328, 3329, 3330, 3331  
[\if@RTL@footnote](#) . . . 1289, 1330  
[\if@RTLmain](#) . . . . . 2990  
[\if@RTLtab](#) 1760, 1761, 1762, 1763,  
 1783, 1784, 1785, 1786, 1817,  
 1818, 1819, 1820, 1861, 1862,  
 1863, 1864, 1906, 1907, 1908,  
 1909  
[\if@tempswa](#) 2143, 3191, 3207, 3222,  
 3238, 3254, 3263, 3272, 3281  
[\if@twoside](#) . . . . . 2432  
[\if@xepersian@computeautoilg](#)  
 . . . . . 2992, 3942  
[\ifadl@usingarypkg](#) . . . . . 1805  
[\ifBR@verbose](#) . . . . . 66  
[\ifcase](#) . . . . . 1843,



	1874, 1878, 1882, 1886, 2025, 2055, 2148, 3333, 3342, 3370, 3433, 3439, 3442, 3445, 3449, 3471, 3538, 3543, 3550, 3582, 3586, 3590, 3594, 3661, 3672, 3680, 3688, 3696, 3703, 3711, 3718, 3725, 3731, 3743, 3749, 3755, 3759, 3765, 3769, 3775, 3788, 3800, 3812, 3854, 3861, 3876, 5395	4036, 4140, 4155, 4174, 4195, 4313, 4391, 4392, 4422, 4454, 4468, 4488, 4506, 4530, 4560, 4584, 4611, 4640, 4645, 4650, 4655, 4660, 4693, 4698, 4703, 4708, 4713, 5152
\ifdim	169, 2564, 2570, 2576, 3001, 3002, 3006, 3007, 3012, 3013, 3017, 3018, 3027, 3043, 3044, 3045, 3051, 3058, 3059, 3065, 3948, 3952, 4275, 4760	\ifwritexviii . 2602, 3777, 3789, 3801
\iffontchar	3000	\ifx . . . . . 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1425, 1635, 1638, 1722, 1942, 1952, 2029, 2030, 2032, 2059, 2060, 2062, 2131, 2149, 2209, 2258, 2297, 2410, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2444, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2474, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2585, 2593, 2671, 2672, 4837, 4861, 5023, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5055, 5063, 5064, 5065, 5067, 5068, 5069, 5075, 5076, 5077, 5079, 5080, 5081
\ifhmode	1642	\ifXePersian@kabiseh 5234, 5339
\ifinner	1648	\ifXePersian@leap . . 5234, 5283
\ifmmode	1730, 4839, 4863	\IfxepersianPackageVersion . . . . . . . 2575
\ifNAT@full	2023, 2112	\IfxepersianPackageVersionBefore . . . . . 2569
\ifNAT@longnames	2019, 2108	\IfxepersianPackageVersionLater . . . . . 2563
\ifNAT@numbers	1972, 2179	\ifxetex . . . . . 4268, 4491, 4508
\ifNAT@super	1973	\ignorespaces . . . . . 173, 1947, 1957, 2631, 2702, 2796, 2820, 2844, 2868, 2892, 2916, 4086, 4139, 4149, 4154, 4162, 4167, 4173, 4181, 4441, 4467, 4616
\ifNAT@swa	2025, 2090, 2114, 2166	\image . . . . . 4263
\ifnum	170, 1689, 1756, 1757, 1773, 1774, 1775, 1776, 1778, 1807, 1808, 1809, 1810, 1812, 1857, 1858, 1896, 1897, 1898, 1899, 1901, 2500, 2603, 3025, 3360, 3362, 3371, 3372, 3373, 3374, 3375, 3376, 3377, 3378, 3395, 3397, 3399, 3401, 3403, 3408, 3419, 3420, 3422, 3424, 3425, 3428, 3461, 3463, 3472, 3473, 3474, 3475, 3476, 3477, 3478, 3479, 3496, 3498, 3500, 3502, 3504, 3509, 3520, 3521, 3523, 3525, 3526, 3528, 3533, 3560, 3562, 3564, 3566, 3568, 3570, 3584, 3588, 3592, 3595, 4672, 4746, 4792, 4817, 4840, 4864, 5273, 5277, 5305, 5311, 5332, 5359, 5363, 5368, 5372, 5374, 5383	
\ifodd	1659, 1665, 5266, 5271	
\ifthenelse	4015, 4027,	



`\immediate` 2983, 3780, 3781, 3792, 3793, 3804, 3805  
`\includegraphics` ... 4278, 4492, 4509  
`\index` ..... 1313  
`\indexEntryFormat` .. 4084, 4086  
`\indexEntryPageFormat` ... 4090, 4092  
`\indexEntryPageTxt` . 4089, 4092  
`\indexEntrySeparator` 4088, 4616  
`\indexFormat` ..... 4080, 4082  
`\indexitem` 4609, 4619, 4620, 4622  
`\indexname` ..... 3319  
`\init@restore@version` ... 4846, 4894  
`\innerAuthorFormat` . 4212, 4729  
`\innerPlaceFormat` .. 4213, 4729  
`\innerSubtitleFormat` 4202, 4203  
`\innerTextFinalMark` 4214, 4750  
`\innerTitleFormat` .. 4191, 4196, 4197  
`\input` ..... 1511, 1512, 1513, 1514, 1515, 1516, 1517, 3613, 3614, 3615, 3616, 3617, 3618, 3619, 3620, 3621, 3622, 3623, 3624, 3625, 3626, 3627, 3628, 3629, 3630, 3631, 3632, 3633, 3634, 3635, 3636, 3637, 3638, 3639, 3640, 3641, 3642, 3643, 3644, 3645, 3646, 3647, 3648, 3649, 3650, 3651, 3652, 3653, 3654, 3655, 3756, 3766, 3903, 3904  
`\insert@column` . 1845, 1846, 1847, 1848, 1850, 1851  
`\int` . 4921, 4929, 4937, 4945, 4953  
`\intermath@penalty` ..... 172  
`\intextsep` ..... 3292  
`\iranicdefault` 2748, 2760, 2904, 2912  
`\iranicfamily` . 2758, 2759, 2772, 2905  
`\item` ..... 5178, 5179, 5180, 5181  
`\itemautorefname` ..... 1357  
`\itemsep` . 3190, 3206, 3221, 3237, 3253  
`\itshape` ..... 3603, 5190  

**J**

`\jobname` . 3781, 3782, 3793, 3794, 3805, 3806  

**K**

`\KashidaOff` ..... 1458  
`\KashidaOn` ..... 1457, 1462  
`\KashidaXBFixOff` ..... 1461  
`\KashidaXBFixOn` ..... 1460  
`\kern` ..... 1977, 3312  
`\keyval@eq@alias@key` 1503, 1507  
`\KV@@sp@def` ..... 3660  

**L**

`\l` . 2622, 2628, 2648, 2693, 2699, 2722, 2740, 2787, 2793, 2811, 2817, 2835, 2841, 2859, 2865, 2883, 2889, 2907, 2913  
`\label` .... 1312, 4745, 4791, 4815  
`\labelsep` 3234, 3249, 3262, 3271, 3280  
`\labelwidth` .. 3234, 3249, 3262, 3271, 3280  
`\LARGE` 3160, 3161, 4064, 4151, 4215, 4218, 4231, 4233  
`\Large` 3154, 3155, 4063, 4170, 4220, 4347, 4630, 4664  
`\large` 3148, 3149, 4062, 4074, 4080, 4160, 4179, 4202, 4222, 4235, 4241, 4353  
`\LastFrameCommand` ..... 1344  
`\lastpenalty` ..... 170  
`\lastskip` ..... 169  
`\latin` ..... 2960  
`\LatinAlphs` .. 2960, 2964, 3599  
`\Latincite` ..... 2175, 2976  
`\latinfont` 2691, 2936, 2938, 3825  
`\latintoday` ..... 2967  
`\lccode` ..... 2194, 2195, 2196  
`\leaders` ..... 1419  
`\leavevmode` . 138, 139, 1716, 1738, 1965, 2978, 3311  
`\leftfootnoterule` ..... 3734



`\leftmargin` 3187, 3203, 3218, 3233,  
3234, 3248, 3249, 3261, 3262,  
3270, 3271, 3279, 3280  
`\leftmargini` ... 3187, 3203, 3218  
`\leftmarginii` ..... 3233  
`\leftmarginiii` ..... 3248  
`\leftmarginiv` ..... 3261  
`\leftmarginv` ..... 3270  
`\leftmarginvi` ..... 3279  
`\let` ..... 11, 19, 73, 74, 149, 151,  
154, 155, 156, 162, 167, 1198,  
1199, 1200, 1201, 1302, 1304,  
1312, 1313, 1314, 1324, 1327,  
1372, 1382, 1383, 1388, 1403,  
1425, 1427, 1709, 1710, 1711,  
1712, 1713, 1714, 1733, 1750,  
1751, 1752, 1753, 1822, 1823,  
1824, 1866, 1867, 1868, 1936,  
1939, 1940, 1949, 1950, 1969,  
1973, 1975, 1976, 1979, 1980,  
1981, 1982, 1984, 1985, 1986,  
1987, 1992, 1993, 1994, 1995,  
1996, 1997, 1998, 2008, 2017,  
2020, 2023, 2024, 2097, 2106,  
2109, 2112, 2113, 2121, 2176,  
2201, 2212, 2219, 2225, 2229,  
2230, 2245, 2247, 2267, 2276,  
2294, 2296, 2410, 2444, 2474,  
2495, 2499, 2923, 2924, 2936,  
2937, 2941, 2942, 2945, 2946,  
2947, 2948, 2950, 2951, 2955,  
2956, 2966, 2979, 3098, 3115,  
3132, 3193, 3341, 3346, 3353,  
3459, 3579, 3597, 3598, 3600,  
3601, 3814, 3815, 3819, 3820,  
3870, 3871, 4225, 4226, 4227,  
4247, 4248, 4249, 4250, 4251,  
4252, 4253, 4254, 4255, 4256,  
4835, 4851, 4877, 4966, 5088,  
5092, 5107, 5196, 5197, 5198,  
5199, 5203, 5204, 5205, 5206,  
5218, 5219, 5392, 5393, 5394  
`\lineskip` ..... 1316, 4236  
`\lineskiplimit` ..... 1317  
`\linespread` ..... 3030  
`\linewidth` 5144, 5148, 5163, 5223  
`\listalgorithmname` ..... 7  
`\listfigurename` ..... 3316  
`\listtablename` ..... 3317  
`\LoadClass` ..... 4008  
`\logo` ..... 4341, 4370  
`\long` ..... 1715  
`\longdate` ..... 4725  
`\loop` ..... 2999, 5360, 5369  
`\lower` ..... 3311  
`\lowercase` ..... 2197  
`\lr` 1382, 2008, 2097, 2958, 2967,  
2980, 4068, 4123, 4515  
`\LRE` ..... 2958  
`\lstlistingname` ..... 1464  
`\lstlistlistingname` .... 1465  
`\LTR` ..... 2960  
`\LTRfoottextfont` ..... 1290  
`\ltx@ifundefined` 1374, 1386, 1390  
  

## M

`\m@ne` ..... 2125, 4842, 4866  
`\m@th` ..... 1735  
`\makeform` ..... 5200, 5207  
`\makeform@correction` 5115, 5207  
`\makeform@nocorrection` .. 5112,  
5200  
`\MakeFramed` ..... 1346  
`\makemask` ..... 5201, 5208  
`\makemask@correction` 5120, 5208  
`\makemask@nocorrection` .. 5117,  
5201  
`\maketitle` ..... 4224, 4248  
`\MakeUppercase` ..... 4190  
`\makezwnjletter` .... 1498, 1499  
`\math@bgroup` ..... 4837, 4861  
`\math@fonts` ..... 4844, 4868  
`\math@version` .....  
... 4840, 4843, 4848, 4849,  
4853, 4864, 4867, 4871, 4873,  
4875, 4879  
`\mathalpha` 4975, 4976, 4977, 4978,  
4979, 4980, 4981, 4982, 4983,  
4984  
`\mathbf` ..... 4914, 4987  
`\mathbin` ..... 4985  
`\mathchar@type` . 4901, 4910, 4912



<code>\mathchardef</code> . . . . .	5026	<code>\NAT@all@names</code> . . . . .	2020, 2023, 2109, 2112
<code>\mathcode</code> . . . . .	4922, 4930, 4938, 4946, 4954, 5054	<code>\NAT@aysep</code> . . . . .	2044
<code>\mathgroup</code> . . . . .	4834	<code>\NAT@biblabel</code> . . . . .	1995
<code>\mathiranic</code> . . . . .	2759	<code>\NAT@biblabelnum</code> . . . . .	1986
<code>\mathit</code> . . . . .	4915, 4988	<code>\NAT@bibsetnum</code> . . . . .	1987
<code>\mathnavar</code> . . . . .	2762	<code>\NAT@bibsetup</code> . . . . .	1996
<code>\mathord</code> . . . . .	4986	<code>\NAT@cite</code> . . . . .	1992
<code>\mathpersiansf</code> . . . . .	2753	<code>\NAT@cite@list</code> . . . . .	2009, 2098
<code>\mathpersiantt</code> . . . . .	2756	<code>\NAT@citea@mbbox</code> . . . . .	2143
<code>\mathpook</code> . . . . .	2765	<code>\NAT@citenum</code> . . . . .	1980
<code>\mathrm</code> . . . . .	4916, 4989	<code>\NAT@citesuper</code> . . . . .	1973
<code>\mathsayeh</code> . . . . .	2768	<code>\NAT@citeundefined</code> . . . . .	2014, 2104
<code>\mathsf</code> . . . . .	4917, 5003	<code>\NAT@citex</code> . . . . .	1993
<code>\mathsurround</code> . . . . .	166	<code>\NAT@citexnum</code> . . . . .	1984
<code>\mathtt</code> . . . . .	4918, 5017	<code>\NAT@close</code> . . . . .	1988, 1999
<code>\mbox</code> . . . . .	1979	<code>\NAT@cmprs</code> . . . . .	2119, 2165
<code>\meaning</code> . . . . .	2588, 2591	<code>\NAT@cmt</code> . . . . .	2090, 2168
<code>\MessageBreak</code> . . . . .		<code>\NAT@ctype</code> . . . . .	2025, 2055, 2115, 2117, 2148, 2156, 2158, 2167, 2176
. . . . .	2034, 2035, 2064, 2065, 3610, 4413, 4445, 4479, 4499, 4520, 4523, 4545, 4570, 4596, 4619, 4622, 5156	<code>\NAT@date</code> . . . . .	1999, 2016, 2026, 2027, 2038, 2046, 2051, 2056, 2069, 2076, 2081, 2084, 2091
<code>\MidFrameCommand</code> . . . . .	1342	<code>\NAT@def@citea</code> . . . . .	2053, 2085, 2146
<code>\minilogo</code> . . . . .	4352, 4566	<code>\NAT@def@citea@box</code> . . . . .	2154
<code>\minraggedcols</code> . . . . .	3991, 3992, 4030, 4034, 4672, 4746, 4792, 4817	<code>\NAT@def@citea@close</code> . . . . .	2087
<code>\mlfttitle</code> . . . . .	1595	<code>\NAT@exlab</code> . . . . .	2032, 2036, 2062, 2066
<code>\mltttitle</code> . . . . .	1596	<code>\NAT@fullfalse</code> . . . . .	2177
<code>\month</code> . . . . .	5260	<code>\NAT@fulltrue</code> . . . . .	2177
<code>\moveright</code> . . . . .	1318	<code>\NAT@hyper@</code> . . . . .	2027, 2036, 2038, 2041, 2050, 2051, 2052, 2057, 2066, 2069, 2072, 2080, 2081, 2082, 2117, 2153
<code>\mtctitle</code> . . . . .	1594	<code>\NAT@hyper@citea@space</code> . . . . .	2156, 2158, 2160
<code>\multido</code> . . . . .	4314, 4320	<code>\NAT@idxtxt</code> . . . . .	1988, 1999
<code>\multiply</code> . . . . .	1695, 5263, 5276, 5303, 5309, 5326, 5330	<code>\NAT@ifcat@num</code> . . . . .	2120, 2123
<code>\mylogo</code> . . . . .	4357	<code>\NAT@last@nm</code> . . . . .	2017, 2029, 2059, 2106, 2149
N			
<code>\n</code> . . . . .	5028, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041	<code>\NAT@last@num</code> . . . . .	2106, 2123, 2124, 2142
<code>\NAT@close</code> . . . . .	2091, 2170	<code>\NAT@last@yr</code> . . . . .	2017, 2030, 2060, 2097, 2131, 2165
<code>\NAT@Latin@citetp</code> . . . . .	2178, 2182, 2183, 2184	<code>\NAT@last@yr@mbbox</code> . . . . .	2127, 2137
<code>\NAT@open</code> . . . . .	2074, 2150	<code>\NAT@Latin@cites</code> . . . . .	2177, 2178
<code>\NAT@alias</code> . . . . .	2052, 2082, 2117, 2160		



<code>\NAT@Latin@citex</code> . . .	1994, 2002, 2003	<code>\new@mathbf</code> . . . . .	4919, 4987
<code>\NAT@Latin@citexnum</code>	1985, 2092, 2093	<code>\new@mathgroup</code>	4834, 4835, 4890
<code>\NAT@mbox</code> .	1974, 1979, 2150, 2153, 2170	<code>\new@mathit</code> . . . . .	4927, 4988
<code>\NAT@merge</code> . . . . .	2127, 2142	<code>\new@mathrm</code> . . . . .	4935, 4989
<code>\NAT@name</code>	1988, 1999, 2020, 2024, 2109, 2113	<code>\new@mathsf</code> . . . . .	4943, 5003
<code>\NAT@nm</code> . .	2008, 2017, 2023, 2024, 2027, 2029, 2042, 2050, 2057, 2059, 2073, 2080, 2097, 2106, 2112, 2113, 2121, 2122, 2126, 2130, 2149	<code>\new@mathtt</code> . . . . .	4951, 5017
<code>\NAT@nmfmt</code>	2027, 2042, 2050, 2057, 2073, 2080	<code>\new@mathversion</code> . . . . .	4895
<code>\NAT@num</code> .	1988, 2097, 2106, 2120, 2121, 2142, 2153	<code>\new@symbolfont</code> . . . . .	4896
<code>\NAT@open</code> . . . . .	1988, 1999	<code>\newboolean</code> . .	3973, 3975, 3977, 3979, 3981, 3983, 3985
<code>\NAT@parse</code> . . . . .	2018, 2107	<code>\newcolumntype</code> . . . . .	5108, 5109
<code>\NAT@partrue</code> . . . . .	2176	<code>\newcommand</code> . . . . .	1457, 1458, 1460, 1461, 1498, 1500, 1501, 1503, 1507, 2002, 2092, 2178, 2183, 2506, 2563, 2569, 2575, 2671, 2672, 2746, 2747, 2748, 2749, 2750, 2751, 2997, 3037, 3038, 3042, 3074, 3304, 3347, 3350, 3453, 3456, 3916, 3970, 4025, 4069, 4070, 4073, 4074, 4075, 4080, 4081, 4084, 4085, 4088, 4089, 4090, 4091, 4094, 4095, 4099, 4100, 4103, 4104, 4105, 4106, 4109, 4112, 4117, 4122, 4125, 4127, 4130, 4135, 4136, 4147, 4148, 4151, 4152, 4160, 4161, 4164, 4165, 4170, 4171, 4179, 4180, 4182, 4183, 4184, 4185, 4188, 4189, 4191, 4192, 4202, 4203, 4204, 4205, 4206, 4207, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4258, 4263, 4295, 4327, 4341, 4352, 4357, 4365, 4389, 4420, 4452, 4486, 4505, 4609, 4627, 4634, 4676, 4684, 4727, 4733, 4753, 4770, 4799, 4824, 4908, 4909, 4911, 5023, 5024, 5104, 5106, 5112, 5115, 5117, 5120, 5124, 5126, 5128, 5176, 5177, 5182, 5186, 5191, 5210, 5212, 5388
<code>\NAT@penalty</code> . . .	1990, 1998, 2134, 2149	<code>\newcount</code>	2993, 3987, 3988, 3991, 4293, 4294, 5235, 5236, 5237, 5238, 5239, 5240, 5241, 5242,
<code>\NAT@reset@citea</code> . . .	2007, 2096		
<code>\NAT@reset@parser</code> . .	2005, 2094		
<code>\NAT@set@cites</code> . . . . .	1971, 2174		
<code>\NAT@sort@cites</code> . . . .	2006, 2095		
<code>\NAT@space</code>	1976, 1981, 1997, 2149		
<code>\NAT@spacechar</code> . . . . .	1981, 1988, 1997, 1999, 2037, 2044, 2068, 2074, 2150, 2152		
<code>\NAT@super@kern</code>	1977, 1982, 2150		
<code>\NAT@swafalse</code> . . . . .	2180		
<code>\NAT@swattrue</code> . . . . .	2176		
<code>\NAT@temp</code>	2031, 2032, 2061, 2062		
<code>\NAT@test</code> .	2117, 2150, 2156, 2158		
<code>\NAT@year</code>	2008, 2017, 2030, 2060		
<code>\NAT@yrsep</code> . . .	2029, 2059, 2149		
<code>\natexlab</code> . . . . .	1989, 2000		
<code>\navardefault</code> .	2749, 2763, 2832, 2840		
<code>\navarfamily</code> . .	2761, 2762, 2773, 2833		
<code>\NeedsTeXFormat</code>	2528, 3962, 4831, 5094, 5231		
<code>\new@mathalphabet</code> . . . . .	4897		



5243, 5244, 5245, 5246, 5247,  
 5248, 5250, 5251, 5252, 5253,  
 5254, 5255, 5256, 5257  
 \newcounter . . . . . 5129, 5130  
 \newdimen 2994, 2995, 4291, 4292  
 \NewDocumentCommand 4919, 4927,  
 4935, 4943, 4951  
 \newenvironment . . . . .  
 . . . 1501, 2188, 2189, 2964,  
 2965, 4260, 4366, 4528, 4558,  
 4582, 4736, 4785, 4811, 5158,  
 5192  
 \newfam . . . . . 4835  
 \newfontface . . . . . 2496  
 \newfontlanguage . . . . . 2609  
 \newfontscript . . . . . 2608  
 \newif 1416, 1417, 2602, 2992, 3035,  
 5234  
 \newlength 3965, 3966, 3967, 3968,  
 3969, 3971, 5122, 5213, 5215  
 \newmathalphabet . . . . . 4891  
 \newmathalphabet@@ . . . . . 4891  
 \newmathalphabet@@@ . . . . . 4891  
 \newpage . 3779, 3791, 3803, 4376  
 \newsavebox . . . . . 4259  
 \newsection . . . . . 4733  
 \next . . . . . 1425,  
 1427, 1428, 2201, 2202, 2203,  
 2207, 2209, 2212, 2216, 2217,  
 2219, 2225, 2230, 2234, 2236,  
 2245, 2247, 2253, 2256, 2260,  
 2267, 2269  
 \nobreak . . . . . 1418, 1974  
 \noexpand 1302, 2200, 2220, 2226,  
 2228, 2238, 2246, 2248, 2260,  
 2261, 2270, 3092, 3098, 3109,  
 3115, 3126, 3132, 3137, 3143,  
 3149, 3155, 3161, 3167, 3173,  
 3191, 3207, 3222, 3238, 3254,  
 3263, 3272, 3281, 4847  
 \nohyphens 4141, 4156, 4175, 4196  
 \noindent . 4086, 4101, 4139, 4149,  
 4154, 4162, 4167, 4173, 4181,  
 4186, 4190, 4194, 4343, 4360,  
 4441, 4467, 4492, 4539, 4616,  
 4630, 4664, 4679, 4717, 4774,  
 4802, 4827, 4829  
 \non@alpherr . . . . . 4856, 4882  
 \nopagebreak . . . . . 5224  
 \normalcolor . . . 1703, 1944, 1954  
 \normalfont . . . 2630, 2701, 2795,  
 2819, 2843, 2867, 2891, 2915,  
 2936, 2937, 2950, 2951  
 \normalsfcodes . . . . . 1311  
 \normalsize . . . . .  
 1311, 2972, 3091, 3092, 3176,  
 4037, 4038, 4084, 4679, 4717  
 \not . . . . . 5136  
 \not@math@alphabet . 2753, 2756,  
 2759, 2762, 2765, 2768  
 \null . . . . . 4228, 4244  
 \number . . 3360, 3362, 3363, 3461,  
 3463, 3464, 3564, 3566, 3568,  
 3570, 4848, 4872, 5389, 5390  
 \numexpr . 4922, 4930, 4938, 4946,  
 4954  
  
 O  
 \obeyspaces . . . . . 5028  
 \old@endquestion . . . 5219, 5227  
 \old@question . . . . . 5218, 5225  
 \or . . . . . 1845, 1846,  
 1847, 1849, 1850, 1874, 1875,  
 1876, 1880, 1881, 1882, 1883,  
 1884, 1888, 1889, 2050, 2051,  
 2052, 2080, 2081, 2082, 2155,  
 2157, 2159, 3333, 3334, 3335,  
 3336, 3337, 3338, 3342, 3343,  
 3344, 3381, 3382, 3383, 3384,  
 3385, 3386, 3387, 3388, 3389,  
 3390, 3394, 3433, 3434, 3435,  
 3436, 3439, 3442, 3445, 3446,  
 3449, 3450, 3451, 3482, 3483,  
 3484, 3485, 3486, 3487, 3488,  
 3489, 3490, 3491, 3495, 3538,  
 3539, 3540, 3543, 3544, 3545,  
 3546, 3547, 3550, 3551, 3552,  
 3553, 3582, 3583, 3586, 3587,  
 3590, 3591, 3594, 3664, 3674,  
 3676, 3682, 3684, 3690, 3692,  
 3698, 3705, 3713, 3720, 3727,  
 3733, 3735, 3737, 3739, 3745,



3751, 3761, 3771, 3817, 3856,  
 3869, 3881, 5395, 5396, 5397,  
 5398, 5399, 5400, 5401  
 \orig ..... 4914,  
 4915, 4916, 4917, 4918, 4920,  
 4928, 4936, 4944, 4952  
 \originaltoday ..... 2966, 2967  
 \Ovalbox ..... 4656, 4709  
 \ovalbox ..... 4651, 4704  
 \overline ..... 5041

**P**

\p@ . 1977, 3043, 3044, 3045, 3046,  
 3048, 3051, 3052, 3054, 3058,  
 3059, 3060, 3062, 3065, 3066,  
 3077, 3080, 3242, 4229  
 \PackageError .....  
 1476, 1479, 1482, 1485, 1488,  
 1491, 1494, 3306, 3355, 3610,  
 3778, 3784, 3790, 3796, 3802,  
 3808  
 \PackageInfo . 67, 79, 3028, 3029,  
 3949, 3950, 4908  
 \PackageWarning 2015, 2104, 3556,  
 3776  
 \PackageWarningNoLine ... 2032,  
 2062  
 \page@free ..... 4273, 4275  
 \pageautorefname ..... 1370  
 \pagegoal ..... 4755  
 \pagename ..... 3329  
 \pagenumbering .. 15, 98, 109, 127,  
 1280, 1579, 2433  
 \pageref ..... 4114, 4612  
 \pagesFormat ..... 4188, 4190  
 \pagestyle ..... 4331  
 \pagetotal ..... 4756  
 \par .. 10, 17, 24, 40, 46, 52, 58, 99,  
 110, 117, 129, 787, 1272, 1282,  
 1294, 1402, 1583, 2373, 2380,  
 2387, 2395, 2403, 2436, 2466,  
 4231, 4233, 4239, 4241, 4242,  
 4731, 4816, 5164, 5224  
 \paragraphautorefname ... 1366  
 \parallel ..... 4096  
 \parbox ..... 5163, 5223  
 \parsep 3178, 3189, 3190, 3194, 3205,  
 3206, 3209, 3220, 3221, 3224,  
 3236, 3237, 3251  
 \partautorefname ..... 1360  
 \partname ..... 3322  
 \partopsep .... 3242, 3252, 3301  
 \PassOptionsToClass 3993, 3994,  
 3995  
 \pbs ..... 5107, 5108  
 \pdfstringdefDisableCommands .  
 ..... 1381  
 \penalty .... 166, 172, 1990, 2981  
 \persian ..... 2962  
 \PersianAlphs . 2962, 2965, 3813,  
 3818, 3961  
 \persianday ..... 5394  
 \PersianDisplayMathsDigits ..  
 ... 3693, 5066, 5072  
 \persianfont .. 2620, 2950, 2952  
 \PersianInlineMathsDigits 3685,  
 5062, 5071  
 \PersianMathsDigits 3677, 5070  
 \persianmathsdigits 4974, 5063,  
 5067, 5075, 5079  
 \persianmathsfdigits 5003, 5064,  
 5068, 5076, 5080  
 \persianmathttdigits 5017, 5065,  
 5069, 5077, 5081  
 \persianmonth ..... 5393  
 \persiansfdefault .. 2746, 2754,  
 2784, 2792  
 \persiansffamily ... 2752, 2753,  
 2770, 2785  
 \persiantoday ..... 2968, 5388  
 \persianttdefault .. 2747, 2757,  
 2808, 2816  
 \persianttfamily ... 2755, 2756,  
 2771, 2809  
 \persianyear ..... 5392  
 \pictureCaptionFormat 4184, 4186  
 \plftitle ..... 1592  
 \plq ..... 2582  
 \plttitle ..... 1593  
 \pookdefault .. 2750, 2766, 2856,  
 2864





`\pookfamily` . . . 2764, 2765, 2774, 2857  
`\postmath` . . . . . 172  
`\PrefixCurrentTab` . . . . . 2506  
`\premath` . . . . . 168  
`\prepnext@tok` . . . . . 1842, 1852  
`\printindex` . . . 3779, 3791, 3803  
`\process@table` . . . . . 4894  
`\ProcessOptions` . . . . 4007, 5230  
`\ProcessOptionsX` . . . . . 3900  
`\proofname` . . . . . 3331  
`\protect` . . . . . 1302, 4413, 4414, 4416, 4445, 4446, 4448, 4479, 4480, 4482, 4499, 4500, 4502, 4520, 4521, 4523, 4619, 4620, 4622, 5113, 5116, 5118, 5121, 5139, 5144, 5145, 5146, 5148, 5149, 5150, 5170, 5171  
`\protected@write` . . . 3863, 3867  
`\providecommand` . . . . . 3555  
`\ProvidesClass` . . . . . 3963  
`\ProvidesFile` . . . . . 1, 4, 8, 14, 23, 38, 44, 50, 56, 62, 82, 91, 93, 104, 115, 123, 135, 175, 1128, 1188, 1205, 1216, 1259, 1270, 1276, 1288, 1292, 1299, 1328, 1336, 1350, 1354, 1399, 1406, 1463, 1466, 1497, 1577, 1590, 1600, 1970, 2371, 2378, 2385, 2393, 2401, 2430, 2464, 2494, 2497, 2517  
`\ProvidesPackage` . . . 2531, 4832, 5095, 5232  
`\prq` . . . . . 2581  
`\ptctitle` . . . . . 1591

## Q

`\question` . . . . . 5218  
`\questionsepspace` . . 5215, 5216, 5228  
`\questionspace` . . 5122, 5123, 5164  
`\questiontitle` . . . . 5210, 5229  
`\questiontitlefont` . . . . 5212  
`\questiontitlespace` . . 5213, 5214, 5224

## R

`\raggedFormat` . . 4025, 4673, 4747, 4793, 4818  
`\RaggedLeft` . . . . . 4025  
`\raisebox` . . . . . 4071, 4076  
`\refname` . . . . . 92, 3320  
`\refstepcounter` . . . . 5180, 5181  
`\relax` . . . . . 1498, 1690, 1722, 1857, 1858, 1879, 1880, 1881, 1942, 1952, 1976, 1982, 2026, 2056, 2084, 2091, 2097, 2124, 2131, 2142, 2297, 2410, 2444, 2474, 2495, 2500, 2585, 2603, 2927, 2928, 2932, 2933, 3030, 3075, 3079, 3262, 3271, 3280, 3661, 3672, 3680, 3688, 3696, 3703, 3711, 3718, 3725, 3731, 3743, 3749, 3755, 3759, 3765, 3769, 3775, 3788, 3800, 3812, 3854, 3861, 3870, 3871, 3876, 3882, 3908, 3912, 3918, 3919, 3920, 3944, 3946, 4007, 4226, 4247, 4248, 4253, 4254, 4255, 4256, 4837, 4851, 4861, 4877, 4910, 4912, 4922, 4930, 4938, 4946, 4954, 4966, 5054, 5088, 5092, 5262, 5263, 5265, 5270, 5275, 5276, 5282, 5284, 5286, 5288, 5289, 5290, 5291, 5292, 5293, 5294, 5295, 5296, 5297, 5298, 5300, 5302, 5303, 5308, 5309, 5316, 5318, 5321, 5325, 5326, 5329, 5330, 5333, 5338, 5340, 5342, 5344, 5345, 5346, 5347, 5348, 5349, 5350, 5351, 5352, 5353, 5354, 5355, 5357, 5358, 5361, 5366, 5370, 5376, 5378, 5379  
`\renewcommand` . . . 9, 16, 24, 30, 31, 34, 39, 40, 45, 46, 51, 52, 57, 58, 86, 88, 94, 95, 99, 105, 106, 110, 116, 117, 124, 128, 129, 1271, 1272, 1277, 1281, 1282, 1289, 1290, 1291, 1293, 1294, 1330, 1332, 1334, 1401, 1578, 1580, 1581, 1582, 1583,



1971, 1988, 1999, 2372, 2373,  
 2379, 2380, 2386, 2387, 2394,  
 2395, 2402, 2403, 2409, 2431,  
 2435, 2436, 2443, 2465, 2466,  
 2473, 2498, 2518, 2519, 2520,  
 2521, 2522, 2523, 2524, 2525,  
 2526, 2527, 2990, 3604, 3779,  
 3791, 3803, 4037, 4044, 4046,  
 4048, 4055, 4062, 4063, 4064,  
 4065, 4066, 4118, 4119, 4120,  
 4131, 4132, 4133, 4224, 4329,  
 4365, 4385, 4724, 4734, 4739,  
 5111  
 \renewenvironment . . . 1337, 5220  
 \repeat . . . . . 3025, 5363, 5372  
 \RequirePackage . . . . .  
 . . . 2533, 2534, 2535, 2536,  
 3964, 4009, 4010, 4011, 4012,  
 4013, 4014, 4016, 4018, 4020,  
 4021, 4022, 4023, 4024, 5097,  
 5098, 5099, 5100, 5101, 5102  
 \reserved@a 1654, 1658, 1664, 1670,  
 1673, 1676, 1679, 1682, 1685,  
 1688  
 \reserved@b . . . . . 1634, 1635  
 \reset@font 1311, 2014, 2103, 2937,  
 2951, 2970, 2984  
 \resetlatinfont . . . . . 84, 86,  
 1289, 1290, 1330, 1332, 2922,  
 2958, 2960, 2964, 2971, 2990,  
 3606  
 \restore@mathversion . . . . 4894  
 \restoreapp . . . . . 36  
 \rightfootnoterule . . . . . 3736  
 \rightline . . . . . 4728  
 \rl . . . . . 1383, 2959, 2968  
 \RLE . . . . . 2959  
 \rmdefault . . . . . 2619, 2627, 2698  
 \Roman . . . . . 1196, 2417, 2451, 2481  
 \roman . . . . . 1195, 2418, 2452, 2482  
 \romannumeral . . . . . 2426, 2460, 2490,  
 5362, 5371, 5381  
 \RTL . . . . . 2962  
 \RTLfoottextfont . . . . . 1291  
 \rule 4088, 4214, 4316, 4322, 4409,  
 4441

## S

\sayehdefault . . . 2751, 2769, 2880,  
 2888  
 \sayehfamily . . . 2767, 2768, 2775,  
 2881  
 \scriptsize . . . 3136, 3137, 4046  
 \secondarticle 4420, 4445, 4446,  
 4448  
 \secondSubtitleFormat 4160, 4162  
 \secondTextFormat . . 4164, 4167  
 \secondTitleFormat . . 4151, 4156,  
 4157  
 \section . . . . . 3307  
 \sectionautorefname . . . . 1363  
 \sectionname . . . . . 11, 1403  
 \select@group . . . . . 4836  
 \selectfont . . . . .  
 . . . 2624, 2649, 2695, 2723,  
 2741, 2754, 2757, 2760, 2763,  
 2766, 2769, 2789, 2813, 2837,  
 2861, 2885, 2909, 2940, 2954,  
 3031  
 \set@mathdelimiter . . . . . 4901  
 \set@fontsize . . . 3907, 3911, 3943  
 \set@mathaccent . . . . . 4898  
 \set@mathchar . . . . . 4898  
 \set@mathdelimiter . . . . . 4900  
 \set@mathsymbol . . . . . 4899  
 \set@typeset@protect 1306, 1310  
 \setboolean . . . . .  
 . . . 2507, 2508, 3974, 3976,  
 3978, 3980, 3982, 3984, 3986,  
 4002, 4003, 4005, 4006, 4368,  
 4386, 4531, 4556, 4585, 4607  
 \setbox 150, 1701, 1744, 1848, 1850,  
 1851, 1941, 1944, 1951, 1954  
 \setclass . . . 1421, 1431, 1432, 1433,  
 1434, 1435, 1436, 1437, 1438,  
 1439, 1440  
 \setcounter . . . . . 27,  
 29, 33, 41, 42, 47, 48, 53,  
 54, 59, 60, 100, 101, 111, 112,  
 118, 119, 130, 131, 1273, 1274,  
 1283, 1284, 1295, 1296, 1326,  
 1584, 1585, 2374, 2375, 2381,  
 2382, 2388, 2389, 2396, 2397,



2404, 2405, 2437, 2438, 2467, 2468, 2501, 2505, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 4246, 5133	\setnavarfont . . . . . 2825
\setdigitfont . . . . . 2677	\setpersianfont . . . . . 88, 1291, 1334, 2944, 2959, 2962, 2965, 2990
\SetDisplayMathsDigits . . 5057, 5066, 5078, 5088, 5091	\setpersianmonofont . . . . 2801
\SetEnumerateShortLabel . . 1211, 1212, 1213, 1214, 1215	\setpersiansansfont . . . . 2777
\setfontsize . . 3074, 3663, 3665	\setpookfont . . . . . 2849
\SetInlineMathsDigits . . . 5056, 5062, 5074, 5087, 5092	\setsansfont . . . . . 2707
\setiraniconfont . . . . . 2897	\setsayehfont . . . . . 2873
\setkeys . . . . . 141, 158	\SetSymbolFont . . . . . 4896
\setlatinmonofont . . . . . 2708	\SetSymbolFont@ . . . . . 4896
\setlatinsansfont . . . . . 2707	\setttextdigitfont . . . . . 2636
\setlatinfont . . . . . 2684, 3960	\setttextfont . . . . . 2612, 3611
\setlength 1720, 1723, 1742, 3046, 3048, 3052, 3054, 3060, 3062, 3066, 3068, 3076, 3080, 3082, 3090, 3100, 3101, 3107, 3117, 3118, 3124, 3134, 3135, 3140, 3141, 3146, 3147, 3152, 3153, 3158, 3159, 3164, 3165, 3170, 3171, 3177, 3242, 3284, 3285, 3292, 3293, 3294, 3295, 3296, 3297, 3298, 3299, 3300, 3972, 4004, 4039, 4040, 4041, 4042, 4050, 4051, 4052, 4053, 4057, 4058, 4059, 4060, 4265, 4269, 4310, 4311, 4328, 4333, 4334, 4458, 4490, 4562, 4587, 4590, 4638, 4639, 4687, 4688, 4754, 4755, 4771, 5123, 5214, 5216	\setthethesection . . . . . 1580
\setLTRcitationfont . . . . . 84	\sf@size . . . . . 3930, 3932
\SetMathAlphabet . . . . . 4897	\sffamily . . . . . 4069
\SetMathAlphabet@ . . . . . 4897	\shadowbox . . . . . 4641, 4694
\SetMathCharDef . . . . . 4911, 4986	\shadowsize . . . . . 4639, 4688, 4692
\SetMathCode . . . . . . . . 4909, 4975, 4976, 4977, 4978, 4979, 4980, 4981, 4982, 4983, 4984, 4985	\shipout . . . . . 1306
\setmathdigitfont . . . . . 4960	\shortarticleitem . . . . . 4824
\setmathsfdigitfont . . . . . 4994	\shortarticleItemTitleFormat . . . . . . 4222, 4223
\setmathttdigitfont . . . . . 5008	\shortarticleSubtitleFormat . . . . . . 4220, 4221
\setmonofont . . . . . 2708	\shortarticleTitleFormat 4218, 4219
	\sixt@n . . . . . 1653, 1690
	\skip . . . . . 3286
	\slftitle . . . . . 1598
	\sltttitle . . . . . 1599
	\small . . . . . 3108, 3109, 3308, 4048, 4049, 4103, 4107, 4113, 4184, 4206, 4225
	\smash . . . . . 3311
	\SOUL@tt . . . . . 2495, 2496
	\space . . . . . 2016, 2105, 2531, 2987, 3562, 4272, 4273, 4413, 4414, 4416, 4445, 4446, 4448, 4479, 4480, 4482, 4499, 4500, 4502, 4520, 4521, 4523, 4619, 4620, 4622, 4729, 5154, 5389, 5390
	\SplitFootnoteRule . . . . . 3738
	\ssf@size . . . . . 3936, 3938
	\stctitle . . . . . 1597
	\stepcounter 26, 1325, 2503, 5129, 5142, 5173



<code>\str</code> .	2627, 2698, 2792, 2816, 2840, 2864, 2888, 2912
<code>\string</code> . . . . .	67, 1779, 1813, 1902, 2271, 2983, 3864, 3868, 3924, 3926, 3930, 3932, 3936, 3938
<code>\strip@pt</code> . . . . .	2926, 2931, 3030, 3078, 3917
<code>\subparagraphautorefname</code>	1367
<code>\subsectionautorefname</code> . .	1364
<code>\subsubsectionautorefname</code>	1365
<code>\symnew@mathbf@font@digits</code> . . . . .	4922
<code>\symnew@mathit@font@digits</code> . . . . .	4930
<code>\symnew@mathrm@font@digits</code> . . . . .	4938
<code>\symnew@mathsf@font@digits</code> . . . . .	4946
<code>\symnew@mathtt@font@digits</code> . . . . .	4954
<b>T</b>	
<code>\tableautorefname</code> . . . . .	1359
<code>\tablename</code> . . . . .	3314
<code>\tabularxcolumn</code> . . . . .	5111
<code>\tartibi</code> . . . . .	1192, 1206, 1211, 2414, 2448, 2478, 3453
<code>\tartibinumeral</code> . . . . .	3459
<code>\test</code> . . . . .	1424, 1425, 1426
<code>\textbf</code> . . . . .	2, 3, 1339, 1341, 1343, 1345, 4630, 4664, 4679, 4717
<code>\textblockorigin</code> . . . . .	4290
<code>\textdegree</code> . . . . .	4104
<code>\TextDigitFontOff</code> . . . . .	3038
<code>\TextDigitFontOn</code> . . . . .	3037, 3040
<code>\textfloatsep</code> . . . . .	3290, 3294
<code>\textheight</code> . . . . .	4297, 4322
<code>\textiranica</code> . . . . .	2772
<code>\textit</code> . . . . .	4215
<code>\textnavar</code> . . . . .	2773
<code>\textpersiansf</code> . . . . .	2770
<code>\textpersiantt</code> . . . . .	2771
<code>\textpook</code> . . . . .	2774
<code>\textsayah</code> . . . . .	2775
<code>\textsc</code> . . . . .	4217
<code>\textsuperscript</code> . . . . .	1974
<code>\texttt</code> . . . . .	4074
<code>\textwidth</code> . . . . .	1747, 4296, 4316, 4628, 5160
<code>\textwidthfootnoterule</code> . .	3740
<code>\tf@size</code> . . . . .	3924, 3926
<code>\thanks</code> . . . . .	4227, 4247
<code>\the</code> . . . . .	137, 142, 1419, 1724, 2222, 2227, 2233, 2240, 2250, 2264, 2560, 3001, 3002, 3003, 3006, 3007, 3008, 3012, 3013, 3014, 3017, 3018, 3019, 3081, 3093, 3094, 3095, 3096, 3097, 3110, 3111, 3112, 3113, 3114, 3127, 3128, 3129, 3130, 3131, 3138, 3144, 3150, 3156, 3162, 3168, 3174, 3188, 3189, 3204, 3205, 3219, 3220, 3235, 3236, 3250, 3252, 4272, 4273, 4758, 5087, 5091, 5362, 5371, 5381
<code>\the@choice</code> . . . . .	5132, 5154
<code>\thebook</code> . . . . .	1581
<code>\thechapter</code> . . . . .	20, 31, 103, 114, 121, 133, 1286, 1298, 1580, 1587, 2377, 2384, 2391, 2399, 2440, 2470
<code>\theclass</code> . . . . .	1421, 1426
<code>\theHchapter</code> . . . . .	1376, 1393
<code>\theHsection</code> . . . . .	1375, 1391
<code>\thempfn</code> . . . . .	1749
<code>\thempfootnote</code> . . . . .	1749, 3603
<code>\theoremautorefname</code> . . . .	1369
<code>\thepage</code> . . . . .	2016, 2033, 2063, 2105, 2987, 4114
<code>\thepart</code> . . . . .	9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1271, 1281, 1293, 1401, 1582, 2372, 2379, 2386, 2394, 2402, 2435, 2465
<code>\thequestion</code> . . . . .	5153, 5193, 5229
<code>\thesection</code> . . . . .	12, 34, 43, 49, 55, 61, 1275, 1404, 2406
<code>\thirdarticle</code> . . . . .	4452, 4479, 4480, 4482
<code>\thirdSubtitleFormat</code> . .	4179, 4181



`\thirdTextFormat` . . . 4182, 4183  
`\thirdTitleFormat` . . 4170, 4175,  
4176  
`\thispagestyle` . . . . 4369, 4374  
`\thr@@` 1776, 1795, 1796, 1810, 1831,  
1832, 1858, 1870, 1871, 1899,  
1926, 1927  
`\timestamp` 4207, 4404, 4434, 4470  
`\timestampFormat` . . . 4206, 4208  
`\timestampSeparator` 4205, 4210  
`\timestampTxt` . . . . 4204, 4209  
`\tiny` . . . . . 3142, 3143, 4044  
`\title` . . . . . 4253  
`\TitleBarFrame` . 1339, 1341, 1343,  
1345  
`\tl` . 2619, 2628, 2699, 2707, 2708,  
2784, 2793, 2808, 2817, 2832,  
2841, 2856, 2865, 2880, 2889,  
2904, 2913, 4888, 4905, 4987,  
4988, 4989, 5003, 5017  
`\tmp` . . . . . 5107  
`\today` . . . . . 2966, 2968, 4725  
`\topmargin` . . . . . 1318  
`\topsep` . . . . . 3180, 3188,  
3196, 3204, 3211, 3219, 3226,  
3235, 3240, 3250, 3253  
`\TPHorizModule` . . . . . 4085,  
4310, 4409, 4441, 4492, 4539,  
4540, 4563, 4564, 4587  
`\TPVertModule` . . . . . 4311  
`\true` . . . . . 5182  
`\truesymbol` . . . . . 5176  
`\ttdefault` . . . . . 2671, 2672  
`\tw@` . . . . . 1419, 1671, 1674,  
1756, 1762, 1763, 1765, 1775,  
1785, 1786, 1809, 1819, 1820,  
1857, 1863, 1864, 1869, 1898,  
1908, 1909, 2117, 3001, 3002,  
3003, 3006, 3007, 3008  
`\twocolumnstableofcontents` . .  
. . . . . 3304  
`\typeout` . . . . . 2559, 2561, 4258

## U

`\Umathchardef` . . . . . 4912  
`\Umathcode` . . . . . 4910

`\undefined` 1611, 5023, 5055, 5063,  
5064, 5065, 5067, 5068, 5069,  
5075, 5076, 5077, 5079, 5080,  
5081  
`\unhbox` . . . . . 1733  
`\unpenalty` . . . . . 172  
`\unskip` 169, 1887, 1888, 1889, 1974,  
2037, 2068  
`\unvbox` . . . . . 1733  
`\use` . . . . . 2620, 2634, 2643, 2675,  
2691, 2705, 2717, 2721, 2735,  
2739, 2785, 2799, 2809, 2823,  
2833, 2847, 2857, 2871, 2881,  
2895, 2905, 2919, 4992, 5006,  
5020  
`\use@mathgroup` . . . . . 4847  
`\usebox` . . . . . 4262  
`\usecounter` . . . . . 5166

## V

`\value` . . . . . 2500, 5136, 5152  
`\vbox` . 1306, 1319, 1704, 1721, 1726,  
1727, 1744, 1851, 1941, 1945,  
1951, 1955, 4801, 4827  
`\vcenter` . . . . . 1730, 1731  
`\verbatim@addtoline` . . . . .  
. . 2206, 2221, 2232, 2239,  
2241, 2249, 2251, 2263, 2265  
`\verbatim@finish` . . . . . 2259  
`\verbatim@processline` . . . 2210,  
2223, 2243  
`\verbatim@startline` 2199, 2211,  
2224, 2244  
`\version@elt` . . . . . 4893  
`\version@list` . . . . . 4893  
`\vfil` . . . . . 4228, 4244  
`\voidb@x` . . . . . 150  
`\vrb@catcodes` . . . . . 2193  
`\vskip` 1318, 1320, 1321, 4229, 4232,  
4234, 4240  
`\vspace` . . 4264, 4283, 4345, 4355,  
4398, 4402, 4425, 4428, 4432,  
4439, 4457, 4461, 4465, 4474,  
4533, 4537, 4593, 4614, 4662,  
4666, 4685, 4715, 4719, 4764,  
4766, 4776, 4779, 4804, 4806,



4826, 4828, 5164, 5222, 5224  
\yss ..... 1733  
\vtop ..... 1728, 1729, 1850

## W

\weatherFormat ..... 4099, 4101  
\weatheritem ... 4505, 4520, 4521,  
4523  
\weatherTempFormat . 4103, 4513  
\weatherUnits ..... 4104, 4515  
\whiledo ..... 5136  
\width ..... 1347, 2302, 2303  
\write ... 2983, 3781, 3793, 3805  
\writexviiifalse ..... 2606  
\writexviiitrue ..... 2604

## X

\X ..... 5106  
\x ..... 2588, 2593  
\xdef 1377, 1395, 3924, 3926, 3930,  
3932, 3936, 3938, 4847, 5132,  
5137, 5161, 5162, 5183, 5184,  
5187, 5188  
\XePersian .... 1384, 3311, 4123  
\xepersian ..... 2280, 2282  
\xepersian@@adadi .. 3369, 3394  
\xepersian@@adadi@tartibi 3470,  
3495  
\xepersian@@baselineskip@scale  
.. 2924, 2930, 2942, 2946,  
2948, 2956, 3846, 3912  
\xepersian@@fontsize@branch .  
..... 3657, 3838  
\xepersian@@fontsize@scale ..  
.. 2923, 2925, 2941, 2945,  
2947, 2955, 3834, 3908, 3919  
\xepersian@@latin@baselineskip@scale  
... 2932, 2942, 3850  
\xepersian@@latin@fontsize@scale  
... 2927, 2941, 3842  
\xepersian@@math@fontsize@scale  
..... 3830, 3917  
\xepersian@@start@switch@textdigitfont  
.. 2653, 2655, 2658, 2660,  
2662, 2664, 2666, 2668, 2671,  
3878

\xepersian@@stop@switch@textdigitfont  
.. 2654, 2656, 2657, 2661,  
2663, 2665, 2667, 2669, 2672  
\xepersian@@update@math@fontsize  
. 3916, 3926, 3932, 3938  
\xepersian@A ... 1413, 1431, 1452,  
1453, 1455, 2664, 2665  
\xepersian@adadi ... 3363, 3368  
\xepersian@adadi@tartibi 3464,  
3469  
\xepersian@cmds@temp 2583, 2601  
\xepersian@coltitsize .....  
.. 3966, 4689, 4690, 4691,  
4692, 4695, 4700, 4705, 4710  
\xepersian@computeautoilg 2997,  
3947  
\xepersian@cx .. 4293, 4298, 4315  
\xepersian@cy .. 4294, 4299, 4321  
\XePersian@d .. 5235, 5260, 5365,  
5384, 5386, 5389, 5394  
\xepersian@D ... 1410, 1433, 1434,  
1435, 1436, 1438, 1442, 1443,  
1444, 1445, 1446, 1450, 1452,  
2660, 2661  
\xepersian@dahgan .. 3427, 3448,  
3531  
\xepersian@dahgan@tartibi 3529,  
3537  
\XePersian@dn .....  
.. 5255, 5354, 5362, 5365,  
5368, 5372, 5384, 5386  
\xepersian@dx . 4291, 4296, 4307,  
4310  
\xepersian@dy . 4292, 4297, 4308,  
4311  
\xepersian@edition . 4073, 4077,  
4113, 4233, 4365  
\xepersian@editionLogo .. 4075,  
4343, 4361  
\xepersian@editorialTit . 4770,  
4789  
\xepersian@editorialTitle 4216,  
4775  
\xepersian@everyjob 2560, 2561  
\xepersian@firstText 4148, 4404  
\xepersian@firstTitle ... 4136,



[4399](#)  
`\xepersian@fmbox` . . . [4259](#), [4261](#),  
[4262](#)  
`\xepersian@footcenter` . . . [4125](#),  
[4132](#), [4384](#)  
`\xepersian@footleft` [4127](#), [4131](#),  
[4383](#)  
`\xepersian@footright` [4122](#), [4133](#),  
[4382](#)  
`\xepersian@frag` [3660](#), [3662](#), [3663](#),  
[3665](#)  
`\xepersian@gridcolumns` . . [3988](#),  
[3990](#), [4029](#), [4033](#)  
`\xepersian@gridrows` [3987](#), [3989](#),  
[4029](#), [4033](#)  
`\xepersian@H` [1414](#), [1437](#), [1443](#), [1444](#),  
[1447](#), [1448](#), [1451](#), [1453](#), [2668](#),  
[2669](#)  
`\xepersian@headcenter` [4109](#), [4119](#),  
[4381](#)  
`\xepersian@headDateTime` . [4095](#),  
[4349](#), [4363](#)  
`\xepersian@headleft` [4106](#), [4118](#),  
[4380](#)  
`\xepersian@headright` [4112](#), [4120](#),  
[4379](#)  
`\XePersian@i` . . . . .  
. . . [5235](#), [5358](#), [5359](#), [5361](#),  
[5362](#), [5363](#), [5366](#), [5370](#), [5371](#),  
[5374](#), [5375](#), [5378](#), [5381](#), [5383](#)  
`\xepersian@ilg` [2994](#), [2998](#), [3002](#),  
[3003](#), [3007](#), [3008](#), [3026](#)  
`\xepersian@imgsize` . [3965](#), [4266](#),  
[4267](#), [4269](#), [4278](#), [4279](#)  
`\xepersian@incolumntitle` [4676](#),  
[4695](#), [4700](#), [4705](#), [4710](#)  
`\xepersian@indexEntry` . . . [4085](#),  
[4612](#)  
`\xepersian@indexEntryPage` [4091](#),  
[4612](#)  
`\xepersian@indexFrameTitle` . .  
. . . . . [4081](#), [4588](#)  
`\xepersian@indexwidth` . . . [3969](#),  
[4088](#), [4587](#), [4591](#), [4592](#)  
`\xepersian@inexpandedtitle` . .  
. . . [4627](#), [4642](#), [4647](#), [4652](#),

[4657](#)  
`\xepersian@innerSubtitle` [4203](#),  
[4743](#)  
`\xepersian@innerTitle` . . . [4192](#),  
[4742](#)  
`\XePersian@kabisehfalse` . [5305](#),  
[5311](#)  
`\XePersian@kabisehtrue` . . . [5311](#)  
`\xepersian@kashida` . [1418](#), [1442](#),  
[1443](#), [1444](#), [1445](#), [1446](#), [1447](#),  
[1448](#), [1449](#), [1450](#), [1451](#), [1452](#),  
[1453](#), [1454](#)  
`\xepersian@kashidachar` . . [1408](#),  
[1419](#)  
`\xepersian@L` [1411](#), [1439](#), [1445](#), [1446](#),  
[1447](#), [1448](#), [1449](#), [1454](#), [1455](#),  
[2662](#), [2663](#)  
`\XePersian@latini` . . [5236](#), [5282](#)  
`\XePersian@latinii` . [5237](#), [5284](#),  
[5286](#)  
`\XePersian@latiniii` [5238](#), [5288](#)  
`\XePersian@latiniv` . [5239](#), [5289](#)  
`\XePersian@latinix` . [5244](#), [5294](#)  
`\XePersian@latinvi` . . [5240](#), [5290](#)  
`\XePersian@latinvi` . [5241](#), [5291](#)  
`\XePersian@latinvii` [5242](#), [5292](#)  
`\XePersian@latinviii` [5243](#), [5293](#)  
`\XePersian@latinix` . . [5245](#), [5295](#)  
`\XePersian@latinxi` . [5246](#), [5296](#)  
`\XePersian@latinxii` [5247](#), [5297](#)  
`\XePersian@leapfalse` [5267](#), [5271](#),  
[5277](#)  
`\XePersian@leaptrue` [5277](#), [5278](#)  
`\xepersian@localize@verbatim@`  
. . . [2201](#), [2202](#), [2204](#), [2212](#),  
[2225](#), [2234](#), [2245](#), [2253](#), [2267](#)  
`\xepersian@localize@verbatim@@`  
. . . . . [2204](#), [2205](#)  
`\xepersian@localize@verbatim@@@`  
. . . . . [2207](#), [2208](#)  
`\xepersian@localize@verbatim@@@testend`  
. . . . . [2247](#), [2257](#)  
`\xepersian@localize@verbatim@rescan`  
. . . . . [2261](#), [2270](#)  
`\xepersian@localize@verbatim@start`  
. . [2198](#), [2273](#), [2274](#), [2285](#)



\XePersian@localize@verbatim@test ... 2216, 2218, 2219  
\XePersian@localize@verbatim@testend ... 2230, 2237  
\XePersian@m ... 5235, 5260, 5356, 5375, 5378, 5390, 5393  
\XePersian@milyoongan ... 3396, 3407  
\XePersian@milyoongan@tartibi ... 3497, 3508  
\XePersian@mminusone 5257, 5356, 5357, 5359, 5363  
\XePersian@ncol ... 4320, 4321  
\XePersian@ncolumns 3970, 4671, 4672, 4739  
\XePersian@nrow ... 4314, 4315  
\XePersian@numberoutofrange ... 3354, 3365, 3466  
\XePersian@numberstring . 3351, 3359  
\XePersian@numberstring@tartibi ... 3457, 3460  
\XePersian@PackageInfo .. 4908, 4969  
\XePersian@pageleft 3968, 4755, 4756, 4758, 4760  
\XePersian@pageneed .....  
... 3967, 4269, 4270, 4272, 4275, 4754, 4760  
\XePersian@pages ... 4189, 4424, 4456, 4741  
\XePersian@persian@month 5390, 5395  
\XePersian@persiani 5236, 5336, 5337, 5367, 5384  
\XePersian@persianii 5237, 5338  
\XePersian@persianiii ... 5238, 5340, 5342  
\XePersian@persianiv 5239, 5344  
\XePersian@persianix 5244, 5349  
\XePersian@persianv 5240, 5345  
\XePersian@persianvi 5241, 5346  
\XePersian@persianvii ... 5242, 5347  
\XePersian@persianviii .. 5243, 5348  
\XePersian@persianx 5245, 5350  
\XePersian@persianxi 5246, 5351  
\XePersian@persianxii ... 5247, 5352  
\XePersian@persianxiii .. 5248, 5353  
\XePersian@pictureCaption 4185, 4281, 4495  
\XePersian@R ... 1412, 1432, 1450, 1451, 1454, 2666, 2667  
\XePersian@sadgan .. 3400, 3405, 3409, 3413, 3418, 3501, 3514  
\XePersian@sadgan@tartibi 3506, 3510, 3519  
\XePersian@say 4258, 4738, 4758, 4761, 4763, 4787, 4813  
\XePersian@secondSubtitle 4161, 4430  
\XePersian@secondText ... 4165, 4434  
\XePersian@secondTitle .. 4152, 4426  
\XePersian@section . 4105, 4110, 4734  
\XePersian@setlength .....  
... 3042, 3085, 3087, 3088, 3102, 3104, 3105, 3119, 3121, 3122, 3178, 3180, 3194, 3196, 3209, 3211, 3224, 3226, 3240, 3286, 3288, 3290, 3301  
\XePersian@shellescape .. 2603  
\XePersian@shortarticleItemTitle ..... 4223, 4827  
\XePersian@shortarticleSubtitle ..... 4221, 4807  
\XePersian@shortarticleTit ..  
... 4799, 4814  
\XePersian@shortarticleTitle .  
... 4219, 4803  
\XePersian@sn .....  
... 5256, 5355, 5367, 5368, 5371, 5372, 5381, 5386  
\XePersian@strutilg 2995, 2998, 3013, 3014, 3018, 3019, 3026, 3027, 3030, 3948, 3951  
\XePersian@tartibi . 3457, 3542





\xepersian@tc1 . . . . .	\xepersian@tmp . . . . .
.. 2993, 2998, 3000, 3001,	3659, 3660
3002, 3003, 3006, 3007, 3008,	\xepersian@V . . . . .
3012, 3013, 3014, 3017, 3018,	1415, 1440
3019, 3024, 3025	\xepersian@value . . . . .
\XePersian@temp . . . . .	3662, 3665
.. 5250, 5261, 5262, 5263,	\xepersian@weather . . . . .
5265, 5269, 5270, 5271, 5274,	4100, 4535
5275, 5276, 5277, 5299, 5300,	\xepersian@www . . . . .
5301, 5304, 5305, 5307, 5310,	4070, 4343
5311, 5315, 5316, 5319, 5322,	\xepersian@wwwFormat . . . . .
5327, 5332, 5334, 5335, 5337	4069, 4071
\xepersian@tempa . . . . .	\XePersian@y . . . . .
.. 3671, 3679, 3687, 3695,	.. 5235, 5260, 5261, 5264,
3702, 3710, 3717, 3724, 3730,	5274, 5277, 5299, 5313, 5376,
3742, 3748, 3754, 3758, 3764,	5379, 5390, 5392
3768, 3774, 3787, 3799, 3811,	\xepersian@yekani . . . . .
3853, 3860, 3875	3400, 3428,
\xepersian@tempb . . . . .	3432, 3439, 3442, 3501
.. 3671, 3672, 3679, 3680,	\xepersian@yekanii . . . . .
3687, 3688, 3695, 3696, 3702,	3351, 3413,
3703, 3710, 3711, 3717, 3718,	3438, 3514
3724, 3725, 3730, 3731, 3742,	\xepersian@yekanii . . . . .
3743, 3748, 3749, 3754, 3755,	3409, 3441,
3758, 3759, 3764, 3765, 3768,	3510
3769, 3774, 3775, 3787, 3788,	\xepersian@yekaniv . . . . .
3799, 3800, 3811, 3812, 3853,	3420, 3444,
3854, 3860, 3861, 3875, 3876	3521
\XePersian@tempthree . . . . .	\xepersian@yekanv . . . . .
5252, 5313,	3533, 3549
5314, 5315, 5317, 5320, 5323,	\XePersian@yModHundred . . . . .
5324, 5328, 5331, 5332, 5333,	.. 5253, 5264, 5265, 5266,
5334	5269, 5273
\XePersian@temptwo . . . . .	\xepersian@zwj . . . . .
.. 5251, 5301, 5302, 5303,	1407, 1418, 1419
5304, 5307, 5308, 5309, 5310,	\xepersiandate . . . . .
5317, 5318, 5319, 5320, 5321,	2530, 2531, 2547
5322, 5324, 5325, 5326, 5327,	\xepersianInit . . . . .
5328, 5329, 5330, 5331	4026, 4327
\xepersian@textdigitfont . . . . .	\xepersianversion . . . . .
2645,	2529, 2531,
2671, 3879	2547, 2562
\xepersian@thirdSubtitle . . . . .	\XeTeXcharclass . . . . .
4180,	1426
4463	\XeTeXcharglyph . . . . .
\xepersian@thirdText . . . . .	.. 1419, 3001, 3002, 3003,
4183, 4470	3006, 3007, 3008, 3012, 3013,
\xepersian@thirdTitle . . . . .	3014, 3017, 3018, 3019
4171, 4459	\XeTeXglyphbounds . . . . .
\XePersian@thirtytwo . . . . .	.. 1419, 3001, 3002, 3003,
5254, 5298,	3006, 3007, 3008, 3012, 3013,
5305	3014, 3017, 3018, 3019
	\XeTeXinterchartoks . . . . .
	1442,
	1443, 1444, 1445, 1446, 1447,
	1448, 1449, 1450, 1451, 1452,
	1453, 1454, 1455, 2653, 2654,
	2655, 2656, 2657, 2658, 2660,
	2661, 2662, 2663, 2664, 2665,
	2666, 2667, 2668, 2669
	\xpg@warning . . . . .
	3555, 3560, 3562



Y

\y ..... 2589, 2591, 2593

\year ..... 5260

Z

\z ..... 2590, 2591

\z@ ..... 10, 18, 152, 153,  
164, 166, 1317, 1402, 1649,  
1749, 1753, 1758, 1759, 1767,  
1777, 1781, 1782, 1787, 1801,  
1811, 1815, 1816, 1821, 1837,  
1859, 1860, 1871, 1889, 1900,  
1904, 1905, 1918, 1932, 2119,  
2165, 2167, 2176, 2300, 2301,  
2308, 2309, 2655, 2656, 2998,  
3001, 3006, 3012, 3017, 3043,  
3044, 3045, 3051, 3058, 3059,  
3065, 3087, 3104, 3121, 3242,  
3251, 3295, 3395, 3397, 3399,  
3403, 3419, 3422, 3428, 3496,  
3498, 3500, 3504, 3520, 3523,  
3533, 3562, 3584, 3588, 3592,  
3595, 3658, 5311

\z@skip ..... 1315, 1316

\ziffer@check ..... 5029, 5030

\ziffer@dcheck ..... 5028, 5029

\ziffer@DotOri ..... 5026, 5029

\ZifferAn ..... 5024, 5027

\ZifferLeer ..... 5029, 5055

\ ..... 1119, 1589, 2185

\ ..... 1613, 1615, 1618, 1625

\ ..... 1618

\ ... 1603, 1610, 1611, 1614, 1615,  
1623, 1625

\ ..... 1608, 1609, 1613, 1620

\ 1601, 1607, 1608, 1613, 1618, 1619

\ ... 1120, 1121, 1122, 1123, 1124,  
1125, 1126, 1127, 1611

\ . 1613, 1614, 1619, 1620, 1622,  
1623

\ ..... 1613, 1618

\ ..... 1613, 1614, 1619, 1623

\ ..... 1608, 1609

\ ..... 1613, 1615, 1620, 1625

@ \ ..... 1602, 1606

@ \ ..... 2310, 2311,  
2312, 2313, 2314, 2315, 2316,  
2317, 2318, 2319, 2320, 2321,  
2322, 2323, 2324, 2325, 2326,  
2327, 2328, 2329, 2330, 2331

@ \ ..... 1602

\ ..... 1608

\ ..... 1602, 1606

\ ..... 1964, 2272

\ ..... 2186

\ ..... 1609, 1961, 1962

\ ..... 1601

\ ..... 1604

\ ..... 1603, 1605



## 8 Change History

v13.1	General: Added implementation of the package. . . . .	0
v13.2	General: Replaced <code>\reflect</code> with <code>\bidi@reflect@box</code> . . . . .	124
v13.5	General: Fixed the extra space after Persian decimal separator. . . .	158
v13.6	General: Used <code>\XeTeXglyphbounds</code> to find the true height and depth of the Kashida character. . . . .	85

