

The **bid**i Package



Bidirectional typesetting in plain $\text{T}_{\text{E}}\text{X}$ and $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$,
using $\text{X}_{\text{e}}\text{T}_{\text{E}}\text{X}$ engine

Vafa Khalighi
persian-tex@tug.org

July 20, 2014 Version 15.2

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/vafa/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose ‘Bug’ label).

Contents

I	LaTeX Manual	5		
1	Basics	5		
1.1	Loading The Package	5		
1.2	bidi's Symbol	6		
1.3	Commands for Version number, and Date of The Package	7		
1.4	Turning TeX--XeT features on and off	7		
1.5	Options of The Package . .	7		
1.6	Paragraph Switching Commands	8		
1.7	Paragraph Switching Environments	9		
1.8	Typesetting Short LTR and RTL Texts	9		
1.9	Footnotes	10		
1.9.1	Footnote Rule . . .	11		
1.10	Two Column Typesetting .	11		
1.11	RTL cases	12		
1.12	Typesetting Logos	12		
1.13	Separation Mark	12		
1.14	\raggedright, \raggedleft commands, \flushleft and \flushright Environments .	13		
1.15	Primitive-like commands . .	13		
1.16	Something To know about \hbox	13		
1.17	\bidillap and \bidirlap Commands	14		
1.18	LTRitems and RTLitems Environments	14		
1.19	LTRbibitems and RTLbibitems Environments	16		
1.20	\setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands	16		
1.21	Typesetting margin par . .	17		
1.22	Typesetting of Headers and Footers	17		
1.23	Tabular Typesetting	17		
1.24	Equation Numbers	17		
2	Support For Various Packages and Classes	18		
2.1	Color	18		
2.2	The dblfnote package	18		
2.3	Hyperref	19		
2.4	The listings package	19		
2.5	flowfram Package	19		
2.6	Multicolumn Typesetting .	19		
3	Extra bidi Packages and Classes	20		
3.1	bidi-longtable package	20		
3.2	bidituft bundle	20		
3.3	Typesetting TeX and LaTeX Codes	21		
3.4	Typesetting Poems	21		
3.5	Typesetting Résumé	21		
3.6	Print Two Pages On A Single Page	22		
3.7	Producing Presentations . .	22		
4	Some Useful Internal Macros and Programming Tips	22		
4.1	Equating Conditionals . . .	22		
4.2	RTL Conditional	22		
4.3	Main RTL Conditional . . .	22		
4.4	Latin Conditional	23		
4.5	Tags Internal Macro	23		
4.6	Definition File Loaded Internal Macro	23		
4.7	Tabular Conditional	23		
4.8	Footnote Conditional	23		
4.9	Direction Ensuring Macros	24		
4.10	Reset Direction Macro . . .	24		
II	Plain TeX Manual	24		
5	Basics	24		
5.1	Loading The Package	24		
5.2	Commands for Version number, and Date of The Package	25		
5.3	Turning TeX--XeT features on and off	25		
5.4	Paragraph Switching Commands	25		
5.5	Paragraph Switching Environments	26		
5.6	Typesetting Short LTR and RTL Texts	26		
5.7	Primitive-like commands . .	27		
5.8	Something To know about \hbox	27		
5.9	Typesetting Logos	28		

6	Some Useful Internal Macros and Programming Tips	28			
6.1	RTL Conditional	28			
6.2	Main RTL Conditional	28			
6.3	Direction Ensuring Macros	28			
6.4	Reset Direction Macro	28			
7	bidi implementation	29			
7.1	amsart-xetex-bidi.def	29			
7.2	amsbook-xetex-bidi.def	31			
7.3	amsmath-xetex-bidi.def	34			
7.4	amstext-xetex-bidi.def	34			
7.5	amsthm-xetex-bidi.def	34			
7.6	array-xetex-bidi.def	34			
7.7	article-xetex-bidi.def	36			
7.8	artikel1-xetex-bidi.def	40			
7.9	artikel2-xetex-bidi.def	45			
7.10	artikel3-xetex-bidi.def	50			
7.11	arydshln-xetex-bidi.def	55			
7.12	bidi.sty	58			
7.13	bidi.tex	59			
7.14	bidi2in1.sty	61			
7.15	bidicode.sty	62			
7.16	bidiftnxtra.sty	64			
7.17	bidi-longtable.sty	68			
7.18	bidimoderncv.cls	70			
7.19	biditools.sty	75			
7.20	bidituftefloat.sty	86			
7.21	bidituftesidenote.sty	97			
7.22	bidituftetoc.sty	107			
7.23	bidituftegeneralstructure.sty	110			
7.24	bidituftehyperref.sty	112			
7.25	bidituftetitle.sty	113			
7.26	bidituft-handout.cls	116			
7.27	bidituft-book.cls	117			
7.28	bidipoem.sty	118			
7.29	boek3-xetex-bidi.def	124			
7.30	boek-xetex-bidi.def	128			
7.31	bookest-xetex-bidi.def	131			
7.32	book-xetex-bidi.def	132			
7.33	breqn-xetex-bidi.def	136			
7.34	cals-xetex-bidi.def	137			
7.35	caption-xetex-bidi.def	138			
7.36	caption3-xetex-bidi.def	138			
7.37	colortbl-xetex-bidi.def	138			
7.38	color-xetex-bidi.def	139			
7.39	combine-xetex-bidi.def	140			
7.40	crop-xetex-bidi.def	140			
7.41	cutwin-xetex-bidi.def	142			
7.42	cuted-xetex-bidi.def	143			
7.43	cvthemebidicasual.sty	151			
7.44	cvthemebidiclassic.sty	153			
7.45	dblfnote-xetex-bidi.def	155			
7.46	draftwatermark-xetex-bidi.def	158			
7.47	eso-pic-xetex-bidi.def	158			
7.48	empheq-xetex-bidi.def	159			
7.49	extarticle-xetex-bidi.def	162			
7.50	extbook-xetex-bidi.def	166			
7.51	extletter-xetex-bidi.def	169			
7.52	extrafootnotefeatures-xetex-bidi.def	170			
7.53	extreport-xetex-bidi.def	206			
7.54	fancybox-xetex-bidi.def	210			
7.55	fancyhdr-xetex-bidi.def	211			
7.56	fix2col-xetex-bidi.def	211			
7.57	fleqn-xetex-bidi.def	212			
7.58	float-xetex-bidi.def	213			
7.59	floatrow-xetex-bidi.def	213			
7.60	flowfram-xetex-bidi.def	213			
7.61	footnote-xetex-bidi.def	216			
7.62	framed-xetex-bidi.def	223			
7.63	ftnright-xetex-bidi.def	226			
7.64	graphicx-xetex-bidi.def	227			
7.65	geometry-xetex-bidi.def	230			
7.66	hvfloater-xetex-bidi.def	230			
7.67	hyperref-xetex-bidi.def	236			
7.68	leqno-xetex-bidi.def	241			
7.69	letter-xetex-bidi.def	241			
7.70	lettrine-xetex-bidi.def	242			
7.71	listings-xetex-bidi.def	244			
7.72	loadingorder-xetex-bidi.def	245			
7.73	longtable-xetex-bidi.def	250			
7.74	mdframed-xetex-bidi.def	252			
7.75	memoir-xetex-bidi.def	253			
7.76	midfloat-xetex-bidi.def	257			
7.77	minitoc-xetex-bidi.def	261			
7.78	multicol-xetex-bidi.def	261			
7.79	multienum-xetex-bidi.def	264			
7.80	natbib-xetex-bidi.def	265			
7.81	newfloat-xetex-bidi.def	266			
7.82	ntheorem-xetex-bidi.def	267			
7.83	ntheorem-hyper-xetex-bidi.def	267			
7.84	pdfpages-xetex-bidi.def	268			
7.85	pgf-xetex-bidi.def	269			
7.86	picinpar-xetex-bidi.def	269			
7.87	plain-xetex-bidi.def	271			
7.88	pstricks-xetex-bidi.def	273			
7.89	quotchap-xetex-bidi.def	273			
7.90	ragged2e-xetex-bidi.def	274			
7.91	rapport1-xetex-bidi.def	276			

7.92	rapport3-xetex-bidi.def . . .	281	7.105tc-xetex-bidi.def	331
7.93	refrep-xetex-bidi.def	286	7.106titlesec-xetex-bidi.def	332
7.94	report-xetex-bidi.def	290	7.107titletoc-xetex-bidi.def	332
7.95	rotating-xetex-bidi.def	294	7.108tocbibind-xetex-bidi.def	333
7.96	scrartcl-xetex-bidi.def	297	7.109tocloft-xetex-bidi.def	335
7.97	scrbook-xetex-bidi.def	306	7.110tocstyle-xetex-bidi.def	341
7.98	scrlettr-xetex-bidi.def	317	7.111wrapfig-xetex-bidi.def	346
7.99	scrreprt-xetex-bidi.def	319	7.112xcolor-xetex-bidi.def	348
7.100	sidecap-xetex-bidi.def	329	7.113latex-xetex-bidi.def	350
7.101	stabular-xetex-bidi.def	329	7.114xltextra-xetex-bidi.def	365
7.102	subfigure-xetex-bidi.def	330		
7.103	tabls-xetex-bidi.def	330	8 Index	366
7.104	tabulary-xetex-bidi.def	330	9 Change History	506

Introduction

`bidi` provides a convenient interface for typesetting bidirectional texts in plain \TeX and \LaTeX , using the \XeTeX engine.

bidi Info On The Terminal and In The Log File

If you use `bidi` package to write any input \TeX document, and then run `xelatex` on your document, `bidi` writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright 20092014 Vafa Khalighi
*
* 2014/07/19, v15.2
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/vafa/bidi/issues
*
* Support: persian-tex@tug.org
*****
```

Part I

\LaTeX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;

`\usepackage [Options] {bidi}`

Where options of the package are explained later in [subsection 1.5](#).

When loading the package, it is important to know that:

- ❶ `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.
- ❷ In fact, `bidi` makes sure that some specific packages are loaded before `bidi`; these are those packages that `bidi` modifies them for bidirectional typesetting. If you load `bidi` before any of these packages, then you will get an error saying that you should load `bidi` as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where `graphicx` is loaded after `bidi`. If you run `xelatex` on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...

1.4 \begin{document}

?
```

1.2 `bidi`'s Symbol

As you may know lion symbolizes $\text{T}_{\text{E}}\text{X}$ but lion does not symbolizes `bidi`. **Simorgh**¹ (shown on the first page of this documentation) symbolizes `bidi`.

¹**Simorgh** is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>

1.3 Commands for Version number, and Date of The Package

`\bidiversion \bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn \TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:

```

\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevendcolumnfootnotes
\eightcolumnfootnotes \nincolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes

```

- ☞ `\normalfootnotes` typesets footnotes in Standard L^AT_EX format.
- ☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.
- ☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.
- ☞ `\paragraphfootnotes` typesets footnotes in paragraph format.
- ☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This comand is active by default.
- ☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofooterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```

\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR

```

- ☞ With any of the commands in the first row, you can typeset LTR paragraphs.
- ☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}

```



```

4 \setRTL%
5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```

\begin{LTR}  <text>  \end{LTR}
\begin{RTL}  <text>  \end{RTL}

```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```

\LRE{<text>}  \LR{<text>}
\RLE{<text>}  \RL{<text>}

```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
  texts will be familiar
4   with the mid-brown volumes of the EETS, with the symbol
5   of Alfred's jewel embossed on the front cover.
6 \begin{LTR}
7 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
  texts will be familiar
8   with the mid-brown volumes of the EETS, with the symbol
9   of Alfred's jewel embossed on the front cover.
10 \end{LTR}
11 \end{RTL}
12 \end{document}

```

1.9 Footnotes

```

\footnote [num] {\text} \LTRfootnote [num] {\text} \RTLfootnote [num] {\text}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{\text} \LTRthanks{\text} \RTLthanks{\text}

```

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.

```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}
\RTLfootnotetext [num] {\text}
```

- ☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofooterule \rightfootnoterule \leftfootnoterule
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule
\debugfootnotedirection
```

- ☞ `\autofooterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ `\rightfootnoterule` will put footnote rule on the right-hand side.
- ☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.
- ☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.
- ☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.
- ☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.

Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with `mathtools` package (`mathtools` defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
\RTLcases{\text{\langle brach1\rangle}\cr\text{\langle brach2\rangle}\cr\text{\langle brach3\rangle}...\r
\text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}
2 \usepackage{amsmath}
3 \usepackage{bidi}
4 \begin{document}
5 \setRTL
6 \[ \RTLcases{\text{men}\cr\text{women}}
7 \text{Humans Beings}
8 \]
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines `XeTeX` and `XeLaTeX` logos and in addition, it makes sure that logos, `TeX`, `LaTeX`, `LaTeX 2ε` are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \@SepMark
```

Generally in Standard `LaTeX`, `dot` is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \begin{document}
5 \section{First}
6 \subsection{Second}
7 \subsubsection{Third}
8 \end{document}
```

If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load `amsmath` package and use `\numberwithin` macro to do this or do the ordinary way, but instead dot write `\@SepMark`. Using dot instead `\@SepMark` will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}

```

1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments

`\raggedright` command and `flushleft` environment put the text on the left hand side and `\raggedleft` command and `flushright` environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

<code>\hboxR</code> <code>\hboxL</code> <code>\vboxR</code> <code>\vboxL</code>

- ☞ The syntax of `\hboxR` is exatly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exatly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exatly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exatly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

1.16 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

<pre> 1 \documentclass{article} 2 \usepackage{bidi} </pre>
--

```

3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 `\bidillap` and `\bidirlap` Commands

In RTL mode, `\llap` and `\rlap` do opposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 `LTRitems` and `RTLitems` Environments

If you typeset an `itemize`, or an `enumerate`, or a `description` environment where all `\items` are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
7 familiar with the mid-brown volumes of the EETS, with the symbol of
8 Alfred's
9 \end{enumerate}
10 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's

```

```

5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
  familiar with the mid-brown volumes of the EETS, with the symbol of
  Alfred's
7 \setRTL
8 \item Anyone who reads Old and Middle English literary texts will be
  familiar with the mid-brown volumes of the EETS, with the symbol of
  Alfred's
9 \end{enumerate}
10 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```

\begin{RTLitems}
  \item <text>
  ...
\end{RTLitems}

```

By using the RTLitems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
  with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
  familiar with the mid-brown volumes of the EETS, with the symbol of
  Alfred's
7 \begin{RTLitems}
8 \item Anyone who reads Old and Middle English literary texts will be
  familiar with the mid-brown volumes of the EETS, with the symbol of
  Alfred's
9 \end{RTLitems}
10 \end{enumerate}
11 \end{document}

```

Similarly, LTRitems environment is defined which has the following syntax:

```

\begin{LTRitems}
  \item <text>
  ...
\end{LTRitems}

```

1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

- ☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of \item, you have \bibitem inside LTRbibitems and RTLbibitems environments.

1.20 \setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands

```

\setLTRbibitems \setRTLbibitems \setdefaultbibitems

```

- ☞ If your whole thebibliography environment is inside RTL mode, but all your \bibitems are LTR and you actually want to have \bibname to appear on the RHS, you can use \setLTRbibitems command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your \bibitems are RTL and you actually want to have \bibname to appear on the LHS, you can use \setRTLbibitems command before thebibliography environment.
- ☞ \setdefaultbibitems is the default, when your \bibitems are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use \setdefaultbibitems command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two \bibitems. The first \bibitem is LTR and the second \bibitem is RTL. One could typeset this senario as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.

```



```

8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}

```

1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```

\setRTLmarginpar \setLTRmarginpar \setdefaultmarginpar
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}

```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setdefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always LTR.
- ☞ `\RTLmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always RTL.
- ☞ in RTL mode, places of `⟨left-text⟩` and `⟨right-text⟩` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The `bidi` package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hvfloa`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `pycinpar`, `ragged2e`, `rotating`, `sidecap`, `stabular`, `subfig`, `subfigure`, `supertabular`, `xtab`, `tbls`, `tabulary`, `PGF & TIKZ`, `tocbibind`, `tocloft`, `tocstyle`, `wrapfig`, `xcolor`, `xltxtra` packages, `amsart`, `amsbook`, `artikel1`, `artikel2`, `artikel3`, `extarticle`, `flashcards`, `standrad article`, `boek`, `boek3`, `standard book`, `boekest`, `extbook`, `extletter`, `scrlettr`, `standard letter`, `memoir`, `extreport`, `rapport1`, `rapport3`, `refrep`, `standard report`, `scrartcl`, `scrbook`, `scrcrpt` classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents.

We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use `color` and `xcolor` packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use `xecolor` package.

Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command.

For having coloured tabular, you can use `colortbl` package.

2.2 The `dblfnote` package

The `dblfnote` package makes footnotes double-columned. In addition `bidi` package adds bidirectional support for the `dblfnote` package by providing the following commands:

<code>\RTLdfnmakecol</code> <code>\LTRdfnmakecol</code>

☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.

☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.

☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using `dblfnote` package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

2.3 Hyperref

The `hyperref` package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.

2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

☞ `textdirection` follows the direction of the text (default).

☞ RTL sets the direction of the caption to RTL.

☞ LTR sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

<code>\RTLmulticolcolumns</code> <code>\LTRmulticolcolumns</code>

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns.

In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.

In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes

3.1 bidi-longtable package

For typesetting RTL tables with `longtable` package, an experimental package, `bidi-longtable` package, is provided. `bidi-longtable` package should be loaded after `longtable` package.

3.2 bidentufte bundle

A modified version of `tufte-latex`, `bidentufte` bundle, mainly for RTL typesetting, is provided. If you never used `bidentufte` bundle or `tufte-latex` package and you want to use `bidentufte` bundle, then you need to look at `tufte-latex` package's manual and examples. In addition, for using `bidentufte` bundle, you need to know the following notes:

- ☞ You need to use `bidentufte-book` class instead `tufte-book` class and `bidentufte-handout` class instead `tufte-handout` class.
- ☞ `bidentufte` bundle provides the following extra commands:

`\LTRsidenote` `\RTLsidenote` `\LTRmarginnote` `\RTLmarginnote`

- ☞ `bidentufte-book` and `bidentufte-handout` classes provide two extra options; `RTL-geometry` (active when loading either of classes) and `LTRgeometry`.
- ☞ `bidentufte` bundle unlike `tufts-latex` package, only provides justified lines.
- ☞ Some features of `tufte-latex` that does not make any sense in RTL, do not exist in `bidentufte` bundle (no need for `soul`, `letterspace` and `macrotype` packages).
- ☞ If you want to configure `bidentufte-book` class for your own needs, then you can create a file with the name `bidentufte-book.cfg` and put your `LATEX` macros in that file; similarly, if you want to configure `bidentufte-handout` class for your own needs, then you can create a file with the name `bidentufte-handout.cfg` and put your `LATEX` macros in that file.

3.3 Typesetting T_EX and L^AT_EX Codes

The L^AT_EX codes in this manual are typeset using the `bidicode` package. In standard L^AT_EX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and tabular environment.

`bidi` package provides `bidiftnextra` package that solves the issue of footnote in standard L^AT_EX. `bidiftnextra` package should be loaded after `bidi` package.

3.4 Typesetting Poems

The `bidi` package provides `bidipoem` package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\\` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using `bidipoem` package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying “Unjustified poem. Rerun XeLaTeX to get poem right”.

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use `Kashida`.

If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{\<length>}
```

```
\begin{traditionalpoem}
\<verse1>\&\<verse2>\\
\<verse3>\&\<verse4>\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
\<verse1>\&\<verse2>
\<verse3>\&\<verse4>
...
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The `bidi` package provides `bidimoderncv`² class for typesetting resumé. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the `doc`

²This class is the modified version of `moderncv` class.

folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

`bidi` package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

`\eqnewif{<\newconditional1>}{<\newconditional2>}`

In standard L^AT_EX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- ☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.

4.5 Tags Internal Macro

`\@iftagsloaded{<tags name>}{<do thing(s) if the tag is loaded>}
{<do thing(s) if the tag is not loaded>}`

As you can see, the syntax of `\@iftagsloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By tags, we mean things like `leqno` or `reqno`. Please note that in the argument *<tags name>*, the extension `clo` should not be given.

4.6 Definition File Loaded Internal Macro

`\@ifdefinitionfileloaded{<definition file name>}
{<do thing(s) if the definition file is loaded>}
{<do thing(s) if the definition file is not loaded>}`

As you can see, the syntax of `\@ifdefinitionfileloaded` is exactly the same as the syntax of `\@ifpackageloaded` and `\@ifclassloaded`. By definition file, we mean things like `hyperref-bidi.def` or `wrapfig-bidi.def`. Please note that in the argument *<definition file name>*, the extension `def` should not be given.

4.7 Tabular Conditional

`\if@RTLtab`

If the tabular is typeset RTL, `\if@RTLtab` is true and if the tabular is typeset LTR, `\if@RTLtab` is false.

4.8 Footnote Conditional

`\if@RTL@footnote`

When footnotes are typeset RTL, `\if@RTL@footnote` is true and when footnotes are typeset LTR, `\if@RTL@footnote` is false.

4.9 Direction Ensuring Macros

<code>\@ensure@RTL{<text>}</code> <code>\@ensure@RL{<text>}</code> <code>\@ensure@LTR{<text>}</code> <code>\@ensure@LR{<text>}</code> <code>\@ensure@dir{<text>}</code> <code>\@ensure@maindir{<text>}</code>
--

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `<text>` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `<text>` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

<code>\save@dir</code> <code>\saved@@dir</code> <code>\reset@dir</code>

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

<code>\input bidi</code>

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

```
\TeXXeTOn \TeXXeTOff
```

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
```

```

6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end

```

5.5 Paragraph Switching Environments

```

\LTR <text> \endLTR
\RTL <text> \endRTL

```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end

```

5.6 Typesetting Short LTR and RTL Texts

```

\LRE{<text>} \LR{<text>}
\RLE{<text>} \RL{<text>}

```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```

1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
4 literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol

```

```

5 | of Alfred's jewel embossed on the front cover.
6 | \LTR
7 | Anyone who reads Old and Middle English \RLE{Short right to left text}
   | literary texts will be familiar
8 | with the mid-brown volumes of the EETS, with the symbol
9 | of Alfred's jewel embossed on the front cover.
10 | \endLTR
11 | \endRTL
12 | \end

```

5.7 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

5.8 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```

1 | \input bidi
2 | \setRTL
3 | \hbox{This is a Test}
4 | \end

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 | \input bidi
2 | \setRTL
3 | \leavevmode\hbox{This is a Test}
4 | \end

```

5.9 Typesetting Logos

`\XeTeX`

`bidi` defines XeTeX logo and in addition, it makes sure that the logo, `TeX` is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{<text>}` `\@ensure@RL{<text>}` `\@ensure@LTR{<text>}`
`\@ensure@LR{<text>}` `\@ensure@dir{<text>}` `\@ensure@maindir{<text>}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `<text>` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `<text>` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir` `\saved@@dir` `\reset@dir`

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.

☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise,
if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```

1 \ProvidesFile{amsart-xetex-bidi.def}[2013/04/26 v0.8 bidi adaptations for amsart class for Xe
2 \def\tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \ifempty{#4}{%
8       \@tempdima\csname r@tocindent\number#1\endcsname\relax
9     }{%
10      \@tempdima#4\relax
11    }%
12    \parindent\z@ \ifRTL\righskip\else\leftskip\fi#3\relax \advance\ifRTL\righskip\else\l
13    \ifRTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16    \nobreak
17    \endgroup
18  \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\ifRTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \hbox to \columnwidth
28   {\beginR \vbox{\kern-.4\p@
29     \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \normalfont\footnotesize
38     \interlinepenalty\interfootnotelinepenalty
39     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40     \floatingpenalty\@MM \hsize\columnwidth
41     \@parboxrestore \parindent\normalparindent \sloppy
42     \protected@edef\@currentlabel{%

```

```

43     \csname p@footnote\endcsname\@thefnmark}%
44     \@makefntext{%
45         \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
46
47 \long\def\@RTLfootnotetext#1{%
48     \insert\footins{%
49         \@RTLtrue%
50         \normalfont\footnotesize
51         \interlinepenalty\interfootnotelinepenalty
52         \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53         \floatingpenalty\@MM \hsize\columnwidth
54         \@parboxrestore \parindent\normalparindent \sloppy
55         \protected@edef\@currentlabel{%
56             \csname p@footnote\endcsname\@thefnmark}%
57         \@makefntext{%
58             \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
59
60
61
62 \long\def\@LTRfootnotetext#1{%
63     \insert\footins{%
64         \@RTLfalse%
65         \normalfont\footnotesize
66         \interlinepenalty\interfootnotelinepenalty
67         \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
68         \floatingpenalty\@MM \hsize\columnwidth
69         \@parboxrestore \parindent\normalparindent \sloppy
70         \protected@edef\@currentlabel{%
71             \csname p@footnote\endcsname\@thefnmark}%
72         \@makefntext{%
73             \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
74
75
76 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
77 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
78 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
79
80 \renewenvironment{thebibliography}[1]{%
81     \@bibtitlestyle
82     \normalfont\bibliofont\labelsep .5em\relax
83     \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
84     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
85     \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
86         \leftmargin\labelwidth \advance\leftmargin\labelsep
87         \usecounter{enumiv}}%
88     \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
89     \sfcode'\@m
90 }{%
91 \def\@noitemerr{\@latex@warning{Empty 'thebibliography' environment}}%
92 \endlist

```

```

93 }
94 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
95 \columnseprule\z@ \columnsep 35\p@
96 \indextitlestyle
97 \thispagestyle{plain}%
98 \let\item\@idxitem
99 \parindent\z@ \parskip\z@\@plus.3\p@\relax
100 \if@RTL\raggedleft\else\raggedright\fi
101 \hyphenpenalty\@M
102 \footnotesize}
103 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
104 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
105 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par
107 \topnum\z@ % this prevents figures from falling at the top of page 1
108 \setcopyright
109 \thispagestyle{firstpage}% this sets first page specifications
110 \uppercase\nonmath\shorttitle
111 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
112 \else \andify\shortauthors
113 \fi
114 \@maketitle@hook
115 \begingroup
116 \@maketitle
117 \toks@{\exp\shortauthors}\@temptokena\exp\shorttitle}%
118 \toks4{\def\{\{ \ignorespaces}\}% defend against questionable usage
119 \edef\@tempa{%
120 \nx\markboth{\the\toks4
121 \nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
122 \@tempa
123 \endgroup
124 \c@footnote\z@
125 \cleartopmattertags
126 }

```

7.2 amsbook-xetex-bidi.def

```

127 \ProvidesFile{amsbook-xetex-bidi.def}[2013/04/26 v0.9 bidi adaptations for amsbook class for
128 \def\@tocline#1#2#3#4#5#6#7{\relax
129 \ifnum #1>\c@tocdepth % then omit
130 \else
131 \par \addpenalty\@secpenalty\addvspace{#2}%
132 \begingroup \hyphenpenalty\@M
133 \ifempty{#4}{%
134 \tempdima\csname r@tocindent\number#1\endcsname\relax
135 }{%
136 \tempdima#4\relax
137 }%
138 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi#3\relax
139 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth

```

```

140 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
141 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
142 \nobreak
143 \endgroup
144 \fi}
145 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
146 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
147 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
148 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
149 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
150 \columnseprule\z@ \columnsep 35\p@
151 \@indextitlestyle
152 \thispagestyle{plain}%
153 \let\item\@idxitem
154 \parindent\z@ \parskip\z@\@plus.3\p@\relax
155 \if@RTL\raggedleft\else\raggedright\fi
156 \hyphenpenalty\@M
157 \footnotesize}
158 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
159 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
160 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
161 \def\right@footnoterule{%
162 \hbox to \columnwidth
163 {\beginR \vbox{\kern-.4\p@
164 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
165 \def\left@footnoterule{\kern-.4\p@
166 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
167
168 \long\def\@footnotetext#1{%
169 \insert\footins{%
170 \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
171 \normalfont\footnotesize
172 \interlinepenalty\interfootnotelinepenalty
173 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
174 \floatingpenalty\@MM \hsize\columnwidth
175 \@parboxrestore \parindent\normalparindent \sloppy
176 \protected@edef\@currentlabel{%
177 \csname p@footnote\endcsname\@thefnmark}%
178 \@makefnmark%
179 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
180
181 \long\def\@RTLfootnotetext#1{%
182 \insert\footins{%
183 \@RTLtrue%
184 \normalfont\footnotesize
185 \interlinepenalty\interfootnotelinepenalty
186 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
187 \floatingpenalty\@MM \hsize\columnwidth
188 \@parboxrestore \parindent\normalparindent \sloppy
189 \protected@edef\@currentlabel{%

```



```

190     \csname p@footnote\endcsname\@thefnmark}%
191     \@makefntext{%
192         \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
193
194
195 \long\def\@LTRfootnotetext#1{%
196     \insert\footins{%
197         \@RTLfalse%
198         \normalfont\footnotesize
199         \interlinepenalty\interfootnotelinepenalty
200         \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
201         \floatingpenalty\@MM \hsize\columnwidth
202         \@parboxrestore \parindent\normalparindent \sloppy
203         \protected@edef\@currentlabel{%
204             \csname p@footnote\endcsname\@thefnmark}%
205         \@makefntext{%
206             \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
207
208
209
210 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
211 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
212 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
213
214 \renewenvironment{thebibliography}[1]{%
215     \@bibtitlestyle
216     \normalfont\bibliofont\labelsep .5em\relax
217     \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
218     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
219     \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
220         \leftmargin\labelwidth \advance\leftmargin\labelsep
221         \usecounter{enumiv}}%
222     \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
223     \sfcode'\.=\@m
224 }{%
225     \def\@noitemerr{\@latex@warning{Empty 'thebibliography' environment}}%
226     \endlist
227 }
228 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
229     \begingroup
230     \fontsize{\@xivpt}{18}\bfseries\centering
231     \ifnum\c@secnumdepth>\m@ne
232         \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
233         \rlap{\vbox to\z@{\vss
234             \centerline{\normalsize\mdseries
235                 \uppercase\@xp{\chaptername}\enspace\thechapter}
236                 \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
237         #1\par \endgroup
238     \skip@34\p@ \advance\skip@-\normalbaselineskip
239     \vskip\skip@ }

```

```

240 \def\maketitle{\par
241   \@topnum\z@ % this prevents figures from falling at the top of page 1
242   \begingroup
243   \@maketitle
244   \endgroup
245   \c@footnote\z@
246   \def\do##1{\let##1\relax}%
247   \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
248   \do\author \do\@xauthor \do\address \do\@xaddress
249   \do\email \do\@xemail \do\curraddr \do\@xcurraddr
250   \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
251   \do\keywords \do\@keywords \do\subjclass \do\@subjclass
252 }

```

7.3 amsmath-xetex-bidi.def

```

253 \ProvidesFile{amsmath-xetex-bidi.def}[2013/09/23 v0.8 bidi adaptations for amsmath package for XeTeX]
254 \let\veqno=\eqno
255 \iftagsleft@ \let\veqno=\leqno \fi
256 \renewcommand{\numberwithin}[3][\arabic]{%
257   \ifundefined{c@#2}{\@nocounterr{#2}}{%
258     \ifundefined{c@#3}{\@nocnterr{#3}}{%
259       \@addtoreset{#2}{#3}%
260       \exp\xdef\csname the#2\endcsname{%
261         \exp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
262 }
263 \def\maketag@@@#1{\hbox{\m@th\normalfont\if@Latin\else\beginR\fi#1\if@Latin\else\endR\fi}}

```

7.4 amstext-xetex-bidi.def

```

264 \ProvidesFile{amstext-xetex-bidi.def}[2013/04/04 v0.1 bidi adaptations for amstext package for XeTeX]
265 \def\textdef@#1#2#3{\hbox{%
266   \everymath{#1}%
267   \let\f@size#2\selectfont
268   \if@Latin\else\beginR\fi#3\if@Latin\else\endR\fi}}}

```

7.5 amsthm-xetex-bidi.def

```

269 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeTeX]
270 \def\@thmcountersep{\@SepMark}

```

7.6 array-xetex-bidi.def

```

271 \ProvidesFile{array-xetex-bidi.def}[2010/08/01 v0.2b bidi adaptations for array package for XeTeX]
272 \def\@testpach{\@chclass
273   \ifnum \@lastchclass=6 \@ne \@cnum \@ne \else
274   \ifnum \@lastchclass=7 5 \else
275   \ifnum \@lastchclass=8 \tw@ \else
276   \ifnum \@lastchclass=9 \thr@@
277   \else \z@
278   \ifnum \@lastchclass = 10 \else
279   \edef\@nextchar{\expandafter\string\@nextchar}%
280   \@cnum

```

```

281 \if \@nextchar c\z@ \else
282 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
283 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
284 \z@ \@chclass
285 \if \@nextchar |\@ne \else
286 \if \@nextchar !6 \else
287 \if \@nextchar @7 \else
288 \if \@nextchar <8 \else
289 \if \@nextchar >9 \else
290 10
291 \@chnum
292 \if \@nextchar m\thr@@\else
293 \if \@nextchar p4 \else
294 \if \@nextchar b5 \else
295 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
296 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
297 \def\@tabular{\if@RTL\@RTLtabtrue\fi%
298 \leavevmode
299 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\beginR
300 \let\d@llarend\endR
301 \@tabarray}
302 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
303 \expandafter\let\csname endtabular*\endcsname=\endtabular
304 \def\@array[#1]#2{%
305 \@tempdima \ht \strutbox
306 \advance \@tempdima by\extrarowheight
307 \setbox \@arstrutbox \hbox{\vrule
308 \@height \arraystretch \@tempdima
309 \@depth \arraystretch \dp \strutbox
310 \@width \z@}%
311 \beginR
312 \mkpream{#2}%
313 \xdef\@preamble{\noexpand \ialign \@halignto
314 \bgroup \@arstrut \@preamble
315 \tabskip \z@ \cr}%
316 \endgroup
317 \@arrayleft
318 \if #1t\top \else \if#1b\bottom \else \vcenter \fi \fi
319 \bgroup
320 \let \@sharp ##\let \protect \relax
321 \lineskip \z@
322 \baselineskip \z@
323 \m@th
324 \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\bottom\bgroup
325 \def\@tabarray{\@ifnextchar[\@array]{\@array[c]}}
326 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
327 \def\array{\col@sep\arraycolsep
328 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}%
329 \@RTLtabfalse\@tabarray}

```

7.7 article-xetex-bidi.def

```

330 \ProvidesFile{article-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for standard article c
331 \if@titlepage
332   \renewcommand\maketitle{\begin{titlepage}%
333     \let\footnotesize\small
334     \let\right@footnoterule\relax
335     \let\left@footnoterule\relax
336     \let\textwidth@footnoterule\relax
337     \let \footnote \thanks
338     \let \LTRfootnote \LTRthanks
339     \let \RTLfootnote \RTLthanks
340     \null\vfil
341     \vskip 60\p@
342     \begin{center}%
343       {\LARGE \@title \par}%
344       \vskip 3em%
345       {\large
346         \lineskip .75em%
347         \begin{tabular}[t]{c}%
348           \@author
349         \end{tabular}\par}%
350       \vskip 1.5em%
351       {\large \@date \par}%           % Set date in \large size.
352     \end{center}\par
353     \@thanks
354     \vfil\null
355   \end{titlepage}%
356   \setcounter{footnote}{0}%
357   \global\let\thanks\relax
358   \global\let\LTRthanks\relax
359   \global\let\RTLthanks\relax
360   \global\let\maketitle\relax
361   \global\let\@thanks\@empty
362   \global\let\@author\@empty
363   \global\let\@date\@empty
364   \global\let\@title\@empty
365   \global\let\title\relax
366   \global\let\author\relax
367   \global\let\date\relax
368   \global\let\and\relax
369 }
370 \else
371 \renewcommand\maketitle{\par
372   \begingroup
373     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
374     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
375     \long\def\@makefntext##1{\parindent 1em\noindent
376       \hb@xt@1.8em{%
377         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```

```

378 \if@twocolumn
379 \ifnum \col@number=\@ne
380 \maketitle
381 \else
382 \twocolumn[\maketitle]%
383 \fi
384 \else
385 \newpage
386 \global\@topnum\z@ % Prevents figures from going at top of page.
387 \maketitle
388 \fi
389 \thispagestyle{plain}\@thanks
390 \endgroup
391 \setcounter{footnote}{0}%
392 \global\let\thanks\relax
393 \global\let\LTRthanks\relax
394 \global\let\RTLthanks\relax
395 \global\let\maketitle\relax
396 \global\let\@maketitle\relax
397 \global\let\@thanks\@empty
398 \global\let\@author\@empty
399 \global\let\@date\@empty
400 \global\let\@title\@empty
401 \global\let\title\relax
402 \global\let\author\relax
403 \global\let\date\relax
404 \global\let\and\relax
405 }
406 \def\@maketitle{%
407 \newpage
408 \null
409 \vskip 2em%
410 \begin{center}%
411 \let \footnote \thanks
412 \let \LTRfootnote \LTRthanks
413 \let \RTLfootnote \RTLthanks
414 {\LARGE \@title \par}%
415 \vskip 1.5em%
416 {\large
417 \lineskip .5em%
418 \begin{tabular}[t]{c}%
419 \@author
420 \end{tabular}\par}%
421 \vskip 1em%
422 {\large \@date}%
423 \end{center}%
424 \par
425 \vskip 1.5em}
426 \fi
427 \renewcommand*\l@part[2]{%

```

```

428 \ifnum \c@tocdepth >-2\relax
429   \addpenalty\@secpenalty
430   \addvspace{2.25em \@plus\p@}%
431   \setlength\@tempdima{3em}%
432   \begingroup
433     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
434     \parfillskip -\@pnumwidth
435     {\leavevmode
436       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
437     \nobreak
438     \if@compatibility
439       \global\@nobreaktrue
440       \everypar{\global\@nobreakfalse\everypar{}}%
441     \fi
442   \endgroup
443 \fi}
444 \renewcommand*\l@section[2]{%
445   \ifnum \c@tocdepth >\z@
446     \addpenalty\@secpenalty
447     \addvspace{1.0em \@plus\p@}%
448     \setlength\@tempdima{1.5em}%
449     \begingroup
450       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
451       \parfillskip -\@pnumwidth
452       \leavevmode \bfseries
453       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
454       \hskip -\if@RTL\rightskip\else\leftskip\fi
455       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
456     \endgroup
457   \fi}
458 \renewcommand\left@footnoterule{%
459   \kern-3\p@
460   \hrule\@width.4\columnwidth
461   \kern2.6\p@}
462 \renewcommand\right@footnoterule{%
463   \hbox to \columnwidth
464   {\beginR \vbox{%
465     \kern-3\p@
466     \hrule\@width.4\columnwidth
467     \kern2.6\p@}\hfil\endR}}
468 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
469 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
470 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
471 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
472 \def\@part[#1]#2{%
473   \ifnum \c@secnumdepth >\m@ne
474     \refstepcounter{part}%
475     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
476   \else
477     \addcontentsline{toc}{part}{#1}%

```

```

478 \fi
479 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
480 \interlinepenalty \@M
481 \normalfont
482 \ifnum \c@secnumdepth >\m@ne
483 \Large\bfseries \partname\nobreakspace\thepart
484 \par\nobreak
485 \fi
486 \huge \bfseries #2%
487 \markboth{}{}\par}%
488 \nobreak
489 \vskip 3ex
490 \@afterheading}
491 \renewenvironment{thebibliography}[1]
492 {\section*{\refname}%
493 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
494 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
495 \list{\@biblabel{\@arabic\c@enumiv}}%
496 {\settowidth\labelwidth{\@biblabel{#1}}%
497 \leftmargin\labelwidth
498 \advance\leftmargin\labelsep
499 \@openbib@code
500 \usecounter{enumiv}%
501 \let\p@enumiv\@empty
502 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
503 \sloppy
504 \clubpenalty4000
505 \@clubpenalty \clubpenalty
506 \widowpenalty4000%
507 \sfcode'\. \@m}
508 {\def\@noitemerr
509 {\@latex@warning{Empty 'thebibliography' environment}}%
510 \endlist}
511 \renewenvironment{theindex}
512 {\if@twocolumn
513 \restonecolfalse
514 \else
515 \restonecoltrue
516 \fi
517 \columnseprule \z@
518 \columnsep 35\p@
519 \twocolumn[\section*{\indexname}]%
520 \mkboth{\MakeUppercase\indexname}%
521 {\MakeUppercase\indexname}%
522 \thispagestyle{plain}\parindent\z@
523 \parskip\z@ \@plus .3\p@\relax
524 \let\item\@idxitem}
525 {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.8 artikel1-xetex-bidi.def

```

526 \ProvidesFile{artikel1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel1 class fo
527 \renewenvironment{theindex}{%
528   \if@twocolumn
529     \@restonecolfalse
530   \else
531     \@restonecoltrue
532   \fi
533   \columnseprule \z@
534   \columnsep 35\p@
535   \twocolumn[\section*{\indexname}]{%
536     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
537   \thispagestyle{plain}\parindent\z@
538   \parskip\z@ \@plus .3\p@\relax
539   \let\item\@idxitem
540 }{%
541   \if@restonecol\onecolumn\else\clearpage\fi}
542 \renewcommand*{\headstyle}{%
543   \interlinepenalty \@M
544   \hyphenpenalty=\@M \exhyphenpenalty=\@M
545   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
546 \if@titlepage
547   \renewenvironment{abstract}{%
548     \titlepage
549     \null\vfil
550     \section*{\SectFont\abstractname}
551     \noindent\ignorespaces}
552   {\par\vfil\null\endtitlepage}
553 \else
554   \renewenvironment{abstract}{%
555     \if@twocolumn
556       \section*{\abstractname}%
557     \else
558       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
559       \section*{\small\SectFont\abstractname}%
560       \noindent\ignorespaces
561     \fi}
562   {\if@twocolumn\else\par\egroup\fi}
563 \fi
564 \renewcommand*{\regtocline[3]}{%
565   \ifnum #1>\c@tocdepth
566   \else
567     \vskip\z@\@plus.2\p@
568     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
569     \if@RTL\rightskip\else\leftskip\fi\unitindent
570     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
571     \parfillskip\z@
572     \@tempdima\unitindent
573     \parindent\z@

```



```

574 \leavevmode
575 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
576 \hskip 1em \nobreak{\slshape #3}\par
577 }%
578 \fi}
579 \if@oldtoc
580 \renewcommand*\l@part[2]{%
581 \ifnum \c@tocdepth >-2\relax
582 \addpenalty\@secpenalty
583 \addvspace{2.25em \@plus\p@}%
584 \begingroup
585 \setlength\@tempdima{3em}%
586 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
587 \parfillskip -\@pnumwidth
588 {\leavevmode
589 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
590 \nobreak
591 \if@compatibility
592 \global\@nobreaktrue
593 \everypar{\global\@nobreakfalse\everypar{}}%
594 \fi
595 \endgroup
596 \fi}
597 \else
598 \renewcommand*\l@part{%
599 \ifnum \c@tocdepth >-2\relax
600 \addpenalty\@secpenalty
601 \addvspace{2.25em \@plus \p@}%
602 \@regtocline{0}%
603 \fi}
604 \fi
605 \if@oldtoc
606 \renewcommand*\l@section[2]{%
607 \addpenalty\@secpenalty
608 \addvspace{1.0em \@plus\p@}%
609 \setlength\@tempdima{1.5em}%
610 \begingroup
611 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
612 \parfillskip -\@pnumwidth
613 \leavevmode \bfseries
614 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
615 \hskip -\if@RTL\rightskip\else\leftskip\fi
616 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
617 \endgroup}
618 \else
619 \renewcommand*\l@section{\@regtocline{1}}
620 \fi
621 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
622 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
623 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}

```

```

624 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
625 \renewenvironment{thebibliography}[1]
626     {\section*\refname}%
627     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
628     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
629     \list{\@biblabel{\@arabic\c@enumiv}}%
630         {\settowidth\labelwidth{\@biblabel{#1}}%
631         \leftmargin\labelwidth
632         \advance\leftmargin\labelsep
633         \@openbib@code
634         \usecounter{enumiv}%
635         \let\p@enumiv\@empty
636         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
637     \sloppy\clubpenalty4000\widowpenalty4000%
638     \sfcode'\.\@m}
639 {\def\@noitemerr
640     {\@latex@warning{Empty 'thebibliography' environment}}%
641     \endlist}
642 \renewcommand*\left@footnoterule{%
643     \kern-3\p@
644     \kern.5\baselineskip
645     \hrule\@width\unitindent
646     \kern.4\baselineskip
647 }
648 \renewcommand*\right@footnoterule{%
649     \hbox to \columnwidth
650     {\beginR \vbox{%
651         \kern-3\p@
652         \kern.5\baselineskip
653         \hrule\@width\unitindent
654         \kern.4\baselineskip}\hfil\endR}
655 }
656 \if@titlepage
657 \renewcommand*\TitleFont{\rmfamily}
658 \renewcommand*\maketitle{%
659     \begin{titlepage}%
660         \let\footnotesize\small
661         \let\right@footnoterule\relax
662         \let\left@footnoterule\relax
663         \let\textwidth\footnoterule\relax
664         \let \footnote \thanks
665         \long\def\@makefnmark{\parindent\z@
666             \def\labelitemi{\textendash}\@revlabeltrue
667             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
668         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
669         \if@compatibility\setcounter{page}{0}\fi
670         \null\vfil
671         \vskip 60\p@
672         \begin{center}%
673             \TitleFont

```

```

674      {\LARGE \def\{\penalty -\@M}
675      \if@allcaps
676      \expandafter\uc@nothanks\@title\thanks\relax
677      \else
678      \@title
679      \fi\par}%
680      \vskip 3em%
681      {\large
682      \lineskip .75em \parindent\z@
683      \begin{tabular}[t]{c}%
684      \if@allcaps
685      \expandafter\uc@authornothanks\@author\and\relax
686      \else
687      \@author
688      \fi
689      \end{tabular}\par}%
690      \vskip 1.5em%
691      {\large
692      \if@allcaps
693      \uppercase\expandafter{\@date}%
694      \else
695      \@date
696      \fi\par}%
697      \end{center}\par
698      \@thanks
699      \vfil\null
700 \end{titlepage}%
701 \setcounter{footnote}{0}%
702 \global\let\thanks\relax
703 \global\let\maketitle\relax
704 \global\let\@thanks\@empty
705 \global\let\@author\@empty
706 \global\let\@title\@empty
707 \global\let\@date\@empty
708 \global\let\title\relax
709 \global\let\author\relax
710 \global\let\date\relax
711 \global\let\and\relax
712 }
713 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
714 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
715 \futurelet\@tempa\uc@ax}
716 \def\uc@ax{%
717 \ifx\@tempa\relax
718 \else
719 \andname \and \expandafter\uc@authornothanks
720 \fi}
721 \def\uc@tx{\ifx\@tempa\relax
722 \else \expandafter\uc@ty \fi}
723 \def\uc@ty#1{\thanks{#1}\uc@nothanks}

```

```

724 \else
725 \renewcommand*\maketitle{\par
726 \begin{group}
727 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
728 \def\@makefnmark{\rlap{%
729 \textsuperscript{\normalfont\@thefnmark}}}%
730 \long\def\@makefntext{\@xmakefntext{%
731 \textsuperscript{\normalfont\@thefnmark}}}%
732 \if@twocolumn
733 \ifnum \col@number=\@ne
734 \maketitle
735 \else
736 \twocolumn[\maketitle]%
737 \fi
738 \else
739 \newpage
740 \global\@topnum\z@
741 \maketitle
742 \fi
743 \thispagestyle{plain}\@thanks
744 \end{group}
745 \setcounter{footnote}{0}%
746 \global\let\thanks\relax
747 \global\let\maketitle\relax
748 \global\let\@maketitle\relax
749 \global\let\@thanks\@empty
750 \global\let\@author\@empty
751 \global\let\@title\@empty
752 \global\let\@date\@empty
753 \global\let\title\relax
754 \global\let\author\relax
755 \global\let\date\relax
756 \global\let\and\relax
757 }
758 \def\@maketitle{%
759 \newpage
760 \null
761 \vskip 2em%
762 \begin{center}%
763 \let \footnote \thanks
764 {\LARGE \TitleFont \@title \par}%
765 \vskip 1.5em%
766 {\large \TitleFont
767 \lineskip .5em%
768 \begin{tabular}[t]{c}%
769 \@author
770 \end{tabular}\par}%
771 \vskip 1em%
772 {\large \TitleFont \@date}%
773 \end{center}%

```

```

774 \par
775 \vskip 1.5em}
776 \fi

```

7.9 artikel2-xetex-bidi.def

```

777 \ProvidesFile{artikel2-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel2 class fo
778 \renewenvironment{theindex}{%
779 \if@twocolumn
780 \@restonecolfalse
781 \else
782 \@restonecoltrue
783 \fi
784 \columnseprule \z@
785 \columnsep 35\p@
786 \twocolumn[\section*{\indexname}]{%
787 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
788 \thispagestyle{plain}\parindent\z@
789 \parskip\z@ \@plus .3\p@\relax
790 \let\item\@idxitem
791 }{%
792 \if@restonecol\onecolumn\else\clearpage\fi}
793 \renewcommand*\@regtocline[3]{%
794 \ifnum #1>\c@tocdepth
795 \else
796 \vskip\z@ \@plus.2\p@
797 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
798 \ifRTL\righskip\else\leftskip\fi\unitindent
799 \ifRTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
800 \parfillskip\z@
801 \@tempdima\unitindent
802 \advance\@tempdima by \othermargin
803 \parindent\z@
804 \leavevmode
805 \hbox{}\hskip -\ifRTL\righskip\else\leftskip\fi\relax#2\nobreak
806 \hskip 1em \nobreak{\slshape #3}\par
807 }%
808 \fi}
809 \if@oldtoc
810 \renewcommand*\l@section[2]{%
811 \addpenalty\@secpenalty
812 \addvspace{1.0em \@plus\p@}%
813 \setlength\@tempdima{1.5em}%
814 \begingroup
815 \parindent \z@ \ifRTL\leftskip\else\righskip\fi \@pnumwidth
816 \parfillskip -\@pnumwidth
817 \leavevmode \bfseries
818 \advance\ifRTL\righskip\else\leftskip\fi\@tempdima
819 \hskip -\ifRTL\righskip\else\leftskip\fi
820 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par

```

```

821 \endgroup}
822 \else
823 \renewcommand*\l@section{\@regtocline{1}}
824 \fi
825 \if@oldtoc
826 \renewcommand*\l@part[2]{%
827 \ifnum \c@tocdepth >-2\relax
828 \addpenalty\@secpenalty
829 \addvspace{2.25em \@plus\p@}%
830 \begingroup
831 \setlength\@tempdima{3em}%
832 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
833 \parfillskip -\@pnumwidth
834 {\leavevmode
835 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
836 \nobreak
837 \if@compatibility
838 \global\@nobreaktrue
839 \everypar{\global\@nobreakfalse\everypar{}}%
840 \fi
841 \endgroup
842 \fi}
843 \else
844 \renewcommand*\l@part{%
845 \ifnum \c@tocdepth >-2\relax
846 \addpenalty\@secpenalty
847 \addvspace{2.25em \@plus \p@}%
848 \@regtocline{0}%
849 \fi}
850 \fi
851 \renewcommand*\head@style{%
852 \interlinepenalty \@M
853 \hyphenpenalty=\@M \exhyphenpenalty=\@M
854 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
855 \if@titlepage
856 \renewenvironment{abstract}{%
857 \titlepage
858 \null\vfil
859 \section*{\SectFont\abstractname}%
860 \noindent\ignorespaces}
861 {\par\vfil\null\endtitlepage}
862 \else
863 \renewenvironment{abstract}{%
864 \if@twocolumn
865 \section*{\abstractname}%
866 \else
867 \section*{\hskip\unitindent\small\SectFont\abstractname}%
868 \list{}{\setlength\listparindent{\unitindent}%
869 \setlength\parindent {\z@}%
870 \setlength\leftmargin {\unitindent}%

```

```

871             \setlength\rightmargin {\unitindent}%
872             \setlength\parsep      {\z@}%
873         \item[]%
874     \fi}
875     {\if@twocolumn\else\par\endlist\fi}
876 \fi
877 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
878 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
879 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
880 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
881 \renewcommand*\left@footnoterule{%
882     \kern-3\p@
883     \hrule\@width 3\unitindent
884     \kern 2.6\p@
885 }
886 \renewcommand*\right@footnoterule{%
887     \hbox to \columnwidth
888     {\beginR \vbox{%
889         \kern-3\p@
890         \hrule\@width 3\unitindent
891         \kern 2.6\p@}\hfil\endR}
892 }
893 \renewenvironment{thebibliography}[1]
894     {\section*{\refname}%
895      \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
896      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
897      \list{\@biblabel{\@arabic\c@enumiv}}%
898          {\settowidth\labelwidth{\@biblabel{#1}}%
899           \leftmargin\labelwidth
900           \advance\leftmargin\labelsep
901           \@openbib@code
902           \usecounter{enumiv}%
903           \let\p@enumiv\@empty
904           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
905      \sloppy\clubpenalty4000\widowpenalty4000%
906      \sfcode'\.\@m
907      {\def\@noitemerr
908       {\@latex@warning{Empty 'thebibliography' environment}}}%
909      \endlist}
910 \if@titlepage
911 \renewcommand*\TitleFont{\rmfamily}
912 \renewcommand*\maketitle{%
913     \begin{titlepage}%
914         \let\footnotesize\small
915         \let\right@footnoterule\relax
916         \let\left@footnoterule\relax
917         \let\textwidth\footnoterule\relax
918         \let \footnote \thanks
919         \long\def\@makefntext##1{\parindent\z@
920             \def\labelitemi{\textendash}\@revlabeltrue

```

```

921         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
922     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
923     \if@compatibility\setcounter{page}{0}\fi
924     \null\vfil
925     \vskip 60\p@
926     \begin{center}%
927         \TitleFont
928         {\LARGE \def\\{\penalty -\@M}
929         \if@allcaps
930             \expandafter\uc@nothanks\@title\thanks\relax
931         \else
932             \@title
933             \fi\par}%
934     \vskip 3em%
935     {\large
936     \lineskip .75em \parindent\z@
937     \begin{tabular}[t]{c}%
938         \if@allcaps
939             \expandafter\uc@authornothanks\@author\and\relax
940         \else
941             \@author
942             \fi
943     \end{tabular}\par}%
944     \vskip 1.5em%
945     {\large
946     \if@allcaps
947         \uppercase\expandafter{\@date}%
948     \else
949         \@date
950     \fi\par}%
951     \end{center}\par
952     \@thanks
953     \vfil\null
954 \end{titlepage}%
955 \setcounter{footnote}{0}%
956 \global\let\thanks\relax
957 \global\let\maketitle\relax
958 \global\let\@thanks\@empty
959 \global\let\@author\@empty
960 \global\let\@title\@empty
961 \global\let\@date\@empty
962 \global\let\title\relax
963 \global\let\author\relax
964 \global\let\date\relax
965 \global\let\and\relax
966 }
967 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
968 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
969     \futurelet\@tempa\uc@ax}
970 \def\uc@ax{%

```



```

971 \ifx\@tempa\relax
972 \else
973   \ \andname \ \expandafter\uc@authornothanks
974 \fi}
975 \def\uc@tx{\ifx\@tempa\relax
976   \else \expandafter\uc@ty \fi}
977 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
978 \else
979 \renewcommand*\maketitle{\par
980   \begin{group}
981     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
982     \long\def\@makefnctext##1{\parindent\z@
983       \def\labelitemi{\textendash}%
984       \leavevmode\hb@xt@.5\unitindent{%
985         \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
986     \if@twocolumn
987       \ifnum \col@number=\@ne
988         \@maketitle
989       \else
990         \twocolumn[\@maketitle]%
991       \fi
992     \else
993       \newpage
994       \global\@topnum\z@
995       \@maketitle
996     \fi
997     \thispagestyle{plain}\@thanks
998   \end{group}
999   \setcounter{footnote}{0}%
1000 \global\let\thanks\relax
1001 \global\let\maketitle\relax
1002 \global\let\@maketitle\relax
1003 \global\let\@thanks\@empty
1004 \global\let\@author\@empty
1005 \global\let\@title\@empty
1006 \global\let\@date\@empty
1007 \global\let\title\relax
1008 \global\let\author\relax
1009 \global\let\date\relax
1010 \global\let\and\relax
1011 }
1012 \def\@maketitle{%
1013   \newpage
1014   \null
1015   \vskip 2em%
1016   \begin{center}%
1017     \let \footnote \thanks
1018     {\LARGE \TitleFont \@title \par}%
1019     \vskip 1.5em%
1020     {\large \TitleFont

```

```

1021      \lineskip .5em%
1022      \begin{tabular}[t]{c}%
1023        \@author
1024      \end{tabular}\par}%
1025      \vskip 1em%
1026      {\large \TitleFont \@date}%
1027 \end{center}%
1028 \par
1029 \vskip 1.5em}
1030 \fi

```

7.10 artikel3-xetex-bidi.def

```

1031 \ProvidesFile{artikel3-xetex-bidi.def}[2011/08/26 v0.3 bidi adaptations for artikel3 class fo
1032 \renewenvironment{theindex}{%
1033   \if@twocolumn
1034     \@restonecolfalse
1035   \else
1036     \@restonecoltrue
1037   \fi
1038   \columnseprule \z@
1039   \columnsep 35\p@
1040   \twocolumn[\section*{\indexname}]{%
1041     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
1042   \thispagestyle{plain}\parindent\z@
1043   \parskip\z@ \@plus .3\p@\relax
1044   \let\item\@idxitem
1045   }{%
1046     \if@restonecol\onecolumn\else\clearpage\fi}
1047 \renewcommand*{head@style}{%
1048   \interlinepenalty \@M
1049   \hyphenpenalty=\@M \exhyphenpenalty=\@M
1050   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1051 \renewcommand*{@regtocline[3]}{%
1052   \ifnum #1>\c@tocdepth
1053   \else
1054     \vskip\z@\@plus.2\p@
1055     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1056       \if@RTL\rightskip\else\leftskip\fi\unitindent
1057       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1058       \parfillskip\z@
1059       \@tempdima\unitindent
1060       \parindent\z@
1061       \leavevmode
1062       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1063       \hskip 1em \nobreak{\slshape #3}\par
1064     }%
1065   \fi}
1066 \if@oldtoc
1067 \renewcommand*{l@part[2]}{%

```

```

1068 \ifnum \c@tocdepth >-2\relax
1069 \addpenalty\@secpenalty
1070 \addvspace{2.25em \@plus\p@}%
1071 \begingroup
1072 \setlength\@tempdima{3em}%
1073 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1074 \parfillskip -\@pnumwidth
1075 {\leavevmode
1076 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1077 \nobreak
1078 \if@compatibility
1079 \global\@nobreaktrue
1080 \everypar{\global\@nobreakfalse\everypar{}}%
1081 \fi
1082 \endgroup
1083 \fi}
1084 \else
1085 \renewcommand*\l@part{%
1086 \ifnum \c@tocdepth >-2\relax
1087 \addpenalty\@secpenalty
1088 \addvspace{2.25em \@plus\p@}%
1089 \@regtocline{0}%
1090 \fi}
1091 \fi
1092
1093 \if@oldtoc
1094 \renewcommand*\l@section[2]{%
1095 \addpenalty\@secpenalty
1096 \addvspace{1.0em \@plus\p@}%
1097 \setlength\@tempdima{1.5em}%
1098 \begingroup
1099 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1100 \parfillskip -\@pnumwidth
1101 \leavevmode \bfseries
1102 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1103 \hskip -\if@RTL\rightskip\else\leftskip\fi
1104 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1105 \endgroup}
1106 \else
1107 \renewcommand*\l@section{\@regtocline{1}}
1108 \fi
1109 \if@titlepage
1110 \renewenvironment{abstract}{%
1111 \titlepage
1112 \null\vfil
1113 \section*{\SectFont\abstractname}%
1114 \noindent\ignorespaces}
1115 {\par\vfil\null\endtitlepage}
1116 \else
1117 \renewenvironment{abstract}{%

```

```

1118     \if@twocolumn
1119         \section*{\abstractname}%
1120     \else
1121         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1122         \section*{\small\SectFont\abstractname}%
1123         \noindent\ignorespaces
1124     \fi}
1125     {\if@twocolumn\else\par\egroup\fi}
1126 \fi
1127 \renewcommand*\left@footnoterule{%
1128     \kern-3\p@
1129     \kern.5\baselineskip
1130     \hrule\@width\unitindent
1131     \kern.4\baselineskip
1132 }
1133 \renewcommand*\right@footnoterule{%
1134     \hbox to \columnwidth
1135     {\beginR \vbox{%
1136         \kern-3\p@
1137         \kern.5\baselineskip
1138         \hrule\@width\unitindent
1139         \kern.4\baselineskip}\hfil\endR}
1140 }
1141 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1142 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1143 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1144 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1145 \renewenvironment{thebibliography}[1]
1146     {\section*{\refname}%
1147         \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1148         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1149         \list{\@biblabel{\@arabic\c@enumiv}}%
1150             {\settowidth\labelwidth{\@biblabel{#1}}%
1151             \leftmargin\labelwidth
1152             \advance\leftmargin\labelsep
1153             \@openbib@code
1154             \usecounter{enumiv}%
1155             \let\p@enumiv\@empty
1156             \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1157     \sloppy\clubpenalty4000\widowpenalty4000%
1158     \sfcode'\.\@m}
1159     {\def\@noitemerr
1160         {\@latex@warning{Empty 'thebibliography' environment}}%
1161     \endlist}
1162 \if@titlepage
1163 \renewcommand*\TitleFont{\rmfamily}
1164 \renewcommand*\maketitle{%
1165     \begin{titlepage}%
1166         \let\footnotesize\small
1167         \let\right@footnoterule\relax

```

```

1168 \let\left@footnoterule\relax
1169 \let\textwidth@footnoterule\relax
1170 \let \footnote \thanks
1171 \long\def\@makefntext##1{\parindent\z@
1172     \def\labelitemi{\textendash}\@revlabeltrue
1173     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1174 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1175 \if@compatibility\setcounter{page}{0}\fi
1176 \null\vfil
1177 \vskip 60\p@
1178 \begin{center}%
1179     \TitleFont
1180     {\LARGE \def\\{\penalty -\@M}
1181         \if@allcaps
1182             \expandafter\uc@nothanks\@title\thanks\relax
1183         \else
1184             \@title
1185         \fi\par}%
1186 \vskip 3em%
1187 {\large
1188     \lineskip .75em \parindent\z@
1189     \begin{tabular}[t]{c}%
1190         \if@allcaps
1191             \expandafter\uc@authornothanks\@author\and\relax
1192         \else
1193             \@author
1194         \fi
1195     \end{tabular}\par}%
1196 \vskip 1.5em%
1197 {\large
1198     \if@allcaps
1199         \uppercase\expandafter{\@date}%
1200     \else
1201         \@date
1202     \fi\par}%
1203 \end{center}\par
1204 \@thanks
1205 \vfil\null
1206 \end{titlepage}%
1207 \setcounter{footnote}{0}%
1208 \global\let\thanks\relax
1209 \global\let\maketitle\relax
1210 \global\let\@thanks\@empty
1211 \global\let\@author\@empty
1212 \global\let\@title\@empty
1213 \global\let\@date\@empty
1214 \global\let\title\relax
1215 \global\let\author\relax
1216 \global\let\date\relax
1217 \global\let\and\relax

```

```

1218 }
1219 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1220 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1221     \futurelet\@tempa\uc@ax}
1222 \def\uc@ax{%
1223     \ifx\@tempa\relax
1224     \else
1225         \ \andname \ \expandafter\uc@authornothanks
1226     \fi}
1227 \def\uc@tx{\ifx\@tempa\relax
1228     \else \expandafter\uc@ty \fi}
1229 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1230 \else
1231 \renewcommand*\maketitle{\par
1232     \begingroup
1233     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1234     \def\@makefnmark{\rlap{%
1235         \@textsuperscript{\normalfont\@thefnmark}}}%
1236     \long\def\@makefntext{\@xmakefntext{%
1237         \@textsuperscript{\normalfont\@thefnmark}}}%
1238     \if@twocolumn
1239         \ifnum \col@number=\@ne
1240             \@maketitle
1241         \else
1242             \twocolumn[\@maketitle]%
1243         \fi
1244     \else
1245         \newpage
1246         \global\@topnum\z@
1247         \@maketitle
1248     \fi
1249     \thispagestyle{plain}\@thanks
1250 \endgroup
1251 \setcounter{footnote}{0}%
1252 \global\let\thanks\relax
1253 \global\let\maketitle\relax
1254 \global\let\@maketitle\relax
1255 \global\let\@thanks\@empty
1256 \global\let\@author\@empty
1257 \global\let\@title\@empty
1258 \global\let\@date\@empty
1259 \global\let\title\relax
1260 \global\let\author\relax
1261 \global\let\date\relax
1262 \global\let\and\relax
1263 }
1264 \def\@maketitle{%
1265     \newpage
1266     \null
1267     \vskip 2em%

```

```

1268 \if@titlecentered
1269   \begin{center}%
1270     \let \footnote \thanks
1271     {\LARGE \TitleFont \@title \par}%
1272     \vskip 1.5em%
1273     {\large \TitleFont
1274       \lineskip .5em%
1275       \begin{tabular}[t]{c}%
1276         \@author
1277       \end{tabular}\par}%
1278     \vskip 1em%
1279     {\large \TitleFont \@date}%
1280   \end{center}%
1281 \else
1282   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1283   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1284     \def\and{%% \begin{tabular} has already started
1285       \end{tabular}\hskip 1em plus .17fil
1286       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
1287       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
1288     \vskip 1em {\large \TitleFont \@date}
1289 \fi
1290 \par
1291 \vskip 1.5em}
1292 \fi

```

7.11 arydshln-xetex-bidi.def

```

1293 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1294 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1295 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
1296 \expandafter\let\csname endtabular*\endcsname\endtabular
1297 \let\adl@array\@array
1298 \def\@array{\adl@everyvbox\everyvbox
1299   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1300   \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1301   \let\adl@noalign\noalign
1302   \adl@array}
1303 \ifadl@usingarypkg
1304 \def\@testpach{\@chclass
1305   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1306     \ifnum \@lastchclass=7 5 \else
1307       \ifnum \@lastchclass=8 \tw@ \else
1308         \ifnum \@lastchclass=9 \thr@@
1309       \else \z@
1310       \ifnum \@lastchclass = 10 \else
1311         \edef\@nextchar{\expandafter\string\@nextchar}%
1312         \@chnum
1313         \if \@nextchar c\z@ \else
1314         \if \@nextchar \if@RTLtab r\else l\fi\@ne \else

```

```

1315     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1316     \z@ \@chclass
1317     \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1318     \if \@nextchar : \@ne \let\@arrayrule\adl@arraydashrule \else
1319     \if \@nextchar ; \@ne \let\@arrayrule\adl@argarraydashrule \else
1320     \if \@nextchar !6 \else
1321     \if \@nextchar @7 \else
1322     \if \@nextchar <8 \else
1323     \if \@nextchar >9 \else
1324     10
1325     \@chnum
1326     \if \@nextchar m\thr@@\else
1327     \if \@nextchar p4 \else
1328     \if \@nextchar b5 \else
1329     \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1330     \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1331
1332 \def\@classz{\@classx
1333     \@tempcnta \count@
1334     \prepnext@tok
1335     \@addtopreamble{\ifcase \@chnum
1336         \hfil
1337         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1338         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1339         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1340         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1341         \adl@endmbox\or
1342         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1343         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1344     \fi}\prepnext@tok}
1345 \def\adl@class@start{4}
1346 \def\adl@class@iiiorvii{7}
1347
1348 \else
1349 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1350     \ifnum \@lastchclass=\thr@@ 5\relax \else
1351     \z@ \if #1c\@chnum \z@ \else
1352         \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1353         \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1354         \@chclass
1355         \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1356         \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1357         \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1358         \if #1@\tw@ \else
1359         \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1360     \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1361
1362 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1363     \or \or \@addamp \or
1364     \@acolampacol \or \@firstampfalse \@acol \fi

```



```

1365 \edef\@preamble{\@preamble
1366 \ifcase \@chnum
1367 \hfil\adl@putlrc{\relax\@sharp$}\hfil
1368 \or \adl@putlrc{\relax\@sharp$}\hfil
1369 \or \hfil\adl@putlrc{\relax\@sharp$}\fi}}
1370 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1371 \or \or \@addamp \or
1372 \@acolampacol \or \@firststampfalse \@acol \fi
1373 \edef\@preamble{\@preamble
1374 \ifcase \@chnum
1375 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1376 \or \adl@putlrc{\@sharp\unskip}\hfil
1377 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1378 \def\adl@classstart{6}
1379 \def\adl@class@iiiorvii{3}
1380 \fi
1381 \@ifpackageloaded{colortbl}{%
1382 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1383 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1384 \let\@endpbox\adl@org@endpbox}
1385 \let\adl@CT@setup\CT@setup
1386 \def\CT@setup{\adl@CT@setup
1387 \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1388 \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1389 \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1390 \let\adl@act@CT@setup\CT@setup
1391 \def\@classz{\@classx
1392 \@tempcnta\count@ \prepnext@tok
1393 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1394 \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1395 \expandafter\adl@extract@drsc
1396 \the\toks\@tempcnta\doublerulesepcolor!\@nil
1397 \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1398 \@addtopreamble{\if@RTL\beginL\fi%
1399 \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1400 \ifcase \@chnum
1401 \hskip\stretch{.5}\kern\z@
1402 \d@llarbegin
1403 \insert@column
1404 \d@llarend\hskip\stretch{.5}%
1405 \or \d@llarbegin \insert@column \d@llarend \hfill
1406 \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1407 \or $\vcenter
1408 \@startpbox{\@nextchar}\insert@column \@endpbox $%
1409 \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1410 \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1411 \fi
1412 \if@RTL\endR\fi\egroup\egroup
1413 \begingroup
1414 \CT@setup

```

```

1415             \CT@column@color
1416             \CT@row@color
1417             \CT@cell@color
1418             \CT@do@color
1419         \endgroup
1420         \@tempdima\ht\z@
1421         \advance\@tempdima\minrowclearance
1422         \vrule\@height\@tempdima\@width\z@
1423         \unhbox\z@\if@RTL\endL\fi}%
1424     \prepnext@tok}
1425 \let\adl@act@classz\@classz
1426 \let\adl@org@classz\@classz
1427 }{}

```

7.12 bidi.sty

```

1428 \NeedsTeXFormat{LaTeX2e}
1429 \def\bididate{2014/07/19}
1430 \def\bidiversion{v15.2}
1431 \ProvidesPackage{bidi}[\bididate\space \bidiversion\space
1432 Bidirectional typesetting in plain TeX and LaTeX]
1433 \edef\@bidi@info{*****~J%
1434 * ~J%
1435 * bidi package (Bidirectional typesetting in~J%
1436 * plain TeX and LaTeX, using XeTeX engine)~J%
1437 * ~J%
1438 * Description: A convenient interface for~J%
1439 * typesetting bidirectional texts in plain TeX~J%
1440 * and LaTeX. The package includes adaptations~J%
1441 * for use with many other commonly-used packages.~J%
1442 * ~J%
1443 * Copyright 20092014 Vafa Khalighi~J%
1444 * ~J%
1445 * \bididate, \bidiversion~J%
1446 * ~J%
1447 * License: LaTeX Project Public License, version~J%
1448 * 1.3c or higher (your choice)~J%
1449 * ~J%
1450 * Location on CTAN: /macros/xetex/latex/bidi~J%
1451 * ~J%
1452 * Issue tracker: https://github.com/vafa/bidi/issues~J%
1453 * ~J%
1454 * Support: persian-tex@tug.org~J%
1455 *****}
1456 \typeout{\@bidi@info}
1457 \edef\bidi@everyjob{\the\everyjob}
1458 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1459 \RequirePackage{iftex}
1460 \RequireXeTeX
1461 \RequirePackage{biditools}

```

```

1462 \RequirePackage{zref-abspage}
1463 \RequirePackage{auxhook}
1464 \RequirePackage{ltxcmds}
1465 \eqnewif{\if@RTLmain}{\if@rlmain}
1466 \eqnewif{\if@RTL}{\if@rl}
1467 \newif\if@Latin
1468 \eqnewif{\if@RTLtab}{\if@tab@rl}
1469 \newif\if@RTLMarginpar
1470 \newif\if@LTRmarginpar
1471 \newif\if@LTRbibitems
1472 \newif\if@RTLbibitems
1473 \newif\if@extrafootnotefeatures
1474 \newif\if@parafootRTL
1475 \newif\if@RTLcolumnfootnotes
1476 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1477 \newif\if@bidi@list@minipage@parbox
1478 \newif\if@bidi@list@minipage@parbox@not@nob
1479 \@RTLmainfalse
1480 \AtBeginDocument{%
1481   \if@RTLmain\else
1482     \if@RTL\@RTLmaintrue%
1483     \else\@RTLmainfalse%
1484     \fi%
1485   \fi%
1486 }
1487 \let\n@xt=\
1488 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1489 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1490 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1491 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1492 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1493   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1494 \input{latex-xetex-bidi.def}
1495 \input{loadingorder-xetex-bidi.def}
1496 \DeclareOption{RTLdocument}{\@RTLtrue\@RTL@footnotetrue\autofooterule}
1497 \DeclareOption{rldocument}{\@RTLtrue\@RTL@footnotetrue\autofooterule}
1498 \DeclareOption{extrafootnotefeatures}{\@extrafootnotefeaturestrue}
1499 \ProcessOptions
1500
1501 \if@extrafootnotefeatures
1502   \input{extrafootnotefeatures-xetex-bidi.def}
1503 \fi

```

7.13 bidi.tex

```

1504 \def\bididate{2014/07/19}
1505 \def\bidiversion{v0.2}
1506 \catcode'\@=11
1507 \let \protect \relax
1508 \newlinechar'\^^J

```

```

1509 \edef\@bidi@info{*****^^J%
1510 * ^^J%
1511 * bidi package (Bidirectional typesetting in^^J%
1512 * plain TeX and LaTeX, using XeTeX engine)^^J%
1513 * ^^J%
1514 * Description: A convenient interface for^^J%
1515 * typesetting bidirectional texts in plain TeX^^J%
1516 * and LaTeX. The package includes adaptations^^J%
1517 * for use with many other commonly-used packages.^^J%
1518 * ^^J%
1519 * Copyright 20092014 Vafa Khalighi^^J%
1520 * ^^J%
1521 * \bididate, \bidiversion^^J%
1522 * ^^J%
1523 * License: LaTeX Project Public License, version^^J%
1524 * 1.3c or higher (your choice)^^J%
1525 * ^^J%
1526 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1527 * ^^J%
1528 * Issue tracker: https://github.com/vafa/bidi/issues^^J%
1529 * ^^J%
1530 * Support: persian-tex@tug.org^^J%
1531 *****}
1532 \message{\@bidi@info}
1533 \edef\bidi@everyjob{\the\everyjob}
1534 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1535 \input iftex.sty
1536 \RequireXeTeX
1537 \newif\if@RTLmain
1538 \newif\if@RTL
1539 \newif\if@sentedir
1540 \newif\if@RTL@footnote
1541 \@RTLmainfalse
1542 \def\setRTLmain{%
1543   \if@RTLmain\else
1544     \if@RTL\@RTLmaintrue%
1545     \else\@RTLmainfalse%
1546     \fi%
1547   \fi%
1548 }
1549 \let\n@xt=\
1550 \protected\def\LRE{\protect\pLRE}%
1551 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1552 \protected\def\RLE{\protect\pRLE}
1553 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1554 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1555   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1556 \input plain-xetex-bidi.def
1557 \catcode'\@=12

```

7.14 bidi2in1.sty

```
1558 \NeedsTeXFormat{LaTeX2e}
1559 \ProvidesPackage{bidi2in1}
1560 \pagestyle{plain}
1561 \newcount\evenpage
1562 \newcount\oddpag
1563 \twocolumn
1564 \def\@oddfoot{\evenpage=\thepage%
1565 \multiply\evenpage by 2%
1566 \oddpag=\the\evenpage%
1567 \advance\oddpag by -1%
1568 \hfil\the\evenpage\hfil\hfil\the\oddpag\hfil}%
1569 \def\@evenfoot{\evenpage=\thepage%
1570 \multiply\evenpage by 2%
1571 \oddpag=\the\evenpage%
1572 \advance\oddpag by -1%
1573 \hfil\the\oddpag\hfil\hfil\the\evenpage\hfil}%
1574 \textwidth 9.49in
1575 \textheight 6.7in
1576 \columnsep 0.9in
1577 \columnseprule 0.125pt
1578 \headheight 0cm
1579 \topmargin 0in
1580 \marginparwidth 0in
1581 \marginparsep 0in
1582 \hoffset 0.05in % Corrected
1583 \voffset -0.5in %top margin space is 1.0in by default
1584 \oddsidemargin 0in
1585 \evensidemargin 0in
1586 \headsep 0cm
1587 \topskip 0cm
1588 \parskip 0.15in %
1589 \headsep 0pt
1590 \special{papersize=11.69in,8.26in}
1591 \renewcommand\maketitle{\par
1592 \begingroup
1593 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1594 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1595 \long\def\@makefntext##1{\parindent 1em\noindent
1596 \hb@xt@1.8em{\%
1597 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1598 \@maketitle
1599 \@thanks
1600 \endgroup
1601 \setcounter{footnote}{0}%
1602 \global\let\thanks\relax
1603 \global\let\maketitle\relax
1604 \global\let\@maketitle\relax
1605 \global\let\@thanks\@empty
```

```

1606 \global\let\@author\@empty
1607 \global\let\@date\@empty
1608 \global\let\@title\@empty
1609 \global\let\title\relax
1610 \global\let\author\relax
1611 \global\let\date\relax
1612 \global\let\and\relax
1613 }

```

7.15 bidicode.sty

```

1614 \NeedsTeXFormat{LaTeX2e}
1615 \ProvidesPackage{bidicode}
1616 \RequirePackage{xcolor}
1617 \RequirePackage{showexpl}
1618 \definecolor{hellgelb}{rgb}{1,1,0.85}
1619 \definecolor{colKeys}{rgb}{0,0,1}
1620 \definecolor{colIdentifier}{rgb}{0,0,0}
1621 \definecolor{colComments}{rgb}{1,0,0}
1622 \definecolor{colString}{rgb}{0,0.5,0}
1623 \lstset{
1624     language=[LaTeX]TEX,
1625     float=hbp,
1626     basicstyle=\ttfamily\small,
1627     identifierstyle=\color{colIdentifier},
1628     keywordstyle=\color{colKeys},
1629     stringstyle=\color{colString},
1630     commentstyle=\color{colComments},
1631     columns=flexible,
1632     tabsize=4,
1633     gobble =1,
1634     extendedchars=true,
1635     showspace=false,
1636     showstringspaces=false,
1637     numbers=left,
1638     numbersep=0.9em,
1639     numberstyle=\tiny, %
1640     frame=single,
1641     captionpos=b,
1642     xleftmargin=1em,
1643     breaklines=true,
1644     breakautoindent=false,
1645     breakindent=0pt,
1646     escapeinside=**,
1647     pos=r,
1648     explpreset={%
1649     xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1650     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1651 }
1652 \newcommand\HLON{%

```

```

1653 \gdef\lst@alloverstyle##1{%
1654     \fboxrule=0pt
1655     \fboxsep=0pt
1656     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1657 }}
1658 \newcommand\HLOFF{%
1659     \xdef\lst@alloverstyle##1{##1}%
1660 }
1661 \newcommand\Larg [1]{\normalfont\itshape#1\/\}}
1662 \newcommand\Larga[1]{\angle$\Larg{#1}$\rangle$}
1663 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
1664 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
1665 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
1666 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
1667 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}
1668
1669 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
1670 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char'`}
1671 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char'`}
1672 \DeclareRobustCommand\lsb{\normalfont\ttfamily[]}
1673 \DeclareRobustCommand\rsb{\normalfont\ttfamily{}}
1674 \DeclareRobustCommand\lrb{\normalfont\ttfamily{}}
1675 \DeclareRobustCommand\rrb{\normalfont\ttfamily{}}
1676
1677 \def\Lcs#1{\nxLcs{#1}}
1678 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
1679 \def\nxLcs#1{\texttt{\symbol{92}#1}}
1680
1681 \def\Coordx#1{$x_{#1}$}
1682 \def\Coordy#1{$y_{#1}$}
1683 \def\Coordz#1{$z_{#1}$}
1684 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1685 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1686 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1687 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
1688 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1689 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1690 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
1691 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1692 \def\coordx#1{($x_{#1}$)}
1693 \def\coordy#1{($y_{#1}$)}
1694 \def\coordz#1{($z_{#1}$)}
1695 \def\cAny{(\Coordx{},\kern 1pt\Coordy{}}
1696 \def\ciiiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1697
1698 \newsavebox{\boxdef}
1699 \newenvironment{BDef}
1700     {\begin{lrbox}\boxdef
1701         \def\arraystretch{1.0}
1702         \begin{tabular}{@{}l@{}l@{}l@{}}

```

```

1703 }
1704 {\end{tabular}\end{lrbox}
1705
1706 {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
1707 \aftergroup\@afterindentfalse\aftergroup\@afterheading
1708 }
1709
1710 \newenvironment{BDef*}
1711 {\begin{lrbox}\boxdef
1712   \def\arraystretch{1.0}
1713   \begin{tabular}{@{}l@{}l@{}l@{}}
1714 }
1715 {\end{tabular}\end{lrbox}
1716 {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
1717 \aftergroup\@afterindentfalse\aftergroup\@afterheading
1718 }
1719 \newenvironment{BCmd}{
1720   \@beginparpenalty-\@lowpenalty
1721   \topsep\BDefaboveskip
1722   \fbboxsep3pt
1723   \flushleft}
1724 {\@endparpenalty\@M
1725   \@topsepadd\BDefbelowskip
1726   \endflushleft}
1727
1728 \newenvironment{BCmd*}{
1729   \@beginparpenalty\@M
1730   \topsep\BDefinlineskip
1731   \fbboxsep3pt
1732   \flushleft}
1733 {\@endparpenalty5000
1734   \endflushleft}
1735
1736 \newskip\BDefaboveskip
1737 \newskip\BDefbelowskip
1738 \newskip\BDefinlineskip
1739 \setlength\BDefaboveskip{10pt plus 4pt}
1740 \setlength\BDefbelowskip{6pt}
1741 \setlength\BDefinlineskip{6pt}
1742
1743 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
1744 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
1745 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}
1746 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

7.16 bidiftnxtra.sty

```

1747 \NeedsTeXFormat{LaTeX2e}
1748 \ProvidesPackage{bidiftnxtra}
1749 \newtoks\bidip@ftn

```



```

1750 \let\FN@sffootnote\footnote
1751 \let\FN@sff@LTRfootnote\LTRfootnote
1752 \let\FN@sff@RTLfootnote\RTLfootnote
1753 \def\footnote{\ifx\protect\@typeset@protect
1754   \expandafter\FN@sffootnote
1755   \else
1756   \expandafter\FN@sff@gobble@opt
1757   \fi
1758 }
1759 \def\LTRfootnote{\ifx\protect\@typeset@protect
1760   \expandafter\FN@sff@LTRfootnote
1761   \else
1762   \expandafter\FN@sff@gobble@opt
1763   \fi
1764 }
1765 \def\RTLfootnote{\ifx\protect\@typeset@protect
1766   \expandafter\FN@sff@RTLfootnote
1767   \else
1768   \expandafter\FN@sff@gobble@opt
1769   \fi
1770 }
1771 \edef\FN@sff@gobble@opt{\noexpand\protect
1772   \expandafter\noexpand\csname FN@sff@gobble@opt \endcsname}
1773 \expandafter\def\csname FN@sff@gobble@opt \endcsname{%
1774   \ifnextchar[%]
1775     \FN@sff@gobble@twobracket
1776     \@gobble
1777 }
1778 \def\FN@sff@gobble@twobracket[#1]#2{}
1779 \let\FN@sff@footnotemark\footnotemark
1780 \def\footnotemark{\ifx\protect\@typeset@protect
1781   \expandafter\FN@sff@footnotemark
1782   \else
1783   \expandafter\FN@sff@gobble@optonly
1784   \fi
1785 }
1786 \edef\FN@sff@gobble@optonly{\noexpand\protect
1787   \expandafter\noexpand\csname FN@sff@gobble@optonly \endcsname}
1788 \expandafter\def\csname FN@sff@gobble@optonly \endcsname{%
1789   \ifnextchar[%]
1790     \FN@sff@gobble@bracket
1791     {}%
1792 }
1793 \def\FN@sff@gobble@bracket[#1]{}
1794 \def\@tabular{\ifRTL\global\@RTLtabtrue\fi
1795   \leavevmode \hbox \bgroup
1796   \let\@footnotetext\@footnotetext
1797   \let\@LTRfootnotetext\@LTRfootnotetext
1798   \let\@RTLfootnotetext\@RTLfootnotetext
1799   \let\@xfootnotenext\@xfootnotenext

```

```

1800 \let\@xfootnote\@bidi@p@xfootnote
1801 \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1802 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1803 \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1804 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1805 \if@RTLtab\beginR \fi
1806 $\let\@acol\@tabacol
1807 \let\@classz\@tabclassz
1808 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
1809 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
1810 \egroup $\if@RTLtab\endR\fi\egroup
1811 \ifx\@cuptype\@undefined
1812 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi%
1813 \global\@RTLtabfalse}
1814 \long\def\@bidi@p@ftntext#1{%
1815 \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
1816 \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
1817 \long\def\@bidi@p@LTRftntext#1{%
1818 \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1819 \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
1820 \long\def\@bidi@p@RTLftntext#1{%
1821 \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1822 \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%
1823
1824
1825 \long\def\@bidi@p@xftntext[#1]#2{%
1826 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\footnotetext[#1]{#2}}}
1827
1828 \long\def\@bidi@p@xLTRftntext[#1]#2{%
1829 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
1830
1831 \long\def\@bidi@p@xRTLftntext[#1]#2{%
1832 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
1833
1834
1835 \def\@bidi@p@xfootnote[#1]{%
1836 \begingroup
1837 \csname c@\@mpfn\endcsname #1\relax
1838 \unrestored@protected@xdef\@thefnmark{\thempfn}%
1839 \endgroup
1840 \@footnotemark\@bidi@p@xftntext[#1]}
1841
1842
1843 \def\@bidi@p@xLTRfootnote[#1]{%
1844 \begingroup
1845 \csname c@\@mpfn\endcsname #1\relax
1846 \unrestored@protected@xdef\@thefnmark{\thempfn}%
1847 \endgroup
1848 \@footnotemark\@bidi@p@xLTRftntext[#1]}
1849

```

```

1850
1851 \def\@bidi@p@xRTLfootnote[#1]{%
1852   \beginingroup
1853     \csname c@\@mpfn\endcsname #1\relax
1854     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1855   \endgroup
1856   \@footnotemark\@bidi@p@xRTLftntext[#1]}
1857
1858 \def\@xfloat #1[#2]{%
1859   \@nodocument
1860   \def \@captive {#1}%
1861   \def \@fps {#2}%
1862   \@onelevel@sanitize \@fps
1863   \def \reserved@a {!}%
1864   \ifx \reserved@a \@fps
1865     \@fpsadddefault
1866   \else
1867     \ifx \@fps \@empty
1868       \@fpsadddefault
1869     \fi
1870   \fi
1871   \ifhmode
1872     \@bsphack
1873     \@floatpenalty -\@Mii
1874   \else
1875     \@floatpenalty-\@Miii
1876   \fi
1877   \ifinner
1878     \@parmoderr\@floatpenalty\z@
1879   \else
1880     \@next\@currbox\@freelist
1881     {%
1882       \@tempcnta \sixt@@n
1883       \expandafter \@tfor \expandafter \reserved@a
1884       \expandafter :\expandafter =\@fps
1885       \do
1886       {%
1887         \if \reserved@a h%
1888           \ifodd \@tempcnta
1889         \else
1890           \advance \@tempcnta \@ne
1891         \fi
1892       \fi
1893       \if \reserved@a t%
1894         \setfpsbit \tw@
1895       \fi
1896       \if \reserved@a b%
1897         \setfpsbit 4%
1898       \fi
1899       \if \reserved@a p%

```

```

1900         \@setfpsbit 8%
1901     \fi
1902     \if \reserved@a !%
1903         \ifnum \@tempcnta>15
1904             \advance\@tempcnta -\sixt@@n\relax
1905         \fi
1906     \fi
1907 }%
1908 \@tempcntb \csname ftype@\@capttype \endcsname
1909 \multiply \@tempcntb \@xxxii
1910 \advance \@tempcnta \@tempcntb
1911 \global \count\@currbox \@tempcnta
1912 }%
1913 \@fltovf
1914 \fi
1915 \global \setbox\@currbox
1916     \color@vbox
1917     \normalcolor
1918     \vbox \bgroup
1919         \let\@footnotetext\@bidi@p@ftntext
1920         \let\@LTRfootnotetext\@bidi@p@LTRftntext
1921         \let\@RTLfootnotetext\@bidi@p@RTLftntext
1922         \let\@xfootnotenext\@bidi@p@xftntext
1923         \let\@xfootnote\@bidi@p@xfootnote
1924         \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1925         \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1926         \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1927         \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1928         \hsize\columnwidth
1929         \@parboxrestore
1930         \@floatboxreset
1931 }
1932 \def \@endfloatbox{%
1933     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
1934     \@minipagefalse
1935     \outer@nobreak
1936     \egroup                %% end of vbox
1937     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
1938     \color@endbox
1939 }

```

7.17 bidi-longtable.sty

```

1940 \ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine]
1941 \def\longtable{\if@RTL\@RTLtabtrue\fi%
1942     \par
1943     \ifx\multicols\@undefined
1944     \else
1945         \ifnum\col@number>\@ne
1946             \@twocolumntrue

```

```

1947     \fi
1948 \fi
1949 \if@twocolumn
1950     \LT@err{longtable not in 1-column mode}\@ehc
1951 \fi
1952 \begingroup
1953 \ifnextchar[\LT@array{\LT@array[x]}
1954 \def\endlongtable{%
1955     \crrc
1956     \noalign{%
1957         \let\LT@entry\LT@entry@chop
1958         \xdef\LT@save@row{\LT@save@row}}%
1959     \LT@echunk
1960     \LT@start
1961     \unvbox\z@
1962     \LT@get@widths
1963     \if@filesw
1964         {\let\LT@entry\LT@entry@write\immediate\write\@auxout{%
1965             \gdef\expandafter\noexpand
1966                 \csname LT@\romannumeral\c@LT@tables\endcsname
1967                 {\LT@save@row}}}%
1968     \fi
1969     \ifx\LT@save@row\LT@@@save@row
1970 \else
1971     \LT@warn{Column \@width s have changed\MessageBreak
1972             in table \thetable}%
1973     \LT@final@warn
1974 \fi
1975 \endgraf\penalty -\LT@end@pen
1976 \endgroup
1977 \global\@mparbottom\z@
1978 \pagegoal\vsizel
1979 \endgraf\penalty\z@\addvspace\LTpost
1980 \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
1981 \def\LT@output{%
1982     \ifnum\outputpenalty <-\@Mi
1983         \ifnum\outputpenalty > -\LT@end@pen
1984             \LT@err{floats and marginpars not allowed in a longtable}\@ehc
1985         \else
1986             \setbox\z@\vbox{\unvbox\@cclv}%
1987             \ifdim \ht\LT@lastfoot>\ht\LT@foot
1988                 \dimen@\pagegoal
1989                 \advance\dimen@-\ht\LT@lastfoot
1990                 \ifdim\dimen@<\ht\z@
1991                     \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
1992                     \makecol
1993                     \outputpage
1994                     \setbox\z@\vbox{\box\LT@head}%
1995                 \fi
1996             \fi

```

```

1997     \global\@colroom\@colht
1998     \global\vsizel\@colht
1999     \vbox
2000     {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@box\ifvoid\LT@lastfoot\LT@foot\else\LT@la
2001     \fi
2002 \else
2003     \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RT
2004     \@makecol
2005     \@outputpage
2006     \global\vsizel\@colroom
2007     \copy\LT@head\nobreak
2008 \fi}

```

7.18 bidimoderncv.cls

```

2009 \NeedsTeXFormat{LaTeX2e}
2010 \ProvidesClass{bidimoderncv}
2011 \newif\if@DEBUG\@DEBUGfalse
2012 \DeclareOption{a4paper}{
2013   \setlength\paperheight{297mm}
2014   \setlength\paperwidth{210mm}}
2015 \DeclareOption{a5paper}{
2016   \setlength\paperheight{210mm}
2017   \setlength\paperwidth{148mm}}
2018 \DeclareOption{b5paper}{
2019   \setlength\paperheight{250mm}
2020   \setlength\paperwidth{176mm}}
2021 \DeclareOption{letterpaper}{
2022   \setlength\paperheight{11in}
2023   \setlength\paperwidth{8.5in}}
2024 \DeclareOption{legalpaper}{
2025   \setlength\paperheight{14in}
2026   \setlength\paperwidth{8.5in}}
2027 \DeclareOption{executivepaper}{
2028   \setlength\paperheight{10.5in}
2029   \setlength\paperwidth{7.25in}}
2030 \DeclareOption{landscape}{
2031   \setlength\@tempdima{\paperheight}
2032   \setlength\paperheight{\paperwidth}
2033   \setlength\paperwidth{\@tempdima}}
2034 \newcommand\@ptsize{}
2035 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2036 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
2037 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2038 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2039 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2040 \newif\if@colour\@colourtrue
2041 \DeclareOption{nocolour}{\@colourfalse}
2042 \ExecuteOptions{a4paper,11pt,colour,final}
2043 \ProcessOptions\relax

```

```

2044 \input{size1\@ptsize.clo}
2045 \RequirePackage{color}
2046 \RequirePackage{graphicx}
2047 \RequirePackage{ifthen}
2048 \RequirePackage{marvosym}
2049 \addtolength{\oddsidemargin}{-54pt}
2050 \addtolength{\textwidth}{109pt}
2051 \addtolength{\topmargin}{-70pt}
2052 \addtolength{\textheight}{122pt}
2053 \addtolength{\marginparsep}{-5pt}
2054 \addtolength{\marginparwidth}{-10pt}
2055 \RequirePackage{url}
2056 \RequirePackage{hyperref}
2057 \hypersetup{%
2058   breaklinks,
2059   baseurl      = http://,%
2060   pdfborder    = 0 0 0,%
2061   pdfpagemode  = UseNone,%
2062   pdfstartpage = 1}
2063 \AtEndOfClass{%
2064   \AtBeginDocument{%
2065     \hypersetup{%
2066       pdfauthor    = \@firstname~\@familyname,%
2067       pdftitle     = \@title,%
2068       pdfsubject   = \@firstname~\@familyname,%
2069       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
2070 \urlstyle{tt}
2071 \RequirePackage{fancyhdr}
2072 \fancypagestyle{plain}{%
2073   \renewcommand{\headrulewidth}{0pt}
2074   \renewcommand{\footrulewidth}{0pt}
2075   \fancyhf{}}
2076 \pagestyle{plain}
2077 \setlength\lineskip{1\p@}
2078 \setlength\normallineskip{1\p@}
2079 \renewcommand\baselinestretch{}
2080 \setlength{\parindent}{0pt}
2081 \setlength{\parskip}{0pt}
2082 \setlength\columnsep{10\p@}
2083 \setlength\columnseprule{0\p@}
2084 \pagestyle{empty}
2085 \pagenumbering{arabic}
2086 \raggedbottom
2087 \onecolumn
2088 \providecommand*\listitemsymbol{\textbullet}
2089 \providecommand*\addresssymbol{}
2090 \providecommand*\mobilesymbol{\Mobilefone}
2091 \providecommand*\phonesymbol{\Telefon}
2092 \providecommand*\faxsymbol{\FAX}
2093 \providecommand*\emailsymbol{\Letter}

```

```

2094 \definecolor{firstnamecolor}{rgb}{0,0,0}
2095 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2096 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2097 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2098 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2099 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2100 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2101 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2102 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2103 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2104 \providecommand*\{firstnamefont}\{}
2105 \providecommand*\{familynamefont}\{}
2106 \providecommand*\{titlefont}\{}
2107 \providecommand*\{addressfont}\{}
2108 \providecommand*\{quote\font}\{}
2109 \providecommand*\{sectionfont}\{}
2110 \providecommand*\{subsectionfont}\{}
2111 \providecommand*\{hintfont}\{\small}
2112 \providecommand*\{firstnamestyle}[1]{\{\{firstnamefont\@firstnamecolour#1\}}
2113 \providecommand*\{familynamestyle}[1]{\{\{familynamefont\@familynamecolour#1\}}
2114 \providecommand*\{titlestyle}[1]{\{\{titlefont\@titlecolour#1\}}
2115 \providecommand*\{addresstyle}[1]{\{\{addressfont\@addresscolour#1\}}
2116 \providecommand*\{quotestyle}[1]{\{\{quote\font\@quotecolour#1\}}
2117 \providecommand*\{sectionstyle}[1]{\{\{sectionfont\@sectiontitlecolour#1\}}
2118 \providecommand*\{subsectionstyle}[1]{\{\{subsectionfont\@subsectioncolour#1\}}
2119 \providecommand*\{hintstyle}[1]{\{\{hintfont\@hintcolour#1\}}
2120 \newcommand*\{cvtheme}[2][\{}
2121 \def\@cvtheme{#2}
2122 \def\@cvthemeoptions{#1}}
2123 \cvtheme{bidi-casual}
2124 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2125 \newcommand*\{resumename}[1]{\def\@resumename{#1}}
2126 \newcommand*\{firstname}[1]{\def\@firstname{#1}}
2127 \newcommand*\{familyname}[1]{\def\@familyname{#1}}
2128 \renewcommand*\{title}[1]{\def\@title{#1}}
2129 \newcommand*\{address}[1]{\def\@address{#1}}
2130 \newcommand*\{mobile}[1]{\def\@mobile{#1}}
2131 \newcommand*\{phone}[1]{\def\@phone{#1}}
2132 \renewcommand*\{fax}[1]{\def\@fax{#1}}
2133 \newcommand*\{email}[1]{\def\@email{#1}}
2134 \newcommand*\{extrainfo}[1]{\def\@extrainfo{#1}}
2135 \def\@photowidth{0pt}
2136 \newcommand*\{photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
2137 \newcommand*\{quote}[1]{\def\@quote{#1}}
2138 \newlength{\quotewidth}
2139 \newlength{\hintscolumnwidth}
2140 \newlength{\separatorcolumnwidth}
2141 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2142 \newlength{\maincolumnwidth}
2143 \newlength{\doubleitemmaincolumnwidth}

```



```

2144 \newlength{\listitemsymbolwidth}
2145 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}}
2146 \newlength{\listitemmaincolumnwidth}
2147 \newlength{\listdoubleitemmaincolumnwidth}
2148 \newcommand*{\recomputethemelengths}{}
2149 \newcommand*{\recomputelengths}{%
2150 \setlength{\quotewidth}{0.65\textwidth}%
2151 \setlength{\maincolumnwidth}{\textwidth}%
2152 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2153 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2154 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2155 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2156 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2157 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2158 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2159 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2160 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2161 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2162 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2163 \renewcommand{\headwidth}{\textwidth}%
2164 \recomputethemelengths}
2165 \setlength{\hintscolumnwidth}{0.15\textwidth}
2166 \recomputelengths
2167 \title{}
2168 \renewcommand*{\maketitle}{}
2169 \newcommand*{\section}[1]{%
2170 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2171 \phantomsection}%
2172 \addcontentsline{toc}{part}{#1}%
2173 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}
2174 \hspace{\separatorcolumnwidth}%
2175 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\[\[1ex]}
2176 \newcommand*{\subsection}[1]{%
2177 \cvline[0.45em]{\subsectionstyle{#1}}
2178 \newcommand*{\cvline}[3][.25em]{%
2179 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}
2180 \bidi@raggedleft\hintfont{#2} \&{#3}%
2181 \end{tabular}\[\[#1]}
2182 \newcommand*{\cvdoubleitem}[4]{%
2183 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2184 \hfill%
2185 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\s
2186 \newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
2187 \cvline[0pt]{\#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
2188 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
2189 \cvline[0pt]{\#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2190 \hfill%
2191 \ifthenelse{equal{#3}}{}%
2192 {}%
2193 {\#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}

```

```

2194 \newcommand*{\cventry}[6]{%
2195   \cvline{#1}{%
2196     {\bfseries#2}%
2197     \ifx#3\else{, {\slshape#3}}\fi%
2198     \ifx#4\else{, #4}\fi%
2199     \ifx#5\else{, #5}\fi%
2200     .%
2201     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2202   }%
2203 \newcommand*{\cvlanguage}[3]{%
2204   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\textbf{#3}\end{minipage}}
2205 \newcommand*{\cvcomputer}[4]{%
2206   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
2207 \newcommand*{\link}[2][{}]{%
2208   \ifthenelse{\equal{#1}{}}{%
2209     {\href{#2}{#2}}%
2210     {\href{#2}{#1}}}
2211 \newcommand*{\httplink}[2][{}]{%
2212   \ifthenelse{\equal{#1}{}}{%
2213     {\href{http://#2}{#2}}%
2214     {\href{http://#2}{#1}}}
2215 \newcommand*{\emailink}[2][{}]{%
2216   \ifthenelse{\equal{#1}{}}{%
2217     {\href{mailto:#2}{#2}}%
2218     {\href{mailto:#2}{#1}}}
2219 \newif\if@displaypagenumbers\@displaypagenumberstrue
2220 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2221 \AtBeginDocument{%
2222   \if@displaypagenumbers%
2223     \ifundefined{r@lastpage}{\fi}{%
2224       \ifthenelse{\pageref{lastpage} > 1}{%
2225         \fancypagestyle{plain}{%
2226           \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pagestyle{plain}}}%
2227       }%
2228   \AtEndDocument{\label{lastpage}}%
2229   \fi}
2230 \newlength{\bibindent}
2231 \setlength{\bibindent}{1.5em}
2232 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2233 \newenvironment{thebibliography}[1]{%
2234   {%
2235     \section{\refname}%
2236     \small%
2237     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2238     \begin{list}{\bibliographyitemlabel}%
2239       {%
2240         \setlength{\topsep}{0pt}%
2241         \setlength{\labelwidth}{\hintscolumnwidth}%
2242         \setlength{\labelsep}{\separatorcolumnwidth}%
2243         \leftmargin\labelwidth%

```

```

2244         \advance\leftmargin\labelsep%
2245         \@openbib@code%
2246         \usecounter{enumiv}%
2247         \let\p@enumiv\@empty%
2248         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2249         \sloppy\clubpenalty4000\widowpenalty4000%
2250     }%
2251     {%
2252     \def\@noitemerr{\@latex@warning{Empty 'thebibliography' environment}}%
2253     \end{list}}%
2254 }
2255 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2256 \let\@openbib@code\@empty

```

7.19 biditools.sty

```

2257 \NeedsTeXFormat{LaTeX2e}
2258 \ProvidesPackage{biditools}[2013/04/10 v0.2 Programming tools for bidi package]
2259 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar'\@relax
2260   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2261   \ifx\@tempa\@tempb \global\let#2#1%
2262   \else
2263     \edef\@tempb{\meaning#2}%
2264     \ifx\@tempa\@tempb
2265     \else
2266       \@latex@error{Unable to properly define \string#2; primitive
2267       \noexpand#1no longer primitive}\@eha
2268     \fi
2269   \fi
2270   \endgroup}
2271 \def\@tagsextension{clo}
2272 \def\@definitionfileextension{def}
2273 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2274 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2275 \def\eqnewif#1#2{%
2276   \count@\escapechar \escapechar\m@ne
2277   \let#1\iffalse
2278   \let#2\iffalse
2279   \eq@if#1#2\iftrue
2280   \eq@if#1#2\iffalse
2281   \escapechar\count@}
2282 \def\eq@if#1#2#3{%
2283   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2284     \expandafter\@gobbletwo\string#3\endcsname
2285     {\let#1#3%
2286     \let#2#3}%
2287   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2288     \expandafter\@gobbletwo\string#3\endcsname
2289     {\let#2#3%
2290     \let#1#3}}

```

```

2291 \newcommand*{\if@bidi@csdef}[1]{%
2292   \ifcsname#1\endcsname
2293   \expandafter\@firstoftwo
2294   \else
2295   \expandafter\@secondoftwo
2296   \fi}
2297 \newcommand*{\if@bidi@csundef}[1]{%
2298   \ifcsname#1\endcsname
2299   \expandafter\ifx\csname#1\endcsname\relax
2300   \expandafter\expandafter
2301   \expandafter\@firstoftwo
2302   \else
2303   \expandafter\expandafter
2304   \expandafter\@secondoftwo
2305   \fi
2306   \else
2307   \expandafter\@firstoftwo
2308   \fi}
2309 \newcommand{\if@bidi@def}[1]{%
2310   \ifdefined#1%
2311   \expandafter\@firstoftwo
2312   \else
2313   \expandafter\@secondoftwo
2314   \fi}
2315 \newcommand{\if@bidi@undef}[1]{%
2316   \ifdefined#1%
2317   \ifx#1\relax
2318   \expandafter\expandafter
2319   \expandafter\@firstoftwo
2320   \else
2321   \expandafter\expandafter
2322   \expandafter\@secondoftwo
2323   \fi
2324   \else
2325   \expandafter\@firstoftwo
2326   \fi}
2327 \newcommand{\if@bidi@blank}[1]{% from url.sty
2328   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2329 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2330 \newcommand{\bidi@notblank}[1]{%
2331   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2332 \newcommand{\if@bidi@defmacro}{%
2333 \long\edef\if@bidi@defmacro#1{%
2334   \noexpand\expandafter\noexpand\bidi@ifdefmacro
2335   \noexpand\meaning#1\detokenize{macro}:&}
2336 \edef\bidi@ifdefmacro{%
2337   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&
2338   \bidi@ifdefmacro{\bidi@notblank{#2}}
2339 \newcommand*{\if@bidi@csmacro}[1]{%
2340   \if@bidi@csdef{#1}

```

```

2341     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2342     {\@secondoftwo}}
2343 \newcommand{\if@bidi@defprimitive}[1]{%
2344   \ifprimitive#1%
2345     \expandafter\@firstoftwo
2346   \else
2347     \expandafter\@secondoftwo
2348   \fi}
2349 \newcommand{\if@bidi@csprimitive}[1]{%
2350   \begingroup\expandafter\expandafter\expandafter\endgroup%
2351   \expandafter\ifprimitive\csname#1\endcsname%
2352   \expandafter\@firstoftwo
2353   \else
2354     \expandafter\@secondoftwo
2355   \fi}
2356 \newcommand*{\bidi@csdefcs}[2]{%
2357   \expandafter\@ifdefinable \csname#1\endcsname{%
2358     \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
2359 \newcommand*{\bidi@csletcs}[2]{%
2360   \expandafter\@ifdefinable \csname#1\endcsname{%
2361     \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2362 \newcommand*{\bidi@cslet}[2]{%
2363   \expandafter\@ifdefinable \csname#1\endcsname{%
2364     \expandafter\let\csname#1\endcsname#2}}
2365 \newcommand{\bidi@namelongdef}[1]{%
2366   \long\expandafter\def\csname #1\endcsname}
2367 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
2368 \def\bidi@ensure@new@command#1{%
2369   \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2370   \expandafter\if@bidi@csundef\@gtempa
2371     {\new@command#1}{\relax%
2372     \let\@ifdefinable\@rc@ifdefinable%
2373     \new@command#1}}
2374 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
2375
2376 \protected\def\bidi@error{\PackageError{bidi}}
2377 \protected\def\bidi@warning{\PackageWarning{bidi}}
2378 \protected\def\bidi@info{\PackageInfo{bidi}}
2379
2380 \newcommand*{\bidi@newrobustcmd}{}
2381 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
2382
2383 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2384
2385 \def\bidi@newcommand#1[#2]{%
2386   \@ifnextchar[%
2387     {\bidi@xargdef#1[#2]}
2388     {\ifx\l@ngrel@x\relax
2389       \let\l@ngrel@x\protected
2390     \else

```

```

2391     \protected\def\l@ngrel@x{\protected\long}%
2392     \fi
2393     \@argdef#1[#2]}}
2394
2395 \long\def\bidixargdef#1[#2][#3]#4{%
2396   \ifdefinable#1{%
2397     \expandafter\protected
2398     \expandafter\def
2399     \expandafter#1%
2400     \expandafter{%
2401       \expandafter\@testopt
2402       \csname\string#1\endcsname{#3}}%
2403     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}%
2404
2405 \bidixnewrobustcmd*{\bidixrenewrobustcmd}{\@star@or@long\bidixrenew@command}
2406
2407 \def\bidixrenew@command#1{%
2408   \if@bidixundef{#1}
2409     {\bidixerror{\string#1 undefined}\@ehc}
2410     {}%
2411   \let\@ifdefinable\@rc@ifdefinable
2412   \bidixnew@command#1}
2413
2414
2415
2416 \bidixnewrobustcmd*{\bidixproviderobustcmd}{\@star@or@long\bidixprovide@command}
2417
2418 \def\bidixprovide@command#1{%
2419   \if@bidixundef{#1}
2420     {\def\reserved@a{\bidixnew@command#1}}
2421     {\def\reserved@a{\bidixrenew@command\reserved@a}}%
2422   \reserved@a}
2423
2424 \newcommand*{\bidixcsuse}[1]{%
2425   \ifcsname#1\endcsname
2426     \csname#1\expandafter\endcsname
2427   \fi}
2428
2429 \newcommand{\bidixexpandonce}[1]{%
2430   \unexpanded\expandafter{#1}}
2431
2432 \def\bidixprotected{%
2433   \let\@protect\protect
2434   \let\protect\@unexpandable@protect
2435   \afterassignment\restore@protect}
2436
2437 \bidixnewrobustcmd{\bidixappto}[2]{%
2438   \if@bidixundef{#1}
2439     {\edef#1{\unexpanded{#2}}}
2440     {\edef#1{\bidixexpandonce#1\unexpanded{#2}}}}

```

```

2441 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2442   \if@bidi@undef{#1}
2443     {\edef#1{#2}}
2444     {\edef#1{\bidi@expandonce#1#2}}}
2445 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2446   \if@bidi@undef{#1}
2447     {\xdef#1{\unexpanded{#2}}}
2448     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2449 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2450   \if@bidi@undef{#1}
2451     {\xdef#1{#2}}
2452     {\xdef#1{\bidi@expandonce#1#2}}}
2453
2454 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2455 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2456
2457
2458
2459 \bidi@newrobustcmd{\bidi@preto}[2]{%
2460   \if@bidi@undef{#1}
2461     {\edef#1{\unexpanded{#2}}}
2462     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2463 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2464   \if@bidi@undef{#1}
2465     {\edef#1{#2}}
2466     {\edef#1{#2\bidi@expandonce#1}}}
2467 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2468   \if@bidi@undef{#1}
2469     {\xdef#1{\unexpanded{#2}}}
2470     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2471 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2472   \if@bidi@undef{#1}
2473     {\xdef#1{#2}}
2474     {\xdef#1{#2\bidi@expandonce#1}}}
2475
2476 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2477 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2478
2479
2480
2481 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2482 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2483 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2484 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2485 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2486 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2487
2488
2489
2490 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}

```

```

2491 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2492 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2493 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2494 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2495 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2496
2497
2498
2499 \bidi@newrobustcmd{\if@bidi@patchable}{%
2500   \bidi@dbg@trce\if@bidi@patchable
2501   \begingroup
2502   \@makeother\#%
2503   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2504
2505 \long\def\bidi@ifpatchable#1#2{%
2506   \endgroup
2507   \bidi@dbg@init#1%
2508   \if@bidi@undef{#1}
2509     {\bidi@dbg@fail{def}\@secondoftwo}
2510     {\bidi@dbg@info{def}%
2511     \if@bidi@defmacro{#1}
2512       {\bidi@dbg@info{mac}%
2513       \bidi@ifscanable{#1}
2514         {\bidi@ifhashcheck{#2}
2515           {\bidi@dbg@info{tok}%
2516           \bidi@ifpattern#1{#2}
2517             {\bidi@dbg@info{pat}%
2518             \bidi@dbg@info{pos}\@firstoftwo}
2519             {\bidi@dbg@fail{pat}\@secondoftwo}}
2520             {\bidi@dbg@fail{hsh}\@secondoftwo}}
2521             {\bidi@dbg@fail{tok}\@secondoftwo}}
2522             {\bidi@dbg@fail{mac}\@secondoftwo}}}
2523
2524 \long\def\bidi@ifpatchable@i#1{%
2525   \endgroup
2526   \bidi@dbg@init#1%
2527   \if@bidi@undef{#1}
2528     {\bidi@dbg@fail{def}\@secondoftwo}
2529     {\bidi@dbg@info{def}%
2530     \if@bidi@defmacro{#1}
2531       {\bidi@dbg@info{mac}%
2532       \if@bidi@defparam{#1}
2533         {\bidi@dbg@info{prm}%
2534         \bidi@ifscanable{#1}
2535           {\bidi@dbg@info{tok}%
2536           \bidi@dbg@info{pos}\@firstoftwo}
2537           {\bidi@dbg@fail{tok}\@secondoftwo}}
2538           {\bidi@dbg@info{prl}%
2539           \if@bidi@defprotected{#1}
2540             {\bidi@dbg@info{pro}}

```



```

2541         {}%
2542         \bidi@dbg@info{pos}\@firstoftwo}}
2543     {\bidi@dbg@fail{mac}\@secondoftwo}}
2544
2545 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2546 \bidi@dbg@trce\bidi@patchcmd
2547 \beginingroup
2548 \@makeother\%
2549 \bidi@@patchcmd}
2550
2551 \newcommand{\bidi@@patchcmd}[4][#####1]{%
2552 \bidi@ifpatchable#2{#3}
2553 {\bidi@dbg@succ{ret}}%
2554 \beginingroup
2555 \edef\bidi@resrvda{%
2556 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2557 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2558 \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2559 ####1\detokenize{#4}####2}%
2560 \edef\noexpand\bidi@resrvda{%
2561 \noexpand\bidi@resrvda\meaning#2&}}%
2562 \bidi@resrvda
2563 \bidi@patchcmd@scantoks\bidi@resrvda
2564 \let#2\bidi@resrvda
2565 \bidi@undef\bidi@resrvda
2566 \@firstoftwo}
2567 {\@secondoftwo}}
2568
2569 \def\bidi@patchcmd@scantoks#1{%
2570 \edef\bidi@resrvda{\endgroup
2571 \unexpanded{\makeatletter\scantokens}{#1}%
2572 \catcode\number'\@=\the\catcode'\@ \relax}%
2573 \bidi@resrvda}
2574
2575 \newcommand\bidi@isloaded[2][]{
2576 \expandafter\ifx\csname if@bidi@#2loaded@endcsname\relax
2577 \expandafter\newif\csname if@bidi@#2loaded@endcsname
2578 \fi
2579 \@ifpackageloaded{#2}
2580 {\csname @bidi@#2loaded@true\endcsname #1}
2581 {\csname @bidi@#2loaded@false\endcsname}}
2582
2583 \protected\def\bidi@ifscanable#1{%
2584 \beginingroup
2585 \edef\bidi@resrvda{%
2586 \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2587 ####1\def\string\bidi@resrvda####2{####3}}%
2588 \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
2589 \bidi@resrvda
2590 \makeatletter

```

```

2591 \scantokens\expandafter{\bidi@resrvda}%
2592 \expandafter\endgroup\ifx#1\bidi@resrvda
2593 \expandafter\@firstoftwo
2594 \else
2595 \expandafter\@secondoftwo
2596 \fi}
2597
2598
2599 \protected\long\def\bidi@ifhashcheck#1{%
2600 \begingroup
2601 \edef\bidi@resrvda{\detokenize{#1}}%
2602 \expandafter\endgroup
2603 \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
2604
2605 \edef\bidi@ifhashcheck@i#1{%
2606 \noexpand\expandafter
2607 \noexpand\bidi@ifhashcheck@ii
2608 \noexpand\strip@prefix#1\string#\string#&}
2609
2610 \edef\bidi@ifhashcheck@ii{%
2611 \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
2612 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
2613
2614
2615 \protected\long\def\bidi@ifpattern#1#2{%
2616 \begingroup
2617 \edef\bidi@resrvda{%
2618 \def\noexpand\bidi@resrvda####1\detokenize{#2}###2&{%
2619 \endgroup\noexpand\noexpand\noexpand\noexpand\if@bidi@blank{####2}}}%
2620 \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
2621 \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
2622 \noexpand\bidi@resrvda}
2623 \bidi@resrvda\@secondoftwo\@firstoftwo}
2624
2625
2626 \newcommand{\if@bidi@defparam}{%
2627 \long\edef\if@bidi@defparam#1{%
2628 \noexpand\expandafter\noexpand\bidi@ifdefparam
2629 \noexpand\meaning#1\detokenize{macro}:->&}
2630 \edef\bidi@ifdefparam{%
2631 \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
2632 \bidi@ifdefparam{\bidi@notblank{#2}}
2633
2634
2635 \newcommand{\if@bidi@defprotected}{%
2636 \long\edef\if@bidi@defprotected#1{%
2637 \noexpand\expandafter\noexpand\bidi@ifdefprotected
2638 \noexpand\meaning#1\string\protected&}
2639 \edef\bidi@ifdefprotected{%
2640 \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}

```

```

2641 \bidi@ifdefprotected{\bidi@notblank{#2}}
2642
2643
2644 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
2645
2646 \let\bidi@dbg@trce\@gobble
2647 \let\bidi@dbg@init\@gobble
2648 \let\bidi@dbg@info\@gobble
2649 \let\bidi@dbg@succ\@gobble
2650 \let\bidi@dbg@fail\@gobble
2651
2652
2653
2654 \bidi@newrobustcmd*\bidi@apptocmd*{%
2655   \bidi@dbg@trce\bidi@apptocmd
2656   \beginingroup
2657   \@makeother\#%
2658   \bidi@hooktocmd\bidi@append}
2659
2660
2661
2662 \bidi@newrobustcmd*\bidi@pretocmd*{%
2663   \bidi@dbg@trce\bidi@pretocmd
2664   \beginingroup
2665   \@makeother\#%
2666   \bidi@hooktocmd\bidi@prepend}
2667
2668 \long\def\bidi@hooktocmd#1#2#3{%
2669   \endgroup
2670   \bidi@dbg@init#2%
2671   \if@bidi@undef{#2}
2672     {\bidi@dbg@fail{def}\@secondoftwo}
2673     {\bidi@dbg@info{def}%
2674       \if@bidi@defmacro{#2}
2675         {\bidi@dbg@info{mac}%
2676           \if@bidi@defparam{#2}
2677             {\bidi@dbg@info{prm}%
2678               \bidi@ifscanable{#2}
2679                 {\bidi@ifhashcheck{#3}
2680                   {\bidi@dbg@info{tok}%
2681                     \bidi@dbg@succ{ret}%
2682                     \bidi@hooktocmd@i#1#2{#3}%
2683                     \@firstoftwo}
2684                   {\bidi@dbg@fail{hsh}\@secondoftwo}}
2685                 {\bidi@dbg@fail{tok}\@secondoftwo}}
2686             {\bidi@dbg@info{prl}%
2687               \if@bidi@defprotected{#2}
2688                 {\bidi@dbg@info{pro}%
2689                   \bidi@dbg@succ{red}%
2690                   \protected}

```

```

2691         {\bidi@dbg@succ{red}}}%
2692         \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
2693         \@firstoftwo}}
2694     {\bidi@dbg@fail{mac}\@secondoftwo}}
2695
2696 \long\def\bidi@hooktocmd@i#1#2#3{%
2697   \begingroup
2698   \edef\bidi@resrvda{%
2699     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2700       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
2701     \edef\noexpand\bidi@resrvda{%
2702       \noexpand\bidi@resrvda\meaning#2&}}%
2703   \bidi@resrvda
2704   \bidi@patchcmd@scantoks\bidi@resrvda
2705   \let#2\bidi@resrvda
2706   \bidi@undef\bidi@resrvda}
2707
2708 \long\def\bidi@append#1#2{#1#2}
2709 \long\def\bidi@prepend#1#2{#2#1}
2710
2711 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
2712 \newcommand*{\bidi@endpreamblehook}{}
2713
2714 \bidi@preto\document{%
2715   \endgroup
2716   \let\bidi@AtEndPreamble\@firstofone
2717   \bidi@endpreamblehook
2718   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
2719   \bidi@undef\bidi@endpreamblehook
2720   \begingroup}
2721
2722 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
2723 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
2724
2725 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
2726 \newcommand*{\bidi@afterendpreamblehook}{}
2727
2728 \bidi@appto\document{%
2729   \let\bidi@AfterEndPreamble\@firstofone
2730   \bidi@afterendpreamblehook
2731   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
2732   \bidi@undef\bidi@afterendpreamblehook
2733   \ignorespaces}
2734
2735 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
2736
2737 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
2738 \newcommand*{\bidi@afterenddocumenthook}{}
2739
2740 \bidi@patchcmd\enddocument

```

```

2741 {\deadcycles}
2742 {\let\bid@AfterEndDocument\@firstofone
2743 \bid@afterenddocumenthook
2744 \deadcycles}
2745 {}
2746 {\let\bid@@end\@@end
2747 \def\@@end{%
2748 \let\bid@AfterEndDocument\@firstofone
2749 \bid@afterenddocumenthook
2750 \bid@@end}}
2751
2752 \bid@newrobustcmd{\bid@AtBeginEnvironment}[1]{%
2753 \bid@csgappto{@begin@#1@hook}}
2754
2755 \bid@patchcmd\begin
2756 {\csname #1\endcsname}
2757 {\bid@csuse{@begin@#1@hook}%
2758 \csname #1\endcsname}
2759 {}
2760 {\bid@warning{%
2761 Patching '\string\begin' failed!\MessageBreak
2762 '\string\bid@AtBeginEnvironment' will not work\@gobble}}
2763
2764
2765
2766 \bid@newrobustcmd{\bid@AtEndEnvironment}[1]{%
2767 \bid@csgappto{@end@#1@hook}}
2768
2769 \bid@patchcmd\end
2770 {\csname end#1\endcsname}
2771 {\bid@csuse{@end@#1@hook}%
2772 \csname end#1\endcsname}
2773 {}
2774 {\bid@warning{%
2775 Patching '\string\end' failed!\MessageBreak
2776 '\string\bid@AtEndEnvironment' will not work\@gobble}}
2777
2778
2779
2780 \bid@newrobustcmd{\bid@BeforeBeginEnvironment}[1]{%
2781 \bid@csgappto{@beforebegin@#1@hook}}
2782
2783 \bid@pretocmd\begin
2784 {\bid@csuse{@beforebegin@#1@hook}}
2785 {}
2786 {\bid@warning{%
2787 Patching '\string\begin' failed!\MessageBreak
2788 '\string\bid@BeforeBeginEnvironment' will not work\@gobble}}
2789
2790

```

```

2791
2792 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
2793   \bidi@csgappto{@afterend@#1@hook}}
2794
2795 \bidi@patchcmd\end
2796   {\if@ignore}
2797   {\bidi@cscuse{@afterend@#1@hook}%
2798    \if@ignore}
2799   {}
2800   {\bidi@warning{%
2801     Patching '\string\end' failed!\MessageBreak
2802     '\string\bidi@AfterEndEnvironment' will not work@gobble}}

```

7.20 bidiutfefloat.sty

```

2803 \NeedsTeXFormat{LaTeX2e}
2804 \ProvidesPackage{bidiutfefloat}[2011/06/14 v0.1
2805 bidi implementation of tufte float]
2806 \RequirePackage{xifthen}
2807 \newcommand{\@bidiutfefloat@pkgname}{bidiutfefloat}
2808 \newcommand{\bidiutfefloatError}[2]{\PackageError{\@bidiutfefloat@pkgname}{#1}{#2}}
2809 \newcommand{\bidiutfefloatDebugInfoNL}[1]{\ifthenelse{\boolean{\@bidiutfefloat@debug}}{\bidi
2810 \newcommand{\bidiutfefloatInfoNL}[1]{\PackageInfo{\@bidiutfefloat@pkgname}{#1@gobble}}
2811 \newboolean{\@bidiutfefloat@RTLgeometry}
2812 \setboolean{\@bidiutfefloat@RTLgeometry}{true}
2813 \DeclareOption{RTLgeometry}{\setboolean{\@bidiutfefloat@RTLgeometry}{true}}
2814 \DeclareOption{LTRgeometry}{\setboolean{\@bidiutfefloat@RTLgeometry}{false}}
2815 \newboolean{\@bidiutfefloat@a4paper}
2816 \DeclareOption{a4paper}{\setboolean{\@bidiutfefloat@a4paper}{true}}
2817 \newboolean{\@bidiutfefloat@b5paper}
2818 \DeclareOption{b5paper}{\setboolean{\@bidiutfefloat@b5paper}{true}}
2819 \newboolean{\@bidiutfefloat@symmetric}
2820 \newboolean{\@bidiutfefloat@twoside}
2821 \DeclareOption{twoside}{%
2822 \@twosidetrue \mparswitchtrue%
2823 \setboolean{\@bidiutfefloat@twoside}{true}%
2824 \setboolean{\@bidiutfefloat@symmetric}{true}%
2825 }
2826 \DeclareOption{oneside}{%
2827 \@twosidefalse \mparswitchfalse%
2828 \setboolean{\@bidiutfefloat@twoside}{false}%
2829 \setboolean{\@bidiutfefloat@symmetric}{false}%
2830 }
2831 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
2832 \newboolean{\@bidiutfefloat@debug}
2833 \newcommand*{\@bidiutfefloat@caption@justification}{\@bidiutfefloat@justification@autodetec
2834 \ProcessOptions
2835 %% Globally sets the length
2836 \newcommand*{\gsetlength}[2]{%
2837   \setlength{#1}{#2}%

```

```

2838 \global#1=#1\relax%
2839 }
2840 %% Globally sets a boolean
2841 \newcommand*\gsetboolean{2}{% based on code from ifthen pkg
2842 \lowercase{\def\@tempa{#2}}%
2843 \@ifundefined{@tempwa\@tempa}%
2844 {\PackageError{ifthen}{You can only set a boolean to 'true' or 'false'}\@ehc}%
2845 {\@ifundefined{#1\@tempa}%
2846 {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
2847 {\global\csname#1\@tempa\endcsname}%
2848 }%
2849 }
2850 %% Set the font sizes and baselines to match bidentuftefloat's books
2851 \renewcommand\normalsize{%
2852 \setfontsize\normalsize\@xpt{14}%
2853 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
2854 \abovedisplayshortskip \z@ \@plus3\p@
2855 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
2856 \belowdisplayskip \abovedisplayskip
2857 \let\@listi\@listI}
2858 \normalbaselineskip=14pt
2859 \normalsize
2860 \renewcommand\footnotesize{%
2861 \setfontsize\footnotesize\@viipt{10}%
2862 \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
2863 \abovedisplayshortskip \z@ \@plus\p@
2864 \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
2865 \def\@listi{\leftmargin\leftmarginI
2866 \topsep 3\p@ \@plus\p@ \@minus\p@
2867 \parsep 2\p@ \@plus\p@ \@minus\p@
2868 \itemsep \parsep}%
2869 \belowdisplayskip \abovedisplayskip
2870 }
2871 %% Paragraph indentation and separation for marginal text
2872 \newcommand{\@bidentuftefloat@margin@par}{%
2873 \setlength{\RaggedRightParindent}{0.5pc}%
2874 \setlength{\JustifyingParindent}{0.5pc}%
2875 \setlength{\parindent}{0.5pc}%
2876 \setlength{\parskip}{0pt}%
2877 }
2878 \RequirePackage{ragged2e}
2879 \ifthenelse{\boolean{@bidentuftefloat@RTLgeometry}}{%
2880 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar]{ragged2e}
2881 \ifthenelse{\boolean{@bidentuftefloat@a4paper}}{
2882 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar}{
2883 }
2884 \ifthenelse{\boolean{@bidentuftefloat@b5paper}}{
2885 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,
2886 }{}%
2887 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar]{ragged2e}

```

```

2888 \ifthenelse{\boolean{@bidituftefloat@a4paper}}
2889   {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
2890    {}
2891 \ifthenelse{\boolean{@bidituftefloat@b5paper}}
2892   {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,n
2893   {}
2894 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
2895   {}
2896   {\geometry{asymmetric}}}% forces internal LaTeX 'twoside'
2897 \setlength\marginparpush{10pt}
2898 %% Font for margin items
2899 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
2900 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
2901 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
2902 \newcommand{\@bidituftefloat@justification}{\justifying}%
2903 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
2904 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
2905 \newboolean{@bidituftefloat@changepage}
2906 \IfFileExists{changepage.sty}{%
2907   \bidituftefloatDebugInfoNL{Found changepage.sty}
2908   \RequirePackage[strict]{changepage}
2909   \setboolean{@bidituftefloat@changepage}{true}
2910 }{%
2911   \bidituftefloatDebugInfoNL{Found chngpage.sty}
2912   \RequirePackage[strict]{chngpage}
2913   \setboolean{@bidituftefloat@changepage}{false}
2914 }
2915 \newboolean{@bidituftefloat@odd@page}
2916 \setboolean{@bidituftefloat@odd@page}{true}
2917 \newcommand*{\@bidituftefloat@checkoddpage}{%
2918   \checkoddpage%
2919   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
2920     \ifoddpage%
2921       \setboolean{@bidituftefloat@odd@page}{true}%
2922     \else%
2923       \setboolean{@bidituftefloat@odd@page}{false}%
2924     \fi%
2925   }{%
2926     \ifcpoddpage%
2927       \setboolean{@bidituftefloat@odd@page}{true}%
2928     \else%
2929       \setboolean{@bidituftefloat@odd@page}{false}%
2930     \fi%
2931   }%
2932 }
2933 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
2934 \newlength{\@bidituftefloat@fullwidth}
2935 \newlength{\@bidituftefloat@caption@fill}
2936 \newcommand{\bidituftefloatRecalculate}{%
2937   \setlength{\@bidituftefloat@overhang}{\marginparwidth}

```



```

2938 \addtolength{\@bidituftefloat@overhang}{\marginparsep}
2939
2940 \setlength{\@bidituftefloat@fullwidth}{\textwidth}
2941 \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
2942 \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
2943
2944 \setlength{\@bidituftefloat@caption@fill}{\textwidth}
2945 \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
2946 }
2947 \AtBeginDocument{\bidituftefloatRecalculate}
2948 \RequirePackage{optparams}% provides multiple optional arguments for commands
2949 \RequirePackage{placeins}
2950 \newsavebox{\@bidituftefloat@margin@floatbox}
2951 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
2952 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order}
2953 \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
2954 \begin{minipage}{\marginparwidth}%
2955 \@bidituftefloat@caption@font%
2956 \def\@capttype{#2}%
2957 \hbox{}\vspace*{#1}%
2958 \@bidituftefloat@caption@justification%
2959 \@bidituftefloat@margin@par%
2960 \noindent%
2961 }
2962 {\end{minipage}%
2963 \end{lrbox}%
2964 \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
2965 }
2966 \newenvironment{marginfigure}[1][-1.2ex]%
2967 {\begin{@bidituftefloat@margin@float}[#1]{figure}}
2968 {\end{@bidituftefloat@margin@float}}
2969 \newenvironment{margintable}[1][-1.2ex]%
2970 {\begin{@bidituftefloat@margin@float}[#1]{table}}
2971 {\end{@bidituftefloat@margin@float}}
2972 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
2973
2974 \newcommand{\@bidituftefloat@float@debug@info}{%} contains debug info generated as the float is processed
2975 \newcommand{\@bidituftefloat@float@debug}[1]{%} adds debug info to the queue for output
2976 \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}{%
2977 {\def\@bidituftefloat@float@debug@info{#1}}%
2978 {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
2979 }
2980 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
2981 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug@info{setfloatalignment: #1}}
2982 \newboolean{@bidituftefloat@float@recto}
2983 \newcommand{\forcerectofloat}{\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug@info{forcerectofloat}}
2984 \newcommand{\forceversofloat}{\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug@info{forceversofloat}}
2985 \newsavebox{\@bidituftefloat@figure@box}
2986 \newsavebox{\@bidituftefloat@caption@box}
2987 \let\@bidituftefloat@orig@float\@float

```

```

2988 \let\@biditytfloat@orig@endfloat\end@float
2989 \newlength{\@biditytfloat@caption@vertical@offset}
2990 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
2991 \newcommand{\@biditytfloat@stored@shortcaption}{ }
2992 \newcommand{\@biditytfloat@stored@caption}{ }
2993 \newcommand{\@biditytfloat@stored@label}{ }
2994 \long\def\@biditytfloat@caption[#1][#2]#3{%
2995   \ifthenelse{\isempty{#1}}%
2996     {\gdef\@biditytfloat@stored@shortcaption{#3}}%
2997     {\gdef\@biditytfloat@stored@shortcaption{#1}}%
2998   \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to l
2999   \gdef\@biditytfloat@stored@caption{#3}%
3000 }
3001 \newcommand{\@biditytfloat@label}[1]{%
3002   \gdef\@biditytfloat@stored@label{#1}%
3003 }
3004 \newcommand{\@biditytfloat@fps}{ }
3005 \newboolean{\@biditytfloat@float@star}
3006 \newlength{\@biditytfloat@float@contents@width}
3007 \newenvironment{\@biditytfloat@float}[3][htbp]%
3008   {% begin \@biditytfloat@float
3009     % Should this float be full-width or just text-width?
3010     \ifthenelse{\equal{#3}{star}}%
3011       {\gsetboolean{\@biditytfloat@float@star}{true}}%
3012       {\gsetboolean{\@biditytfloat@float@star}{false}}%
3013     % Check page side (recto/verso) and store detected value -- can be overridden in environme
3014     \@biditytfloat@checkoddpage%
3015     \ifthenelse{\boolean{\@biditytfloat@odd@page}}%
3016       {\gsetboolean{\@biditytfloat@float@recto}{true}\@biditytfloat@float@debug{Detected p
3017       {\gsetboolean{\@biditytfloat@float@recto}{false}\@biditytfloat@float@debug{Detected
3018     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
3019     \renewcommand{\@biditytfloat@fps}{#1}%
3020     \@biditytfloat@float@debug{Allowed positions: [ #1 ]}%
3021     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
3022       {\renewcommand{\floatalignment}{b}\@biditytfloat@float@debug{Presumed position: [bott
3023       {\renewcommand{\floatalignment}{t}\@biditytfloat@float@debug{Presumed position: [top]
3024     % Capture the contents of the \caption and \label commands to use later
3025     \global\let\@biditytfloat@orig@caption\caption%
3026     \global\let\@biditytfloat@orig@label\label%
3027     \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[ ][Opt]}}%
3028     \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%
3029     % Handle subfigure package compatibility
3030     \ifthenelse{\boolean{\@biditytfloat@packages@subfigure}}{%
3031       % don't move the label while inside a \subfigure or \subtable command
3032       \global\let\label\@biditytfloat@orig@label%
3033     }{% subfigure package is not loaded
3034       \@biditytfloat@orig@float{#2}[#1}%
3035     \ifthenelse{\boolean{\@biditytfloat@float@star}}%
3036       {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
3037       {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%

```

```

3038 \begin{lrbox}{\@bittuftefloat@figure@box}%
3039 \begin{minipage}[\floatalignment]{\@bittuftefloat@float@contents@width}\hbox{}%
3040 }{% end @bittuftefloat@float
3041 \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% al
3042 \end{minipage}%
3043 \end{lrbox}%
3044 % build the caption box
3045 \begin{lrbox}{\@bittuftefloat@caption@box}%
3046 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
3047 \ifthenelse{\NOT\equal{\@bittuftefloat@stored@caption}{}}{\@bittuftefloat@orig@capt
3048 \ifthenelse{\NOT\equal{\@bittuftefloat@stored@label}{}}{\@bittuftefloat@orig@label%
3049 \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
3050 \end{minipage}%
3051 \end{lrbox}%
3052 % now typeset the stored boxes
3053 \begin{fullwidth}%
3054 \begin{minipage}[\floatalignment]{\linewidth}%
3055 \ifthenelse{\boolean{@bittuftefloat@float@star}}%
3056 {\@bittuftefloat@float@fullwidth[\@bittuftefloat@caption@vertical@offset]{\@bitt
3057 {\@bittuftefloat@float@textwidth[\@bittuftefloat@caption@vertical@offset]{\@bitt
3058 \end{minipage}%
3059 \end{fullwidth}%
3060 \@bittuftefloat@orig@endfloat% end original LaTeX float environment
3061 % output debug info
3062 \ifthenelse{\boolean{@bittuftefloat@debug}}{%
3063 \typeout{^^J^^J----- bittuftefloat package float information -----}%
3064 \ifthenelse{\equal{\@bittuftefloat@stored@label}{}}%
3065 {\typeout{Warning: Float unlabeled!}}%
3066 {\typeout{Float label: [\@bittuftefloat@stored@label]}}%
3067 \typeout{Page number: [\thepage]}%
3068 \def\MessageBreak{^^J}%
3069 \typeout{\@bittuftefloat@float@debug@info}%
3070 \ifthenelse{\boolean{@bittuftefloat@symmetric}}%
3071 {\typeout{Symmetric: [true]}}%
3072 {\typeout{Symmetric: [false]}}%
3073 \typeout{-----^^J^^J}%
3074 }{}%
3075 % reset commands and temp boxes and captions
3076 \gdef\@bittuftefloat@float@debug@info{}%
3077 \let\caption\@bittuftefloat@orig@caption%
3078 \let\label\@bittuftefloat@orig@label%
3079 \begin{lrbox}{\@bittuftefloat@figure@box}\hbox{}\end{lrbox}%
3080 \begin{lrbox}{\@bittuftefloat@caption@box}\hbox{}\end{lrbox}%
3081 \gdef\@bittuftefloat@stored@shortcaption{}%
3082 \gdef\@bittuftefloat@stored@caption{}%
3083 \gdef\@bittuftefloat@stored@label{}%
3084 \gsetlength{\@bittuftefloat@caption@vertical@offset}{0pt}% reset caption offset
3085 }
3086 \newcommand{\@bittuftefloat@float@textwidth}[3][0pt]{%
3087 \ifthenelse{\NOT\boolean{@bittuftefloat@symmetric}}\OR\boolean{@bittuftefloat@float@recto}

```

```

3088 % asymmetric or page is odd, so caption is on the right
3089 \hbox{%
3090   \usebox{#2}%
3091   \hspace{\marginparsep}%
3092   \smash{\raisebox{#1}{\usebox{#3}}}%
3093 }
3094 \@bituftefloat@float@debug{Caption position: [right]]%
3095 }{% symmetric pages and page is even, so caption is on the left
3096 \hbox{%
3097   \smash{\raisebox{#1}{\usebox{#3}}}%
3098   \hspace{\marginparsep}%
3099   \usebox{#2}%
3100 }
3101 \@bituftefloat@float@debug{Caption position: [left]]%
3102 }%
3103 }
3104 \newcommand{\@bituftefloat@float@fullwidth}[3][Opt]{%
3105   \ifthenelse{\equal{\floatalignment}{b}}{%
3106     {% place caption above figure
3107       \ifthenelse{\NOT\boolean{@bituftefloat@symmetric}}\OR\boolean{@bituftefloat@float@right}}%
3108       {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bituftefloat@float@debug{Caption position: [right]]}%
3109       {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bituftefloat@float@debug{Caption position: [right]]}%
3110     }{% place caption below figure
3111       \ifthenelse{\NOT\boolean{@bituftefloat@symmetric}}\OR\boolean{@bituftefloat@float@right}}%
3112       {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bituftefloat@float@debug{Caption position: [left]]}%
3113       {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bituftefloat@float@debug{Caption position: [left]]}%
3114     }%
3115 }
3116 \renewenvironment{figure}[1][htbp]%
3117   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{figure}{}}
3118   {\end{@bituftefloat@float}}
3119 \renewenvironment{table}[1][htbp]
3120   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{table}{}}
3121   {\end{@bituftefloat@float}}
3122 \renewenvironment{figure*}[1][htbp]%
3123   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{figure}{star}}
3124   {\end{@bituftefloat@float}}
3125 \renewenvironment{table*}[1][htbp]%
3126   {\ifvmode\else\unskip\fi\begin{@bituftefloat@float}[#1]{table}{star}}
3127   {\end{@bituftefloat@float}}
3128 \newenvironment{fullwidth}
3129   {\ifthenelse{\boolean{@bituftefloat@symmetric}}%
3130     {\ifthenelse{\boolean{@bituftefloat@changepage}}{\begin{adjustwidth*}{-}\@bituftefloat@float@overhang}%
3131     {\begin{adjustwidth*}{-}\@bituftefloat@overhang}%
3132   }%
3133   {\ifthenelse{\boolean{@bituftefloat@symmetric}}%
3134     {\ifthenelse{\boolean{@bituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
3135     {\end{adjustwidth}}}%
3136 }
3137 \long\def\@caption#1[#2]#3{%

```

```

3138 \par%
3139 \addcontentsline{\csname ext@#1\endcsname}{#1}%
3140   {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
3141 \begingroup%
3142   \@parboxrestore%
3143   \if@minipage%
3144     \setminipage%
3145   \fi%
3146   \@bituftefloat@caption@font\@bituftefloat@caption@justification%
3147   \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
3148   %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
3149 \endgroup}
3150 %%
3151 % Turns newlines into spaces. Based on code from the 'titlesec' package.
3152 \DeclareRobustCommand{\@bitufteheading@newlinetospace}{%
3153   \ifstar{\@bitufteheading@newlinetospace@i}{\@bitufteheading@newlinetospace@i}%
3154 }
3155 \def\@bitufteheading@newlinetospace@i{%
3156   \ifdim\lastskip>\z@\else\space\fi
3157   \ignorespaces%
3158 }
3159 \DeclareRobustCommand{\newlinetospace}[1]{%
3160   \let\@bitufteheading@orig@cr\\% save the original meaning of \\
3161   \def\\{\@bitufteheading@newlinetospace}% turn \\ and \\* into \space
3162   \let\newline\\% turn \newline into \space
3163   #1%
3164   \let\\ \@bitufteheading@orig@cr% revert to original meaning of \\
3165 }
3166 \RequirePackage{fancyhdr}
3167 \pagestyle{fancy}
3168 \AtBeginDocument{%
3169   \ifthenelse{\boolean{@bituftefloat@symmetric}}
3170     {\fancyhfoffset[LE,RO]{\@bituftefloat@overhang}}
3171     {\fancyhfoffset[RE,RO]{\@bituftefloat@overhang}}
3172 }
3173 % The running heads/feet don't have rules
3174 \renewcommand{\headrulewidth}{0pt}
3175 \renewcommand{\footrulewidth}{0pt}
3176 % The 'fancy' page style is the default style for all pages.
3177 \fancyhf{} % clear header and footer fields
3178   \ifthenelse{\boolean{@bituftefloat@symmetric}}
3179     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
3180     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3181     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3182 % The 'plain' page style is used on chapter opening pages.
3183 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
3184 % bottom of pages -- the folios are unexpressed.
3185 \fancypagestyle{plain}{
3186   \fancyhf{} % clear header and footer fields
3187   % Uncomment the following five lines of code if you want the opening page

```

```

3188 % of the chapter to express the folio in the lower outside corner.
3189 % \ifthenelse{\boolean{@biditytfloat@symmetric}}
3190 % {\fancyfoot[LE,RO]{\thepage}}
3191 % {\fancyfoot[RE,RO]{\thepage}}
3192 }
3193 % The 'empty' page style suppresses all headers and footers.
3194 % It's used on title pages and 'intentionally blank' pages.
3195 \fancypagestyle{empty}{
3196   \fancyhf{} % clear header and footer fields
3197 }
3198 \def\morefloats{% provides a total of 52 floats
3199   \ifthenelse{\isundefined{\bx@S}}{%
3200     \biditytfloatDebugInfoNL{Adding 34 more float slots.}
3201     \newinsert\bx@S
3202     \newinsert\bx@T
3203     \newinsert\bx@U
3204     \newinsert\bx@V
3205     \newinsert\bx@W
3206     \newinsert\bx@X
3207     \newinsert\bx@Y
3208     \newinsert\bx@Z
3209     \newinsert\bx@a
3210     \newinsert\bx@b
3211     \newinsert\bx@c
3212     \newinsert\bx@d
3213     \newinsert\bx@e
3214     \newinsert\bx@f
3215     \newinsert\bx@g
3216     \newinsert\bx@h
3217     \newinsert\bx@i
3218     \newinsert\bx@j
3219     \newinsert\bx@k
3220     \newinsert\bx@l
3221     \newinsert\bx@m
3222     \newinsert\bx@n
3223     \newinsert\bx@o
3224     \newinsert\bx@p
3225     \newinsert\bx@q
3226     \newinsert\bx@r
3227     \newinsert\bx@s
3228     \newinsert\bx@t
3229     \newinsert\bx@u
3230     \newinsert\bx@v
3231     \newinsert\bx@w
3232     \newinsert\bx@x
3233     \newinsert\bx@y
3234     \newinsert\bx@z
3235     \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3236                   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3237                   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N

```

```

3238         \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3239         \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3240         \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3241         \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3242         \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3243         \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3244         \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3245         \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3246         \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
3247 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
3248 \ifthenelse{\isundefined{\bx@AA}}{%
3249     \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
3250     \newinsert\bx@AA
3251     \newinsert\bx@BB
3252     \newinsert\bx@CC
3253     \newinsert\bx@DD
3254     \newinsert\bx@EE
3255     \newinsert\bx@FF
3256     \newinsert\bx@GG
3257     \newinsert\bx@HH
3258     \newinsert\bx@II
3259     \newinsert\bx@JJ
3260     \newinsert\bx@KK
3261     \newinsert\bx@LL
3262     \newinsert\bx@MM
3263     \newinsert\bx@NN
3264     \newinsert\bx@OO
3265     \newinsert\bx@PP
3266     \newinsert\bx@QQ
3267     \newinsert\bx@RR
3268     \newinsert\bx@SS
3269     \newinsert\bx@TT
3270     \newinsert\bx@UU
3271     \newinsert\bx@VV
3272     \newinsert\bx@WW
3273     \newinsert\bx@XX
3274     \newinsert\bx@YY
3275     \newinsert\bx@ZZ
3276 \gdef\@freelist{\@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3277     \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3278     \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3279     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3280     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3281     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
3282     \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3283     \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3284     \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3285     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3286     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3287     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z

```

```

3288 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
3289 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
3290 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
3291 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
3292 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
3293 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
3294 }{%
3295 \biditytfloatError{You may only call \string\morefloats\space twice. See the\MessageE
3296 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\
3297 }%
3298 }%
3299 }
3300 \newboolean{@biditytfloat@packages@subfigure}
3301 \setboolean{@biditytfloat@packages@subfigure}{false}
3302 \AtBeginDocument{%
3303 \@ifpackageloaded{subfigure}
3304 {\gsetboolean{@biditytfloat@packages@subfigure}{true}}
3305 {\gsetboolean{@biditytfloat@packages@subfigure}{false}}%
3306 }
3307 \AtBeginDocument{%
3308 \@ifpackageloaded{float}{%
3309 % Save the redefined float environment (instead of the LaTeX float environment)
3310 \let\@biditytfloat@orig@float\@float
3311 \let\@biditytfloat@orig@endfloat\endfloat
3312
3313 % Define Tuftian float styles (with the caption in the margin)
3314 \newcommand{\floatc@biditytfloatplain}[2]{%
3315 \begin{lrbox}{\@biditytfloat@caption@box}%
3316 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
3317 \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
3318 \end{minipage}%
3319 \end{lrbox}%
3320 \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
3321 }
3322 \newcommand{\fs@biditytfloatplain}{%
3323 \def\@fs@cfont{\@biditytfloat@caption@font}%
3324 \let\@fs@capt\floatc@biditytfloatplain%
3325 \def\@fs@pre{%
3326 \def\@fs@post{%
3327 \def\@fs@mid{%
3328 \let\@fs@iftopcapt\iftrue%
3329 }
3330 \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
3331 \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
3332 \newcommand\floatc@biditytfloatruled[2]{%
3333 {\@fs@cfont #1} #2\par%
3334 }
3335 \newcommand\fs@biditytfloatruled{%
3336 \def\@fs@cfont{\@biditytfloat@caption@font}%
3337 \let\@fs@capt\floatc@biditytfloatplain%

```



```

3338     \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
3339     \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
3340     \def\@fs@mid{}%
3341     \let\@fs@iftopcapt\iftrue%
3342 }
3343 \newcommand\fs@biditytfloatboxed{%
3344     \def\@fs@cfont{}%
3345     \let\@fs@capt\floatc@biditytfloatplain%
3346     \def\@fs@pre{%
3347         \setbox\@currbox\vbox{\hbadness10000
3348         \moveleft3.4pt\vbox{\advance\hsize by6.8pt
3349         \hrule \hbox to\hsize{\vrule\kern3pt
3350             \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
3351     }%
3352     \def\@fs@mid{\kern2pt}%
3353     \def\@fs@post{}%
3354     \let\@fs@iftopcapt\iftrue%
3355 }
3356 }{%
3357     % Nothing to do
3358 }
3359 }
3360 \AtBeginDocument{%
3361     \@ifpackageloaded{algorithm}{%
3362         % Set the float style to the Tufte version
3363         \ifthenelse{equal{\ALG@floatstyle}{plain}}{OR\equal{\ALG@floatstyle}{ruled}}{OR\equal{\ALG@floatstyle}{ALG}}{
3364             \biditytfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
3365             \floatstyle{biditytfloat\ALG@floatstyle}%
3366             \restylefloat{algorithm}%
3367         }{}%
3368     }{%
3369         % Nothing to do
3370     }
3371 }
3372 \PassOptionsToPackage{caption=false}{subfig}

```

7.21 biditytfloatsidenote.sty

```

3373 \NeedsTeXFormat{LaTeX2e}
3374 \ProvidesPackage{biditytfloatsidenote}[2011/06/17 v0.1
3375 bidi implementation of tufte sidenote]
3376 \RequirePackage{xifthen}
3377 \RequirePackage{ragged2e}
3378 \RequirePackage{setspace}
3379 \RequirePackage{hopatch}
3380 \def\biditytfloatsidenotemarginpar{%
3381     \ifhmode
3382         \@bsphack
3383         \@floatpenalty -\@Mii
3384     \else

```

```

3385 \floatpenalty-\@Miii
3386 \fi
3387 \ifinner
3388 \parmoderr
3389 \floatpenalty\z@
3390 \else
3391 \next\@currbox\@freelist{}{}%
3392 \next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3393 {\floatpenalty\z@
3394 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
3395 \fi
3396 \ifnextchar [\@biditytesidenotexmpar\@biditytesidenoteypar}
3397 \long\def\@biditytesidenotexmpar[#1]#2{%
3398 \@biditytesidenotesavemarbox\@marbox{#1}%
3399 \@biditytesidenotesavemarbox\@currbox{#2}%
3400 \xympar}
3401 \long\def\@biditytesidenoteypar#1{%
3402 \@biditytesidenotesavemarbox\@marbox{#1}%
3403 \global\setbox\@currbox\copy\@marbox
3404 \xympar}
3405 \long\def \@biditytesidenotesavemarbox #1#2{%
3406 \global\setbox #1%
3407 \color@vbox
3408 \vtop{%
3409 \hsize\marginparwidth
3410 \@parboxrestore
3411 \@biditytesidenotemarginparreset
3412 #2%
3413 \@minipagefalse
3414 \outer@nobreak
3415 }%
3416 \color@endbox
3417 }
3418 \def \@biditytesidenotemarginparreset {%
3419 \reset@font
3420 \normalsize
3421 \@minipagetrue
3422 \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
3423 }
3424 \def\LTRbiditytesidenotemarginpar{%
3425 \ifhmode
3426 \bsphack
3427 \floatpenalty -\@Mii
3428 \else
3429 \floatpenalty-\@Miii
3430 \fi
3431 \ifinner
3432 \parmoderr
3433 \floatpenalty\z@
3434 \else

```

```

3435 \@next\@currbox\@freelist{}{}%
3436 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3437 {\@floatpenalty\z@
3438 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
3439 \fi
3440 \ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
3441 \long\def\@LTRbidityftesidenotexmpar[#1]#2{%
3442 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
3443 \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
3444 \@xympar}
3445 \long\def\@LTRbidityftesidenoteympar#1{%
3446 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
3447 \global\setbox\@currbox\copy\@marbox
3448 \@xympar}
3449 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
3450 \global\setbox #1%
3451 \color@vbox
3452 \vtop{%
3453 \hsize\marginparwidth
3454 \@parboxrestore
3455 \@LTRbidityftesidenotemarginparreset
3456 #2%
3457 \@minipagefalse
3458 \outer@nobreak
3459 }%
3460 \color@endbox
3461 }
3462 \def \@LTRbidityftesidenotemarginparreset {%
3463 \reset@font
3464 \normalsize
3465 \@minipagetrue
3466 \everypar{\@minipagefalse\everypar{}\beginL}%
3467 }
3468 \def\RTLbidityftesidenotemarginpar{%
3469 \ifhmode
3470 \@bsphack
3471 \@floatpenalty -\@Mii
3472 \else
3473 \@floatpenalty-\@Miii
3474 \fi
3475 \ifinner
3476 \@parmoderr
3477 \@floatpenalty\z@
3478 \else
3479 \@next\@currbox\@freelist{}{}%
3480 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
3481 {\@floatpenalty\z@
3482 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
3483 \fi
3484 \ifnextchar [\@RTLbidityftesidenotexmpar\@RTLbidityftesidenoteympar}

```

```

3485 \long\def\@RTLbidityftesidenotexmpar[#1]#2{%
3486   \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
3487   \@RTLbidityftesidenotesavemarbox\@currbox{#2}%
3488   \@xympar}
3489 \long\def\@RTLbidityftesidenoteympar#1{%
3490   \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
3491   \global\setbox\@currbox\copy\@marbox
3492   \@xympar}
3493 \long\def \@RTLbidityftesidenotesavemarbox #1#2{%
3494   \global\setbox #1%
3495     \color@vbox
3496     \vtop{%
3497       \hsize\marginparwidth
3498       \@parboxrestore
3499       \@RTLbidityftesidenotemarginparreset
3500       #2%
3501       \@minipagefalse
3502       \outer@nobreak
3503     }%
3504   \color@endbox
3505 }
3506 \def \@RTLbidityftesidenotemarginparreset {%
3507   \reset@font
3508   \normalsize
3509   \@minipagetrue
3510   \everypar{\@minipagefalse\everypar{}\beginR}%
3511 }
3512 \newcommand{\@bidityftesidenote@marginfont}{\normalfont\footnotesize}
3513 \newcommand*{\@bidityftesidenote@sidenote@font}{\@bidityftesidenote@marginfont}
3514 \newcommand*{\@bidityftesidenote@marginnote@font}{\@bidityftesidenote@marginfont}
3515 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
3516 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
3517 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
3518 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}
3519 \newcommand*{\@bidityftesidenote@sidenote@justification}{\@bidityftesidenote@justification@au}
3520 \newcommand*{\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification@au}
3521 \newcommand*{\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@au}
3522 \newcommand*{\@bidityftesidenote@justification@autodetect}{\justifying}%
3523 \newcommand{\@bidityftesidenote@margin@par}{%
3524   \setlength{\RaggedRightParindent}{0.5pc}%
3525   \setlength{\JustifyingParindent}{0.5pc}%
3526   \setlength{\parindent}{0.5pc}%
3527   \setlength{\parskip}{0pt}%
3528 }
3529 %%
3530 % Globally sets the length
3531 \ifundefined{gsetlength}{%
3532 \newcommand*{gsetlength}[2]{%
3533   \setlength{#1}{#2}%
3534   \global#1=#1\relax%

```

```

3535 }%
3536 {}
3537 %%
3538 % Globally sets a boolean
3539 \@ifundefined{gsetboolean}{%
3540 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
3541 \lowercase{\def\@tempa{#2}}%
3542 \@ifundefined{@tempa\@tempa}%
3543 {\PackageError{ifthen}{You can only set a boolean to 'true' or 'false'}\@ehc}%
3544 {\@ifundefined{#1\@tempa}%
3545 {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
3546 {\global\csname#1\@tempa\endcsname}%
3547 }%
3548 }%
3549 {}
3550 %%
3551 % A function that removes leading and trailing spaces from the supplied macro.
3552 % Based on code written by Michael Downes (See 'Around the Bend', #15.)
3553 % Executing \@bidityftesidenote@trim@spaces\xyzy will result in the contents of \xyzy
3554 % being trimmed of leading and trailing white space.
3555 \catcode'\Q=3
3556 \def\@bidityftesidenote@trim@spaces#1{%
3557 % Use grouping to emulate a multi-token afterassignment queue
3558 \begingroup%
3559 % Put '\toks 0 {' into the afterassignment queue
3560 \aftergroup\toks\aftergroup0\aftergroup{%
3561 % Apply \trimb to the replacement text of #1, adding a leading
3562 % \noexpand to prevent brace stripping and to serve another purpose
3563 % later.
3564 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
3565 % Transfer the trimmed text back into #1.
3566 \edef#1{\the\toks0}%
3567 }
3568 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
3569 % clean up any leftover bizarre Qs, and trim a leading space. In
3570 % order for \trimc to work properly we need to put back a Q first.
3571 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
3572 % Execute \vfuzz assignment to remove leading space; the \noexpand
3573 % will now prevent unwanted expansion of a macro or other expandable
3574 % token at the beginning of the trimmed text. The \endgroup will feed
3575 % in the \aftergroup tokens after the \vfuzz assignment is completed.
3576 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
3577 \catcode'\Q=11
3578 %%
3579 % Citations should go in the margin as sidenotes
3580
3581 \RequirePackage{natbib}
3582 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography envi
3583 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
3584 \renewcommand\BR@b@bibitem[2][]{%

```

```

3585 \ifthenelse{\isempty{#1}}%
3586   {\BR@bibitem{#2}}%
3587   {\BR@bibitem{#1}{#2}}%
3588 \BR@c@bibitem{#2}%
3589 }
3590 \nobibliography*           % pre-loads the bibliography keys
3591 %%
3592 % Normal \cite behavior
3593 \newcounter{@biduftesidenote@num@bibkeys}%
3594 \newcommand{\@biduftesidenote@normal@cite}[2][Opt]{%
3595   % Snag the last bibentry in the list for later comparison
3596   \let\@temp@last@bibkey\@empty%
3597   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
3598   \sidenote[] [#1]{%
3599     % Loop through all the bibentries, separating them with semicolons and spaces
3600     \normalsize\normalfont\@biduftesidenote@citation@font%
3601     \setcounter{@biduftesidenote@num@bibkeys}{0}%
3602     \@for\@temp@bibkeyx:=#2\do{%
3603       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
3604         {\ifthenelse{\equal{value{@biduftesidenote@num@bibkeys}}{0}}{\and\ }%
3605           \@biduftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3606           \bibentry{\@temp@bibkeyx}}%
3607         {\@biduftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3608           \bibentry{\@temp@bibkeyx};\ }%
3609       \stepcounter{@biduftesidenote@num@bibkeys}%
3610     }%
3611   }%
3612 }
3613 %%
3614 % Macros for holding the list of cite keys until after the \sidenote
3615 \gdef\@biduftesidenote@citations{}% list of cite keys
3616 \newcommand\@biduftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
3617   \ifx\@biduftesidenote@citations\@empty\else
3618     \g@addto@macro\@biduftesidenote@citations{,}% separate by commas
3619   \fi
3620   \g@addto@macro\@biduftesidenote@citations{#1}
3621 }
3622 \newcommand{\@biduftesidenote@print@citations}[1][Opt]{% puts the citations in a margin not
3623   % Snag the last bibentry in the list for later comparison
3624   \let\@temp@last@bibkey\@empty%
3625   \@for\@temp@bibkey:=\@biduftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
3626   \marginpar{%
3627     \hbox{}\vspace*{#1}%
3628     \@biduftesidenote@citation@font%
3629     \@biduftesidenote@citation@justification%
3630     \@biduftesidenote@margin@par% use parindent and parskip settings for marginal text
3631     \vspace*{-1\baselineskip}%
3632     % Loop through all the bibentries, separating them with semicolons and spaces
3633     \setcounter{@biduftesidenote@num@bibkeys}{0}%
3634     \@for\@temp@bibkeyx:=\@biduftesidenote@citations\do{%

```

```

3635 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
3636 {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{\and\}%
3637 \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3638 \bibentry{\@temp@bibkeyx}}%
3639 {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
3640 \bibentry{\@temp@bibkeyx};\}%
3641 \stepcounter{@bidituftesidenote@num@bibkeys}%
3642 }%
3643 }%
3644 }
3645 %%
3646 % \cite behavior when executed within a sidenote
3647 \newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
3648 \newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
3649 \@bidituftesidenote@add@citation{#1}
3650 }
3651 %%
3652 % Set the default \cite style. This is set and reset by the \sidenote command.
3653 \let\cite\@bidituftesidenote@normal@cite
3654 %%
3655 % Transform existing \footnotes into \sidenotes
3656 % Sidenote: ‘‘Where God meant footnotes to go.’’ ---bidituftesidenote
3657 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
3658 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}
3659 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@font}
3660 % Override footmisc’s definition to set the sidenote marks (numbers) inside the
3661 % sidenote’s text block.
3662 \hopatch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@sidenote@font}#1}}
3663 % Set the in-text footnote mark in the same typeface as the body text itself.
3664 \hopatch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize\@bidituftesidenote@sidenote@font}#1}}}
3665 \providecommand*\multiplefootnotemarker{3sp}
3666 \providecommand*\multfootsep{,}
3667 \hopatch@AfterPackage{bidi}{%
3668 \renewcommand{\@footnotemark}{%
3669 \leavevmode%
3670 \ifhmode%
3671 \edef\@x@sf{\the\spacefactor}%
3672 \@bidituftesidenote@check@multiple@sidenotes%
3673 \nobreak%
3674 \fi%
3675 \@makefnmark%
3676 \ifhmode\spacefactor\@x@sf\fi%
3677 \relax%
3678 }%
3679 }
3680 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
3681 \ifdim\lastkern=\multiplefootnotemarker\relax%
3682 \edef\@x@sf{\the\spacefactor}%
3683 \unkern%
3684 \textsuperscript{\multfootsep}%

```

```

3685     \spacefactor\@x@sf\relax%
3686   \fi
3687 }
3688 \hopatch@AfterPackage{bidi}{%
3689 \renewcommand\@footnotetext[2][Opt]{%
3690   \bidityftesidenotemarginpar{%
3691     \hbox{}\vspace*{#1}%
3692     \def\baselinestretch {\setspace@singlespace}%
3693     \reset@font\footnotesize%
3694     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
3695     \vspace*{-1\baselineskip}\noindent%
3696     \protected@edef\@currentlabel{%
3697       \csname p@footnote\endcsname\@thefnmark%
3698     }%
3699     \color@begingroup%
3700       \makefntext{%
3701         \ignorespaces#2%
3702       }%
3703     \color@endgroup%
3704   }%
3705 }%
3706 \renewcommand\@LTRfootnotetext[2][Opt]{%
3707   \LTRbidityftesidenotemarginpar{%
3708     \hbox{}\vspace*{#1}%
3709     \def\baselinestretch {\setspace@singlespace}%
3710     \reset@font\footnotesize%
3711     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
3712     \vspace*{-1\baselineskip}\noindent%
3713     \protected@edef\@currentlabel{%
3714       \csname p@footnote\endcsname\@thefnmark%
3715     }%
3716     \color@begingroup%
3717       \makefntext{%
3718         \ignorespaces#2%
3719       }%
3720     \color@endgroup%
3721   }%
3722 }%
3723 \renewcommand\@RTLfootnotetext[2][Opt]{%
3724   \RTLbidityftesidenotemarginpar{%
3725     \hbox{}\vspace*{#1}%
3726     \def\baselinestretch {\setspace@singlespace}%
3727     \reset@font\footnotesize%
3728     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
3729     \vspace*{-1\baselineskip}\noindent%
3730     \protected@edef\@currentlabel{%
3731       \csname p@footnote\endcsname\@thefnmark%
3732     }%
3733     \color@begingroup%
3734       \makefntext{%

```



```

3735         \ignorespaces#2%
3736     }%
3737     \color@endgroup%
3738 }%
3739 }%
3740 }
3741 %
3742 % Define \sidenote command. Can handle \cite.
3743 \newlength{\@bidityftesidenote@sidenote@vertical@offset}
3744 \setlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}
3745 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
3746 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
3747     \let\cite\@bidityftesidenote@infootnote@cite%    use the in-sidenote \cite command
3748     \gdef\@bidityftesidenote@citations{%             clear out any old citations
3749         \ifthenelse{\NOT\isempty{#2}}{%
3750             \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
3751         }{%
3752             \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
3753         }%
3754         \ifthenelse{\isempty{#1}}{%
3755             % no specific footnote number provided
3756             \stepcounter\@mpfn%
3757             \protected@xdef\@thefnmark{\thempfn}%
3758             \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3759         }{%
3760             % specific footnote number provided
3761             \begingroup%
3762                 \csname c@\@mpfn\endcsname #1\relax%
3763                 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3764             \endgroup%
3765             \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3766         }%
3767         \@bidityftesidenote@print@citations%          print any citations
3768         \let\cite\@bidityftesidenote@normal@cite%     go back to using normal in-text \cite command
3769         \unskip\ignorespaces%                         remove extra white space
3770         \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
3771         \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
3772     }
3773 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
3774     \let\cite\@bidityftesidenote@infootnote@cite%    use the in-sidenote \cite command
3775     \gdef\@bidityftesidenote@citations{%             clear out any old citations
3776         \ifthenelse{\NOT\isempty{#2}}{%
3777             \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
3778         }{%
3779             \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
3780         }%
3781         \ifthenelse{\isempty{#1}}{%
3782             % no specific footnote number provided
3783             \stepcounter\@mpfn%
3784             \protected@xdef\@thefnmark{\thempfn}%

```

```

3785 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3786 }{%
3787 % specific footnote number provided
3788 \begingroup%
3789 \csname c@\@mpfn\endcsname #1\relax%
3790 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3791 \endgroup%
3792 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3793 }%
3794 \@bidityftesidenote@print@citations% print any citations
3795 \let\cite\@bidityftesidenote@normal\cite% go back to using normal in-text \cite command
3796 \unskip\ignorespaces% remove extra white space
3797 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
3798 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
3799 }
3800 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
3801 \let\cite\@bidityftesidenote@infootnote\cite% use the in-sidenote \cite command
3802 \gdef\@bidityftesidenote@citations{}% clear out any old citations
3803 \ifthenelse{\NOT\isempty{#2}}{%
3804 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
3805 }{%
3806 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
3807 }%
3808 \ifthenelse{\isempty{#1}}{%
3809 % no specific footnote number provided
3810 \stepcounter\@mpfn%
3811 \protected@xdef\@thefnmark{\thempfn}%
3812 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3813 }{%
3814 % specific footnote number provided
3815 \begingroup%
3816 \csname c@\@mpfn\endcsname #1\relax%
3817 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3818 \endgroup%
3819 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
3820 }%
3821 \@bidityftesidenote@print@citations% print any citations
3822 \let\cite\@bidityftesidenote@normal\cite% go back to using normal in-text \cite command
3823 \unskip\ignorespaces% remove extra white space
3824 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
3825 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
3826 }
3827 \newcommand{\sidenote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}
3828 \newcommand{\LTRsidenote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}
3829 \newcommand{\RTLSidenote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}
3830 \hopatch@AfterPackage{bidi}{%
3831 \renewcommand{\footnote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}%
3832 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}%
3833 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}%
3834 }

```

```

3835 %%
3836 % Sidenote without the footnote mark
3837 \newcommand\marginnote[2][Opt]{%
3838   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
3839   \gdef\@bidityftesidenote@citations{}%           clear out any old citations
3840   \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
3841   \@bidityftesidenote@print@citations%             print any citations
3842   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite comma
3843 }
3844 \newcommand\LTRmarginnote[2][Opt]{%
3845   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
3846   \gdef\@bidityftesidenote@citations{}%           clear out any old citations
3847   \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidi
3848   \@bidityftesidenote@print@citations%             print any citations
3849   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite comma
3850 }
3851 \newcommand\RTLmarginnote[2][Opt]{%
3852   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
3853   \gdef\@bidityftesidenote@citations{}%           clear out any old citations
3854   \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidi
3855   \@bidityftesidenote@print@citations%             print any citations
3856   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite comma
3857 }

```

7.22 bidityftetoc.sty

```

3858 \NeedsTeXFormat{LaTeX2e}
3859 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
3860 bidi implementation of tuftte toc]
3861 \RequirePackage{titlesec,titletoc,xifthen,hopatch}
3862 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
3863 \newcommand{\@bidityftetoc@Error}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
3864 %%
3865 % Turn off section numbering
3866 \setcounter{secnumdepth}{-1}
3867 \newboolean{@bidityftetoc@toc}
3868 \setboolean{@bidityftetoc@toc}{true}
3869 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
3870 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
3871 \ProcessOptions
3872 %%
3873 % Make Tuftian-style section headings and TOC formatting
3874 \hopatch@AfterPackage{bidi}{%
3875   \titleformat{\chapter}%
3876     [display]% shape
3877     {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format a
3878     {\itshape\huge\thechapter}% label
3879     {Opt}% horizontal separation between label and title body
3880     {\huge\rmfamily\itshape}% before the title body
3881     [\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\end{fullwidth}}{}}% after the title

```

```

3882 \titleformat{\section}%
3883   [hang]% shape
3884   {\normalfont\Large\itshape}% format applied to label+text
3885   {\thesection}% label
3886   {1em}% horizontal separation between label and title body
3887   {}% before the title body
3888   []% after the title body
3889 \titleformat{\subsection}%
3890   [hang]% shape
3891   {\normalfont\large\itshape}% format applied to label+text
3892   {\thesubsection}% label
3893   {1em}% horizontal separation between label and title body
3894   {}% before the title body
3895   []% after the title body
3896 \titleformat{\paragraph}%
3897   [runin]% shape
3898   {\normalfont\itshape}% format applied to label+text
3899   {\theparagraph}% label
3900   {1em}% horizontal separation between label and title body
3901   {}% before the title body
3902   []% after the title body
3903 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
3904 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
3905 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
3906 }
3907 % Subsubsection and following section headings shouldn't be used.
3908 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
3909 \renewcommand\subsubsection{%
3910   \bidityfttocError{\noexpand\subsubsection is undefined by this class.%
3911     \MessageBreak See Robert Bringhurst's _The Elements of
3912     \MessageBreak Typographic Style_, section 4.2.2.
3913     \MessageBreak \noexpand\subsubsection was used}
3914     {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3915     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
3916     \MessageBreak related threads on Ask E.T. at http://www.edwardbidityfttoc.com/.}
3917 }
3918 \renewcommand\subparagraph{%
3919   \bidityfttocError{\noexpand\subparagraph is undefined by this class.%
3920     \MessageBreak See Robert Bringhurst's _The Elements of
3921     \MessageBreak Typographic Style_, section 4.2.2.
3922     \MessageBreak \noexpand\subparagraph was used}
3923     {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
3924     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
3925     \MessageBreak related threads on Ask E.T. at http://www.edwardbidityfttoc.com/.}
3926 }
3927 % Formatting for main TOC (printed in front matter)
3928 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
3929 \ifthenelse{\boolean{@bidityfttoc@toc}}{%
3930   \hopatch@AfterPackage{bidi}{%
3931     \titlecontents{part}% FIXME

```

```

3932 [0em] % distance from left margin
3933 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
3934 {\contentslabel{2em}} % before w/label (label = ‘‘II’’)
3935 {} % before w/o label
3936 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
3937 [\end{fullwidth}] % after
3938 \titlecontents{chapter}%
3939 [0em] % distance from left margin
3940 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
3941 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ‘‘2’’)
3942 {\hspace*{0em}} % before w/o label
3943 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
3944 [\end{fullwidth}] % after
3945 \titlecontents{section}% FIXME
3946 [0em] % distance from left margin
3947 {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
3948 {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ‘‘2.6’’)
3949 {\hspace*{2em}} % before w/o label
3950 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
3951 [\end{fullwidth}] % after
3952 \titlecontents{subsection}% FIXME
3953 [0em] % distance from left margin
3954 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
3955 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ‘‘2.6.1’’)
3956 {\hspace*{4em}} % before w/o label
3957 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
3958 [\end{fullwidth}] % after
3959 \titlecontents{paragraph}% FIXME
3960 [0em] % distance from left margin
3961 {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global fo
3962 {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ‘‘2.6.0.0.1’’)
3963 {\hspace*{6em}} % before w/o label
3964 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
3965 [\end{fullwidth}] % after
3966 }%
3967 {}
3968 %%
3969 % Format lists of figures/tables
3970 \renewcommand\listoffigures{%
3971 \ifundefined{chapter}%
3972 {\section*{\listfigurename}}%
3973 {\chapter*{\listfigurename}}%
3974 % \begin{fullwidth}%
3975 % \@starttoc{lof}%
3976 % \end{fullwidth}%
3977 }
3978 \renewcommand\listoftables{%
3979 \ifundefined{chapter}%
3980 {\section*{\listtablename}}%
3981 {\chapter*{\listtablename}}%

```

```

3982 % \begin{fullwidth}%
3983 \starttoc{lot}%
3984 % \end{fullwidth}%
3985 }
3986 \newcommand{\@bidityfttoc@lof@line}[2]{%
3987 % #1 is the figure/table number and its caption text
3988 % #2 is the page number on which the figure/table appears
3989 \leftskip 0.0em
3990 \rightskip 0em
3991 \parfillskip 0em plus 1fil
3992 \parindent 0.0em
3993 \@afterindenttrue
3994 \interlinepenalty\@M
3995 \leavevmode
3996 \@tempdima 2.0em
3997 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
3998 \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
3999 {#1}\nobreak\qquad\nobreak#2%
4000 \par%
4001 }
4002 \renewcommand*\l@figure{\@bidityfttoc@lof@line}
4003 \let\l@table\l@figure

```

7.23 bidityftgeneralstructure.sty

```

4004 \NeedsTeXFormat{LaTeX2e}
4005 \ProvidesPackage{bidityftgeneralstructure}[2011/06/18 v0.1
4006 bidi implementation of tufte general structure]
4007 \renewcommand\small{%
4008 \setfontsize\small\@ixpt{12}%
4009 \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
4010 \abovedisplayshortskip \z@ \@plus2\p@
4011 \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
4012 \def\@listi{\leftmargin\leftmargini
4013 \topsep 4\p@ \@plus2\p@ \@minus2\p@
4014 \parsep 2\p@ \@plus\p@ \@minus\p@
4015 \itemsep \parsep}%
4016 \belowdisplayskip \abovedisplayskip
4017 }
4018 \renewcommand\scriptsize{\setfontsize\scriptsize\@viipt\@viipt}
4019 \renewcommand\tiny{\setfontsize\tiny\@vpt\@vpt}
4020 \renewcommand\large{\setfontsize\large\@xipt{15}}
4021 \renewcommand\Large{\setfontsize\Large\@xipt{16}}
4022 \renewcommand\LARGE{\setfontsize\LARGE\@xivpt{18}}
4023 \renewcommand\huge{\setfontsize\huge\@xxpt{30}}
4024 \renewcommand\Huge{\setfontsize\Huge{24}{36}}
4025 \setlength\leftmargini {1pc}
4026 \setlength\leftmarginii {1pc}
4027 \setlength\leftmarginiii {1pc}
4028 \setlength\leftmarginiv {1pc}

```

```

4029 \setlength\leftmarginv {1pc}
4030 \setlength\leftmarginvi {1pc}
4031 \setlength\labelsep {.5pc}
4032 \setlength\labelwidth {\leftmargini}
4033 \addtolength\labelwidth{-\labelsep}
4034 \setlength{\parindent}{1.0pc}%
4035 \setlength{\parskip}{0pt}%
4036 \RequirePackage{ragged2e}
4037 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
4038 % Paragraph indentation and separation for normal text
4039 \newcommand{\@biditytgeneralstructure@reset@par}{%
4040 \setlength{\RaggedRightParindent}{1.0pc}%
4041 \setlength{\JustifyingParindent}{1.0pc}%
4042 \setlength{\parindent}{1pc}%
4043 \setlength{\parskip}{0pt}%
4044 }
4045 \@biditytgeneralstructure@reset@par
4046 % Require paralist package for tighter lists
4047 \RequirePackage{paralist}
4048 % Add rightmargin to compactenum
4049 \def\@compactenum{%
4050 \expandafter\list\csname label\@enumctr\endcsname{%
4051 \usecounter{\@enumctr}%
4052 \rightmargin=2em% added this
4053 \parsep\plparsep
4054 \itemsep\plitemsep
4055 \topsep\pltopsep
4056 \partopsep\plpartopsep
4057 \def\makelabel##1{\hss\llap{##1}}}}
4058 %%
4059 % An environment for paragraph-style section
4060 \providecommand\newthought[1]{%
4061 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
4062 \noindent\textbf{#1}%
4063 }
4064 %%
4065 % Redefine the display environments (quote, quotation, etc.)
4066 \renewenvironment{verse}
4067 {\let\\\@centercr
4068 \list{}\itemsep \z@
4069 \itemindent -1pc%
4070 \listparindent\itemindent
4071 \rightmargin \leftmargin
4072 \advance\leftmargin 1pc}%
4073 \small%
4074 \item\relax}
4075 {\endlist}
4076 \renewenvironment{quotation}
4077 {\list{}\listparindent 1pc%
4078 \itemindent \listparindent

```

```

4079             \rightmargin \leftmargin
4080             \parsep       \z@ \@plus\p@}%
4081         \small%
4082         \item\relax\noindent\ignorespaces}
4083     {\endlist}
4084 \renewenvironment{quote}
4085     {\list{}{\rightmargin\leftmargin}%
4086     \small%
4087     \item\relax}
4088     {\endlist}
4089 % Italicize description run-in headings (instead of the default bold)
4090 \renewcommand*{\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
4091 %%
4092 % Redefine \bibsection to not mark the running heads.
4093 % (Code modified from natbib.sty.)
4094 \@ifundefined{chapter}%
4095     {\renewcommand\bibsection{\section*{\refname}}}
4096     {\@ifundefined{NAT@sectionbib}%
4097     {\renewcommand\bibsection{\chapter{\bibname}}}
4098     {\renewcommand\bibsection{\section*{\bibname}}}}
4099 \RequirePackage{multicol}
4100 \renewenvironment{theindex}{%
4101 \@ifundefined{chapter}%
4102     {\section*{\indexname}}%
4103     {\chapter{\indexname}}%
4104 \begin{fullwidth}%
4105 \small%
4106 \parskip0pt%
4107 \parindent0pt%
4108 \let\item\@idxitem%
4109 \begin{multicols}{3}%
4110 }{%
4111 \end{multicols}%
4112 \end{fullwidth}%
4113 }
4114 \AtBeginDocument{%
4115 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
4116 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
4117 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}
4118 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
4119 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

7.24 biduntfthyperref.sty

```

4120 \NeedsTeXFormat{LaTeX2e}
4121 \ProvidesPackage{biduntfthyperref}[2011/06/18 v0.1
4122 bidi implementation of tufte hyperref]
4123 %%
4124 % Color
4125 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%

```



```

4126 \newboolean{@biditytfehyperref@loadhyper}
4127 \setboolean{@biditytfehyperref@loadhyper}{true}
4128 \DeclareOption{hyper}{\setboolean{@biditytfehyperref@loadhyper}{true}}
4129 \DeclareOption{nohyper}{\setboolean{@biditytfehyperref@loadhyper}{false}}
4130 \ProcessOptions
4131 %% Loads the hyperref package and sets some default options.
4132 \newcommand{\biditytfehyperrefLoadHyperref}{%
4133 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
4134 \hypersetup{%
4135     bookmarksdepth = section,
4136     citecolor = DarkGreen,
4137     linkcolor = DarkBlue,
4138     pagecolor = DarkBlue,
4139     urlcolor = DarkGreen,
4140 }%
4141 }
4142 \ifthenelse{\boolean{@biditytfehyperref@loadhyper}}{%
4143 \biditytfehyperrefLoadHyperref%
4144 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
4145 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
4146 }

```

7.25 biditytetitle.sty

```

4147 \NeedsTeXFormat{LaTeX2e}
4148 \ProvidesPackage{biditytetitle}[2011/06/18 v0.1
4149 bidi implementation of tufte title]
4150 \RequirePackage{etoolbox}
4151 %%
4152 % 'titlepage' option -- creates a full title page with \maketitle
4153 \newboolean{@biditytetitle@titlepage}
4154 \DeclareOption{titlepage}{\setboolean{@biditytetitle@titlepage}{true}}
4155 \DeclareOption{notitlepage}{\setboolean{@biditytetitle@titlepage}{false}}
4156 % Default 'book' and 'handout' options
4157 \@ifclassloaded{book}{%
4158 \ExecuteOptions{titlepage}}{%
4159 \@ifclassloaded{article}{%
4160 \ExecuteOptions{notitlepage}}%
4161 {}}
4162 \ProcessOptions
4163 %%
4164 % Modified \title, \author, and \date commands. These store the
4165 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
4166 \newcommand{\plaintitle}{}% plain-text-only title
4167 \newcommand{\plainauthor}{}% plain-text-only author
4168 \newcommand{\plainpublisher}{}% plain-text-only publisher
4169 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
4170 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
4171 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
4172 \newcommand{\@publisher}{}% full publisher with \thanks{}

```

```

4173 \newcommand{\thedata}{\today}
4174 \hopatch@AfterPackage{bidi}{%
4175 \renewcommand{\thanks}[1]{\footnote{#1}}
4176 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
4177 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
4178 }
4179 \renewcommand{\title}[2][{}]{%
4180 \gdef\@title{#2}%
4181 \begingroup%
4182 % TODO store contents of \thanks command
4183 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4184 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4185 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4186 \protected@xdef\thanklesstitle{#2}%
4187 \endgroup%
4188 \ifthenelse{\isempty{#1}}{%
4189 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
4190 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
4191 \@ifundefined{hypersetup}%
4192 {}% hyperref is not loaded; do nothing
4193 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
4194 }
4195 \let\@author\@empty% suppress default latex.ltx ‘no author’ warning
4196 \renewcommand{\author}[2][{}]{%
4197 \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
4198 \begingroup%
4199 % TODO store contents of \thanks command
4200 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4201 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4202 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4203 \protected@xdef\thanklessauthor{#2}%
4204 \endgroup%
4205 \ifthenelse{\isempty{#1}}{%
4206 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
4207 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
4208 \@ifundefined{hypersetup}%
4209 {}% hyperref is not loaded; do nothing
4210 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
4211 }
4212 \renewcommand{\date}[1]{%
4213 \gdef\@date{#1}%
4214 \begingroup%
4215 % TODO store contents of \thanks command
4216 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4217 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4218 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4219 \protected@xdef\thedata{#1}%
4220 \endgroup%
4221 }
4222 %%

```

```

4223 % Provides a \publisher command to set the publisher
4224 \newcommand{\publisher}[2][]{%
4225   \gdef\@publisher{#2}%
4226   \begingroup%
4227     \renewcommand{\thanks}[1]{}% swallow \thanks contents
4228     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4229     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4230     \protected@xdef\thanklesspublisher{#2}%
4231   \endgroup%
4232   \ifthenelse{\isempty{#1}}{
4233     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
4234     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
4235 }
4236 %%
4237 % Produces a full title page
4238 \newcommand{\maketitlepage}[0]{%
4239   \cleardoublepage%
4240   {%
4241     \bfseries%
4242     \begin{fullwidth}%
4243       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
4244       \vspace{11.5pc}%
4245       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
4246       \vfill%
4247       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
4248     \end{fullwidth}%
4249   }
4250   \thispagestyle{empty}%
4251   \clearpage%
4252 }
4253 %%
4254 % Title block
4255 \AfterEndPreamble{%
4256 \renewcommand{\maketitle}{%
4257   \newpage%
4258   \global\@topnum\z@% prevent floats from being placed at the top of the page
4259   \begingroup%
4260     \setlength{\parindent}{0pt}%
4261     \setlength{\parskip}{4pt}%
4262     \let\@title\@empty%
4263     \let\@author\@empty%
4264     \let\@date\@empty%
4265     \gdef\@title{\LARGE\itshape\@title\par}%
4266     \gdef\@author{\Large\itshape\@author\par}%
4267     \gdef\@date{\Large\itshape\@date\par}%
4268     \@title%
4269     \@author%
4270     \@date%
4271   \endgroup%
4272   \thispagestyle{plain}% suppress the running head

```

```

4273 }%
4274 }
4275 %%
4276 % Title page (if the 'titlepage' option was passed to the bidentitetitle-handout
4277 % class.)
4278 \AfterEndPreamble{%
4279 \ifthenelse{\boolean{@bidentitetitle@titlepage}}
4280 {\renewcommand{\maketitle}{\maketitlepage}}
4281 {}
4282 }
4283 %%
4284 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
4285 % without headers and footers
4286 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
4287   \hbox{}
4288   %\vspace*{\fill}
4289   %\begin{center}
4290   % This page intentionally contains only this sentence.
4291   %\end{center}
4292   %\vspace{\fill}
4293   \thispagestyle{empty}
4294   \newpage
4295   \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.26 bidentifte-handout.cls

```

4296 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4297 \ProvidesClass{bidentifte-handout}[2011/06/18 v0.1 bidentifte-handout class]
4298 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
4299 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentiftefloat}}
4300 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentiftetoc}}
4301 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentiftehyperref}}
4302 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentiftetitle}}
4303 \ProcessOptions\relax
4304 \LoadClass{article}
4305 \RequirePackage{bidentiftefloat}
4306 \RequirePackage{bidentiftesidenote}
4307 \RequirePackage{bidentiftetoc}
4308 \RequirePackage{bidentiftegeneralstructure}
4309 \RequirePackage{bidentiftehyperref}
4310 \RequirePackage{bidentiftetitle}
4311 \renewenvironment{abstract}
4312   {\begin{quotation}}
4313   {\end{quotation}}
4314 \AtBeginDocument{%
4315 \IfFileExists{bidentifte-handout.cfg}
4316   {\input{bidentifte-handout.cfg}
4317     \ClassInfo{bidentifte-handout}{Loading bidentifte-handout configuration file \@gobble}}
4318   {}%
4319 }

```

7.27 biduntte-book.cls

```
4320 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4321 \ProvidesClass{biduntte-book}[2011/06/18 v0.1 biduntte-book class]
4322 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
4323 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidunttefloat}}
4324 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidunttetoc}}
4325 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidunttehyperref}}
4326 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidunttetitle}}
4327 \ProcessOptions\relax
4328 \LoadClass{book}
4329 \RequirePackage{bidunttefloat}
4330 \RequirePackage{bidunttesidenote}
4331 \RequirePackage{bidunttetoc}
4332 \RequirePackage{bidunttegeneralstructure}
4333 \RequirePackage{bidunttehyperref}
4334 \RequirePackage{bidunttetitle}
4335 %%
4336 % Set up any book-specific stuff now
4337 %%
4338 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
4339 % to the opening page of Chapter 1. The running heads, when they appear,
4340 % contain only the (arabic) page number in the outside corner.
4341 %\newif\if@mainmatter \@mainmattertrue
4342 \renewcommand\frontmatter{%
4343   \cleardoublepage%
4344   \@mainmatterfalse%
4345   \pagenumbering{arabic}%
4346   %\pagestyle{plain}%
4347   \fancyhf{}%
4348   \ifthenelse{\boolean{@bidunttefloat@twoside}}%
4349     {\fancyhead[LE,RO]{\thepage}}%
4350     {\fancyhead[RE,RO]{\thepage}}%
4351 }
4352 %%
4353 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
4354 % numbering---it continues where it left off in the front matter.
4355 \renewcommand\mainmatter{%
4356   \cleardoublepage%
4357   \@mainmattertrue%
4358   \fancyhf{}%
4359   \ifthenelse{\boolean{@bidunttefloat@twoside}}%
4360     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}}%
4361     {\fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
4362     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
4363     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
4364 }
4365 %%
4366 % The back matter contains appendices, indices, glossaries, endnotes,
4367 % bibliographies, list of contributors, illustration credits, etc.
```

```

4368 \renewcommand\backmatter{%
4369   \if@openright%
4370     \cleardoublepage%
4371   \else%
4372     \clearpage%
4373   \fi%
4374   \@mainmatterfalse%
4375 }
4376 %%
4377 % Only show the chapter titles in the table of contents
4378 \setcounter{tocdepth}{0}
4379 \AtBeginDocument{%
4380 \IfFileExists{biditufte-book.cfg}
4381   {\input{biditufte-book.cfg}
4382    \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
4383   {}%
4384 }

```

7.28 bidipoem.sty

```

4385 \NeedsTeXFormat{LaTeX2e}
4386 \ProvidesPackage{bidipoem}%
4387 [2014/02/05 v0.7 Environments for typesetting Persian traditional and modern poems]
4388 {\catcode'\^^M=\active % these lines must end with %
4389   \gdef\traditionalpoem@obeylines{\catcode'\^^M\active \let^^M\traditionalpoem@par}%
4390   \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
4391 {\catcode'\^^M=\active % these lines must end with %
4392   \gdef\modernpoem@obeylines{\catcode'\^^M\active \let^^M\modernpoem@par}%
4393   \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
4394 \def\poemcolsepkip{.1\versewidth plus .1\versewidth minus .05\versewidth}
4395 \def\poemmarginkip{1em plus 1fil minus 1em}
4396 \def\poemextrabaselineskip{0\baselineskip}
4397 \def\poemskip{\medskip}
4398 \newcommand{\bidipoem@openbox}{\leavevmode
4399   \hbox to.77778em{%
4400     \hfil\vrule
4401     \vbox to.675em{\hrule width.6em\vfil\hrule}%
4402     \vrule\hfil}}
4403 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
4404 \newdimen\versewidth
4405 \newtoks\bidipoem@p@ftn
4406 \def\poem@verse#1{%
4407   \ifdim\wd#1>\new@poem@width
4408     \xdef\new@poem@width{\the\wd#1}%
4409     \ifdim\new@poem@width>\poem@width
4410       \xdef\poem@width{\new@poem@width}%
4411     \global\let\poem@needrun\relax
4412   \fi
4413   \fi
4414   \hbox to\poem@width{\unhbox#1}%

```

```

4415 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
4416 }
4417 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
4418 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
4419 \def\poem@lineversesep{%
4420 \nobreak
4421 \hskip\z@ plus 1filll%
4422 \penalty600%
4423 \hskip\poemcolsepskip
4424 \hskip\z@ plus -2filll%
4425 \vadjust{}}%
4426 \nobreak
4427 \hskip\z@ plus 1filll%
4428 }
4429 \def\poem@lineparsebegin{%
4430 \halign\bgroup
4431 \global\setbox\verse@i=\hbox{%
4432 \let\@footnotetext\bidipoem@p@ftntext%
4433 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4434 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4435 \let\@xfootnotenext\bidipoem@p@xftntext%
4436 \let\@xfootnote\bidipoem@p@xfootnote%
4437 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4438 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4439 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4440 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4441 \ignorespaces##\unskip}&&
4442 \global\setbox\verse@ii=\hbox{%
4443 \let\@footnotetext\bidipoem@p@ftntext%
4444 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4445 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4446 \let\@xfootnotenext\bidipoem@p@xftntext%
4447 \let\@xfootnote\bidipoem@p@xfootnote%
4448 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4449 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4450 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4451 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4452 \ignorespaces##\unskip}
4453 \cr
4454 }
4455 \def\poem@lineparseend{%
4456 \crcr\egroup
4457 \vskip-\baselineskip
4458 }
4459 \def\traditionalpoem@cr{%
4460 \cr\poem@line
4461 }
4462 \newbox\verse@i
4463 \newbox\verse@ii
4464 \newif\ifpoem@started

```

```

4465
4466 \def\poem@line{%
4467 \poem@lineparseend
4468 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
4469 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
4470 \ifpoem@started
4471 \ifdim\wd\verse@ii>\z@\else
4472 \nopagebreak[3]
4473 \fi
4474 \leavevmode
4475 \poem@linebegin
4476 \poem@verse\verse@i
4477 \ifdim\wd\verse@ii>\z@
4478 \poem@lineversesep
4479 \poem@verse\verse@ii
4480 \fi
4481 \poem@lineend
4482 % \nopagebreak
4483 \par
4484 \vskip\poemextrabaseskip
4485 \fi
4486 \poem@lineparsebegin
4487 }
4488 \def\@traditionalpoem{%
4489 \stepcounter{poem@no}
4490 \ifnum\max@poem@no<\number\c@poem@no%
4491 \xdef\poem@width{\z@}%
4492 \else
4493 \xdef\poem@width{\poem@prop{poem@width}}%
4494 \fi
4495 \xdef\new@poem@width{\z@}%
4496 \global\versewidth=\poem@width

4497 \poemskip\par
4498 \begingroup
4499 \tabskip=\z@
4500 \parskip=\z@
4501 \parindent=\z@
4502 \parfillskip=\z@
4503 \rightskip=\z@
4504 \leftskip=\z@
4505 \widowpenalty=10000% No break between verses of the same line.
4506 \clubpenalty=10000% Same as above. Not really needed.
4507 \def\newblock{\hfil\poemblocksep\hfil\null}%
4508 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
4509 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
4510 \global\poem@startedfalse
4511 \csname poem@obeylines\endcsname
4512 \let\poem@obeylines\relax
4513 \poem@lineparsebegin

```



```

4514 }
4515 \def\@endtraditionalpoem{%
4516 \cr
4517 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
4518 \noalign{%
4519 \skip0=\poemextrabaseskip
4520 \vskip-\skip0
4521 \vskip-\baseskip
4522 }%
4523 \fi\fi
4524 \poem@lineparseend
4525 \endgroup
4526 \par
4527 \vskip\baseskip
4528 \poemskip
4529 \if@nparlist \else
4530 \ifdim\lastskip >\z@
4531 \@tempskipa\lastskip \vskip -\lastskip
4532 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
4533 \vskip\@tempskipa
4534 \fi
4535 \@endparenv
4536 \fi
4537 \ifdim\new@poem@width<\poem@width
4538 \global\let\poem@needrun\relax
4539 \fi
4540 \poem@write@aux{\poem@width\@romannumeral\c@poem@no}\{new@poem@width}%
4541 \ifx\AtEndDocument\undefined\poem@finish\fi
4542 }
4543
4544
4545 \long\def\bidipoem@p@ftntext#1{%
4546 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\mpfn\endcsname]}%
4547 \global\bidipoem@p@ftn\expandafter\@tempx{#1}}%
4548 \long\def\bidipoem@p@LTRftntext#1{%
4549 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}%
4550 \global\bidipoem@p@ftn\expandafter\@tempxi{#1}}%
4551 \long\def\bidipoem@p@RTLftntext#1{%
4552 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}%
4553 \global\bidipoem@p@ftn\expandafter\@tempxii{#1}}%
4554
4555 \long\def\bidipoem@p@xftntext[#1]#2{%
4556 \global\bidipoem@p@ftn\expandafter\the\bidipoem@p@ftn\footnotetext[#1]{#2}}
4557
4558 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
4559 \global\bidipoem@p@ftn\expandafter\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}
4560
4561 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
4562 \global\bidipoem@p@ftn\expandafter\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}
4563

```

```

4564 \def\bidipoem@p@xfootnote[#1]{%
4565     \begingroup
4566         \csname c@ \@mpfn\endcsname #1\relax
4567         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4568     \endgroup
4569     \@footnotemark\bidipoem@p@xftntext[#1]}
4570
4571 \def\bidipoem@p@xLTRfootnote[#1]{%
4572     \begingroup
4573         \csname c@ \@mpfn\endcsname #1\relax
4574         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4575     \endgroup
4576     \@footnotemark\bidipoem@p@xLTRftntext[#1]}
4577
4578 \def\bidipoem@p@xRTLfootnote[#1]{%
4579     \begingroup
4580         \csname c@ \@mpfn\endcsname #1\relax
4581         \unrestored@protected@xdef\@thefnmark{\thempfn}%
4582     \endgroup
4583     \@footnotemark\bidipoem@p@xRTLftntext[#1]}
4584
4585
4586
4587 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
4588 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl
4589 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
4590 \def\poem@finish{%
4591 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
4592 \ifx\poem@needrun\relax
4593 \PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
4594 \global\let\poem@needrun\undefined
4595 \fi
4596 }
4597 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
4598 \newcounter{poem@no}\setcounter{poem@no}{\z@}
4599 \ifx\max@poem@no\undefined
4600     \def\max@poem@no{0}%
4601 \fi
4602 \newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
4603 \newcommand{\poem@write@aux}[2]{%
4604     \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
4605     \@x
4606 }
4607 \def\@modernpoem{%
4608 \par
4609 \begingroup
4610 \parskip=\z@
4611 \parindent=\z@
4612 \def\[{ {\@settab\@tabplus\ignorespaces}%
4613 \def\]{ {\@tabminus\ignorespaces}%

```

```

4614 \def\newblock{\poemblocksep}%
4615 \let\newpoem@tabcr\@tabcr
4616 \def\modernpoem@par{% Redefine \par for possible \obeylines
4617   \ifpoem@started\else
4618     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
4619       \@stopfield
4620       \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
4621       \@contfield
4622     \fi
4623   \fi
4624   \ifpoem@started\newpoem@tabcr\fi}%
4625 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
4626 \global\poem@startedfalse
4627 \csname poem@obeylines\endcsname
4628 \let\poem@obeylines\relax
4629 \begin{tabbing}%
4630 }
4631 \def\@endmodernpoem{%
4632 \global\poem@startedfalse
4633 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
4634   \@stopfield
4635   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
4636   \@contfield
4637 \fi
4638 \ifpoem@started\else\let\@stopline\@stopfield\fi
4639 \end{tabbing}%
4640 \endgroup
4641 \par
4642 \if@nparlist \else
4643   \ifdim\lastskip >\z@
4644     \@tempskipa\lastskip \vskip -\lastskip
4645     \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
4646     \vskip\@tempskipa
4647   \fi
4648   \@endparenv
4649 \fi
4650 }
4651 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
4652 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@par}
4653 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
4654 \gdef\@startfield{%
4655 \global\setbox\@curfield\hbox\bgroup%
4656 \let\@footnotetext\bidipoem@p@fnttext%
4657 \let\@LTRfootnotetext\bidipoem@p@LTRfnttext%
4658 \let\@RTLfootnotetext\bidipoem@p@RTLfnttext%
4659 \let\@xfootnotenext\bidipoem@p@xftntext%
4660 \let\@xfootnote\bidipoem@p@xfootnote%
4661 \let\@xLTRfootnotenext\bidipoem@p@xLTRfnttext%
4662 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4663 \let\@xRTLfootnotenext\bidipoem@p@xRTLfnttext%

```

```

4664 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4665 \color@begingroup}
4666 \gdef\@stopfield{%
4667   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
4668 \gdef\@contfield{%
4669   \global\setbox\@curfield\hbox\bgroup%
4670   \let\@footnotetext\bidipoem@p@ftntext%
4671   \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
4672   \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
4673   \let\@xfootnotenext\bidipoem@p@xftntext%
4674   \let\@xfootnote\bidipoem@p@xfootnote%
4675   \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
4676   \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
4677   \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
4678   \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
4679   \color@begingroup\unhbox\@curfield}

```

7.29 boek3-xetex-bidi.def

```

4680 \ProvidesFile{boek3-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek3 class for XeTeX]
4681 \renewenvironment{theindex}{%
4682   \if@twocolumn
4683     \@restonecolfalse
4684   \else
4685     \@restonecoltrue
4686   \fi
4687   \columnseprule \z@
4688   \columnsep 35\p@
4689   \twocolumn[\@makeschapterhead{\indexname}]{%
4690     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
4691   \thispagestyle{plain}\parindent\z@
4692   \parskip\z@ \@plus .3\p@\relax
4693   \let\item\@idxitem
4694   }{%
4695   \if@restonecol\onecolumn\else\clearpage\fi}
4696 \renewcommand*{\head@style}{%
4697   \interlinepenalty \@M
4698   \hyphenpenalty=\@M \exhyphenpenalty=\@M
4699   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4700 \renewcommand*{\regtocline}[3]{%
4701   \ifnum #1>\c@tocdepth
4702   \else
4703     \vskip\z@\@plus.2\p@
4704     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
4705     \if@RTL\rightskip\else\leftskip\fi\unitindent
4706     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
4707     \parfillskip\z@
4708     \@tempdima\unitindent
4709     \parindent\z@
4710     \leavevmode

```

```

4711     \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
4712     \hskip 1em \nobreak{\slshape #3}\par
4713     }%
4714 \fi}
4715 \if@oldtoc
4716 \renewcommand*\l@part[2]{%
4717   \ifnum \c@tocdepth >-2\relax
4718     \addpenalty{-\@highpenalty}%
4719     \addvspace{2.25em \@plus\p@}%
4720     \begingroup
4721       \setlength\@tempdima{3em}%
4722       \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
4723       \parfillskip -\@pnumwidth
4724       {\leavevmode
4725         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
4726         \nobreak
4727         \global\@nobreaktrue
4728         \everypar{\global\@nobreakfalse\everypar{}}%
4729       \endgroup
4730     \fi}
4731 \else
4732   \renewcommand*\l@part{%
4733     \ifnum \c@tocdepth >-2\relax
4734       \addpenalty{-\@highpenalty}%
4735       \addvspace{2.25em \@plus\p@}%
4736       \@regtocline{0}%
4737     \fi}
4738 \fi
4739 \if@oldtoc
4740 \renewcommand*\l@chapter[2]{%
4741   \addpenalty{-\@highpenalty}%
4742   \vskip 1.0em \@plus\p@
4743   \setlength\@tempdima{1.5em}%
4744   \begingroup
4745     \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
4746     \parfillskip -\@pnumwidth
4747     \leavevmode \bfseries
4748     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
4749     \hskip -\if@RTL\righskip\else\leftskip\fi
4750     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
4751     \penalty\@highpenalty
4752   \endgroup}
4753 \else
4754   \renewcommand*\l@chapter{\@regtocline{0}}
4755 \fi
4756 \renewenvironment{abstract}{%
4757   \titlepage
4758   \null\vfil
4759   \section*{\SectFont \abstractname}
4760   \noindent\ignorespaces}

```

```

4761     {\par\vfil\null\endtitlepage}
4762 \renewenvironment{thebibliography}[1]
4763     {\chapter*{\bibname}%
4764      \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
4765      \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
4766      \list{\@biblabel{\@arabic\c@enumiv}}%
4767          {\settowidth\labelwidth{\@biblabel{#1}}%
4768           \leftmargin\labelwidth
4769           \advance\leftmargin\labelsep
4770           \@openbib@code
4771           \usecounter{enumiv}%
4772           \let\p@enumiv\@empty
4773           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
4774      \sloppy\clubpenalty4000\widowpenalty4000%
4775      \sfcode'\.\@m}
4776     {\def\@noitemerr
4777      {\@latex@warning{Empty 'thebibliography' environment}}%
4778      \endlist}
4779 \renewcommand*\left@footnoterule{%
4780     \kern-3\p@
4781     \kern.5\baselineskip
4782     \hrule\@width\unitindent
4783     \kern.4\baselineskip
4784 }
4785 \renewcommand*\right@footnoterule{%
4786     \hbox to \columnwidth
4787     {\beginR \vbox{%
4788         \kern-3\p@
4789         \kern.5\baselineskip
4790         \hrule\@width\unitindent
4791         \kern.4\baselineskip}\hfil\endR}
4792 }
4793 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
4794 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
4795 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
4796 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
4797 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
4798 \renewcommand*\theequation{%
4799     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
4800 \renewcommand*\thefigure{%
4801     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
4802 \renewcommand*\thetable{%
4803     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
4804 \renewcommand*\maketitle{%
4805     \begin{titlepage}%
4806         \let\footnotesize\small
4807         \let\right@footnoterule\relax
4808         \let\left@footnoterule\relax
4809         \let\textwidth\footnoterule\relax
4810         \let \footnote \thanks

```

```

4811 \long\def\@makefntext##1{\parindent\z@
4812 \def\labelitemi{\textendash}\@revlabeltrue
4813 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
4814 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
4815 \if@compatibility\setcounter{page}{0}\fi
4816 \null\vfil
4817 \vskip 60\p@
4818 \begin{center}%
4819 \TitleFont
4820 {\LARGE \def\\{\penalty -\@M}
4821 \if@allcaps
4822 \expandafter\uc@nothanks\@title\thanks\relax
4823 \else
4824 \@title
4825 \fi\par}%
4826 \vskip 3em%
4827 {\large
4828 \lineskip .75em \parindent\z@
4829 \begin{tabular}[t]{c}%
4830 \if@allcaps
4831 \expandafter\uc@authornothanks\@author\and\relax
4832 \else
4833 \@author
4834 \fi
4835 \end{tabular}\par}%
4836 \vskip 1.5em%
4837 {\large
4838 \if@allcaps
4839 \uppercase\expandafter{\@date}%
4840 \else
4841 \@date
4842 \fi\par}%
4843 \end{center}\par
4844 \@thanks
4845 \vfil\null
4846 \end{titlepage}%
4847 \setcounter{footnote}{0}%
4848 \global\let\thanks\relax
4849 \global\let\maketitle\relax
4850 \global\let\@thanks\@empty
4851 \global\let\@author\@empty
4852 \global\let\@title\@empty
4853 \global\let\@date\@empty
4854 \global\let\title\relax
4855 \global\let\author\relax
4856 \global\let\date\relax
4857 \global\let\and\relax
4858 }

```

7.30 boek-xetex-bidi.def

```

4859 \ProvidesFile{boek-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek class for XeTeX
4860 \renewenvironment{theindex}{%
4861   \if@twocolumn
4862     \@restonecolfalse
4863   \else
4864     \@restonecoltrue
4865   \fi
4866   \columnseprule \z@
4867   \columnsep 35\p@
4868   \twocolumn[\@makeschapterhead{\indexname}]{%
4869     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
4870   \thispagestyle{plain}\parindent\z@
4871   \parskip\z@ \@plus .3\p@\relax
4872   \let\item\@idxitem
4873 }{%
4874   \if@restonecol\onecolumn\else\clearpage\fi}
4875 \renewcommand*\head@style{%
4876   \interlinepenalty \@M
4877   \hyphenpenalty=\@M \exhyphenpenalty=\@M
4878   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
4879 \renewcommand*\@regtocline[3]{%
4880   \ifnum #1>\c@tocdepth
4881   \else
4882     \vskip\z@\@plus.2\p@
4883     {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
4884     \if@RTL\rightskip\else\leftskip\fi\unitindent
4885     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
4886     \parfillskip\z@
4887     \@tempdima\unitindent
4888     \parindent\z@
4889     \leavevmode
4890     \hbox{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
4891     \hskip 1em \nobreak{\slshape #3}\par
4892     }%
4893   \fi}
4894 \if@oldtoc
4895 \renewcommand*\l@part[2]{%
4896   \ifnum \c@tocdepth >-2\relax
4897     \addpenalty{-\@highpenalty}%
4898     \addvspace{2.25em \@plus\p@}%
4899     \begingroup
4900     \setlength{\@tempdima}{3em}%
4901     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4902     \parfillskip -\@pnumwidth
4903     {\leavevmode
4904       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
4905     \nobreak
4906     \global\@nobreaktrue

```



```

4907         \everypar{\global\@nobreakfalse\everypar{}}%
4908     \endgroup
4909 \fi}
4910 \else
4911     \renewcommand*\l@part{%
4912         \ifnum \c@tocdepth >-2\relax
4913             \addpenalty{-\@highpenalty}%
4914             \addvspace{2.25em \@plus \p@}%
4915             \@regtocline{0}%
4916         \fi}
4917 \fi
4918 \if@oldtoc
4919 \renewcommand*\l@chapter[2]{%
4920     \addpenalty{-\@highpenalty}%
4921     \vskip 1.0em \@plus \p@
4922     \setlength\@tempdima{1.5em}%
4923     \begingroup
4924     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
4925     \parfillskip -\@pnumwidth
4926     \leavevmode \bfseries
4927     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
4928     \hskip -\if@RTL\rightskip\else\leftskip\fi
4929     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
4930     \penalty\@highpenalty
4931 \endgroup}
4932 \else
4933 \renewcommand*\l@chapter{\@regtocline{0}}
4934 \fi
4935 \renewcommand*\left@footnoterule{%
4936     \kern-3\p@
4937     \kern.5\baselineskip
4938     \hrule\@width\unitindent
4939     \kern.4\baselineskip
4940 }
4941 \renewcommand*\right@footnoterule{%
4942     \hbox to \columnwidth
4943     {\beginR \vbox{%
4944         \kern-3\p@
4945         \kern.5\baselineskip
4946         \hrule\@width\unitindent
4947         \kern.4\baselineskip}\hfil\endR}
4948 }
4949 \renewenvironment{abstract}{%
4950     \titlepage
4951     \null\vfil
4952     \section*{\SectFont \abstractname}
4953     \noindent\ignorespaces}
4954     {\par\vfil\null\endtitlepage}
4955 \renewenvironment{thebibliography}[1]
4956     {\chapter*{\bibname}%

```

```

4957 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
4958 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
4959 \list{\@biblabel{\@arabic\c@enumiv}}%
4960 {\settowidth\labelwidth{\@biblabel{#1}}%
4961 \leftmargin\labelwidth
4962 \advance\leftmargin\labelsep
4963 \openbib@code
4964 \usecounter{enumiv}%
4965 \let\p@enumiv\@empty
4966 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
4967 \sloppy\clubpenalty4000\widowpenalty4000%
4968 \sfcode'\. \m
4969 {\def\@noitemerr
4970 {\@latex@warning{Empty 'thebibliography' environment}}%
4971 \endlist}
4972 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
4973 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
4974 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
4975 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
4976 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
4977 \renewcommand*\theequation{%
4978 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
4979 \renewcommand*\thefigure{%
4980 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
4981 \renewcommand*\thetable{%
4982 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
4983 \renewcommand*\maketitle{%
4984 \begin{titlepage}%
4985 \let\footnotesize\small
4986 \let\right@footnoterule\relax
4987 \let\left@footnoterule\relax
4988 \let\textwidth\footnoterule\relax
4989 \let \footnote \thanks
4990 \long\def\@makefnmark##1{\parindent\z@
4991 \def\labelitemi{\textendash}\@revlabeltrue
4992 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
4993 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
4994 \if@compatibility\setcounter{page}{0}\fi
4995 \null\vfil
4996 \vskip 60\p@
4997 \begin{center}%
4998 \TitleFont
4999 {\LARGE \def\\{\penalty -\m}
5000 \if@allcaps
5001 \expandafter\uc@nothanks\@title\thanks\relax
5002 \else
5003 \@title
5004 \fi\par}%
5005 \vskip 3em%
5006 {\large

```

```

5007         \lineskip .75em \parindent\z@
5008         \begin{tabular}[t]{c}%
5009             \if@allcaps
5010                 \expandafter\uc@authornothanks\@author\and\relax
5011             \else
5012                 \@author
5013             \fi
5014         \end{tabular}\par}%
5015     \vskip 1.5em%
5016     {\large
5017         \if@allcaps
5018             \uppercase\expandafter{\@date}%
5019         \else
5020             \@date
5021         \fi\par}%
5022     \end{center}\par
5023     \@thanks
5024     \vfil\null
5025 \end{titlepage}%
5026 \setcounter{footnote}{0}%
5027 \global\let\thanks\relax
5028 \global\let\maketitle\relax
5029 \global\let\@thanks\@empty
5030 \global\let\@author\@empty
5031 \global\let\@title\@empty
5032 \global\let\@date\@empty
5033 \global\let\title\relax
5034 \global\let\author\relax
5035 \global\let\date\relax
5036 \global\let\and\relax
5037 }

```

7.31 bookest-xetex-bidi.def

```

5038 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
5039 \def\@makechapterhead#1{%
5040     \vspace*{20\p@}
5041     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5042         \ifnum \c@secnumdepth >\m@ne
5043             \if@mainmatter
5044                 {\colorA\huge\scshape \@chapapp\space \thechapter}
5045                 \par\nobreak
5046                 \vskip 10\p@
5047             \fi
5048         \fi
5049         \interlinepenalty\@M
5050     {\colorB\hrule}
5051     \vskip 15\p@
5052     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
5053         {\colorA\Huge \bfseries #1}\par\nobreak

```

```

5054 \if@RTL\end{flushleft}\else\end{flushright}\fi
5055 \vskip 5\p@
5056 {\colorB\hrule}
5057 \vskip 30\p@
5058 }}
5059 \def\@makeschapterhead#1{%
5060 \vspace*{20\p@}
5061 {\parindent \z@ \raggedright \normalfont
5062 {\colorB\hrule}
5063 \vskip 15\p@
5064 \begin{center}
5065 {\colorA\Huge \bfseries #1}\par\nobreak
5066 \end{center}
5067 \vskip 5\p@
5068 {\colorB\hrule}
5069 \vskip 30\p@
5070 }}

```

7.32 book-xetex-bidi.def

```

5071 \ProvidesFile{book-xetex-bidi.def}[2011/08/26 v0.8 bidi adaptations for standard book class f
5072 \renewenvironment{theindex}
5073     {\if@twocolumn
5074       \@restonecolfalse
5075       \else
5076       \@restonecoltrue
5077       \fi
5078       \columnseprule \z@
5079       \columnsep 35\p@
5080       \twocolumn[\@makeschapterhead{\indexname}]}%
5081     {\mkboth{\MakeUppercase\indexname}%
5082      {\MakeUppercase\indexname}%
5083      \thispagestyle{plain}\parindent\z@
5084      \parskip\z@ \@plus .3\p@\relax
5085      \let\item\@idxitem}
5086     {\if@restonecol\onecolumn\else\clearpage\fi}
5087 \@ifclassloaded{bookest}{-}{%
5088 \if@titlepage
5089 \renewcommand\maketitle{\begin{titlepage}%
5090 \let\footnotesize\small
5091 \let\right@footnoterule\relax
5092 \let\left@footnoterule\relax
5093 \let\textwidth\footnoterule\relax
5094 \let \footnote \thanks
5095 \let \LTRfootnote \LTRthanks
5096 \let \RTLfootnote \RTLthanks
5097 \null\vfil
5098 \vskip 60\p@
5099 \begin{center}%
5100 {\LARGE \@title \par}%

```

```

5101 \vskip 3em%
5102 {\large
5103 \lineskip .75em%
5104 \begin{tabular}[t]{c}%
5105 \@author
5106 \end{tabular}\par}%
5107 \vskip 1.5em%
5108 {\large \@date \par}% % Set date in \large size.
5109 \end{center}\par
5110 \@thanks
5111 \vfil\null
5112 \end{titlepage}%
5113 \setcounter{footnote}{0}%
5114 \global\let\thanks\relax
5115 \global\let\LTRthanks\relax
5116 \global\let\RTLthanks\relax
5117 \global\let\maketitle\relax
5118 \global\let\@thanks\@empty
5119 \global\let\@author\@empty
5120 \global\let\@date\@empty
5121 \global\let\@title\@empty
5122 \global\let\title\relax
5123 \global\let\author\relax
5124 \global\let\date\relax
5125 \global\let\and\relax
5126 }
5127 \else
5128 \renewcommand\maketitle{\par
5129 \begingroup
5130 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
5131 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
5132 \long\def\@makefntext##1{\parindent 1em\noindent
5133 \hb@xt@1.8em{%
5134 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
5135 \if@twocolumn
5136 \ifnum \col@number=\@ne
5137 \maketitle
5138 \else
5139 \twocolumn[\maketitle]%
5140 \fi
5141 \else
5142 \newpage
5143 \global\@topnum\z@ % Prevents figures from going at top of page.
5144 \maketitle
5145 \fi
5146 \thispagestyle{plain}\@thanks
5147 \endgroup
5148 \setcounter{footnote}{0}%
5149 \global\let\thanks\relax
5150 \global\let\LTRthanks\relax

```

```

5151 \global\let\RTLthanks\relax
5152 \global\let\maketitle\relax
5153 \global\let\@maketitle\relax
5154 \global\let\@thanks\@empty
5155 \global\let\@author\@empty
5156 \global\let\@date\@empty
5157 \global\let\@title\@empty
5158 \global\let\title\relax
5159 \global\let\author\relax
5160 \global\let\date\relax
5161 \global\let\and\relax
5162 }
5163 \def\@maketitle{%
5164   \newpage
5165   \null
5166   \vskip 2em%
5167   \begin{center}%
5168     \let \footnote \thanks
5169     \let \LTRfootnote \LTRthanks
5170     \let \RTLfootnote \RTLthanks
5171     {\LARGE \@title \par}%
5172     \vskip 1.5em%
5173     {\large
5174       \lineskip .5em%
5175       \begin{tabular}[t]{c}%
5176         \@author
5177         \end{tabular}\par}%
5178     \vskip 1em%
5179     {\large \@date}%
5180   \end{center}%
5181   \par
5182   \vskip 1.5em}
5183 \fi}
5184 \renewcommand*\l@part[2]{%
5185   \ifnum \c@tocdepth >-2\relax
5186     \addpenalty{-\@highpenalty}%
5187     \addvspace{2.25em \@plus\p@}%
5188     \setlength\@tempdima{3em}%
5189     \begingroup
5190       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5191       \parfillskip -\@pnumwidth
5192       {\leavevmode
5193         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5194       \nobreak
5195       \global\@nobreaktrue
5196       \everypar{\global\@nobreakfalse\everypar{}}%
5197     \endgroup
5198   \fi}
5199 \renewcommand*\l@chapter[2]{%
5200   \ifnum \c@tocdepth >\m@ne

```

```

5201 \addpenalty{-\@highpenalty}%
5202 \vskip 1.0em \@plus\p@
5203 \setlength\@tempdima{1.5em}%
5204 \begingroup
5205 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5206 \parfillskip -\@pnumwidth
5207 \leavevmode \bfseries
5208 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5209 \hskip -\if@RTL\rightskip\else\leftskip\fi
5210 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5211 \penalty\@highpenalty
5212 \endgroup
5213 \fi}
5214 \renewcommand\left@footnoterule{%
5215 \kern-3\p@
5216 \hrule\@width.4\columnwidth
5217 \kern2.6\p@}
5218 \renewcommand\right@footnoterule{%
5219 \hbox to \columnwidth
5220 {\beginR \vbox{%
5221 \kern-3\p@
5222 \hrule\@width.4\columnwidth
5223 \kern2.6\p@}\hfil\endR}}
5224 \renewcommand\theequation
5225 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
5226 \renewcommand \thefigure
5227 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
5228 \renewcommand \thetable
5229 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
5230 \renewcommand \thechapter {\@arabic\c@chapter}
5231 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
5232 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
5233 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
5234 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
5235 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
5236 \def\@makechapterhead#1{%
5237 \vspace*{50\p@}%
5238 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5239 \ifnum \c@secnumdepth >\m@ne
5240 \if@mainmatter
5241 \huge\bfseries \@chapapp\space \thechapter
5242 \par\nobreak
5243 \vskip 20\p@
5244 \fi
5245 \fi
5246 \interlinepenalty\@M
5247 \Huge \bfseries #1\par\nobreak
5248 \vskip 40\p@
5249 }}
5250 \def\@makeschapterhead#1{%

```

```

5251 \vspace*{50\p@}%
5252 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
5253 \normalfont
5254 \interlinepenalty\@M
5255 \Huge \bfseries #1\par\nobreak
5256 \vskip 40\p@
5257 }}
5258 \renewcommand\backmatter{%
5259 \if@openright
5260 \cleardoublepage
5261 \else
5262 \clearpage
5263 \fi
5264 \@mainmatterfalse}
5265 \renewenvironment{thebibliography}[1]
5266 {\chapter*{\bibname}%
5267 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5268 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5269 \list{\@biblabel{\@arabic\c@enumiv}}%
5270 {\settowidth\labelwidth{\@biblabel{#1}}%
5271 \leftmargin\labelwidth
5272 \advance\leftmargin\labelsep
5273 \@openbib@code
5274 \usecounter{enumiv}%
5275 \let\p@enumiv\@empty
5276 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
5277 \sloppy
5278 \clubpenalty4000
5279 \@clubpenalty \clubpenalty
5280 \widowpenalty4000%
5281 \sfcode'\.\@m}
5282 {\def\@noitemerr
5283 {\@latex@warning{Empty 'thebibliography' environment}}%
5284 \endlist}

```

7.33 breqn-xetex-bidi.def

```

5285 \ProvidesFile{breqn-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for breqn package for Xe
5286 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
5287 \everydisplay\expandafter{\the\everydisplay \display@setup}%
5288 \if@noskipsec \leavevmode \fi
5289 \if@inlabel \leavevmode \global\@inlabelfalse \fi
5290 \if\eq@group\else\eq@prelim\fi
5291 \setkeys{breqn}{#1}%
5292 \the\eqstyle
5293 \eq@setnumber
5294 \begingroup
5295 \eq@setup@a
5296 \eq@startup
5297 }

```



```

5298 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
5299 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
5300 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
5301 \global\let\GRP@label\@empty
5302 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
5303 \global\grp@linewidth\z@\global\grp@wdNum\z@
5304 \global\let\grp@eqs@numbered\@False
5305 \global\let\grp@aligned\@True
5306 \global\let\grp@shiftnumber\@False
5307 \eq@prelim
5308 \setkeys{breqn}{#1}%
5309 \if\grp@hasNumber \grp@setnumber \fi
5310 }
5311 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
5312 \let\display@setup\dseries@display@setup
5313 % Question: should this be the default for dseries???
5314 \global\eq@wdCond\z@
5315 \@dmath[layout={M},#1]%
5316 \mathsurround\z@\@math \penalty\@Mi
5317 \let\endmath\ends@math
5318 \def\premath{%
5319 \ifdim\lastskip<.3em \unskip
5320 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
5321 }%
5322 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
5323 \ignorespaces
5324 }
5325 \def\eqnumform#1{\if@Latin\else\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@Latin\else\endR\fi}
5326 \renewenvironment{dsuspend}{%
5327 \global\setbox\EQ@box\vbox\bgroup\if@Latin\else\@RTLtrue\fi \@parboxrestore
5328 \parshape 1 \displayindent \displaywidth\relax
5329 \hsize=\columnwidth \noindent\ignorespaces
5330 }{%
5331 \par\egroup
5332 \global\setbox\GRP@box\vbox{%
5333 \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
5334 \unvbox\GRP@box
5335 }%
5336 \global\GRP@queue\@xp{\the\GRP@queue
5337 \@elt{\let\eq@isIntertext\@True}%
5338 }%
5339 }

```

7.34 cals-xetex-bidi.def

```

5340 \ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTeX]
5341 \renewenvironment{calstable}[1][c]{%
5342 \if@RTL\@RTLtabtrue\cals@activate@rtl\fi
5343 \if l#1%
5344 \if@RTLtab\leftskip\fill \rightskip\z@\else\leftskip\z@ \rightskip\fill\fi

```

```

5345 \else\if r#1%
5346 \if@RTLtab\leftskip\z@ \rightskip\fill\else\leftskip\fill \rightskip\z@\fi
5347 \else\if c#1%
5348 \leftskip\fill \rightskip\fill
5349 \fi\fi\fi
5350 \let\cals@thead@tokens=\relax
5351 \let\cals@tfoot@tokens=\relax
5352 \let\cals@tbreak@tokens=\relax
5353 \cals@tfoot@height=0pt \relax
5354 \let\cals@last@context=n%
5355 \let\cals@current@context=b%
5356 \parindent=0pt %
5357 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
5358 %% Alignment inside is independent on center/flushright outside
5359 \parfillskip=0pt plus1fil\relax
5360 \let\cals@borderL=\relax
5361 \let\cals@borderR=\relax
5362 \let\cals@borderT=\relax
5363 \let\cals@borderB=\relax
5364 }{% End of the table
5365 \cals@tfoot@tokens\lastrule\@RTLtabfalse}
5366
5367 \renewcommand\alignL{%
5368 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0 plus 1fill\else\cals@paddingL=\dimen0
5369 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
5370
5371 \renewcommand\alignR{%
5372 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill
5373 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

```

7.35 caption-xetex-bidi.def

```

5374 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for xetex]
5375 \let\@makecaption\caption@makecaption

```

7.36 caption3-xetex-bidi.def

```

5376 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for xetex]
5377 \renewcommand*\caption@par{%
5378 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.37 colortbl-xetex-bidi.def

```

5379 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package for xetex]
5380 \def\CT@setup{%
5381 \@tempdimb\col@sep
5382 \@tempdimc\col@sep
5383 \def\CT@color{%
5384 \global\let\CT@do@color\CT@@do@color
5385 \bidicolor}}
5386 \def\@classz{\@classx
5387 \@tempcnta \count@

```

```

5388 \prepnext@tok
5389 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
5390 \@addtopreamble{\if@RTLtab\beginL\fi%
5391 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
5392 \ifcase \@chnum
5393 \hskip\stretch{.5}\kern\z@
5394 \d@llarbegin
5395 \insert@column
5396 \d@llarend\hskip\stretch{.5}\or
5397 \d@llarbegin \insert@column \d@llarend \hfill \or
5398 \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
5399 $\vcenter
5400 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
5401 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
5402 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
5403 \fi
5404 \if@RTLtab\endR\fi\egroup\egroup
5405 \begingroup
5406 \CT@setup
5407 \CT@column@color
5408 \CT@row@color
5409 \CT@cell@color
5410 \CT@do@color
5411 \endgroup
5412 \@tempdima\ht\z@
5413 \advance\@tempdima\minrowclearance
5414 \vrule\@height\@tempdima\@width\z@
5415 \unhbox\z@\if@RTLtab\endL\fi}%
5416 \prepnext@tok}

```

7.38 color-xetex-bidi.def

```

5417 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
5418 \long\def\color@b@x#1#2#3{%
5419 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
5420 \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
5421 \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
5422 \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
5423 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
5424 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
5425 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
5426 \DeclareRobustCommand\color{%
5427 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]}
5428 \def\@declaredcolor#1{%
5429 \@ifundefined{\string\color @#1}%
5430 {\c@lor@error{‘#1’}}%
5431 {\expandafter\let\expandafter\current@color
5432 \csname\string\color @#1\endcsname
5433 \set@color}%
5434 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}

```

```

5435 \def\@undeclaredcolor[#1]#2{%
5436   \ifundefined{color@#1}%
5437     {\c@lor@error{model '1'}}%
5438     {\csname color@#1\endcsname\current@color{#2}%
5439       \set@color}%
5440   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
5441 \DeclareRobustCommand\bidicolor{%
5442   \ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
5443 \def\@bidiundeclaredcolor[#1]#2{%
5444   \ifundefined{color@#1}%
5445     {\c@lor@error{model '1'}}%
5446     {\csname color@#1\endcsname\current@color{#2}%
5447       \set@color}%
5448   \ignorespaces}
5449 \def\@bidideclaredcolor#1{%
5450   \ifundefined{\string\color @#1}%
5451     {\c@lor@error{'1'}}%
5452     {\expandafter\let\expandafter\current@color
5453       \csname\string\color @#1\endcsname
5454       \set@color}%
5455   \ignorespaces}
5456 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
5457 \def\color@fbox#1#2#3{%
5458   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
5459 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.39 combine-xetex-bidi.def

```

5460 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
5461 \renewcommand{\c@ll@chapsecii}[2]{%
5462   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
5463   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
5464   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5465 }
5466 \renewcommand{\c@ll@chapseci}{%
5467   \setlength\@tempdima{0em}%
5468   \begingroup
5469     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5470     \parfillskip -\@pnumwidth
5471     \leavevmode
5472 }
5473 \renewenvironment{tocindent}[1]{%
5474   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{%

```

7.40 crop-xetex-bidi.def

```

5475 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX
5476 \renewcommand*\CROP@ulc{%
5477   \if@RTLmain%
5478     \begin{picture}(0,0)
5479       \unitlength\p@\thinline

```

```

5480         \put(-40,0){\circle{10}}
5481         \put(-30,-5){\line(0,1){10}}
5482         \put(-35,0){\line(1,0){30}}
5483         \put(-10,30){\circle{10}}
5484         \put(-5,30){\line(1,0){10}}
5485         \put(0,35){\line(0,-1){30}}
5486     \end{picture}%
5487 \else%
5488     \begin{picture}(0,0)
5489         \unitlength\p@\thinline
5490         \put(-30,0){\circle{10}}
5491         \put(-30,-5){\line(0,1){10}}
5492         \put(-35,0){\line(1,0){30}}
5493         \put(0,30){\circle{10}}
5494         \put(-5,30){\line(1,0){10}}
5495         \put(0,35){\line(0,-1){30}}
5496     \end{picture}%
5497 \fi%
5498 }
5499 \renewcommand*\CROP@urc{%
5500     \if@RTLmain%
5501         \begin{picture}(0,0)
5502             \unitlength\p@\thinline
5503             \put(20,0){\circle{10}}
5504             \put(30,-5){\line(0,1){10}}
5505             \put(35,0){\line(-1,0){30}}
5506             \put(-10,30){\circle{10}}
5507             \put(-5,30){\line(1,0){10}}
5508             \put(0,35){\line(0,-1){30}}
5509         \end{picture}%
5510     \else%
5511         \begin{picture}(0,0)
5512             \unitlength\p@\thinline
5513             \put(30,0){\circle{10}}
5514             \put(30,-5){\line(0,1){10}}
5515             \put(35,0){\line(-1,0){30}}
5516             \put(0,30){\circle{10}}
5517             \put(-5,30){\line(1,0){10}}
5518             \put(0,35){\line(0,-1){30}}
5519         \end{picture}%
5520     \fi%
5521 }
5522 \renewcommand*\CROP@llc{%
5523     \if@RTLmain%
5524         \begin{picture}(0,0)
5525             \unitlength\p@\thinline
5526             \put(-40,0){\circle{10}}
5527             \put(-30,-5){\line(0,1){10}}
5528             \put(-35,0){\line(1,0){30}}
5529             \put(-10,-30){\circle{10}}

```

```

5530      \put(-5,-30){\line(1,0){10}}
5531      \put(0,-35){\line(0,1){30}}
5532    \end{picture}%
5533  \else%
5534    \begin{picture}(0,0)
5535      \unitlength\p@\thinline
5536      \put(-30,0){\circle{10}}
5537      \put(-30,-5){\line(0,1){10}}
5538      \put(-35,0){\line(1,0){30}}
5539      \put(0,-30){\circle{10}}
5540      \put(-5,-30){\line(1,0){10}}
5541      \put(0,-35){\line(0,1){30}}
5542    \end{picture}%
5543  \fi%
5544 }
5545 \renewcommand*\CROP@lrc{%
5546   \if@RTLmain%
5547     \begin{picture}(0,0)
5548       \unitlength\p@\thinline
5549       \put(20,0){\circle{10}}
5550       \put(30,-5){\line(0,1){10}}
5551       \put(35,0){\line(-1,0){30}}
5552       \put(-10,-30){\circle{10}}
5553       \put(-5,-30){\line(1,0){10}}
5554       \put(0,-35){\line(0,1){30}}
5555     \end{picture}%
5556   \else%
5557     \begin{picture}(0,0)
5558       \unitlength\p@\thinline
5559       \put(30,0){\circle{10}}
5560       \put(30,-5){\line(0,1){10}}
5561       \put(35,0){\line(-1,0){30}}
5562       \put(0,-30){\circle{10}}
5563       \put(-5,-30){\line(1,0){10}}
5564       \put(0,-35){\line(0,1){30}}
5565     \end{picture}%
5566   \fi%
5567 }
5568 \@ifpackagewith{crop}{cam}{%
5569 \CROP@execopt{cam}%
5570 }{}

```

7.41 cutwin-xetex-bidi.def

```

5571 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
5572 \renewcommand*\c@twcompctr[2]{%
5573   \def\c@twfirst{1}
5574   \loop\advance\c@twwinlines\m@ne
5575   \setbox\c@twslicea=\vsplit#1 to\baselineskip
5576   \setbox\c@twsliceb=\vsplit#1 to\baselineskip

```

```

5577 \c@twprune{\c@twslicea}{\c@twlftside}%
5578 \c@twprune{\c@twsliceb}{\c@twrtside}%
5579 \ifnum\c@twfirst=\@ne
5580   \setbox#2=\vbox{\unvbox#2\hbox
5581     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
5582   \else
5583     \setbox#2=\vbox{\unvbox#2\hbox
5584     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
5585   \fi
5586   \def\c@twfirst{2}
5587   \ifnum\c@twinlines>\z@\repeat}
5588 \renewcommand*\c@twcompoddctr}[2]{%
5589   \def\c@twrounds{1}
5590   \def\c@twfirst{1}
5591   \@for\c@twlspec:=\c@twb\do{%
5592     \ifnum\c@twrounds=1
5593       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
5594       \c@twprune{\c@twslicea}{\c@twlspec}%
5595       \def\c@twrounds{2}
5596     \else
5597       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
5598       \c@twprune{\c@twsliceb}{\c@twlspec}%
5599       \ifnum\c@twfirst=1
5600         \setbox#2=\vbox{\unvbox#2\hbox
5601           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box
5602         \def\c@twfirst{2}
5603       \else
5604         \setbox#2=\vbox{\unvbox#2\hbox
5605         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\els
5606       \fi
5607       \def\c@twrounds{1}
5608     \fi}}

```

7.42 cuted-xetex-bidi.def

```

5609 \ProvidesFile{cuted-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for cuted package for Xe
5610 \def\RTL@outputdblcol{%
5611 \if@firstcolumn \global\@firstcolumnfalse
5612 \global\setbox\@leftcolumn \box\@outputbox
5613 \else
5614 \global\@firstcolumntrue
5615 \setbox\@outputbox \vbox {\hbox to\textwidth {%
5616 \hskip \columnwidth
5617 \hfil \vrule width\columnseprule \hfil
5618 \hbox to\columnwidth {\box\@leftcolumn \hss}%
5619 \hskip -\textwidth
5620 \hbox to\columnwidth{\box\@outputbox \hss}%
5621 \hskip \columnsep
5622 \hskip \columnwidth }}%
5623 \ifvoid\hold@viper

```

```

5624 \else
5625 \setbox\@outputbox \vbox to\textheight{%
5626 \box\hold@viper
5627 \box\@outputbox
5628 \vss
5629 }%
5630 \fi
5631 \@combinedblfloats \@outputpage
5632 \begingroup \@dblfloatplacement \@startdblcolumn
5633 \@whilesw\if@fcolmade \fi
5634 {\@outputpage \@startdblcolumn }%
5635 \ifvoid\@viper
5636 \else
5637 \global\setbox\@viper\vbox{%
5638 \vskip-\stripsep
5639 \unvbox\@viper
5640 }%
5641 \@viperoutput
5642 \fi
5643 \endgroup
5644 \fi}
5645 \def\LTR@outputdblcol{%
5646 \if@firstcolumn
5647 \global \@firstcolumnfalse
5648 \global \setbox\@leftcolumn \box\@outputbox
5649 \else
5650 \global\@firstcolumntrue
5651 \setbox\@outputbox \vbox {%
5652 \hb@xt@\textwidth {%
5653 \hb@xt@\columnwidth {%
5654 \box\@leftcolumn \hss}%
5655 \hfil
5656 \vrule \@width\columnseprule
5657 \hfil
5658 \hb@xt@\columnwidth {%
5659 \box\@outputbox \hss}%
5660 }%
5661 }%
5662 \ifvoid\hold@viper
5663 \else
5664 \setbox\@outputbox \vbox to\textheight{%
5665 \box\hold@viper
5666 \box\@outputbox
5667 \vss
5668 }%
5669 \fi
5670 \@combinedblfloats
5671 \@outputpage
5672 \begingroup
5673 \@dblfloatplacement

```



```

5674 \startdblcolumn
5675 \@whiles\if@fcolmade \fi
5676 {\@outputpage
5677 \startdblcolumn}%
5678 \ifvoid\@viper
5679 \else
5680 \global\setbox\@viper\vbox{%
5681 \vskip-\stripsep
5682 \unvbox\@viper
5683 }%
5684 \@viperoutput
5685 \fi
5686 \endgroup
5687 \fi
5688 }
5689 \def \@addviper {%
5690 \if@firstcolumn
5691 \@insertfalse
5692 \@reqcolroom .5\@pageht
5693 \ht\@viper\@reqcolroom
5694 \advance \@reqcolroom \ht\@viper
5695 \advance \@reqcolroom \stripsep
5696 \ifvoid\hold\@viper\@tempdima=\z@\else\@tempdima\ht\hold\@viper\fi
5697 %%
5698 \@tempdimb \ht\@viper
5699 \loop
5700 \setbox\v@aaa\copy\@holdpg
5701 \setbox\v@ccc\vbox to\@tempdimb{%
5702 \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
5703 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5704 \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
5705 \loop
5706 \setbox\v@aaa\copy\@holdpg
5707 \setbox\v@ccc\vbox to\@tempdimb{%
5708 \vsplit\v@aaa to\@tempdimb\vss}%
5709 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
5710 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
5711 \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
5712 \setbox\v@ccc\vbox to\@tempdimb{%
5713 \vsplit\@holdpg to\@tempdimb\vss}%
5714 %%
5715 \setbox\@tempboxa \vbox {%
5716 \hb@xt@\textwidth {%
5717 \if@RTLmain%
5718 \hskip \columnwidth
5719 \hfil \vrule width\columnseprule \hfil
5720 \hb@xt@\columnwidth {%
5721 \vbox to\ht\@viper{\box\v@ccc\vss} \hss}%
5722 \hskip -\textwidth
5723 \hb@xt@\columnwidth {%

```

```

5724         \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5725     \hskip \columnsep
5726     \hskip \columnwidth
5727     \else%
5728         \hb@xt@\columnwidth {%
5729             \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5730             \hfil
5731             \vrule \width\columnseprule
5732             \hfil
5733             \hb@xt@\columnwidth {%
5734                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5735                 \fi}%
5736         }%
5737 \ifvoid\hold@viper
5738     \global\setbox\hold@viper \vbox {%
5739         \unvbox\@tempboxa
5740         \penalty\interlinepenalty
5741         \vskip\stripsep
5742         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5743         \outputpenalty \z@
5744         }%
5745 \else
5746     \global\setbox\hold@viper \vbox {%
5747         \unvbox\hold@viper
5748         \unvbox\@tempboxa
5749         \penalty\interlinepenalty
5750         \vskip\stripsep
5751         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5752         \outputpenalty \z@
5753         }%
5754 \fi
5755 \ifdim \@colroom>\@reqcolroom
5756     \global\setbox\hold@viper \vbox {%
5757         \unvbox\hold@viper
5758         \box\@viper
5759         \penalty\interlinepenalty
5760         \vskip\stripsep
5761         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5762         \outputpenalty \z@
5763         }%
5764     \@inserttrue
5765     \advance\@tempdima by-\ht\hold@viper
5766     \global \advance \@colht \@tempdima
5767     \ifdim \@colht<2.5\baselineskip
5768         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
5769             too tall on page \thepage (1 stulpelis)}%
5770     \@emptycol
5771     \if@firstcolumn
5772     \else
5773         \@emptycol

```

```

5774         \fi
5775         \global\@lastvipertrue
5776     \else
5777         \global \vsize \colht
5778         \global \colroom \colht
5779         \check@floats
5780         \ifdim\@tempdima>\z@
5781             \global\advance\colroom by-\@tempdima
5782         \fi
5783         \ifdim\colroom<\z@
5784             \global\colroom 1pt
5785             \ifdim\@tempdima>\colht
5786                 \latex@warning@no@line {TOP ir/ar BOT FLOAT's
5787                     netelpe lape \thepage (1 stulpelis)}%
5788             \fi
5789             \emptycol
5790             \if@firstcolumn
5791             \else
5792                 \emptycol
5793             \fi
5794             \global\@lastvipertrue
5795         \fi
5796     \fi
5797 \fi
5798 \else
5799     \@insertfalse
5800     \@reqcolroom\colht
5801     \advance\@reqcolroom \pageht
5802     \ht@viper.5\@reqcolroom
5803     \@reqcolroom\ht@viper
5804     \advance \@reqcolroom \ht\@viper
5805     \advance \@reqcolroom \stripsep
5806     \if@flushend@auto@baselineskip
5807         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
5808             \global\lastskip@d\lastskip
5809             \global\lastskip@b\lastskip
5810         \loop
5811             \global\lastskip@a\lastskip@b
5812             \unskip\unpenalty
5813             \global\lastskip@b\lastskip
5814             \global\advance\lastskip@d by\lastskip
5815         \ifdim\lastskip@b=-\lastskip@a
5816             \global\advance\lastskip@d by-\lastskip
5817         \else
5818         \repeat
5819         \ifdim\lastskip@b=-\lastskip@a
5820             \ifdim\lastskip@b=\z@
5821                 \setbox\lastbox@a\lastbox
5822                 \global\advance\lastskip@d by\ht\lastbox@a
5823                 \global\advance\lastskip@d by\lastskip

```

```

5824         \unskip\unpenalty
5825         \setbox\lastbox@a\lastbox
5826         \global\advance\lastskip@d by\dp\lastbox@a
5827     \else
5828         \global\lastskip@d\lastskip
5829         \global\advance\lastskip@d by\topskip
5830     \fi
5831 \fi
5832 \global\advance\lastskip@d by-\topskip
5833 }%
5834 \ifdim\ht\@holdpg>\@colht
5835     \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
5836     \par\eject
5837     \vbox to \@colht{\unvbox\@holdpg\unskip}%
5838     }%
5839 \else
5840     \global\setbox\@holdpg\vbox{%
5841     \unvbox\@leftcolumn\unskip\unpenalty
5842     \vskip\lastskip@d
5843     \the\At@ViperColsBreak
5844     \unvbox\@holdpg
5845     \unskip
5846     }%
5847 \fi
5848 \else
5849     \global\setbox\@holdpg\vbox{%
5850     \unvbox\@leftcolumn
5851     \setbox\@tempboxa\lastbox
5852     \on@stripcols@break
5853     \the\At@ViperColsBreak
5854     \unvbox\@holdpg
5855     }%
5856 \fi
5857 \global\At@ViperColsBreak{}%
5858 \ht@viper .5\ht\@holdpg
5859 \ifdim \ht@viper>\@colht
5860     \ht@viper \@colht
5861 \fi
5862 \ifvoid\hold@viper\@tempdima=z@\else\@tempdima\ht\hold@viper\fi
5863 %%
5864 \@tempdimb \ht@viper
5865 \loop
5866     \setbox\v@aaa\copy\@holdpg
5867     \setbox\v@ccc\vbox to\@tempdimb{%
5868     \vsplit\v@aaa to\@tempdimb
5869     \vss
5870     \vsplit\v@aaa to\@tempdimb
5871     }%
5872     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
5873 \ifvoid\v@aaa

```

```

5874 \else
5875 \advance\@tempdimb 1\p@
5876 \repeat
5877 \loop
5878 \setbox\v@aaa\copy\@holdpg
5879 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
5880 \wlog{(2)Left:\the\ht\v@ccc\space
5881 Right:\the\ht\v@aaa\space
5882 Output:\the\@tempdimb
5883 }%
5884 \ifdim\ht\v@ccc<\ht\v@aaa
5885 \@tempdimb \the\ht\v@aaa
5886 \repeat
5887 \wlog{- LAST -^^JLeft:\the\ht\v@ccc
5888 ^^JRight:\the\ht\v@aaa
5889 ^^JOutput:\the\@tempdimb
5890 }%
5891 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
5892 \setbox\@tempboxa\vbox{%
5893 \hb@xt@\textwidth {%
5894 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
5895 \hfil
5896 \vrule \@width\columnseprule
5897 \hfil
5898 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
5899 }%
5900 }%
5901 \ifvoid\hold@viper
5902 \global\setbox\hold@viper \vbox {%
5903 \unvbox\@tempboxa
5904 \penalty\interlinepenalty
5905 \vskip\stripsep
5906 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5907 \outputpenalty \z@
5908 }%
5909 \else
5910 \global\setbox\hold@viper \vbox {%
5911 \unvbox\hold@viper
5912 \unvbox\@tempboxa
5913 \penalty\interlinepenalty
5914 \vskip\stripsep
5915 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5916 \outputpenalty \z@
5917 }%
5918 \fi
5919 \ifdim \@colht>\@reqcolroom
5920 \global\setbox\hold@viper \vbox {%
5921 \unvbox\hold@viper
5922 \box\@viper
5923 \penalty\interlinepenalty

```

```

5924         \vskip\stripsep
5925         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
5926         \outputpenalty \z@
5927         }%
5928     \@inserttrue
5929     \global\@firstcolumntrue
5930     \advance\@tempdima by-\ht\hold@viper
5931     \global \advance \colht \@tempdima
5932     \ifdim \colht<2.5\baselineskip
5933         \latex@warning@no@line {Optional argument of \noexpand\twocolumn
5934                                 too tall on page \thepage (2 stulpelis)}}%
5935         \emptycol
5936         \if@firstcolumn
5937             \else
5938                 \emptycol
5939             \fi
5940             \global\@lastvipertrue
5941     \else
5942         \global \vsize \colht
5943         \global \colroom \colht
5944         \check@floats
5945         \ifdim\@tempdima>\z@
5946             \global\advance\colroom by-\@tempdima
5947         \fi
5948         \ifdim\colroom<\z@
5949             \global\colroom 1pt
5950             \ifdim\@tempdima>\colht
5951                 \latex@warning@no@line {TOP ir/ar BOT FLOAT's
5952                                         netelpa lape \thepage (2 stulpelis)}}%
5953             \fi
5954             \emptycol
5955             \if@firstcolumn
5956                 \else
5957                     \emptycol
5958                 \fi
5959                 \global\@lastvipertrue
5960             \fi
5961         \fi
5962     \fi
5963 \fi
5964 \if@insert
5965 \else
5966     \advance\@tempdima by-\ht\hold@viper
5967     \global \advance \colht \@tempdima
5968     \global\setbox\hold@viper \vbox {%
5969                                     \unvbox\hold@viper
5970                                     \csname viper@top@hook\endcsname
5971                                     \vsplit\@viper to \colht
5972                                     \vss
5973     }%

```

```

5974     \vbox{}%
5975     \global\@firstcolumnfalse
5976     \newpage
5977 \fi
5978 }

```

7.43 cvthemebidicasual.sty

```

5979 \NeedsTeXFormat{LaTeX2e}
5980 \ProvidesPackage{cvthemebidicasual}
5981 \DeclareOption{blue}{}
5982 \newif\if@colourorange\@colourorangefalse
5983 \DeclareOption{orange}{\@colourorange true}
5984 \newif\if@colourgreen\@colourgreenfalse
5985 \DeclareOption{green}{\@colourgreentrue}
5986 \newif\if@coloured\@colouredfalse
5987 \DeclareOption{red}{\@coloured true}
5988 \newif\if@colourgrey\@colourgreyfalse
5989 \DeclareOption{grey}{\@colourgrey true}
5990 \DeclareOption*{
5991   \PackageWarning{cvthemebidicasual}{Unknown option \CurrentOption}}
5992 \ExecuteOptions{colour}
5993 \ProcessOptions\relax
5994 \renewcommand*{\listitemsymbol}{\textbullet}
5995 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
5996 \familynamecolour{808080}
5997 \firstnamecolour{A9A9A9}
5998 \quotecolour{696969}
5999 \addresscolour{696969}
6000 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
6001 \sectiontitlecolour{1E90FF}
6002 \subsectioncolour{4682B4}
6003 \definecolor{rulecolour}{gray}{0.6}
6004 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
6005 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
6006 \if@colourorange
6007   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6008   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6009   \sectiontitlecolour{FF8C00}
6010   \subsectioncolour{FF8C00}
6011   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
6012   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
6013 \if@colourgreen
6014   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6015   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6016   \sectiontitlecolour{008000}
6017   \subsectioncolour{008000}
6018   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
6019   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
6020 \if@coloured

```

```

6021 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6022 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6023 \sectiontitlecolour{FF0000}
6024 \subsectioncolour{FF0000}
6025 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
6026 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
6027 \if@colourgrey
6028 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6029 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6030 \sectiontitlecolour{808080}
6031 \subsectioncolour{808080}
6032 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
6033 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
6034 \renewcommand*{\ttdefault}{pcr}
6035 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
6036 \renewcommand*{\familynamefont}{\firstnamefont}
6037 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6038 \renewcommand*{\quoteftfont}{\large\slshape}
6039 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6040 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6041 \renewcommand*{\maketitle}{%
6042   {%
6043     \ifthenelse{\isundefined{\@photo}}{%
6044       {}%
6045       {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
6046     \hfill%
6047     \bidi@raggedleft{\firstnamestyle{\@firstname}\familynamestyle{\@familyname}}\[-.35em]}%
6048     {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
6049   \ifthenelse{\isundefined{\@quote}}{%
6050     {}%
6051     {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\l}
6052   }%
6053 \newif\if@firstfooterelement\@firstfooterelementtrue
6054 \providecommand*{\footersymbol}{\}
6055 \renewcommand*{\footersymbol}{\}
6056 \if@firstfooterelement%
6057 \else%
6058   {~~\color{footersymbolcolor}\textbullet~~}\fi}
6059 \providecommand*{\makefooter}{\}
6060 \renewcommand*{\makefooter}{\}
6061 \fancypagestyle{plain}{\}
6062 \fancyfoot[c]{\}
6063 \parbox{0.8\textwidth}{\}
6064 \centering%
6065 \addressfont\@addresscolour%
6066 \ifthenelse{\isundefined{\@address}}{\}{}%
6067 \addresssymbol~\@address\\%
6068 \@firstfooterelementfalse}%
6069 \ifthenelse{\isundefined{\@mobile}}{\}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
6070 \ifthenelse{\isundefined{\@phone}}{\}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%

```



```

6071 \ifthenelse{\isundefined{\@fax}}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfa
6072 \ifthenelse{\isundefined{\@email}}{\footersymbol\emailsymbol~\email\@firstfooterelementfa
6073 \ifthenelse{\isundefined{\@extrainfo}}{\footersymbol\@extrainfo\@firstfooterelementfa
6074 }%
6075 \pagestyle{plain}}
6076 \AtBeginDocument{\makefooter}

```

7.44 cvthemebidiclassic.sty

```

6077 \NeedsTeXFormat{LaTeX2e}
6078 \ProvidesPackage{cvthemebidiclassic}
6079 \DeclareOption{blue}{}
6080 \newif\if@colourorange\@colourorangefalse
6081 \DeclareOption{orange}{\@colourorange>true}
6082 \newif\if@colourgreen\@colourgreenfalse
6083 \DeclareOption{green}{\@colourgreentru}
6084 \newif\if@colourred\@colourredfalse
6085 \DeclareOption{red}{\@colourredtrue}
6086 \newif\if@colourgrey\@colourgreyfalse
6087 \DeclareOption{grey}{\@colourgreytrue}
6088 \DeclareOption*{
6089 \PackageWarning{cvthemebidiclassic}{Unknown option \CurrentOption}}
6090 \ExecuteOptions{colour}
6091 \ProcessOptions\relax
6092 \renewcommand*{\listitemsymbol}{\textbullet}
6093 \firstnamecolour{}
6094 \familynamecolour{}
6095 \titlecolour{808080}
6096 \quotecolour{696969}
6097 \addresscolour{696969}
6098 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
6099 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
6100 \sectiontitlecolour{1E90FF}
6101 \subsectioncolour{4682B4}
6102 \if@colourorange
6103 \addresscolour{FF8C00}
6104 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
6105 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
6106 \sectiontitlecolour{FF8C00}
6107 \subsectioncolour{FF8C00}\fi
6108 \if@colourgreen
6109 \addresscolour{008000}
6110 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6111 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6112 \sectiontitlecolour{008000}
6113 \subsectioncolour{008000}\fi
6114 \if@colourred
6115 \addresscolour{FF0000}
6116 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6117 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}

```

```

6118 \sectiontitlecolour{FF0000}
6119 \subsectioncolour{FF0000}\fi
6120 \if@colourgrey
6121 \addresscolour{808080}
6122 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6123 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6124 \sectiontitlecolour{808080}
6125 \subsectioncolour{808080}\fi
6126 \renewcommand*{\ttdefault}{pcr}
6127 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
6128 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
6129 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6130 \renewcommand*{\familynamefont}{\firstnamefont}
6131 \renewcommand*{\quotefont}{\large\slshape}
6132 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6133 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6134 \newlength{\maketitlenamemaxwidth}
6135 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
6136 \newlength{\maketitlenamewidth}
6137 \setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
6138 \newlength{\maketitlepicturewidth}
6139 \ifnum\maketitlenamewidth<\maketitlenamewidth\setlength{\maketitlepicturewidth}{\maketitlenamewidth}
6140 \setlength{\maketitlepicturewidth}{\maketitlepicturewidth}
6141 \setlength{\maketitlepicturewidth}{\photowidth}
6142 \newlength{\maketitledetailwidth}
6143 \renewcommand*{\recomputethemelengths}{%
6144 \setlength{\maketitledetailwidth}{\textwidth}%
6145 \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
6146 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
6147 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
6148 \recomputethemelengths
6149 \newif\if@firstdetailselement\@firstdetailselementtrue
6150 \newcommand*{\maketitledetailsnewline}{%
6151 \if@firstdetailselement%
6152 \@firstdetailselementfalse%
6153 \else%
6154 \[\[.2em]\fi}
6155 \renewcommand*{\maketitle}{%
6156 % name and title
6157 \begin{minipage}[b]{\maketitlenamewidth}%
6158 \firstnamefont{\@firstname}\familynamefont{\@familyname}%
6159 \ifthenelse{\equal{\@title}{}}{\[\[1.25em]\titlefont{\@title}}%
6160 \end{minipage}%
6161 % optional data
6162 \begin{minipage}[b]{\maketitledetailwidth}%
6163 \bidi@raggedleft\addressfont\addresscolour%
6164 \ifthenelse{\isundefined{\@address}}{\[\[1.25em]\titlefont{\@title}}%
6165 \maketitledetailsnewline%
6166 \addresssymbol~\[\[1.25em]\titlefont{\@title}}%
6167 \ifthenelse{\isundefined{\@mobile}}{\[\[1.25em]\titlefont{\@title}}%

```

```

6168 \ifthenelse{\isundefined{\@phone}}{\maketitledetailsnewline\phonesymbol~\@phone}%
6169 \ifthenelse{\isundefined{\@fax}}{\maketitledetailsnewline\faxsymbol~\@fax}%
6170 \ifthenelse{\isundefined{\@email}}{\maketitledetailsnewline\emailsymbol~\emallink{\@em
6171 \ifthenelse{\isundefined{\@extrainfo}}{\maketitledetailsnewline\@extrainfo}%
6172 \end{minipage}}%
6173 % optional photo
6174 \ifthenelse{\isundefined{\@photo}}%
6175 {}%
6176 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\m
6177 % optional quote
6178 \ifthenelse{\isundefined{\@quote}}%
6179 {}%
6180 {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\l
6181 }

```

7.45 dblfnote-xetex-bidi.def

```

6182 \ProvidesFile{dblnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
6183 \let\autofootnoterule\relax
6184 \let\rightfootnoterule\relax
6185 \let\leftfootnoterule\relax
6186 \let\textwidthfootnoterule\relax
6187 \let\LRfootnoterule\relax
6188 \def\footnoterule{\kern-3\p@
6189 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
6190 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
6191 \let\@footnotetext\dfn@footnotetext}
6192 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
6193 \let\insert\dfn@gobble
6194 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6195 \def\@makefnmark{\smash{\dfn@makefnmark}}
6196 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6197 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6198 \ifdim\dfn@dima>\z@ \else
6199 \dfn@dima1sp\relax
6200 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6201 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6202 \ifvoid\dfn@ins\else
6203 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6204 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6205 \setbox\dfn@boxa\copy\dfn@ins
6206 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6207 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6208 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6209 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
6210 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
6211 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
6212 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
6213 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
6214 \let\insert\dfn@gobble

```

```

6215 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6216 \def\@makefnmark{\smash{\dfn@makefnmark}}
6217 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6218 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6219 \ifdim\dfn@dima>\z@\else
6220 \dfn@dima1sp\relax
6221 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6222 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6223 \ifvoid\dfn@ins\else
6224 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6225 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6226 \setbox\dfn@boxa\copy\dfn@ins
6227 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6228 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6229 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6230 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
6231 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
6232 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
6233 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
6234 \def\dfn@RTLmakecol{\ifvoid\footins\else
6235 \dfn@dima\ht\footins
6236 \@tempcnta\z@ \dfn@countins
6237 \@tempdima\z@ \let\@elt\dfn@elt@getht
6238 \dfn@list\@nil
6239 \ifdim\@tempdima=\z@\else
6240 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
6241 \global\setbox\dfn@ins\box\dfn@ins
6242 \@tempswatrue
6243 \ifdfn@trysingle
6244 \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
6245 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6246 \advance\@tempdima-\skip\footins
6247 \advance\@tempdima-\ht\dfn@boxa
6248 \ifdim\@tempdima<\z@\else \@tempswafalse
6249 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6250 \footnoterule \unvbox\dfn@boxa}\fi\fi
6251 \if@tempswa
6252 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6253 \global\setbox\footins\vbox{\hbox{%
6254 \hspace\DFNcolumnwidth
6255 \hspace\DFNcolumnsep
6256 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
6257 \unvbox\dfn@boxb\vss}\hss}
6258 \hspace-\textwidth
6259 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
6260 \vbox to\@tempdima{
6261 \setbox\@tempboxa\vbox{\footnoterule}
6262 \ifdfn@ruleboth \unvbox\@tempboxa
6263 \else \@tempdima\ht\@tempboxa
6264 \advance\@tempdima\dp\@tempboxa

```

```

6265                                     \vskip\@tempdima
6266                                     \prevdepth\dp\@tempboxa \fi
6267                                 \unvbox\dfn@boxa\vss}\fi\hss}
6268                                 \hskip \DFNcolumnsep
6269                                 \hskip \DFNcolumnwidth}}\fi\fi
6270 \global\dfn@fnht\z@
6271 \ifx\dfn@list\@empty\else
6272     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6273     \dfn@list \global\advance\dfn@fnht\dfn@dimb
6274     \let\@elt\relax
6275     \ifdim\dfn@dimb>\z@
6276         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
6277         \insert\footins{\floatingpenalty\@MM
6278             \vbox to\dfn@dimb{}}\fi
6279     \ifdim\dfn@fnht>\@tempdima
6280         \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
6281         \global\dfn@fnht\@tempdima
6282         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
6283         \xdef\dfn@afteroutput{\insert\footins{
6284             \floatingpenalty\@MM
6285             \vbox to\number\@tempdimb sp{}}}%
6286         \global\let\noexpand\dfn@afteroutput\relax}%
6287     \fi\fi
6288 \fi}%
6289 \let\footnoterule\relax \dfn@latex@makecol
6290 \let\footnoterule\dfn@footnoterule}
6291 \def\dfn@LTRmakecol{\ifvoid\footins\else
6292     \dfn@dima\ht\footins
6293     \@tempcnta\z@ \dfn@countins
6294     \@tempdima\z@ \let\@elt\dfn@elt@getht
6295     \dfn@list\@nil
6296     \ifdim\@tempdima=\z@\else
6297         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
6298         \global\setbox\dfn@ins\box\dfn@ins
6299         \@tempswatrue
6300         \ifdfn@trysingle
6301             \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
6302             \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
6303             \advance\@tempdima-\skip\footins
6304             \advance\@tempdima-\ht\dfn@boxa
6305             \ifdim\@tempdima<\z@\else \@tempswafalse
6306                 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
6307                     \footnoterule \unvbox\dfn@boxa}\fi\fi
6308         \if@tempswa
6309             \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6310             \global\setbox\footins\vbox{\hbox{%
6311                 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
6312                     \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
6313                 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
6314                     \vbox to\@tempdima{

```

```

6315 \setbox\@tempboxa\vbox{\footnoterule}
6316 \ifdfn@ruleboth \unvbox\@tempboxa
6317 \else \@tempdima\ht\@tempboxa
6318 \advance\@tempdima\dp\@tempboxa
6319 \vskip\@tempdima
6320 \prevdepth\dp\@tempboxa \fi
6321 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
6322 \global\dfn@fnht\z@
6323 \ifx\dfn@list\@empty\else
6324 \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
6325 \dfn@list \global\advance\dfn@fnht\dfn@dimb
6326 \let\@elt\relax
6327 \ifdim\dfn@dimb>\z@
6328 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
6329 \insert\footins{\floatingpenalty\@MM
6330 \vbox to\dfn@dimb{}}\fi
6331 \ifdim\dfn@fnht>\@tempdima
6332 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
6333 \global\dfn@fnht\@tempdima
6334 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
6335 \xdef\dfn@afteroutput{\insert\footins{
6336 \floatingpenalty\@MM
6337 \vbox to\number\@tempdimb sp{}}}%
6338 \global\let\noexpand\dfn@afteroutput\relax}%
6339 \fi\fi
6340 \fi}%
6341 \let\footnoterule\relax \dfn@latex@makecol
6342 \let\footnoterule\dfn@footnoterule}
6343 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
6344 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
6345 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
6346 \DFNalwaysdouble

```

7.46 draftwatermark-xetex-bidi.def

```

6347 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermark]
6348 \renewcommand\SetWatermarkText[1]{%
6349 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.47 eso-pic-xetex-bidi.def

```

6350 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package]
6351 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
6352 \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
6353
6354 \ESO@isMEMOIR{%
6355 \renewcommand\AtTextUpperLeft[1]{%
6356 \begingroup
6357 \ifodd\c@page
6358 \@tempdima=\spinemargin
6359 \else

```

```

6360      \@tempdima=\paperwidth
6361      \advance\@tempdima-\textwidth
6362      \advance\@tempdima-\spinemargin
6363      \fi
6364      \@tempdimb=-\uppermargin
6365      \AtPageUpperLeft{%
6366        \put(\LenToUnit{\ifRTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
6367      }%
6368    \endgroup
6369  }
6370 }{%
6371   \renewcommand\AtTextUpperLeft[1]{%
6372     \begingroup
6373     \@tempdima=1in\relax
6374     \ifodd\c@page
6375       \advance\@tempdima\oddsidemargin
6376     \else
6377       \advance\@tempdima\evensidemargin
6378     \fi
6379     \@tempdimb=-1in\relax
6380     \advance\@tempdimb-\topmargin
6381     \advance\@tempdimb-\headheight
6382     \advance\@tempdimb-\headsep
6383     \AtPageUpperLeft{%
6384       \put(\LenToUnit{\ifRTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
6385     }%
6386   \endgroup
6387 }
6388 }

```

7.48 empheq-xetex-bidi.def

```

6389 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for
6390 \MHInternalSyntaxOn
6391 \def\EQ_tag_plus_endmark:{%
6392   \iftagsleft@
6393     \gdef\maketag@@@#1{%
6394       \hfuzz\displaywidth
6395       \ifRTL\makebox[\widthof{##1}][r]{%
6396         \hbox to \displaywidth{\m@th\normalfont##1\hss
6397           \raisebox{-\dp\EQ_mathdisplay_box
6398             -\depthof{\EQ_outerbox:}}{
6399             {\PotEndMark{\hss}}}}
6400       \else\makebox[\widthof{##1}][l]{%
6401         \hbox to \displaywidth{\m@th\normalfont##1\hss
6402           \raisebox{-\dp\EQ_mathdisplay_box
6403             -\depthof{\EQ_outerbox:}}{
6404             {\PotEndMark{\hss}}}}\fi}%
6405   \else:
6406     \gdef\maketag@@@#1{%

```

```

6407 \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
6408 \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
6409 \MH_addtolength:dn \@tempdima
6410 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
6411 \setlength{\@tempdimb}
6412 {\g_EQ_bottomrow_depth_dim+\depthof{EQ_outerbox:}}
6413 +\depthof{EQ_innerbox:}}
6414 \if_dim:w \@tempdima>\@tempdimb
6415 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
6416 -\@tempdima+\g_EQ_bottomrow_depth_dim}
6417 \addtolength{\@tempdima}{\depthof{EQ_innerbox:}}}%
6418 \def\EQ_next:{\raisebox{\@tempdima}}%
6419 \else:
6420 \def\EQ_next:{
6421 \raisebox{-\dp\EQ_mathdisplay_box
6422 -\depthof{EQ_outerbox:}}}%
6423 \fi:\EQ_next:}}}%
6424 \fi:}
6425 \def\EQ_post_process:{%
6426 \EQ_initialize:
6427 \EQ_begin_equation:
6428 \MH_if_boolean:nT {outer_mult}{
6429 \setkeys{MT_options_name:}{
6430 firstline-afterskip=Opt,
6431 lastline-preskip=Opt,
6432 multlined-width=Opt,
6433 }
6434 \ifodd \l_EQ_alignmentmode_int
6435 \setkeys{MT_options_name:}{multlined-pos=b}
6436 \else:
6437 \setkeys{MT_options_name:}{multlined-pos=t}
6438 \fi:
6439 \g@addto@macro\EQ_complete_mathdisplay:{
6440 \begin{MTmultlined}\relax}
6441 }
6442 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
6443 \MH_if_boolean:nT {outer_mult}{
6444 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
6445 }
6446 \EQ_end_equation:
6447 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
6448 \savecounters@
6449 \EQ_typeset_tags:
6450 \edef\l_EQ_equation_fint{\number\c@equation}
6451 \restorecounters@
6452 \Hy@linkcounter=\EQ_hyperref_link_fint
6453 \settowidth\l_EQ_totalwidth_dim{%
6454 $EQ_left_side:EQ_innerbox:}{EQ_right_side:$}%
6455 \MH_if_boolean:nTF {outer_mult}
6456 { \def\EQ_next:{_mult} }

```



```

6457 { \def\EQ_next:{} }
6458 \@nameuse{EQ_modify_linewidth_
6459 \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
6460 \EQ_typeset_display:
6461 \@nameuse{find_displaywidth_
6462 \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
6463 \MH_addtolength:dn
6464 \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
6465 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
6466 $EQ_left_side:
6467 \EQ_innerbox:{%
6468 \if_case:w \l_EQ_alignmentmode_int\or:
6469 \makebox[\l_EQ_displaywidth_dim][c]
6470 {\usebox{\EQ_mathdisplay_box}}}%
6471 \or:
6472 \makebox[\l_EQ_displaywidth_dim][c]
6473 {\usebox{\EQ_mathdisplay_box}}}%
6474 \or:
6475 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
6476 \if_num:w \l_EQ_equationtype_int=5 \else:
6477 \if_num:w \l_EQ_equationtype_int=6 \else:
6478 \kern-\@mathmargin
6479 \fi:
6480 \fi:
6481 \usebox{\EQ_mathdisplay_box}}}%
6482 \else\makebox[\l_EQ_displaywidth_dim][l]{%
6483 \if_num:w \l_EQ_equationtype_int=5 \else:
6484 \if_num:w \l_EQ_equationtype_int=6 \else:
6485 \kern-\@mathmargin
6486 \fi:
6487 \fi:
6488 \usebox{\EQ_mathdisplay_box}}\fi%
6489 \or:
6490 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
6491 \if_num:w \l_EQ_equationtype_int=5 \else:
6492 \if_num:w \l_EQ_equationtype_int=6 \else:
6493 \kern-\@mathmargin
6494 \fi:
6495 \fi:
6496 \usebox{\EQ_mathdisplay_box}}
6497 \else\makebox[\l_EQ_displaywidth_dim][l]{%
6498 \if_num:w \l_EQ_equationtype_int=5 \else:
6499 \if_num:w \l_EQ_equationtype_int=6 \else:
6500 \kern-\@mathmargin
6501 \fi:
6502 \fi:
6503 \usebox{\EQ_mathdisplay_box}}\fi%
6504 \fi:}%
6505 \EQ_right_side:$}%
6506 \begin{AmSequation*}

```

```

6507 \@nameuse{EQ_place_display_
6508         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
6509 \if_dim:w \g_EQ_widesttag_dim>\z@
6510 \MH_set_boolean_T:n {show_manual_tags}
6511 \if_case:w \l_EQ_alignmentmode_int
6512 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
6513 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
6514 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
6515 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
6516 \fi:
6517 \fi:
6518 \end{AmSequation*}
6519 \global\c@equation=\l_EQ_equation_fint\relax
6520 }
6521 \AtBeginDocument{%
6522 \@ifpackageloaded{fancybox}{%
6523   \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
6524   {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
6525   \renewcommand*\shadowbox{%
6526     \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
6527       \VerbBox\EQ_shadowbox:n}
6528     {\MH_set_boolean_F:n {shadowbox_star}
6529       \VerbBox\EQ_shadowbox:n}}
6530 \def\EQ_shadowbox:n #1{%
6531   \sbox{z@}{\fbox{#1}}%
6532   \MH_if_boolean:nTF {shadowbox_star}{
6533     \MH_setlength:dn \@tempdima{z@}%
6534   }{
6535     \MH_setlength:dn \@tempdima{\dp z@+\shadowsize}%
6536   }
6537   \raisebox{\@tempdima}{%
6538     \if@RTL\makebox[z@][r]{%
6539       \kern\shadowsize \textcolor{shadowcolor}{%
6540         \rule[-\dp z@-\shadowsize]{\wd z@}{\shadowsize}}%
6541     }%
6542     \else\makebox[z@][l]{%
6543       \kern\shadowsize \textcolor{shadowcolor}{%
6544         \rule[-\dp z@-\shadowsize]{\wd z@}{\shadowsize}}%
6545     }\fi%
6546     \usebox z@\textcolor{shadowcolor}{%
6547       \rule[-\dp z@-\shadowsize]{\shadowsize}{\ht z@+\dp z@}}}%
6548   }{}%
6549 }
6550 \MHInternalSyntaxOff

```

7.49 extarticle-xetex-bidi.def

```

6551 \ProvidesFile{extarticle-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for extarticle clas
6552 \renewcommand*\l@section[2]{%
6553   \ifnum \c@tocdepth >\z@

```

```

6554 \addpenalty\@secpenalty
6555 \addvspace{1.0em \@plus\p@}%
6556 \setlength\@tempdima{1.5em}%
6557 \begingroup
6558 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6559 \parfillskip -\@pnumwidth
6560 \leavevmode \bfseries
6561 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6562 \hskip -\if@RTL\rightskip\else\leftskip\fi
6563 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6564 \endgroup
6565 \fi}
6566 \renewcommand*\l@part[2]{%
6567 \ifnum \c@tocdepth >-2\relax
6568 \addpenalty\@secpenalty
6569 \addvspace{2.25em \@plus\p@}%
6570 \begingroup
6571 \setlength\@tempdima{3em}%
6572 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6573 \parfillskip -\@pnumwidth
6574 {\leavevmode
6575 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6576 \nobreak
6577 \endgroup
6578 \fi}
6579 \def\@part[#1]#2{%
6580 \ifnum \c@secnumdepth >\m@ne
6581 \refstepcounter{part}%
6582 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
6583 \else
6584 \addcontentsline{toc}{part}{#1}%
6585 \fi
6586 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6587 \interlinepenalty \@M
6588 \normalfont
6589 \ifnum \c@secnumdepth >\m@ne
6590 \Large\bfseries \partname~\thepart
6591 \par\nobreak
6592 \fi
6593 \huge \bfseries #2%
6594 \markboth{}{}\par}%
6595 \nobreak
6596 \vskip 3ex
6597 \@afterheading}
6598 \def\@spart#1{%
6599 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6600 \interlinepenalty \@M
6601 \normalfont
6602 \huge \bfseries #1\par}%
6603 \nobreak

```

```

6604     \vskip 3ex
6605     \@afterheading}
6606 \renewenvironment{thebibliography}[1]
6607     {\section*{\refname
6608         \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
6609         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6610         \list{\@biblabel{\@arabic\c@enumiv}}%
6611             {\settowidth\labelwidth{\@biblabel{#1}}%
6612              \leftmargin\labelwidth
6613              \advance\leftmargin\labelsep
6614              \@openbib@code
6615              \usecounter{enumiv}%
6616              \let\p@enumiv\@empty
6617              \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6618         \sloppy\clubpenalty4000\widowpenalty4000%
6619         \sfcode'\.\@m}
6620     {\def\@noitemerr
6621         {\@latex@warning{Empty 'thebibliography' environment}}%
6622         \endlist}
6623 \renewcommand\left@footnoterule{%
6624     \kern-3\p@
6625     \hrule\@width.4\columnwidth
6626     \kern2.6\p@}
6627 \renewcommand\right@footnoterule{%
6628     \hbox to \columnwidth
6629     {\beginR \vbox{%
6630         \kern-3\p@
6631         \hrule\@width.4\columnwidth
6632         \kern2.6\p@}\hfil\endR}}
6633     \if@titlepage
6634     \renewcommand\maketitle{\begin{titlepage}%
6635         \let\footnotesize\small
6636         \let\right@footnoterule\relax
6637         \let\left@footnoterule\relax
6638         \let\textwidth\footnoterule\relax
6639         \let \footnote \thanks
6640         \null\vfil
6641         \vskip 60\p@
6642         \begin{center}%
6643             {\LARGE \@title \par}%
6644             \vskip 3em%
6645             {\large
6646                 \lineskip .75em%
6647                 \begin{tabular}[t]{c}%
6648                     \@author
6649                     \end{tabular}\par}%
6650             \vskip 1.5em%
6651             {\large \@date \par}%           % Set date in \large size.
6652         \end{center}\par
6653         \@thanks

```

```

6654 \vfil\null
6655 \end{titlepage}%
6656 \setcounter{footnote}{0}%
6657 \global\let\thanks\relax
6658 \global\let\maketitle\relax
6659 \global\let\@thanks\@empty
6660 \global\let\@author\@empty
6661 \global\let\@date\@empty
6662 \global\let\@title\@empty
6663 \global\let\title\relax
6664 \global\let\author\relax
6665 \global\let\date\relax
6666 \global\let\and\relax
6667 }
6668 \else
6669 \renewcommand\maketitle{\par
6670 \begingroup
6671   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6672   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6673   \long\def\@makefntext##1{\parindent 1em\noindent
6674     \hb@xt@1.8em{%
6675       \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6676   \if@twocolumn
6677     \ifnum \col@number=\@one
6678       \maketitle
6679     \else
6680       \twocolumn[\maketitle]%
6681     \fi
6682   \else
6683     \newpage
6684     \global\@topnum\z@ % Prevents figures from going at top of page.
6685     \maketitle
6686   \fi
6687   \thispagestyle{plain}\@thanks
6688 \endgroup
6689 \setcounter{footnote}{0}%
6690 \global\let\thanks\relax
6691 \global\let\maketitle\relax
6692 \global\let\@maketitle\relax
6693 \global\let\@thanks\@empty
6694 \global\let\@author\@empty
6695 \global\let\@date\@empty
6696 \global\let\@title\@empty
6697 \global\let\title\relax
6698 \global\let\author\relax
6699 \global\let\date\relax
6700 \global\let\and\relax
6701 }
6702 \def\@maketitle{%
6703   \newpage

```

```

6704 \null
6705 \vskip 2em%
6706 \begin{center}%
6707 \let \footnote \thanks
6708 {\LARGE \@title \par}%
6709 \vskip 1.5em%
6710 {\large
6711 \lineskip .5em%
6712 \begin{tabular}[t]{c}%
6713 \@author
6714 \end{tabular}\par}%
6715 \vskip 1em%
6716 {\large \@date}%
6717 \end{center}%
6718 \par
6719 \vskip 1.5em}
6720 \fi
6721 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@section}
6722 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
6723 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6724 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%

```

7.50 extbook-xetex-bidi.def

```

6725 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for
6726 \if@titlepage
6727 \renewcommand\maketitle{\begin{titlepage}%
6728 \let\footnotesize\small
6729 \let\right@footnoterule\relax
6730 \let\left@footnoterule\relax
6731 \let\textwidth\footnoterule\relax
6732 \let \footnote \thanks
6733 \let \LTRfootnote \LTRthanks
6734 \let \RTLfootnote \RTLthanks
6735 \null\vfil
6736 \vskip 60\p@
6737 \begin{center}%
6738 {\LARGE \@title \par}%
6739 \vskip 3em%
6740 {\large
6741 \lineskip .75em%
6742 \begin{tabular}[t]{c}%
6743 \@author
6744 \end{tabular}\par}%
6745 \vskip 1.5em%
6746 {\large \@date \par}% % Set date in \large size.
6747 \end{center}\par
6748 \@thanks
6749 \vfil\null
6750 \end{titlepage}%

```

```

6751 \setcounter{footnote}{0}%
6752 \global\let\thanks\relax
6753 \global\let\LTRthanks\relax
6754 \global\let\RTLthanks\relax
6755 \global\let\maketitle\relax
6756 \global\let\@thanks\@empty
6757 \global\let\@author\@empty
6758 \global\let\@date\@empty
6759 \global\let\@title\@empty
6760 \global\let\title\relax
6761 \global\let\author\relax
6762 \global\let\date\relax
6763 \global\let\and\relax
6764 }
6765 \else
6766 \renewcommand\maketitle{\par
6767 \begingroup
6768 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6769 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6770 \long\def\@makefntext##1{\parindent 1em\noindent
6771 \hb@xt@1.8em{%
6772 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6773 \if@twocolumn
6774 \ifnum \col@number=\@ne
6775 \@maketitle
6776 \else
6777 \twocolumn[\@maketitle]%
6778 \fi
6779 \else
6780 \newpage
6781 \global\@topnum\z@ % Prevents figures from going at top of page.
6782 \@maketitle
6783 \fi
6784 \thispagestyle{plain}\@thanks
6785 \endgroup
6786 \setcounter{footnote}{0}%
6787 \global\let\thanks\relax
6788 \global\let\LTRthanks\relax
6789 \global\let\RTLthanks\relax
6790 \global\let\maketitle\relax
6791 \global\let\@maketitle\relax
6792 \global\let\@thanks\@empty
6793 \global\let\@author\@empty
6794 \global\let\@date\@empty
6795 \global\let\@title\@empty
6796 \global\let\title\relax
6797 \global\let\author\relax
6798 \global\let\date\relax
6799 \global\let\and\relax
6800 }

```

```

6801 \def\@maketitle{%
6802   \newpage
6803   \null
6804   \vskip 2em%
6805   \begin{center}%
6806   \let \footnote \thanks
6807   \let \LTRfootnote \LTRthanks
6808   \let \RTLfootnote \RTLthanks
6809   {\LARGE \@title \par}%
6810   \vskip 1.5em%
6811   {\large
6812     \lineskip .5em%
6813     \begin{tabular}[t]{c}%
6814       \@author
6815     \end{tabular}\par}%
6816   \vskip 1em%
6817   {\large \@date}%
6818   \end{center}%
6819   \par
6820   \vskip 1.5em}
6821 \fi
6822 \renewcommand*\l@part[2]{%
6823   \ifnum \c@tocdepth >-2\relax
6824     \addpenalty{-\@highpenalty}%
6825     \addvspace{2.25em \@plus\p@}%
6826     \begingroup
6827       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6828       \parfillskip -\@pnumwidth
6829       {\leavevmode
6830         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6831       \nobreak
6832       \global\@nobreaktrue
6833       \everypar{\global\@nobreakfalse\everypar{}}%
6834     \endgroup
6835   \fi}
6836 \renewcommand\theequation
6837   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6838 \renewcommand \thefigure
6839   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6840 \renewcommand \thetable
6841   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6842 \renewcommand \thechapter {\@arabic\c@chapter}
6843 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
6844 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6845 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
6846 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6847 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
6848 \def\@makechapterhead#1{%
6849   \vspace*{50\p@}%
6850   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont

```



```

6851 \ifnum \c@secnumdepth >\m@ne
6852 \if@mainmatter
6853 \huge\bfseries \@chapapp\space \thechapter
6854 \par\nobreak
6855 \vskip 20\p@
6856 \fi
6857 \fi
6858 \interlinepenalty\@M
6859 \Huge \bfseries #1\par\nobreak
6860 \vskip 40\p@
6861 }}
6862
6863 \def\@makeschapterhead#1{%
6864 \vspace*{50\p@}%
6865 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6866 \normalfont
6867 \interlinepenalty\@M
6868 \Huge \bfseries #1\par\nobreak
6869 \vskip 40\p@
6870 }}
6871 \renewcommand\backmatter{%
6872 \if@openright
6873 \cleardoublepage
6874 \else
6875 \clearpage
6876 \fi
6877 \@mainmatterfalse}
6878 \renewenvironment{thebibliography}[1]
6879 {\chapter*\bibname
6880 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
6881 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6882 \list{\@biblabel{\@arabic\c@enumiv}}%
6883 {\settowidth\labelwidth{\@biblabel{#1}}%
6884 \leftmargin\labelwidth
6885 \advance\leftmargin\labelsep
6886 \@openbib@code
6887 \usecounter{enumiv}%
6888 \let\p@enumiv\@empty
6889 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6890 \sloppy
6891 \clubpenalty4000
6892 \@clubpenalty \clubpenalty
6893 \widowpenalty4000%
6894 \sfcode'\.\@m}
6895 {\def\@noitemerr
6896 {\@latex@warning{Empty 'thebibliography' environment}}%
6897 \endlist}

```

7.51 extletter-xetex-bidi.def

```

6898 \ProvidesFile{extletter-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extletter class
6899 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
6900   \thispagestyle{firstpage}%
6901   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
6902 \else % home address
6903   \thispagestyle{empty}%
6904   {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignores
6905     \fromaddress \*[2\parskip]%
6906     \@date \end{tabular}\par}%
6907 \fi
6908 \vspace{2\parskip}%
6909 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
6910 \vspace{2\parskip}%
6911 #1\par\nobreak}
6912 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
6913 \stopbreaks
6914 \noindent
6915 \ifx\@empty\fromaddress\else
6916 \hspace*{\longindentation}\fi
6917 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
6918   \ignorespaces #1\\[6\medskipamount]%
6919   \ifx\@empty\fromsig
6920     \fromname
6921   \else \fromsig \fi\strut}%
6922 \par}
6923 \renewcommand\left@footnoterule{%
6924   \kern-\p@
6925   \hrule \@width .4\columnwidth
6926   \kern .6\p@}
6927 \renewcommand\right@footnoterule{%
6928   \hbox to \columnwidth
6929   {\beginR \vbox{%
6930     \kern-\p@
6931     \hrule \@width .4\columnwidth
6932     \kern .6\p@}\hfil\endR}}

```

7.52 extrafootnotefeatures-xetex-bidi.def

```

6933 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2012/12/12 v0.4 bidi extra footnote featur
6934 \let\autofootnoterule\relax
6935 \let\rightfootnoterule\relax
6936 \let\leftfootnoterule\relax
6937 \let\textwidthfootnoterule\relax
6938 \let\LRfootnoterule\relax
6939 \def\footnoterule{\kern-3\p@
6940   \hrule \@width \columnwidth \kern 2.6\p@}
6941 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
6942 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
6943 \renewcommand{\@footnotetext}[1]{%
6944   \insert\footins{%

```

```

6945 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
6946 \def\baselinestretch{\m@m@footnote@spacing}%
6947 \reset@font
6948 \foottextfont
6949 \@preamfntext
6950 \hsize\columnwidth
6951 \protected@edef\@currentlabel{%
6952   \csname p@footnote\endcsname\@thefnmark}%
6953 \color@begingroup
6954   \@makefntext{%
6955     \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
6956     \@finalstrut\strutbox}%
6957 \color@endgroup}%
6958 \m@m@mmf@prepare}
6959 \renewcommand{\@RTLfootnotetext}[1]{%
6960   \insert\footins{%
6961     \@RTLtrue%
6962     \def\baselinestretch{\m@m@footnote@spacing}%
6963     \reset@font
6964     \RTLfoottextfont
6965     \@preamfntext
6966     \hsize\columnwidth
6967     \protected@edef\@currentlabel{%
6968       \csname p@footnote\endcsname\@thefnmark}%
6969     \color@begingroup
6970       \@makefntext{%
6971         \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
6972         \@finalstrut\strutbox}%
6973     \color@endgroup}%
6974     \m@m@mmf@prepare}
6975 \renewcommand{\@LTRfootnotetext}[1]{%
6976   \insert\footins{%
6977     \@RTLfalse%
6978     \def\baselinestretch{\m@m@footnote@spacing}%
6979     \reset@font
6980     \LTRfoottextfont
6981     \@preamfntext
6982     \hsize\columnwidth
6983     \protected@edef\@currentlabel{%
6984       \csname p@footnote\endcsname\@thefnmark}%
6985     \color@begingroup
6986       \@makefntext{%
6987         \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
6988         \@finalstrut\strutbox}%
6989     \color@endgroup}%
6990     \m@m@mmf@prepare}
6991 \renewcommand{\@mpfootnotetext}[1]{%
6992   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
6993     \unvbox\@mpfootins
6994     \def\baselinestretch{\m@m@footnote@spacing}%

```

```

6995 \foottextfont \hsize\columnwidth \@parboxrestore
6996 \protected@edef\@currentlabel{%
6997 \csname p@mpfootnote\endcsname\@thefnmark}%
6998 \color@begingroup
6999 \reset@font%
7000 \makefnstext{%
7001 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
7002 \@finalstrut\strutbox}%
7003 \color@endgroup}}
7004 \renewcommand{\@mpLTRfootnotetext}[1]{%
7005 \global\setbox\@mpfootins\vbox{\@RTLfalse%
7006 \unvbox\@mpfootins
7007 \def\baselinestretch{\m@mpfootnote@spacing}%
7008 \LTRfoottextfont \hsize\columnwidth \@parboxrestore
7009 \protected@edef\@currentlabel{%
7010 \csname p@mpfootnote\endcsname\@thefnmark}%
7011 \color@begingroup
7012 \reset@font%
7013 \makefnstext{%
7014 \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
7015 \@finalstrut\strutbox}%
7016 \color@endgroup}}
7017 \renewcommand{\@mpRTLfootnotetext}[1]{%
7018 \global\setbox\@mpfootins\vbox{\@RTLtrue%
7019 \unvbox\@mpfootins
7020 \def\baselinestretch{\m@mpfootnote@spacing}%
7021 \RTLfoottextfont \hsize\columnwidth \@parboxrestore
7022 \protected@edef\@currentlabel{%
7023 \csname p@mpfootnote\endcsname\@thefnmark}%
7024 \color@begingroup
7025 \reset@font%
7026 \makefnstext{%
7027 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
7028 \@finalstrut\strutbox}%
7029 \color@endgroup}}
7030 \let\m@mold@footnotetext\@footnotetext
7031 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
7032 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
7033 \let\m@mold@mpfootnotetext\@mpfootnotetext
7034 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
7035 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
7036 \bidi@ensure@newcommand{\normalfootnotes}{%
7037 \let\@footnotetext\m@mold@footnotetext
7038 \let\@LTRfootnotetext\m@mold@LTRfootnotetext
7039 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
7040 \let\@mpfootnotetext\m@mold@mpfootnotetext
7041 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
7042 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
7043 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
7044 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestru}}

```

```

7045 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
7046 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
7047   \def\m@m@singlespace{#1}%
7048   \def\m@m@footnote@spacing{#1}%
7049   \def\m@m@float@spacing{#1} %
7050 }
7051 \setSingleSpace{1}
7052 \newinsert\sideins
7053 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
7054 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
7055   \kern-\multiplefootnotemarker
7056   \kern\multiplefootnotemarker\relax}
7057 \bidi@ensure@newlength{\footmarkwidth}
7058 \bidi@ensure@newlength{\footmarksep}
7059 \bidi@ensure@newlength{\footparindent}
7060 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
7061 \bidi@ensure@newcommand{\footfootmark}{%
7062   \ifdim\footmarkwidth < \z@
7063     \llap{\hb@xt@ -\footmarkwidth{%
7064       \hss\normalfont\footscript{\@thefnmark}}}%
7065     \hspace*{-\footmarkwidth}}%
7066   \else
7067     \ifdim\footmarkwidth = \z@
7068       {\normalfont\footscript{\@thefnmark}}%
7069     \else
7070       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
7071     \fi
7072   \fi}
7073 \footmarkstyle{\textsuperscript{#1}}
7074 \setlength{\footmarkwidth}{1.8em}
7075 \setlength{\footparindent}{1em}
7076 \bidi@ensure@newcommand{\m@m@doextrafeet}{\extrafeetins}
7077 \bidi@ensure@newcommand*{\extrafeetins}{%
7078   \setbox\@outputbox \vbox{%
7079     \boxmaxdepth \@maxdepth
7080     \unvbox\@outputbox
7081     \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
7082     \extrafeetinshook}}
7083 \bidi@ensure@newcommand{\extrafeetinshook}{}
7084 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
7085 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
7086 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
7087 \bidi@ensure@newlength{\footinsdim}
7088 \setlength{\footinsdim}{8in} % standard for \dimen\footins
7089 \bidi@ensure@newcommand{\@preamfntext}{%
7090   \interlinepenalty\interfootnotelinepenalty
7091   \floatingpenalty \@MM
7092   \splittopskip=\footnotesep
7093   \splitmaxdepth=\dp\strutbox
7094   \@parboxrestore}

```

```

7095 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
7096   \extrafeetminihook}
7097 \bidi@ensure@newcommand{\extrafeetendmini}{%
7098   \ifvoid\@mpfootinsv@r\else
7099     \vskip\skip\@mpfootins
7100     \normalcolor\footnoterule\mp@footgroupv@r
7101   \fi
7102   \extrafeetendminihook}
7103 \bidi@ensure@newcommand{\extrafeetendminihook}{%
7104 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
7105 \def\endminipage{%
7106   \par
7107   \unskip
7108   \ifvoid\@mpfootins\else
7109     \vskip\skip\@mpfootins
7110     \normalcolor
7111     \footnoterule
7112     \unvbox\@mpfootins
7113   \fi
7114   \m@mdoextrafeetendmini
7115   \@minipagefalse
7116   \color@endgroup
7117   \egroup
7118   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
7119 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
7120   \@namedef{\@footstart#1}{%
7121     \vskip\bigskipamount
7122     \leftskip=\z@
7123     \rightskip=\z@
7124     \footnoterule}}
7125 \newinsert\footinsv@r
7126 \skip\footinsv@r\bigskipamount
7127 \count\footinsv@r=1000 % no magnification
7128 \dimen\footinsv@r=\footinsdim
7129 \m@make@footstart{v@r}
7130 \bidi@ensure@newcommand{\@footgroupv@r}{%
7131 \newinsert\@mpfootinsv@r
7132 \bidi@ensure@newcommand{\mp@footgroupv@r}{%
7133 \newcount\m@m@k \newdimen\m@m@h
7134 \@ifpackageloaded{multicol}{%
7135 \bidi@ensure@newcommand*\{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7136   \hsize\textwidth
7137   \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7138   \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7139 }{%
7140 \bidi@ensure@newcommand*\{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7141   \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7142   \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7143 \bidi@ensure@newcommand*\{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
7144   \global\advance\m@m@k-1\cr\m@mdosplits\fi}

```

```

7145 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
7146 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
7147 \setbox2 \vsplit0 to \dimen0
7148 \unvbox2 }
7149 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
7150 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
7151 \let\@footnotetext\@twocolfootnotetext
7152 \let\@LTRfootnotetext\@twocolLTRfootnotetext
7153 \let\@RTLfootnotetext\@twocolRTLfootnotetext
7154 \dimen\footinsv@r=2\footinsdim
7155 \count\footinsv@r=500\relax
7156 \m@make@twocol@footgroup{v@r}%
7157 \let\@footgroupv@r\@twocol@footgroupv@r
7158 \let\@mpfootnotetext\@mptwocolfootnotetext
7159 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
7160 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
7161 \m@make@mptwocol@footgroup{v@r}%
7162 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
7163 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
7164 \def\baselinestretch{\m@m@footnote@spacing}%
7165 \reset@font\foottextfont
7166 \@preamfntext
7167 \protected@edef\@currentlabel{%
7168 \csname p@footnote\endcsname\@thefnmark}%
7169 \color@begingroup
7170 \@twocolfootfmt{#1}%
7171 \color@endgroup}%
7172 \m@mmf@prepare}
7173 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
7174 \def\baselinestretch{\m@m@footnote@spacing}%
7175 \reset@font\LTRfoottextfont
7176 \@preamfntext
7177 \protected@edef\@currentlabel{%
7178 \csname p@footnote\endcsname\@thefnmark}%
7179 \color@begingroup
7180 \@twocolLTRfootfmt{#1}%
7181 \color@endgroup}%
7182 \m@mmf@prepare}
7183 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7184 \def\baselinestretch{\m@m@footnote@spacing}%
7185 \reset@font\RTLfoottextfont
7186 \@preamfntext
7187 \protected@edef\@currentlabel{%
7188 \csname p@footnote\endcsname\@thefnmark}%
7189 \color@begingroup
7190 \@twocolRTLfootfmt{#1}%
7191 \color@endgroup}%
7192 \m@mmf@prepare}
7193 \bidi@ensure@newcommand{\@preamtwofmt}{%
7194 \hspace .45\hspace

```

```

7195 \parindent=\z@
7196 \tolerance=5000\relax
7197 \leavevmode}
7198 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
7199 \@preamtwofmt
7200 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7201 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
7202 \@preamtwofmt
7203 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7204 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
7205 \@preamtwofmt
7206 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7207 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
7208 \global\setbox\@mpfootinsv\@r\@vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7209 \unvbox\@mpfootinsv\@r
7210 \def\baselinestretch{\m@mm@footnote@spacing}%
7211 \reset@font\foottextfont
7212 \hsize\columnwidth \@parboxrestore
7213 \protected@edef\@currentlabel{%
7214 \csname p@mpfootnote\endcsname\@thefnmark}%
7215 \color@begingroup
7216 \@twocolfootfmt{#1}%
7217 \color@endgroup}%
7218 \m@mmf@prepare}
7219 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
7220 \global\setbox\@mpfootinsv\@r\@vbox{\@RTLfalse%
7221 \unvbox\@mpfootinsv\@r
7222 \def\baselinestretch{\m@mm@footnote@spacing}%
7223 \reset@font\LTRfoottextfont
7224 \hsize\columnwidth \@parboxrestore
7225 \if@RTLcolumnfootnotes\beginL\fi
7226 \protected@edef\@currentlabel{%
7227 \csname p@mpfootnote\endcsname\@thefnmark}%
7228 \color@begingroup
7229 \@twocolLTRfootfmt{#1}%
7230 \color@endgroup}%
7231 \m@mmf@prepare}
7232 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
7233 \global\setbox\@mpfootinsv\@r\@vbox{\@RTLtrue%
7234 \unvbox\@mpfootinsv\@r
7235 \def\baselinestretch{\m@mm@footnote@spacing}%
7236 \reset@font\RTLfoottextfont
7237 \hsize\columnwidth \@parboxrestore
7238 \protected@edef\@currentlabel{%
7239 \csname p@mpfootnote\endcsname\@thefnmark}%
7240 \color@begingroup
7241 \@twocolRTLfootfmt{#1}%
7242 \color@endgroup}%
7243 \m@mmf@prepare}
7244 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%

```



```

7245 \m@make@twocolfootnotetext{#1}%
7246 \m@make@mptwocolfootnotetext{#1}%
7247 \m@make@twocolfootfmt{#1}%
7248 \m@make@twocol@footgroup{#1}%
7249 \m@make@mptwocol@footgroup{#1}%
7250 \m@make@footstart{#1}%
7251 \bidi@namelongdef{@footnotetext#1}##1{%
7252     \@nameuse{@twocolfootnotetext#1}{##1}}%
7253 \bidi@namelongdef{@mpfootnotetext#1}##1{%
7254     \@nameuse{@mptwocolfootnotetext#1}{##1}}%
7255 \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
7256 \@namedef{@mpfootgroup#1}{\@nameuse{@mptwocol@footgroup#1}}%
7257 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7258 \expandafter\count\csname footins#1\endcsname=500\relax}
7259 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
7260     \bidi@namelongdef{@twocolfootnotetext#1}##1{%
7261         \insert\@nameuse{footins#1}{%
7262             \def\baselinestretch{\m@m@footnote@spacing}%
7263             \reset@font\@nameuse{foottextfont#1}%
7264             \@preamfntext
7265             \protected@edef\@currentlabel{%
7266                 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
7267             \color@begingroup
7268                 \@nameuse{@twocolfootfmt#1}{##1}%
7269             \color@endgroup}%
7270             \m@mmf@prepare}}
7271 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
7272     \bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
7273         \global\setbox\@nameuse{@mpfootins#1}\vbox{%
7274             \unvbox\@nameuse{@mpfootins#1}
7275             \def\baselinestretch{\m@m@footnote@spacing}%
7276             \reset@font\@nameuse{foottextfont#1}%
7277             \hsize\columnwidth \@parboxrestore
7278             \protected@edef\@currentlabel{%
7279                 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
7280             \color@begingroup
7281                 \@nameuse{@twocolfootfmt#1}{##1}%
7282             \color@endgroup}\m@mmf@prepare}}
7283 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
7284     \@namedef{@twocolfootfmt#1}##1{%
7285         \@preamtwofmt
7286         {\@nameuse{footfootmark#1}\strut
7287         {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7288 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
7289     \@namedef{@twocol@footgroup#1}{%
7290         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7291         \m@rmrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
7292 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
7293     \@namedef{@mptwocol@footgroup#1}{%
7294         \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```

```

7295 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
7296 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
7297 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7298 \let\@footnotetext\@threecolfootnotetext
7299 \let\@LTRfootnotetext\@threecolLTRfootnotetext
7300 \let\@RTLfootnotetext\@threecolRTLfootnotetext
7301 \dimen\footinsv@r=3\footinsdim
7302 \count\footinsv@r=333\relax
7303 \m@make@threecol@footgroup{v@r}%
7304 \let\@footgroupv@r\@threecol@footgroupv@r
7305 \let\@mpfootnotetext\@mpthreecolfootnotetext
7306 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
7307 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
7308 \m@make@mpthreecol@footgroup{v@r}%
7309 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
7310 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
7311 \def\baselinestretch{\m@m@footnote@spacing}%
7312 \reset@font\foottextfont
7313 \@preamfntext
7314 \protected@edef\@currentlabel{%
7315 \csname p@footnote\endcsname\@thefnmark}%
7316 \color@begingroup
7317 \@threecolfootfmt{#1}%
7318 \color@endgroup}\m@mmf@prepare}
7319 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
7320 \def\baselinestretch{\m@m@footnote@spacing}%
7321 \reset@font\LTRfoottextfont
7322 \@preamfntext
7323 \protected@edef\@currentlabel{%
7324 \csname p@footnote\endcsname\@thefnmark}%
7325 \color@begingroup
7326 \@threecolLTRfootfmt{#1}%
7327 \color@endgroup}\m@mmf@prepare}
7328 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7329 \def\baselinestretch{\m@m@footnote@spacing}%
7330 \reset@font\RTLfoottextfont
7331 \@preamfntext
7332 \protected@edef\@currentlabel{%
7333 \csname p@footnote\endcsname\@thefnmark}%
7334 \color@begingroup
7335 \@threecolRTLfootfmt{#1}%
7336 \color@endgroup}\m@mmf@prepare}
7337 \bidi@ensure@newcommand{\@preamthreefmt}{%
7338 \hspace{.3\hspace}
7339 \parindent=\z@
7340 \tolerance=5000\relax
7341 \leavevmode}
7342 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
7343 \@preamthreefmt
7344 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}

```

```

7345 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
7346   \@preamthreefmt
7347   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7348 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
7349   \@preamthreefmt
7350   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7351 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
7352   \global\setbox\@mpfootinsv\@r\@vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7353     \unvbox\@mpfootinsv\@r
7354     \def\baselinestretch{\m@mm@footnote@spacing}%
7355     \reset@font\foottextfont
7356     \hsize\columnwidth \@parboxrestore
7357     \protected@edef\@currentlabel{%
7358       \csname p@mpfootnote\endcsname\@thefnmark}%
7359   \color@begingroup
7360     \@threecolfootfmt{#1}%
7361   \color@endgroup}\m@mmf@prepare}
7362 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
7363   \global\setbox\@mpfootinsv\@r\@vbox{\@RTLfalse%
7364     \unvbox\@mpfootinsv\@r
7365     \def\baselinestretch{\m@mm@footnote@spacing}%
7366     \reset@font\LTRfoottextfont
7367     \hsize\columnwidth \@parboxrestore
7368     \if@RTLcolumnfootnotes\beginL\fi
7369     \protected@edef\@currentlabel{%
7370       \csname p@mpfootnote\endcsname\@thefnmark}%
7371   \color@begingroup
7372     \@threecolLTRfootfmt{#1}%
7373   \color@endgroup}\m@mmf@prepare}
7374 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
7375   \global\setbox\@mpfootinsv\@r\@vbox{\@RTLtrue%
7376     \unvbox\@mpfootinsv\@r
7377     \def\baselinestretch{\m@mm@footnote@spacing}%
7378     \reset@font\RTLfoottextfont
7379     \hsize\columnwidth \@parboxrestore
7380     \protected@edef\@currentlabel{%
7381       \csname p@mpfootnote\endcsname\@thefnmark}%
7382   \color@begingroup
7383     \@threecolRTLfootfmt{#1}%
7384   \color@endgroup}\m@mmf@prepare}
7385 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
7386   \m@make@threecolfootnotetext{#1}%
7387   \m@make@mpthreecolfootnotetext{#1}%
7388   \m@make@threecolfootfmt{#1}%
7389   \m@make@threecol@footgroup{#1}%
7390   \m@make@mpthreecol@footgroup{#1}%
7391   \m@make@footstart{#1}%
7392   \bidi@namelongdef{\footnotetext#1}##1{%
7393     \@nameuse{\threecolfootnotetext#1}{##1}}%
7394   \bidi@namelongdef{\mpfootnotetext#1}##1{%

```

```

7395 \nameuse{@mpthreecolfootnotetext#1}{##1}}%
7396 \@namedef{@footgroup#1}{\nameuse{@threecol@footgroup#1}}%
7397 \@namedef{mp@footgroup#1}{\nameuse{@mpthreecol@footgroup#1}}%
7398 \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
7399 \expandafter\count\csname footins#1\endcsname=333\relax}
7400 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
7401 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
7402 \insert\nameuse{footins#1}{%
7403 \def\baselinestretch{\m@m@footnote@spacing}%
7404 \reset@font\nameuse{foottextfont#1}%
7405 \@preamfntext
7406 \protected@edef\@currentlabel{%
7407 \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
7408 \color@begingroup
7409 \nameuse{@threecolfootfmt#1}{##1}%
7410 \color@endgroup}\m@mmf@prepare}}
7411 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
7412 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
7413 \global\setbox\nameuse{@mpfootins#1}\vbox{%
7414 \unvbox\nameuse{@mpfootins#1}
7415 \def\baselinestretch{\m@m@footnote@spacing}%
7416 \reset@font\nameuse{foottextfont#1}%
7417 \hsize\columnwidth \@parboxrestore
7418 \protected@edef\@currentlabel{%
7419 \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
7420 \color@begingroup
7421 \nameuse{@threecolfootfmt#1}{##1}%
7422 \color@endgroup}\m@mmf@prepare}}
7423 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
7424 \bidi@namelongdef{@threecolfootfmt#1}##1{%
7425 \@preamthreefmt
7426 {\nameuse{footfootmark#1}\strut
7427 {\nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7428 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
7429 \@namedef{@threecol@footgroup#1}{%
7430 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7431 \m@mrigidbalance{\nameuse{footins#1}}{\thr@@{\splittopskip}}}}
7432 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
7433 \@namedef{@mpthreecol@footgroup#1}{%
7434 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7435 \m@mrigidbalance{\nameuse{@mpfootins#1}}{\thr@@{\splittopskip}}}}
7436 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
7437 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7438 \let\@footnotetext\@fourcolfootnotetext
7439 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
7440 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
7441 \dimen\footinsv@r=4\footinsdim
7442 \count\footinsv@r=250\relax
7443 \m@make@fourcol@footgroup{v@r}%
7444 \let\@footgroupv@r\@fourcol@footgroupv@r

```

```

7445 \let\@mpfootnotetext\@mpfourcolfootnotetext
7446 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
7447 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
7448 \m@make@mpfourcol@footgroup{v@r}%
7449 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
7450 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
7451 \def\baselinestretch{\m@m@footnote@spacing}%
7452 \reset@font\foottextfont
7453 \@preamfntext
7454 \protected@edef\@currentlabel{%
7455 \csname p@footnote\endcsname\@thefnmark}%
7456 \color@begingroup
7457 \@fourcolfootfmt{#1}%
7458 \color@endgroup}%
7459 \m@mmf@prepare}
7460 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
7461 \def\baselinestretch{\m@m@footnote@spacing}%
7462 \reset@font\LTRfoottextfont
7463 \@preamfntext
7464 \protected@edef\@currentlabel{%
7465 \csname p@footnote\endcsname\@thefnmark}%
7466 \color@begingroup
7467 \@fourcolLTRfootfmt{#1}%
7468 \color@endgroup}%
7469 \m@mmf@prepare}
7470 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7471 \def\baselinestretch{\m@m@footnote@spacing}%
7472 \reset@font\RTLfoottextfont
7473 \@preamfntext
7474 \protected@edef\@currentlabel{%
7475 \csname p@footnote\endcsname\@thefnmark}%
7476 \color@begingroup
7477 \@fourcolRTLfootfmt{#1}%
7478 \color@endgroup}%
7479 \m@mmf@prepare}
7480 \bidi@ensure@newcommand{\@preamfourfmt}{%
7481 \hspace{.25\hspace}
7482 \parindent=\z@
7483 \tolerance=5000\relax
7484 \leavevmode}
7485 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
7486 \@preamfourfmt
7487 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7488 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
7489 \@preamfourfmt
7490 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7491 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
7492 \@preamfourfmt
7493 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7494 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%

```

```

7495 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7496 \unvbox\@mpfootinsv@r
7497 \def\baselinestretch{\m@m@footnote@spacing}%
7498 \reset@font\foottextfont
7499 \hsize\columnwidth \@parboxrestore
7500 \protected@edef\@currentlabel{%
7501 \csname p@mpfootnote\endcsname\@thefnmark}%
7502 \color@begingroup
7503 \@fourcolfootfmt{#1}%
7504 \color@endgroup}%
7505 \m@mmf@prepare}
7506 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
7507 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7508 \unvbox\@mpfootinsv@r
7509 \def\baselinestretch{\m@m@footnote@spacing}%
7510 \reset@font\LTRfoottextfont
7511 \hsize\columnwidth \@parboxrestore
7512 \if@RTLcolumnfootnotes\beginL\fi
7513 \protected@edef\@currentlabel{%
7514 \csname p@mpfootnote\endcsname\@thefnmark}%
7515 \color@begingroup
7516 \@fourcolLTRfootfmt{#1}%
7517 \color@endgroup}%
7518 \m@mmf@prepare}
7519 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
7520 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7521 \unvbox\@mpfootinsv@r
7522 \def\baselinestretch{\m@m@footnote@spacing}%
7523 \reset@font\RTLfoottextfont
7524 \hsize\columnwidth \@parboxrestore
7525 \protected@edef\@currentlabel{%
7526 \csname p@mpfootnote\endcsname\@thefnmark}%
7527 \color@begingroup
7528 \@fourcolRTLfootfmt{#1}%
7529 \color@endgroup}%
7530 \m@mmf@prepare}
7531 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
7532 \m@make@fourcolfootnotetext{#1}%
7533 \m@make@mpfourcolfootnotetext{#1}%
7534 \m@make@fourcolfootfmt{#1}%
7535 \m@make@fourcol@footgroup{#1}%
7536 \m@make@mpfourcol@footgroup{#1}%
7537 \m@make@footstart{#1}%
7538 \bidi@namelongdef{\footnotetext#1}##1{%
7539 \@nameuse{\@fourcolfootnotetext#1}{##1}}%
7540 \bidi@namelongdef{\mpfootnotetext#1}##1{%
7541 \@nameuse{\@mpfourcolfootnotetext#1}{##1}}%
7542 \namedef{\@footgroup#1}{\@nameuse{\@fourcol@footgroup#1}}%
7543 \namedef{\mp@footgroup#1}{\@nameuse{\@mpfourcol@footgroup#1}}%
7544 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim

```

```

7545 \expandafter\count\csname footins#1\endcsname=500\relax}
7546 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
7547 \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
7548 \insert\@nameuse{footins#1}-{%
7549 \def\baselinestretch{\m@mm@footnote@spacing}%
7550 \reset@font\@nameuse{foottextfont#1}%
7551 \@preamfntext
7552 \protected@edef\@currentlabel{%
7553 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
7554 \color@begingroup
7555 \@nameuse{@fourcolfootfmt#1}##1}%
7556 \color@endgroup}%
7557 \m@mmf@prepare}}
7558 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
7559 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
7560 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
7561 \unvbox\@nameuse{@mpfootins#1}
7562 \def\baselinestretch{\m@mm@footnote@spacing}%
7563 \reset@font\@nameuse{foottextfont#1}%
7564 \hsize\columnwidth \@parboxrestore
7565 \protected@edef\@currentlabel{%
7566 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
7567 \color@begingroup
7568 \@nameuse{@fourcolfootfmt#1}##1}%
7569 \color@endgroup}\m@mmf@prepare}}
7570 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
7571 \@namedef{@fourcol@footgroup#1}##1{%
7572 \@preamfourfmt
7573 {\@nameuse{footfootmark#1}\strut
7574 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7575 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
7576 \@namedef{@fourcol@footgroup#1}{{%
7577 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7578 \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
7579 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
7580 \@namedef{@mpfourcol@footgroup#1}{{%
7581 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7582 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
7583 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
7584 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7585 \let\@footnotetext\@fivecolfootnotetext
7586 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
7587 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
7588 \dimen\footinsv@r=5\footinsdim
7589 \count\footinsv@r=200\relax
7590 \m@make@fivecol@footgroup{v@r}%
7591 \let\@footgroupv@r\@fivecol@footgroupv@r
7592 \let\@mpfootnotetext\@mpfivecolfootnotetext
7593 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
7594 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext

```

```

7595 \m@make@mpfivecol@footgroup{v@r}%
7596 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
7597 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
7598 \def\baselinestretch{\m@m@footnote@spacing}%
7599 \reset@font\foottextfont
7600 \@preamfntext
7601 \protected@edef\@currentlabel{%
7602 \csname p@footnote\endcsname\@thefnmark}%
7603 \color@begingroup
7604 \@fivecolfootfmt{#1}%
7605 \color@endgroup}%
7606 \m@mmf@prepare}
7607 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
7608 \def\baselinestretch{\m@m@footnote@spacing}%
7609 \reset@font\LTRfoottextfont
7610 \@preamfntext
7611 \protected@edef\@currentlabel{%
7612 \csname p@footnote\endcsname\@thefnmark}%
7613 \color@begingroup
7614 \@fivecolLTRfootfmt{#1}%
7615 \color@endgroup}%
7616 \m@mmf@prepare}
7617 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7618 \def\baselinestretch{\m@m@footnote@spacing}%
7619 \reset@font\RTLfoottextfont
7620 \@preamfntext
7621 \protected@edef\@currentlabel{%
7622 \csname p@footnote\endcsname\@thefnmark}%
7623 \color@begingroup
7624 \@fivecolRTLfootfmt{#1}%
7625 \color@endgroup}%
7626 \m@mmf@prepare}
7627 \bidi@ensure@newcommand{\@preamfivefmt}{%
7628 \hsize .2\hsize
7629 \parindent=\z@
7630 \tolerance=5000\relax
7631 \leavevmode}
7632 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
7633 \@preamfivefmt
7634 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7635 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
7636 \@preamfivefmt
7637 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7638 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
7639 \@preamfivefmt
7640 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7641 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
7642 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7643 \unvbox\@mpfootinsv@r
7644 \def\baselinestretch{\m@m@footnote@spacing}%

```



```

7645 \reset@font\foottextfont
7646 \hsize\columnwidth \@parboxrestore
7647 \protected@edef\@currentlabel{%
7648 \csname p@mpfootnote\endcsname\@thefnmark}%
7649 \color@begingroup
7650 \@fivecolfootfmt{#1}%
7651 \color@endgroup}%
7652 \m@mmlf@prepare}
7653 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
7654 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7655 \unvbox\@mpfootinsv@r
7656 \def\baselinestretch{\m@m@footnote@spacing}%
7657 \reset@font\LTRfoottextfont
7658 \hsize\columnwidth \@parboxrestore
7659 \if@RTLcolumnfootnotes\beginL\fi
7660 \protected@edef\@currentlabel{%
7661 \csname p@mpfootnote\endcsname\@thefnmark}%
7662 \color@begingroup
7663 \@fivecolLTRfootfmt{#1}%
7664 \color@endgroup}%
7665 \m@mmlf@prepare}
7666 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
7667 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7668 \unvbox\@mpfootinsv@r
7669 \def\baselinestretch{\m@m@footnote@spacing}%
7670 \reset@font\RTLfoottextfont
7671 \hsize\columnwidth \@parboxrestore
7672 \protected@edef\@currentlabel{%
7673 \csname p@mpfootnote\endcsname\@thefnmark}%
7674 \color@begingroup
7675 \@fivecolRTLfootfmt{#1}%
7676 \color@endgroup}%
7677 \m@mmlf@prepare}
7678 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
7679 \m@make@fivecolfootnotetext{#1}%
7680 \m@make@mpfivecolfootnotetext{#1}%
7681 \m@make@fivecolfootfmt{#1}%
7682 \m@make@fivecol@footgroup{#1}%
7683 \m@make@mpfivecol@footgroup{#1}%
7684 \m@make@footstart{#1}%
7685 \bidi@namelongdef{\@footnotetext#1}##1{%
7686 \@nameuse{\@fivecolfootnotetext#1}{##1}}%
7687 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
7688 \@nameuse{\@mpfivecolfootnotetext#1}{##1}}%
7689 \@namedef{\@footgroup#1}{\@nameuse{\@fivecol@footgroup#1}}%
7690 \@namedef{\@mp@footgroup#1}{\@nameuse{\@mpfivecol@footgroup#1}}%
7691 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7692 \expandafter\count\csname footins#1\endcsname=500\relax}
7693 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
7694 \bidi@namelongdef{\@fivecolfootnotetext#1}##1{%

```

```

7695 \insert\@nameuse{footins#1}{%
7696 \def\baselinestretch{\m@m@footnote@spacing}%
7697 \reset@font\@nameuse{foottextfont#1}%
7698 \@preamfntext
7699 \protected@edef\@currentlabel{%
7700 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
7701 \color@begingroup
7702 \@nameuse{@fivecolfootfmt#1}{##1}%
7703 \color@endgroup}%
7704 \m@mmf@prepare}}
7705 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
7706 \bidi@namelongdef{\mpfivecolfootnotetext#1}##1{%
7707 \global\setbox\@nameuse{mpfootins#1}\vbox{%
7708 \unvbox\@nameuse{mpfootins#1}
7709 \def\baselinestretch{\m@m@footnote@spacing}%
7710 \reset@font\@nameuse{foottextfont#1}%
7711 \hsize\columnwidth \@parboxrestore
7712 \protected@edef\@currentlabel{%
7713 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
7714 \color@begingroup
7715 \@nameuse{@fivecolfootfmt#1}{##1}%
7716 \color@endgroup}\m@mmf@prepare}}
7717 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
7718 \@namedef{@fivecolfootfmt#1}##1{%
7719 \@preamfivefmt
7720 {\@nameuse{footfootmark#1}\strut
7721 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7722 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
7723 \@namedef{@fivecol@footgroup#1}{%
7724 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7725 \m@mrigidbodybalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
7726 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
7727 \@namedef{@mpfivecol@footgroup#1}{%
7728 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7729 \m@mrigidbodybalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
7730 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
7731 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7732 \let\@footnotetext\@sixcolfootnotetext
7733 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
7734 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
7735 \dimen\footinsv@r=6\footinsdim
7736 \count\footinsv@r=166\relax
7737 \m@make@sixcol@footgroup{v@r}%
7738 \let\@footgroupv@r\@sixcol@footgroupv@r
7739 \let\@mpfootnotetext\@mpsixcolfootnotetext
7740 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
7741 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
7742 \m@make@mpsixcol@footgroup{v@r}%
7743 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
7744 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue

```

```

7745 \def\baselinestretch{\m@m@footnote@spacing}%
7746 \reset@font\foottextfont
7747 \@preamfntext
7748 \protected@edef\@currentlabel{%
7749   \csname p@footnote\endcsname\@thefnmark}%
7750 \color@begingroup
7751   \@sixcolfootfmt{#1}%
7752 \color@endgroup}%
7753 \m@mmf@prepare}
7754 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
7755 \def\baselinestretch{\m@m@footnote@spacing}%
7756 \reset@font\LTRfoottextfont
7757 \@preamfntext
7758 \protected@edef\@currentlabel{%
7759   \csname p@footnote\endcsname\@thefnmark}%
7760 \color@begingroup
7761   \@sixcolLTRfootfmt{#1}%
7762 \color@endgroup}%
7763 \m@mmf@prepare}
7764 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7765 \def\baselinestretch{\m@m@footnote@spacing}%
7766 \reset@font\RTLfoottextfont
7767 \@preamfntext
7768 \protected@edef\@currentlabel{%
7769   \csname p@footnote\endcsname\@thefnmark}%
7770 \color@begingroup
7771   \@sixcolRTLfootfmt{#1}%
7772 \color@endgroup}%
7773 \m@mmf@prepare}
7774 \bidi@ensure@newcommand{\@preamsixfmt}{%
7775 \hsize .16\hsize
7776 \parindent=\z@
7777 \tolerance=5000\relax
7778 \leavevmode}
7779 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
7780 \@preamsixfmt
7781 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7782 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
7783 \@preamsixfmt
7784 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7785 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
7786 \@preamsixfmt
7787 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7788 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
7789 \global\setbox\@mpfootinsv@r\vbox{%
7790   \unvbox\@mpfootinsv@r
7791   \def\baselinestretch{\m@m@footnote@spacing}%
7792   \reset@font\foottextfont
7793   \hsize\columnwidth \@parboxrestore
7794   \protected@edef\@currentlabel{%

```

```

7795 \csname p@mpfootnote\endcsname\@thefnmark}%
7796 \color@begingroup
7797 \@sixcolfootfmt{#1}%
7798 \color@endgroup}%
7799 \m@mmf@prepare}
7800 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
7801 \global\setbox\@mpfootinsv@r\vbox{%
7802 \unvbox\@mpfootinsv@r
7803 \def\baselinestretch{\m@mm@footnote@spacing}%
7804 \reset@font\LTRfoottextfont
7805 \hsize\columnwidth \@parboxrestore
7806 \if@RTLcolumnfootnotes\beginL\fi
7807 \protected@edef\@currentlabel{%
7808 \csname p@mpfootnote\endcsname\@thefnmark}%
7809 \color@begingroup
7810 \@sixcolLTRfootfmt{#1}%
7811 \color@endgroup}%
7812 \m@mmf@prepare}
7813 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
7814 \global\setbox\@mpfootinsv@r\vbox{%
7815 \unvbox\@mpfootinsv@r
7816 \def\baselinestretch{\m@mm@footnote@spacing}%
7817 \reset@font\RTLfoottextfont
7818 \hsize\columnwidth \@parboxrestore
7819 \protected@edef\@currentlabel{%
7820 \csname p@mpfootnote\endcsname\@thefnmark}%
7821 \color@begingroup
7822 \@sixcolRTLfootfmt{#1}%
7823 \color@endgroup}%
7824 \m@mmf@prepare}
7825 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
7826 \m@make@sixcolfootnotetext{#1}%
7827 \m@make@mpsixcolfootnotetext{#1}%
7828 \m@make@sixcolfootfmt{#1}%
7829 \m@make@sixcol@footgroup{#1}%
7830 \m@make@mpsixcol@footgroup{#1}%
7831 \m@make@footstart{#1}%
7832 \bidi@namelongdef{\footnotetext#1}##1{%
7833 \@nameuse{\@sixcolfootnotetext#1}{##1}}%
7834 \bidi@namelongdef{\mpfootnotetext#1}##1{%
7835 \@nameuse{\@mpsixcolfootnotetext#1}{##1}}%
7836 \@namedef{\@footgroup#1}{\@nameuse{\@sixcol@footgroup#1}}%
7837 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpsixcol@footgroup#1}}%
7838 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7839 \expandafter\count\csname footins#1\endcsname=500\relax}
7840 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
7841 \bidi@namelongdef{\@sixcolfootnotetext#1}##1{%
7842 \insert\@nameuse{\footins#1}{%
7843 \def\baselinestretch{\m@mm@footnote@spacing}%
7844 \reset@font\@nameuse{\foottextfont#1}%

```

```

7845 \preamfntext
7846 \protected@edef\@currentlabel{%
7847 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
7848 \color@begingroup
7849 \@nameuse{@sixcolfootfmt#1}{##1}%
7850 \color@endgroup}%
7851 \m@mmf@prepare}}
7852 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
7853 \bidi@namelongdef{\mpsixcolfootnotetext#1}##1{%
7854 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
7855 \unvbox\@nameuse{@mpfootins#1}
7856 \def\baselinestretch{\m@m@footnote@spacing}%
7857 \reset@font\@nameuse{foottextfont#1}%
7858 \hsize\columnwidth \@parboxrestore
7859 \protected@edef\@currentlabel{%
7860 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
7861 \color@begingroup
7862 \@nameuse{@sixcolfootfmt#1}{##1}%
7863 \color@endgroup}\m@mmf@prepare}}
7864 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
7865 \@namedef{@sixcolfootfmt#1}##1{%
7866 \@preamsixfmt
7867 {\@nameuse{footfootmark#1}\strut
7868 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
7869 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
7870 \@namedef{@sixcol@footgroup#1}{%
7871 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7872 \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}%
7873 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
7874 \@namedef{@mpsixcol@footgroup#1}{%
7875 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
7876 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}%
7877 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
7878 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7879 \let\@footnotetext\@sevendcolfootnotetext
7880 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
7881 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
7882 \dimen\footinsv@r=7\footinsdim
7883 \count\footinsv@r=142\relax
7884 \m@make@sevendcol@footgroup{v@r}%
7885 \let\@footgroupv@r\@sevendcol@footgroupv@r
7886 \let\@mpfootnotetext\@mpsevendcolfootnotetext
7887 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
7888 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
7889 \m@make@mpsevendcol@footgroup{v@r}%
7890 \let\mp@footgroupv@r\@mpsevendcol@footgroupv@r}
7891 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
7892 \def\baselinestretch{\m@m@footnote@spacing}%
7893 \reset@font\foottextfont
7894 \@preamfntext

```

```

7895 \protected@edef\@currentlabel{%
7896   \csname p@footnote\endcsname\@thefnmark}%
7897 \color@begingroup
7898   \@sevenscolfootfmt{#1}%
7899 \color@endgroup}%
7900 \m@mmf@prepare}
7901 \bidi@ensure@newcommand{\@sevenscolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
7902   \def\baselinestretch{\m@mm@footnote@spacing}%
7903   \reset@font\LTRfoottextfont
7904   \@preamfntext
7905   \protected@edef\@currentlabel{%
7906     \csname p@footnote\endcsname\@thefnmark}%
7907   \color@begingroup
7908     \@sevenscolLTRfootfmt{#1}%
7909   \color@endgroup}%
7910   \m@mmf@prepare}
7911 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7912   \def\baselinestretch{\m@mm@footnote@spacing}%
7913   \reset@font\RTLfoottextfont
7914   \@preamfntext
7915   \protected@edef\@currentlabel{%
7916     \csname p@footnote\endcsname\@thefnmark}%
7917   \color@begingroup
7918     \@sevenscolRTLfootfmt{#1}%
7919   \color@endgroup}%
7920   \m@mmf@prepare}
7921 \bidi@ensure@newcommand{\@preamsevenfmt}{%
7922   \hsize .142\hsize
7923   \parindent=\z@
7924   \tolerance=5000\relax
7925   \leavevmode}
7926 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
7927   \@preamsevenfmt
7928   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7929 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
7930   \@preamsevenfmt
7931   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7932 \bidi@ensure@newcommand{\@sevenscolRTLfootfmt}[1]{%
7933   \@preamsevenfmt
7934   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7935 \bidi@ensure@newcommand{\@mpsevenscolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
7936   \global\setbox\@mpfootinsv@r\vbox{%
7937     \unvbox\@mpfootinsv@r
7938     \def\baselinestretch{\m@mm@footnote@spacing}%
7939     \reset@font\foottextfont
7940     \hsize\columnwidth \@parboxrestore
7941     \protected@edef\@currentlabel{%
7942       \csname p@mpfootnote\endcsname\@thefnmark}%
7943   \color@begingroup
7944     \@sevenscolfootfmt{#1}%

```

```

7945 \color@endgroup}%
7946 \m@mmf@prepare}
7947 \bidi@ensure@newcommand{\@mpsevenscolLTRfootnotetext}[1]{\@RTLfalse%
7948 \global\setbox\@mpfootinsv@r\vbox{%
7949 \unvbox\@mpfootinsv@r
7950 \def\baselinestretch{\m@m@footnote@spacing}%
7951 \reset@font\LTRfoottextfont
7952 \hsize\columnwidth \@parboxrestore
7953 \if@RTLcolumnfootnotes\beginL\fi
7954 \protected@edef\@currentlabel{%
7955 \csname p@mpfootnote\endcsname\@thefnmark}%
7956 \color@begingroup
7957 \@sevenscolLTRfootfmt{#1}%
7958 \color@endgroup}%
7959 \m@mmf@prepare}
7960 \bidi@ensure@newcommand{\@mpsevenscolRTLfootnotetext}[1]{\@RTLtrue%
7961 \global\setbox\@mpfootinsv@r\vbox{%
7962 \unvbox\@mpfootinsv@r
7963 \def\baselinestretch{\m@m@footnote@spacing}%
7964 \reset@font\RTLfoottextfont
7965 \hsize\columnwidth \@parboxrestore
7966 \protected@edef\@currentlabel{%
7967 \csname p@mpfootnote\endcsname\@thefnmark}%
7968 \color@begingroup
7969 \@sevenscolRTLfootfmt{#1}%
7970 \color@endgroup}%
7971 \m@mmf@prepare}
7972 \bidi@ensure@newcommand{\sevenscolumnfootstyle}[1]{%
7973 \m@make@sevenscolfootnotetext{#1}%
7974 \m@make@mpsevenscolfootnotetext{#1}%
7975 \m@make@sevenscolfootfmt{#1}%
7976 \m@make@sevenscol@footgroup{#1}%
7977 \m@make@mpsevenscol@footgroup{#1}%
7978 \m@make@footstart{#1}%
7979 \bidi@namelongdef{\footnotetext#1}##1{%
7980 \@nameuse{\sevenscolfootnotetext#1}{##1}}%
7981 \bidi@namelongdef{\mpfootnotetext#1}##1{%
7982 \@nameuse{\mpsevenscolfootnotetext#1}{##1}}%
7983 \@namedef{\footgroup#1}{\@nameuse{\sevenscol@footgroup#1}}%
7984 \@namedef{\mp@footgroup#1}{\@nameuse{\mpsevenscol@footgroup#1}}%
7985 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
7986 \expandafter\count\csname footins#1\endcsname=500\relax}
7987 \bidi@ensure@newcommand{\m@make@sevenscolfootnotetext}[1]{%
7988 \bidi@namelongdef{\sevenscolfootnotetext#1}##1{%
7989 \insert\@nameuse{footins#1}{%
7990 \def\baselinestretch{\m@m@footnote@spacing}%
7991 \reset@font\@nameuse{foottextfont#1}%
7992 \@preamfntext
7993 \protected@edef\@currentlabel{%
7994 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%

```

```

7995 \color@begingroup
7996 \@nameuse{@sevenscolfootfmt#1}{##1}%
7997 \color@endgroup}%
7998 \m@mmf@prepare}}
7999 \bidi@ensure@newcommand{\m@make@mpsevenscolfootnotetext}[1]{%
8000 \bidi@namelongdef{@mpsevenscolfootnotetext#1}##1{%
8001 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8002 \unvbox\@nameuse{@mpfootins#1}
8003 \def\baselinestretch{\m@m@footnote@spacing}%
8004 \reset@font\@nameuse{foottextfont#1}%
8005 \hsize\columnwidth \@parboxrestore
8006 \protected@edef\@currentlabel{%
8007 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8008 \color@begingroup
8009 \@nameuse{@sevenscolfootfmt#1}{##1}%
8010 \color@endgroup}\m@mmf@prepare}}
8011 \bidi@ensure@newcommand{\m@make@sevenscolfootfmt}[1]{%
8012 \@namedef{@sevenscolfootfmt#1}##1{%
8013 \@preamsevenfmt
8014 {\@nameuse{footfootmark#1}\strut
8015 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8016 \bidi@ensure@newcommand{\m@make@sevenscol@footgroup}[1]{%
8017 \@namedef{@sevenscol@footgroup#1}{%
8018 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8019 \m@r@rigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
8020 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
8021 \@namedef{@mpsevenscol@footgroup#1}{%
8022 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8023 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
8024 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
8025 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8026 \let\@footnotetext\@eightcolfootnotetext
8027 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
8028 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
8029 \dimen\footinsv@r=8\footinsdim
8030 \count\footinsv@r=125\relax
8031 \m@make@eightcol@footgroup{v@r}%
8032 \let\@footgroupv@r\@eightcol@footgroupv@r
8033 \let\@mpfootnotetext\@mpeightcolfootnotetext
8034 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
8035 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
8036 \m@make@mpeightcol@footgroup{v@r}%
8037 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
8038 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8039 \def\baselinestretch{\m@m@footnote@spacing}%
8040 \reset@font\foottextfont
8041 \@preamfntext
8042 \protected@edef\@currentlabel{%
8043 \csname p@footnote\endcsname\@thefnmark}%
8044 \color@begingroup

```



```

8045 \eightcolfootfmt{#1}%
8046 \color@endgroup}%
8047 \m@mmf@prepare}
8048 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8049 \def\baselinestretch{\m@m@footnote@spacing}%
8050 \reset@font\LTRfoottextfont
8051 \@preamfntext
8052 \protected@edef\@currentlabel{%
8053 \csname p@footnote\endcsname\@thefnmark}%
8054 \color@begingroup
8055 \eightcolLTRfootfmt{#1}%
8056 \color@endgroup}%
8057 \m@mmf@prepare}
8058 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8059 \def\baselinestretch{\m@m@footnote@spacing}%
8060 \reset@font\RTLfoottextfont
8061 \@preamfntext
8062 \protected@edef\@currentlabel{%
8063 \csname p@footnote\endcsname\@thefnmark}%
8064 \color@begingroup
8065 \eightcolRTLfootfmt{#1}%
8066 \color@endgroup}%
8067 \m@mmf@prepare}
8068 \bidi@ensure@newcommand{\@preameightfmt}{%
8069 \hsize .125\hsize
8070 \parindent=\z@
8071 \tolerance=5000\relax
8072 \leavevmode}
8073 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
8074 \@preameightfmt
8075 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8076 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
8077 \@preameightfmt
8078 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8079 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
8080 \@preameightfmt
8081 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8082 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
8083 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8084 \unvbox\@mpfootinsv@r
8085 \def\baselinestretch{\m@m@footnote@spacing}%
8086 \reset@font\foottextfont
8087 \hsize\columnwidth \@parboxrestore
8088 \protected@edef\@currentlabel{%
8089 \csname p@mpfootnote\endcsname\@thefnmark}%
8090 \color@begingroup
8091 \eightcolfootfmt{#1}%
8092 \color@endgroup}%
8093 \m@mmf@prepare}
8094 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%

```

```

8095 \global\setbox\@mpfootinsv\@vbox{\@RTLfalse%
8096 \unvbox\@mpfootinsv@r
8097 \def\baselinestretch{\m@m@footnote@spacing}%
8098 \reset@font\LTRfoottextfont
8099 \hsize\columnwidth \@parboxrestore
8100 \if@RTLcolumnfootnotes\beginL\fi
8101 \protected@edef\@currentlabel{%
8102 \csname p@mpfootnote\endcsname\@thefnmark}%
8103 \color@begingroup
8104 \@eightcolLTRfootfmt{#1}%
8105 \color@endgroup}%
8106 \m@mmf@prepare}
8107 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
8108 \global\setbox\@mpfootinsv\@vbox{\@RTLtrue%
8109 \unvbox\@mpfootinsv@r
8110 \def\baselinestretch{\m@m@footnote@spacing}%
8111 \reset@font\RTLfoottextfont
8112 \hsize\columnwidth \@parboxrestore
8113 \protected@edef\@currentlabel{%
8114 \csname p@mpfootnote\endcsname\@thefnmark}%
8115 \color@begingroup
8116 \@eightcolRTLfootfmt{#1}%
8117 \color@endgroup}%
8118 \m@mmf@prepare}
8119 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
8120 \m@make@eightcolfootnotetext{#1}%
8121 \m@make@mpeightcolfootnotetext{#1}%
8122 \m@make@eightcolfootfmt{#1}%
8123 \m@make@eightcol@footgroup{#1}%
8124 \m@make@mpeightcol@footgroup{#1}%
8125 \m@make@footstart{#1}%
8126 \bidi@namelongdef{\footnotetext#1}##1{%
8127 \@nameuse{\eightcolfootnotetext#1}{##1}}%
8128 \bidi@namelongdef{\mpfootnotetext#1}##1{%
8129 \@nameuse{\mpeightcolfootnotetext#1}{##1}}%
8130 \@namedef{\footgroup#1}{\@nameuse{\eightcol@footgroup#1}}%
8131 \@namedef{\mp@footgroup#1}{\@nameuse{\mpeightcol@footgroup#1}}%
8132 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8133 \expandafter\count\csname footins#1\endcsname=500\relax}
8134 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
8135 \bidi@namelongdef{\eightcolfootnotetext#1}##1{%
8136 \insert\@nameuse{footins#1}{%
8137 \def\baselinestretch{\m@m@footnote@spacing}%
8138 \reset@font\@nameuse{foottextfont#1}%
8139 \@preamfntext
8140 \protected@edef\@currentlabel{%
8141 \csname p@footnote#1\endcsname \@nameuse{\thefnmark#1}}%
8142 \color@begingroup
8143 \@nameuse{\eightcolfootfmt#1}{##1}%
8144 \color@endgroup}%

```

```

8145 \m@mmf@prepare}}
8146 \bidi@ensure@newcommand{\m@make@mpheightcolfootnotetext}[1]{%
8147 \bidi@namelongdef{\m@heightcolfootnotetext#1}##1{%
8148 \global\setbox\@nameuse{\mpfootins#1}\vbox{%
8149 \unvbox\@nameuse{\mpfootins#1}
8150 \def\baselinestretch{\m@m@footnote@spacing}%
8151 \reset@font\@nameuse{\foottextfont#1}%
8152 \hsize\columnwidth \@parboxrestore
8153 \protected@edef\@currentlabel{%
8154 \csname p@mpfootnote#1\endcsname\@nameuse{\thefnmark#1}}%
8155 \color@begingroup
8156 \@nameuse{\eightcolfootfmt#1}{##1}%
8157 \color@endgroup}\m@mmf@prepare}}
8158 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
8159 \@namedef{\eightcolfootfmt#1}##1{%
8160 \@preameightfmt
8161 {\@nameuse{\footfootmark#1}\strut
8162 {\@nameuse{\foottextfont#1}##1}\strut\par}\allowbreak}}
8163 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8164 \@namedef{\eightcol@footgroup#1}{\{
8165 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
8166 \m@rrigidbalance{\@nameuse{\footins#1}}{8}{\splittopskip}}}}
8167 \bidi@ensure@newcommand{\m@make@mpheightcol@footgroup}[1]{%
8168 \@namedef{\mpheightcol@footgroup#1}{\{
8169 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
8170 \m@rrigidbalance{\@nameuse{\mpfootins#1}}{8}{\splittopskip}}}}
8171 \bidi@ensure@newcommand{\necolumnfootnotes}{%
8172 \@namedef{\foottextfontv@r}{\foottextfont}% % [RS]
8173 \let\@footnotetext\@necolfootnotetext
8174 \let\@LTRfootnotetext\@necolLTRfootnotetext
8175 \let\@RTLfootnotetext\@necolRTLfootnotetext
8176 \dimen\footinsv@r=9\footinsdim
8177 \count\footinsv@r=111\relax
8178 \m@make@necol@footgroup{v@r}%
8179 \let\@footgroupv@r\@necol@footgroupv@r
8180 \let\@mpfootnotetext\@mpnecolfootnotetext
8181 \let\@mpLTRfootnotetext\@mpnecolLTRfootnotetext
8182 \let\@mpRTLfootnotetext\@mpnecolRTLfootnotetext
8183 \m@make@mpnecol@footgroup{v@r}%
8184 \let\mp@footgroupv@r\@mpnecol@footgroupv@r}
8185 \bidi@ensure@newcommand{\@necolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
8186 \def\baselinestretch{\m@m@footnote@spacing}%
8187 \reset@font\foottextfont
8188 \@preamfntext
8189 \protected@edef\@currentlabel{%
8190 \csname p@footnote\endcsname\@thefnmark}}%
8191 \color@begingroup
8192 \@necolfootfmt{#1}%
8193 \color@endgroup}%
8194 \m@mmf@prepare}

```

```

8195 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
8196 \def\baselinestretch{\m@m@footnote@spacing}%
8197 \reset@font\LTRfoottextfont
8198 \@preamfntext
8199 \protected@edef\@currentlabel{%
8200 \csname p@footnote\endcsname\@thefnmark}%
8201 \color@begingroup
8202 \@ninecolLTRfootfmt{#1}%
8203 \color@endgroup}%
8204 \m@mmf@prepare}
8205 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8206 \def\baselinestretch{\m@m@footnote@spacing}%
8207 \reset@font\RTLfoottextfont
8208 \@preamfntext
8209 \protected@edef\@currentlabel{%
8210 \csname p@footnote\endcsname\@thefnmark}%
8211 \color@begingroup
8212 \@ninecolRTLfootfmt{#1}%
8213 \color@endgroup}%
8214 \m@mmf@prepare}
8215 \bidi@ensure@newcommand{\@preamninefmt}{%
8216 \hsize .1\hsize
8217 \parindent=\z@
8218 \tolerance=5000\relax
8219 \leavevmode}
8220 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
8221 \@preamninefmt
8222 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8223 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
8224 \@preamninefmt
8225 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8226 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
8227 \@preamninefmt
8228 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8229 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
8230 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8231 \unvbox\@mpfootinsv@r
8232 \def\baselinestretch{\m@m@footnote@spacing}%
8233 \reset@font\foottextfont
8234 \hsize\columnwidth \@parboxrestore
8235 \protected@edef\@currentlabel{%
8236 \csname p@mpfootnote\endcsname\@thefnmark}%
8237 \color@begingroup
8238 \@ninecolfootfmt{#1}%
8239 \color@endgroup}%
8240 \m@mmf@prepare}
8241 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
8242 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8243 \unvbox\@mpfootinsv@r
8244 \def\baselinestretch{\m@m@footnote@spacing}%

```

```

8245 \reset@font\LTRfoottextfont
8246 \hsize\columnwidth \@parboxrestore
8247 \if@RTLcolumnfootnotes\beginL\fi
8248 \protected@edef\@currentlabel{%
8249 \csname p@mpfootnote\endcsname\@thefnmark}%
8250 \color@begingroup
8251 \@ninecolLTRfootfmt{#1}%
8252 \color@endgroup}%
8253 \m@mmf@prepare}
8254 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
8255 \global\setbox\@mpfootinsv\@vbox{\@RTLtrue%
8256 \unvbox\@mpfootinsv}
8257 \def\baselinestretch{\m@m@footnote@spacing}%
8258 \reset@font\RTLfoottextfont
8259 \hsize\columnwidth \@parboxrestore
8260 \protected@edef\@currentlabel{%
8261 \csname p@mpfootnote\endcsname\@thefnmark}%
8262 \color@begingroup
8263 \@ninecolRTLfootfmt{#1}%
8264 \color@endgroup}%
8265 \m@mmf@prepare}
8266 \bidi@ensure@newcommand{\@ninecolumnfootstyle}[1]{%
8267 \m@make@ninecolfootnotetext{#1}%
8268 \m@make@mpninecolfootnotetext{#1}%
8269 \m@make@ninecolfootfmt{#1}%
8270 \m@make@ninecol@footgroup{#1}%
8271 \m@make@mpninecol@footgroup{#1}%
8272 \m@make@footstart{#1}%
8273 \bidi@namelongdef{\@footnotetext#1}##1{%
8274 \@nameuse{\@ninecolfootnotetext#1}{##1}}%
8275 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8276 \@nameuse{\@mpninecolfootnotetext#1}{##1}}%
8277 \@namedef{\@footgroup#1}{\@nameuse{\@ninecol@footgroup#1}}%
8278 \@namedef{\@mpfootgroup#1}{\@nameuse{\@mpninecol@footgroup#1}}%
8279 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8280 \expandafter\count\csname footins#1\endcsname=500\relax}
8281 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
8282 \bidi@namelongdef{\@ninecolfootnotetext#1}##1{%
8283 \insert\@nameuse{footins#1}{%
8284 \def\baselinestretch{\m@m@footnote@spacing}%
8285 \reset@font\@nameuse{foottextfont#1}%
8286 \@preamfntext
8287 \protected@edef\@currentlabel{%
8288 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8289 \color@begingroup
8290 \@nameuse{\@ninecolfootfmt#1}{##1}%
8291 \color@endgroup}%
8292 \m@mmf@prepare}}
8293 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
8294 \bidi@namelongdef{\@mpninecolfootnotetext#1}##1{%

```

```

8295 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%
8296 \unvbox\@nameuse{\@mpfootins#1}
8297 \def\baselinestretch{\m@m@footnote@spacing}%
8298 \reset@font\@nameuse{\foottextfont#1}%
8299 \hsize\columnwidth \@parboxrestore
8300 \protected@edef\@currentlabel{%
8301 \csname p@mpfootnote#1\endcsname\@nameuse{\@thefnmark#1}}%
8302 \color@begingroup
8303 \@nameuse{\@ninecolfootfmt#1}{##1}%
8304 \color@endgroup}\m@mmf@prepare}}
8305 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
8306 \@namedef{\@ninecolfootfmt#1}{##1}%
8307 \@preamninefmt
8308 {\@nameuse{\footfootmark#1}\strut
8309 {\@nameuse{\foottextfont#1}{##1}\strut\par}\allowbreak}}
8310 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
8311 \@namedef{\@ninecol@footgroup#1}{%
8312 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
8313 \m@r@rigidbalance{\@nameuse{\footins#1}}{9}{\splittopskip}}}}
8314 \bidi@ensure@newcommand{\m@make@mp@ninecol@footgroup}[1]{%
8315 \@namedef{\@mp@ninecol@footgroup#1}{%
8316 \@nameuse{\foottextfont#1} \splittopskip=\ht\strutbox
8317 \m@r@rigidbalance{\@nameuse{\@mpfootins#1}}{9}{\splittopskip}}}}
8318 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
8319 \@namedef{\foottextfontv@r}{\foottextfont}% % [RS]
8320 \let\@footnotetext\@tencolfootnotetext
8321 \let\@LTRfootnotetext\@tencolLTRfootnotetext
8322 \let\@RTLfootnotetext\@tencolRTLfootnotetext
8323 \dimen\footinsv@r=10\footinsdim
8324 \count\footinsv@r=100\relax
8325 \m@make@tencol@footgroup{v@r}%
8326 \let\@footgroupv@r\@tencol@footgroupv@r
8327 \let\@mpfootnotetext\@mptencolfootnotetext
8328 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
8329 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
8330 \m@make@mptencol@footgroup{v@r}%
8331 \let\mp@footgroupv@r\@mptencol@footgroupv@r}
8332 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8333 \def\baselinestretch{\m@m@footnote@spacing}%
8334 \reset@font\foottextfont
8335 \@preamfntext
8336 \protected@edef\@currentlabel{%
8337 \csname p@footnote\endcsname\@thefnmark}%
8338 \color@begingroup
8339 \@tencolfootfmt{#1}%
8340 \color@endgroup}%
8341 \m@mmf@prepare}
8342 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
8343 \def\baselinestretch{\m@m@footnote@spacing}%
8344 \reset@font\LTRfoottextfont

```

```

8345 \@preamfntext
8346 \protected@edef\@currentlabel{%
8347   \csname p@footnote\endcsname\@thefnmark}%
8348 \color@begingroup
8349   \@tencolLTRfootfmt{#1}%
8350 \color@endgroup}%
8351 \m@mmf@prepare}
8352 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8353   \def\baselinestretch{\m@m@footnote@spacing}%
8354   \reset@font\RTLfoottextfont
8355   \@preamfntext
8356   \protected@edef\@currentlabel{%
8357     \csname p@footnote\endcsname\@thefnmark}%
8358   \color@begingroup
8359     \@tencolRTLfootfmt{#1}%
8360   \color@endgroup}%
8361   \m@mmf@prepare}
8362 \bidi@ensure@newcommand{\@preamtenfmt}{%
8363   \hsize .1\hsize
8364   \parindent=\z@
8365   \tolerance=5000\relax
8366   \leavevmode}
8367 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
8368   \@preamtenfmt
8369   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8370 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
8371   \@preamtenfmt
8372   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8373 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
8374   \@preamtenfmt
8375   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8376 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
8377   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8378     \unvbox\@mpfootinsv@r
8379     \def\baselinestretch{\m@m@footnote@spacing}%
8380     \reset@font\foottextfont
8381     \hsize\columnwidth \@parboxrestore
8382     \protected@edef\@currentlabel{%
8383       \csname p@mpfootnote\endcsname\@thefnmark}%
8384     \color@begingroup
8385       \@tencolfootfmt{#1}%
8386     \color@endgroup}%
8387     \m@mmf@prepare}
8388 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
8389   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8390     \unvbox\@mpfootinsv@r
8391     \def\baselinestretch{\m@m@footnote@spacing}%
8392     \reset@font\LTRfoottextfont
8393     \hsize\columnwidth \@parboxrestore
8394     \if@RTLcolumnfootnotes\beginL\fi

```

```

8395 \protected@edef\@currentlabel{%
8396 \csname p@mpfootnote\endcsname\@thefnmark}%
8397 \color@begingroup
8398 \@tencolLTRfootfmt{#1}%
8399 \color@endgroup}%
8400 \m@mmf@prepare}
8401 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
8402 \global\setbox\@mpfootinsv\@vbox{\@RTLtrue%
8403 \unvbox\@mpfootinsv\@r
8404 \def\baselinestretch{\@m@footnote@spacing}%
8405 \reset@font\RTLfoottextfont
8406 \hsize\columnwidth \@parboxrestore
8407 \protected@edef\@currentlabel{%
8408 \csname p@mpfootnote\endcsname\@thefnmark}%
8409 \color@begingroup
8410 \@tencolRTLfootfmt{#1}%
8411 \color@endgroup}%
8412 \m@mmf@prepare}
8413 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
8414 \m@make@tencolfootnotetext{#1}%
8415 \m@make@mptencolfootnotetext{#1}%
8416 \m@make@tencolfootfmt{#1}%
8417 \m@make@tencol@footgroup{#1}%
8418 \m@make@mptencol@footgroup{#1}%
8419 \m@make@footstart{#1}%
8420 \bidi@namelongdef\@footnotetext#1##1{%
8421 \@nameuse{\@tencolfootnotetext#1}{##1}}%
8422 \bidi@namelongdef\@mpfootnotetext#1##1{%
8423 \@nameuse{\@mptencolfootnotetext#1}{##1}}%
8424 \@namedef{\@footgroup#1}{\@nameuse{\@tencol@footgroup#1}}%
8425 \@namedef{\mp@footgroup#1}{\@nameuse{\@mptencol@footgroup#1}}%
8426 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8427 \expandafter\count\csname footins#1\endcsname=500\relax}
8428 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
8429 \bidi@namelongdef\@tencolfootnotetext#1##1{%
8430 \insert\@nameuse{\footins#1}{%
8431 \def\baselinestretch{\@m@footnote@spacing}%
8432 \reset@font\@nameuse{\foottextfont#1}%
8433 \@preamfntext
8434 \protected@edef\@currentlabel{%
8435 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8436 \color@begingroup
8437 \@nameuse{\@tencolfootfmt#1}{##1}%
8438 \color@endgroup}%
8439 \m@mmf@prepare}}
8440 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
8441 \bidi@namelongdef\@mptencolfootnotetext#1##1{%
8442 \global\setbox\@nameuse{\@mpfootins#1}\@vbox{%
8443 \unvbox\@nameuse{\@mpfootins#1}
8444 \def\baselinestretch{\@m@footnote@spacing}%

```



```

8445 \reset@font\@nameuse{foottextfont#1}%
8446 \hsize\columnwidth \@parboxrestore
8447 \protected@edef\@currentlabel{%
8448 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8449 \color@begingroup
8450 \@nameuse{@tencolfootfmt#1}{##1}%
8451 \color@endgroup}\m@mmf@prepare}}
8452 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
8453 \@namedef{@tencolfootfmt#1}{##1}%
8454 \@preamtenfmt
8455 {\@nameuse{footfootmark#1}\strut
8456 {\@nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
8457 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
8458 \@namedef{@tencol@footgroup#1}{%
8459 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8460 \m@r rigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
8461 \bidi@ensure@newcommand{\m@make@emptencol@footgroup}[1]{%
8462 \@namedef{@emptencol@footgroup#1}{%
8463 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8464 \m@r rigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}}
8465 \bidi@ensure@newcommand{\m@munvxh}[1]{%
8466 \setbox0=\vbox{\unvbox#1
8467 \global\setbox1=\lastbox}%
8468 \unhbox1
8469 \unskip
8470 \unskip
8471 \unpenalty
8472 \hskip\m@mipn@skip}
8473 \bidi@ensure@newcommand{\m@mungebox}{%
8474 \setbox0=\hbox{\m@munvxh0}%
8475 \dp0=\z@
8476 \ht0=\footfudgefactor\wd0
8477 \box0
8478 \penalty0}
8479 \newskip\m@mipn@skip
8480 \bidi@ensure@newcommand*{\m@minterparanoteglua}[1]{%
8481 {\foottextfont\global\m@mipn@skip=#1\relax}}
8482 \m@minterparanoteglua{1em plus.4em minus.4em}
8483 \@ifpackageloaded{multicol}{%
8484 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8485 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8486 \hsize\textwidth%
8487 \setbox0=\hbox{}%
8488 \loop
8489 \unpenalty
8490 \setbox2=\lastbox
8491 \ifhbox2
8492 \setbox0=\hbox{\box2\unhbox0}
8493 \repeat}
8494 }{%

```

```

8495 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
8496 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
8497 \setbox0=\hbox{}}%
8498 \loop
8499 \unpenalty
8500 \setbox2=\lastbox
8501 \ifhbox2
8502 \setbox0=\hbox{\box2\unhbox0}
8503 \repeat}}
8504 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
8505 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
8506 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
8507 \bidi@ensure@newcommand{\paragraphfootnotes}{%
8508 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8509 \let\@footnotetext\@parafootnotetext
8510 \let\@LTRfootnotetext\@paraLTRfootnotetext
8511 \let\@RTLfootnotetext\@paraRTLfootnotetext
8512 \dimen\footinsv@r=\footinsdim
8513 \count\footinsv@r=1000\relax
8514 \m@mmake@para@footgroup{v@r}%
8515 \let\@footgroupv@r\@para@footgroupv@r
8516 \let\@mpfootnotetext\@mpparafootnotetext
8517 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
8518 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
8519 \m@mmake@mppara@footgroup{v@r}%
8520 \let\mp@footgroupv@r\@mppara@footgroupv@r
8521 {\foottextfont
8522 \dimen0=\baselineskip
8523 \multiply\dimen0 by 1024
8524 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
8525 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
8526 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8527 \def\baselinestretch{\m@m@footnote@spacing}%
8528 \reset@font\foottextfont
8529 \@preamfntext
8530 \protected@edef\@currentlabel{%
8531 \csname p@footnote\endcsname\@thefnmark}%
8532 \setbox0=\vbox{\hsize=\maxdimen
8533 \color@begingroup
8534 \noindent \@parafootmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\beginL\fi}%
8535 \color@endgroup}%
8536 \m@mungebox}\m@mmf@prepare}
8537 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8538 \def\baselinestretch{\m@m@footnote@spacing}%
8539 \reset@font\LTRfoottextfont
8540 \@preamfntext
8541 \protected@edef\@currentlabel{%
8542 \csname p@footnote\endcsname\@thefnmark}%
8543 \setbox0=\vbox{\hsize=\maxdimen
8544 \color@begingroup

```

```

8545 \noindent \@paraLTRfootfmt{\beginL#1\endL}%
8546 \color@endgroup}%
8547 \m@mungebox}\m@mmf@prepare}
8548 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
8549 \def\baselinestretch{\m@m@footnote@spacing}%
8550 \reset@font\RTLfoottextfont
8551 \@preamfntext
8552 \protected@edef\@currentlabel{%
8553 \csname p@footnote\endcsname\@thefnmark}%
8554 \setbox0=\vbox{\hsize=\maxdimen
8555 \color@begingroup
8556 \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8557 \color@endgroup}%
8558 \m@mungebox}\m@mmf@prepare}
8559 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
8560 \parindent=\z@
8561 \parfillskip=0pt \@plus 1fil
8562 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
8563 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
8564 \parindent=\z@
8565 \parfillskip=0pt \@plus 1fil
8566 {\footfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
8567 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
8568 \parindent=\z@
8569 \parfillskip=0pt \@plus 1fil
8570 {\footfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
8571 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
8572 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8573 \unvbox\@mpfootinsv@r
8574 \def\baselinestretch{\m@m@footnote@spacing}%
8575 \reset@font\foottextfont
8576 \hsize\columnwidth \@parboxrestore
8577 \protected@edef\@currentlabel{%
8578 \csname p@mpfootnote\endcsname\@thefnmark}%
8579 \setbox0=\vbox{\hsize=\maxdimen
8580 \color@begingroup
8581 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\beginL\fi#1\if@RTL@footnote\endR}%
8582 \color@endgroup}%
8583 \m@mungebox}\m@mmf@prepare}
8584 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
8585 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8586 \unvbox\@mpfootinsv@r
8587 \def\baselinestretch{\m@m@footnote@spacing}%
8588 \reset@font\LTRfoottextfont
8589 \hsize\columnwidth \@parboxrestore
8590 \protected@edef\@currentlabel{%
8591 \csname p@mpfootnote\endcsname\@thefnmark}%
8592 \setbox0=\vbox{\hsize=\maxdimen
8593 \color@begingroup
8594 \noindent \@paraLTRfootfmt{\beginL#1\endL}%

```

```

8595         \color@endgroup}%
8596 \m@mungebox}\m@mmf@prepare}
8597 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
8598   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8599     \unvbox\@mpfootinsv@r
8600     \def\baselinestretch{\m@m@footnote@spacing}%
8601     \reset@font\RTLfoottextfont
8602     \hsize\columnwidth \@parboxrestore
8603     \protected@edef\@currentlabel{%
8604       \csname p@mpfootnote\endcsname\@thefnmark}%
8605     \setbox0=\vbox{\hsize=\maxdimen
8606       \color@begingroup
8607       \noindent \@paraRTLfootfmt{\beginR#1\endR}%
8608       \color@endgroup}%
8609   \m@mungebox}\m@mmf@prepare}
8610 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
8611   \m@make@parafootnotetext{#1}%
8612   \m@make@mpparafootnotetext{#1}%
8613   \m@make@parafootfmt{#1}%
8614   \m@make@para@footgroup{#1}%
8615   \m@make@mppara@footgroup{#1}%
8616   \m@make@para@footstart{#1}%
8617   \bidi@namelongdef{\@footnotetext#1}##1{%
8618     \@nameuse{\@parafootnotetext#1}{##1}}%
8619   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8620     \@nameuse{\@mpparafootnotetext#1}{##1}}%
8621   \@namedef{\@footgroup#1}{\@nameuse{\@para@footgroup#1}}%
8622   \@namedef{\mp@footgroup#1}{\@nameuse{\@mppara@footgroup#1}}%
8623   \@namedef{\@footstart#1}{\@nameuse{\@para@footstart#1}}%
8624   \expandafter\dimen\csname footins#1\endcsname=\footinsdim
8625   \expandafter\count\csname footins#1\endcsname=1000\relax
8626   {\@nameuse{\foottextfont#1}}%
8627   \dimen0=\baselineskip
8628   \multiply\dimen0 by 1024
8629   \divide\dimen0 by \hsize \multiply\dimen0 by 64
8630   \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
8631 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
8632   \bidi@namelongdef{\@parafootnotetext#1}##1{%
8633     \insert\@nameuse{\footins#1}{
8634       \def\baselinestretch{\m@m@footnote@spacing}%
8635       \reset@font\@nameuse{\foottextfont#1}%
8636       \@preamfntext
8637       \protected@edef\@currentlabel{%
8638         \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8639       \setbox0=\vbox{\hsize=\maxdimen
8640         \color@begingroup
8641         \noindent \@nameuse{\@parafootfmt#1}{##1}%
8642         \color@endgroup}%
8643       \m@mungebox}\m@mmf@prepare}}
8644 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%

```

```

8645 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
8646   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8647     \unvbox\@nameuse{@mpfootins#1}
8648     \def\baselinestretch{\m@m@footnote@spacing}%
8649     \reset@font\@nameuse{foottextfont#1}%
8650     \hsize\columnwidth \@parboxrestore
8651     \protected@edef\@currentlabel{%
8652       \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8653     \setbox0=\vbox{\hsize=\maxdimen
8654       \color@begingroup
8655       \noindent \@nameuse{@parafootfmt#1}{##1}%
8656       \color@endgroup}%
8657     \m@mungebox}\m@mmf@prepare}}
8658 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
8659 \bidi@namelongdef{@parafootfmt#1}##1{%
8660   \parindent=\z@
8661   \parfillskip=0pt \@plus 1fil
8662   {\@nameuse{footfootmark#1}\strut
8663     {\@nameuse{foottextfont#1}##1}\penalty-10}}}
8664 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
8665 \@namedef{@para@footgroup#1}{%
8666   \unvbox\@nameuse{footins#1}
8667   \m@mmakehboxofhboxes
8668   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
8669   \@nameuse{foottextfont#1}%
8670   \noindent\unhbox0\par}}
8671 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
8672 \@namedef{@mppara@footgroup#1}{%
8673   \unvbox\@nameuse{@mpfootins#1}
8674   \m@mmakehboxofhboxes
8675   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
8676   \@nameuse{foottextfont#1}%
8677   \noindent\unhbox0\par}}
8678 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
8679 \@namedef{@para@footstart#1}{%
8680   \vskip\bigskipamount
8681   \leftskip=\z@
8682   \rightskip=\z@
8683   \parindent=\z@
8684   \vskip\skip\@nameuse{footins#1}%
8685   \footnoterule}}
8686 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
8687   \xdef\@freelist{\@freelist\@midlist}%
8688   \global\let\@midlist\@empty
8689   \@combinefloats}
8690 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
8691   \ifvbox\@kludgeins
8692     \@makespecialcolbox
8693   \else
8694     \setbox\@outputbox \vbox to\@colht{%

```

```

8695      \@texttop
8696      \dimen@ \dp\@outputbox
8697      \unvbox \@outputbox
8698      \vskip -\dimen@
8699      \@textbottom}%
8700  \fi}
8701  \bidi@ensure@newcommand*{\m@m@makecolintro}{\fi}
8702  \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
8703    \boxmaxdepth\@maxdepth
8704    \@tempdima\dp\@cclv
8705    \unvbox\@cclv
8706    \vskip-\@tempdima
8707    \vskip \skip\footins
8708    \color@begingroup
8709      \normalcolor
8710      \footnoterule
8711      \unvbox \footins
8712    \color@endgroup}}
8713  \bidi@ensure@newcommand*{\m@mopsidebar}{\fi}
8714  \ifvoid\sideins\else
8715    \setbox\@outputbox \vbox{%
8716      \sidecontents
8717      \unvbox\@outputbox}
8718  \fi}
8719  \gdef\mem@makecol{%
8720    \m@m@makecolintro
8721    \ifvoid\footins
8722      \setbox\@outputbox \box\@cclv
8723    \else
8724      \m@mopfootnote
8725    \fi
8726    \m@m@doextrafeet
8727    \m@m@makecolfloats
8728    \m@mopsidebar
8729    \m@m@makecoltext
8730    \global \maxdepth \@maxdepth}
8731  \bidi@ensure@newcommand{\feetabovelfloat}{\gdef\@makecol{\mem@makecol}}
8732  \feetabovelfloat%

```

7.53 extreport-xetex-bidi.def

```

8733  \ProvidesFile{extreport-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extreport class]
8734  \renewcommand*\l@part[2]{%
8735    \ifnum \c@tocdepth >-2\relax
8736      \addpenalty{-\@highpenalty}%
8737      \addvspace{2.25em \@plus\p@}%
8738      \begingroup
8739        \setlength\@tempdima{3em}%
8740        \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
8741        \parfillskip -\@pnumwidth

```

```

8742     {\leavevmode
8743     \large \bfseries #1\hfil \hb@xt@{\pnumwidth{\hss #2}}\par
8744     \nobreak
8745     \global\@nobreaktrue
8746     \everypar{\global\@nobreakfalse\everypar{}}%
8747   \endgroup
8748 \fi}
8749 \renewcommand*{\l@chapter[2]{%
8750   \ifnum \c@tocdepth >\m@ne
8751     \addpenalty{-\@highpenalty}%
8752     \vskip 1.0em \@plus\p@
8753     \setlength\@tempdima{1.5em}%
8754     \begingroup
8755       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8756       \parfillskip -\@pnumwidth
8757       \leavevmode \bfseries
8758       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
8759       \hskip -\if@RTL\rightskip\else\leftskip\fi
8760       #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
8761       \penalty\@highpenalty
8762     \endgroup
8763 \fi}
8764 \def\@makechapterhead#1{%
8765   \vspace*{50\p@}%
8766   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8767     \ifnum \c@secnumdepth >\m@ne
8768       \huge\bfseries \@chapapp\space \thechapter
8769       \par\nobreak
8770       \vskip 20\p@
8771     \fi
8772     \interlinepenalty\@M
8773     \Huge \bfseries #1\par\nobreak
8774     \vskip 40\p@
8775   }}
8776 \def\@makeschapterhead#1{%
8777   \vspace*{50\p@}%
8778   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8779     \normalfont
8780     \interlinepenalty\@M
8781     \Huge \bfseries #1\par\nobreak
8782     \vskip 40\p@
8783   }}
8784 \renewcommand\left@footnoterule{%
8785   \kern-3\p@
8786   \hrule\@width.4\columnwidth
8787   \kern2.6\p@}
8788 \renewcommand\right@footnoterule{%
8789   \hbox to \columnwidth
8790   {\beginR \vbox{%
8791     \kern-3\p@

```

```

8792 \hrule\@width.4\columnwidth
8793 \kern2.6\p@\hfil\endR}}
8794 \renewenvironment{thebibliography}[1]
8795     {\chapter*{\bibname
8796         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8797         \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
8798         \list{\@biblabel{\@arabic\c@enumiv}}%
8799             {\settowidth\labelwidth{\@biblabel{#1}}%
8800              \leftmargin\labelwidth
8801              \advance\leftmargin\labelsep
8802              \@openbib@code
8803              \usecounter{enumiv}%
8804              \let\p@enumiv\@empty
8805              \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8806         \sloppy\clubpenalty4000\widowpenalty4000%
8807         \sfcode'\.\@m}
8808     {\def\@noitemerr
8809      {\@latex@warning{Empty 'thebibliography' environment}}}%
8810     \endlist}
8811 \if@titlepage
8812 \renewcommand\maketitle{\begin{titlepage}%
8813 \let\footnotesize\small
8814 \let\right@footnoterule\relax
8815 \let\left@footnoterule\relax
8816 \let\textwidth\footnoterule\relax
8817 \let\footnote\thanks
8818 \null\vfil
8819 \vskip 60\p@
8820 \begin{center}%
8821     {\LARGE \@title \par}%
8822     \vskip 3em%
8823     {\large
8824       \lineskip .75em%
8825       \begin{tabular}[t]{c}%
8826         \@author
8827         \end{tabular}\par}%
8828     \vskip 1.5em%
8829     {\large \@date \par}%           % Set date in \large size.
8830 \end{center}\par
8831 \@thanks
8832 \vfil\null
8833 \end{titlepage}%
8834 \setcounter{footnote}{0}%
8835 \global\let\thanks\relax
8836 \global\let\maketitle\relax
8837 \global\let\@thanks\@empty
8838 \global\let\@author\@empty
8839 \global\let\@date\@empty
8840 \global\let\@title\@empty
8841 \global\let\title\relax

```



```

8842 \global\let\author\relax
8843 \global\let\date\relax
8844 \global\let\and\relax
8845 }
8846 \else
8847 \renewcommand\maketitle{\par
8848 \begin{group}
8849 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8850 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8851 \long\def\@makefntext##1{\parindent 1em\noindent
8852 \hb@xt@1.8em{%
8853 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8854 \if@twocolumn
8855 \ifnum \col@number=\@ne
8856 \maketitle
8857 \else
8858 \twocolumn[\maketitle]%
8859 \fi
8860 \else
8861 \newpage
8862 \global\@topnum\z@ % Prevents figures from going at top of page.
8863 \maketitle
8864 \fi
8865 \thispagestyle{plain}\@thanks
8866 \endgroup
8867 \setcounter{footnote}{0}%
8868 \global\let\thanks\relax
8869 \global\let\maketitle\relax
8870 \global\let\@maketitle\relax
8871 \global\let\@thanks\@empty
8872 \global\let\@author\@empty
8873 \global\let\@date\@empty
8874 \global\let\@title\@empty
8875 \global\let\title\relax
8876 \global\let\author\relax
8877 \global\let\date\relax
8878 \global\let\and\relax
8879 }
8880 \def\@maketitle{%
8881 \newpage
8882 \null
8883 \vskip 2em%
8884 \begin{center}%
8885 \let \footnote \thanks
8886 {\LARGE \@title \par}%
8887 \vskip 1.5em%
8888 {\large
8889 \lineskip .5em%
8890 \begin{tabular}[t]{c}%
8891 \@author

```

```

8892     \end{tabular}\par}%
8893     \vskip 1em%
8894     {\large \@date}%
8895 \end{center}%
8896 \par
8897 \vskip 1.5em}
8898 \fi
8899 \renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
8900 \renewcommand\thesubsection   {\thesection\@SepMark\@arabic\csubsection}
8901 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\csubsubsection}
8902 \renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8903 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8904 \renewcommand\theequation{%
8905   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
8906 \renewcommand\thefigure{%
8907   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8908 \renewcommand\thetable{%
8909   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```

7.54 fancybox-xetex-bidi.def

```

8910 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
8911 \def\fancy@oval#1#2#3{%
8912   \boxmaxdepth \maxdimen
8913   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
8914   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
8915   \@ovxx#1\relax
8916   \advance\@ovxx-\@wholewidth
8917   \@ovyy#2\relax
8918   \advance\@ovyy-\@wholewidth
8919   \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \@ovxx\else \@ovyy \fi
8920   \advance\@tempdimb-2\p@
8921   \ifdim\@tempdimb>\the@cornersize\relax
8922     \@tempdimb=\the@cornersize
8923   \fi
8924   \@getcirc\@tempdimb
8925   \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
8926   \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
8927   \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
8928   \@circlefnt
8929   \setbox\@tempboxa\hbox{\beginL%
8930     \if@ovr \@ovvert32\kern -\@tempdima \fi
8931     \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
8932     \if@ovt \@ovhorz \kern -\@ovxx \fi
8933     \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
8934   \advance\@ovdx\@ovro
8935   \advance\@ovdy\@ovro
8936   \advance\@ovxx\@wholewidth
8937   \wd\@tempboxa=\@ovxx
8938   \dp\@tempboxa=\z@}

```

7.55 fancyhdr-xetex-bidi.def

```

8939 \ProvidesFile{fancyhdr-xetex-bidi.def}[2012/04/18 v0.4 bidi adaptations for fancyhdr package]
8940 \let\fnch@everypar\everypar%
8941 \def\@fancyhead#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox{
8942   \@fancyvbox\headheight\hbox
8943     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTL
8944       \parbox[b]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\el
8945       \llap{\parbox[b]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTL
8946 \def\@fancyfoot#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox{
8947   \@fancyvbox\footskip\footrule
8948     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2
8949     \parbox[t]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR
8950     \llap{\parbox[t]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTL

```

7.56 **fix2col-xetex-bidi.def**

```

8951 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for xetex]
8952 \def\RTL@outputdblcol{%
8953   \if@firstcolumn
8954     \global\@firstcolumnfalse
8955     \global\setbox\@leftcolumn\copy\@outputbox
8956     \splitmaxdepth\maxdimen
8957     \vbadness\maxdimen
8958     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
8959     \toks@\expandafter{\topmark}%
8960     \xdef\@firstcoltopmark{\the\toks@}%
8961     \toks@\expandafter{\splitfirstmark}%
8962     \xdef\@firstcolfirstmark{\the\toks@}%
8963     \ifx\@firstcolfirstmark\@empty
8964       \global\let\@setmarks\relax
8965     \else
8966       \gdef\@setmarks{%
8967         \let\firstmark\@firstcolfirstmark
8968         \let\topmark\@firstcoltopmark}%
8969     \fi
8970 \else \global\@firstcolumntrue
8971 \setbox\@outputbox \vbox {\hbox to\textwidth {%
8972   \hskip \columnwidth
8973   \hfil \vrule width\columnseprule \hfil
8974   \hbox to\columnwidth {\box\@leftcolumn \hss}%
8975   \hskip -\textwidth
8976   \hbox to\columnwidth{\box\@outputbox \hss}%
8977   \hskip \columnsep
8978   \hskip \columnwidth }}%
8979 \@combinedblfloats \@setmarks \@outputpage
8980 \begingroup \@dblfloatplacement \@startdblcolumn
8981 \@whiles\if@fcolmade \fi
8982 {\@outputpage \@startdblcolumn }\endgroup
8983 \fi}
8984 \def\LTR@outputdblcol{%

```

```

8985 \if@firstcolumn
8986   \global\@firstcolumnfalse
8987   \global\setbox\@leftcolumn\copy\@outputbox
8988   \splitmaxdepth\maxdimen
8989   \vbadness\maxdimen
8990   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
8991   \toks@\expandafter{\topmark}%
8992   \xdef\@firstcoltopmark{\the\toks@}%
8993   \toks@\expandafter{\splitfirstmark}%
8994   \xdef\@firstcolfirstmark{\the\toks@}%
8995   \ifx\@firstcolfirstmark\empty
8996     \global\let\@setmarks\relax
8997   \else
8998     \gdef\@setmarks{%
8999       \let\firstmark\@firstcolfirstmark
9000       \let\topmark\@firstcoltopmark}%
9001   \fi
9002 \else
9003   \global\@firstcolumntrue
9004   \setbox\@outputbox\vbox{%
9005     \hb@xt@\textwidth{%
9006       \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
9007       \hfil
9008       \vrule \@width\columnseprule
9009       \hfil
9010       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
9011 \@combinedblfloats
9012 \@setmarks
9013 \@outputpage
9014 \begingroup
9015   \@dblfloatplacement
9016   \@startdblcolumn
9017   \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
9018 \endgroup
9019 \fi}

```

7.57 fleqn-xetex-bidi.def

```

9020 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
9021 \renewcommand\[\{\relax
9022   \ifmmode\@badmath
9023   \else
9024     \begin{trivlist}%
9025       \@beginparpenalty\predisplaypenalty
9026       \@endparpenalty\postdisplaypenalty
9027       \item[]\leavevmode
9028       \hb@xt@\linewidth\bggroup \beginL$\m@th\displaystyle %$
9029       \hskip\mathindent\bggroup
9030   \fi}
9031 \renewcommand\[\{\relax

```

```

9032         \ifmmode
9033             \egroup $\hfil% $
9034         \endL\egroup
9035         \end{trivlist}%
9036         \else \@badmath
9037         \fi}
9038 \renewenvironment{equation}%
9039     {\@beginparpenalty\predisplaypenalty
9040     \@endparpenalty\postdisplaypenalty
9041     \refstepcounter{equation}%
9042     \trivlist \item[]\leavevmode
9043     \hb@xt@\linewidth\bgroup\beginL $\m@th% $
9044     \displaystyle
9045     \hskip\mathindent}%
9046     {$\hfil % $
9047     \displaywidth\linewidth\hbox{\@eqnnum}%
9048     \endL\egroup
9049     \endtrivlist}

```

7.58 float-xetex-bidi.def

```

9050 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
9051 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
9052 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
9053 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
9054 \def\float@newx#1[#2]{\ifundefined{c@#1}{\newcounter{#1}[#2]%
9055 \expandafter\edef\csname the#1\endcsname{%
9056 \expandafter\noexpand\csname
9057 the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
9058 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

7.59 floatrow-xetex-bidi.def

```

9059 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
9060 \renewcommand\flnew@within[1]{\@addtoreset{FB@captype}{#1}%
9061 \expandafter\edef\csname theFB@captype\endcsname{%
9062 \expandafter\noexpand\csname
9063 the#1\endcsname\@SepMark\noexpand\arabic{FB@captype}}}

```

7.60 flowfram-xetex-bidi.def

```

9064 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package
9065 \def\@outputdblcol{%
9066 \@nxtcol=\c@thisframe
9067 \c@curpg=\c@page
9068 \g@tnextcol{\@nxtcol}%
9069 \if@ff@nwpg % next flow frame starts on new page
9070 \global\@firstcolumntrue
9071 \setcolbox\c@thisframe
9072 \if@specialpage
9073 \global\@specialpagefalse
9074 \nameuse{ps@\@specialstyle}\relax

```

```

9075 \fi
9076 \if@twoside
9077   \ifodd\count\z@
9078     \let\@thehead\@oddhead
9079     \let\@thefoot\@oddfoot
9080   \else
9081     \let\@thehead\@evenhead
9082     \let\@thefoot\@evenfoot
9083   \fi
9084 \else
9085   \let\@thehead\@oddhead
9086   \let\@thefoot\@oddfoot
9087 \fi
9088 \@beginndvi
9089 \@dodynamicthehead\@dodynamicthefoot
9090 \vbadness=\@M
9091 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
9092 \@combinedblfloats
9093 \@outputpage
9094 \advance\c@curpg by -\c@page\relax
9095 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
9096   \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
9097 \@outputpage}
9098 \begingroup
9099   \@dblfloatplacement
9100   \@startdblcolumn
9101   \@whilesw \if@fcolmade \fi
9102     {\@outputpage \@startdblcolumn }\endgroup
9103 \@resetst@tics
9104 \@resetdyn@pics
9105 \else % still on same page, save contents of box255
9106   \global\@firstcolumnfalse
9107   \setcolbox\c@thisframe
9108 \fi
9109 \global\c@thisframe=\@nxtcol
9110 \setcol{\c@thisframe}\relax
9111 \global\@colht\vsz
9112 }
9113 \def\@outputpage{%
9114 \begingroup
9115   \let\protect\noexpand
9116   \@resetactivechars
9117   \global\let\@if@newlist\if@newlist
9118   \global\@newlistfalse\@parboxrestore
9119   \shipout\vbox{\set@typeset@protect
9120     \aftergroup
9121     \endgroup
9122     \aftergroup
9123     \set@typeset@protect
9124     \reset@font\normalsize\normalsfcodes

```

```

9125 \let\label\@gobble
9126 \let\index\@gobble
9127 \let\glossary\@gobble
9128 \baselineskip\z@skip
9129 \lineskip\z@skip
9130 \lineskiplimit\z@
9131 \vskip\topmargin\moveright\@themargin
9132 \vbox{%
9133     \vskip\headheight
9134     \vskip\headsep
9135     \box\@outputbox
9136 }%
9137 \global\let\if@newlist\@if@newlist
9138 \stepcounter{page}%
9139 \setcounter{displayedframe}{0}%
9140 \let\firstmark\botmark}
9141
9142
9143 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
9144 \expandafter\bidicolor\ff@txtcol}}
9145
9146 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
9147 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
9148
9149
9150 \renewcommand*\@docolbox}[1]{%
9151 \edef\ff@frametype{%
9152 \csname @ff@frametype@\romannumeral#1\endcsname}%
9153 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
9154 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
9155 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
9156 \@ff@setoffset{#1}%
9157 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
9158 \ifthenelse{\boolean{columnframe\romannumeral#1}}{\}%
9159 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
9160 {\csname colheight\romannumeral#1\endcsname}}{%
9161 \expandafter\box\csname column\romannumeral#1\endcsname}{%
9162 \csname\ff@frametype\endcsname}%
9163 }{%
9164 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
9165 {\csname colheight\romannumeral#1\endcsname}}{%
9166 \expandafter\box\csname column\romannumeral#1\endcsname}%
9167 }}}
9168 \@ifclassloaded{book}{%
9169 \renewcommand\theequation
9170 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9171 \renewcommand \thefigure
9172 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9173 \renewcommand \thetable
9174 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}

```

```

9175 \renewcommand \thechapter {\@arabic\c@chapter}
9176 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9177 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9178 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
9179 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9180 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9181 \@ifclassloaded{report}{%
9182 \renewcommand \theequation
9183   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9184 \renewcommand \thefigure
9185   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9186 \renewcommand \thetable
9187   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9188 \renewcommand \thechapter {\@arabic\c@chapter}
9189 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9190 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9191 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
9192 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9193 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9194 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
9195 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
9196 \else
9197 #2\relax
9198 \fi}

```

7.61 footnote-xetex-bidi.def

```

9199 \ProvidesFile{footnote-xetex-bidi.def}[2013/04/26 v0.8 bidi footnote macros for XeTeX engine]
9200 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
9201 \newif\ifbidi@autofootnoterule
9202 \def\bidi@mpfootnoterule{\footnoterule}
9203 \newcounter{footdir@label}
9204 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
9205 \newcommand*{\footdir@write}{%
9206   \stepcounter{footdir@label}%
9207   \zref@labelbyprops{\thefootdir@label}{abspage}%
9208 }
9209 \newif\iffootdir@debug
9210 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
9211 \newtoks\footdir@toks
9212 \newcommand*{\footdir@debug}[1]{%
9213   \iffootdir@debug
9214     \typeout{[footdir] #1}%
9215   \fi
9216 }
9217 \@ifpackagelater{zref-abspage}{2012/10/27}{%
9218   \newcommand*{\footdir@LeftRightElse}{%
9219     \ltx@ifundefined{footdir@\the\value{zabspage}}{%
9220       \footdir@debug{abspage \the\value{zabspage}: else}%
9221       \ltx@thirdofthree

```



```

9222 }{%
9223   \if\csname footdir@\the\value{zabspage}\endcsname L%
9224     \footdir@debug{abspage \the\value{zabspage}: left}%
9225     \expandafter\ltx@firstofthree
9226   \else
9227     \footdir@debug{abspage \the\value{zabspage}: right}%
9228     \expandafter\ltx@secondofthree
9229   \fi
9230 }%
9231 }%
9232 }{%
9233   \providecommand*{\c@zabspage}{\c@abspage}%
9234   \newcommand*{\footdir@LeftRightElse}{%
9235     \footdir@write
9236     \zifrefundefined{\thefootdir@label}{%
9237       \footdir@debug{abspage ??: else}%
9238       \ltx@thirdofthree
9239     }{%
9240       \edef\footdir@abspage{%
9241         \zref@extractdefault{\thefootdir@label}{abspage}{0}%
9242       }%
9243       \ltx@ifundefined{footdir@\footdir@abspage}{%
9244         \footdir@debug{\footdir@abspage: else}%
9245         \ltx@thirdofthree
9246       }{%
9247         \if\csname footdir@\footdir@abspage\endcsname L%
9248           \footdir@debug{\footdir@abspage: left}%
9249           \expandafter\ltx@firstofthree
9250         \else
9251           \footdir@debug{\footdir@abspage: right}%
9252           \expandafter\ltx@secondofthree
9253         \fi
9254       }%
9255     }%
9256   }%
9257 }
9258 \newcommand*{\footdir@fntext}[1]{%
9259   \zifrefundefined{\thefootdir@label}{%
9260     }{%
9261       \edef\footdir@name{%
9262         footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
9263       }%
9264       \@ifundefined{footdir@name}{%
9265         \expandafter\gdef\csname\footdir@name\endcsname{#1}%
9266       }{}%
9267     }%
9268 }
9269
9270 \newcommand*{\footdir@temp}[3]{%
9271   \@ifdefinable{#1}{%

```

```

9272 \let#1#2%
9273 \renewcommand{#2}[1]{%
9274 \footdir@write
9275 \footdir@fntext{#3}%
9276 \stepcounter{footdir@label}%
9277 \footdir@fntext{#3}%
9278 \footdir@toks{##1}%
9279 \footdir@toks\expandafter{%
9280 \the\expandafter\footdir@toks
9281 \expandafter
9282 \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
9283 }%
9284 \expandafter#1\expandafter{\the\footdir@toks}%
9285 }%
9286 }%
9287 }
9288
9289 \def\right@footnoterule{%
9290 \hbox to \columnwidth
9291 {\beginR \vbox{\kern -3\p@
9292 \hrule width .4\columnwidth \kern2.6\p@}\hfil\endR}}
9293 \def\left@footnoterule{%
9294 \hrule width .4\columnwidth\kern 2.6\p@}
9295 \def\textwidth@footnoterule{\kern-3\p@
9296 \hrule \@width \columnwidth \kern 2.6\p@}
9297 \def\leftfootnoterule{%
9298 \bidi@autofootnoterulefalse%
9299 \def\footnoterule{\left@footnoterule}}
9300 \let\LRfootnoterule=\leftfootnoterule
9301 \def\rightfootnoterule{%
9302 \bidi@autofootnoterulefalse%
9303 \def\footnoterule{\right@footnoterule}}
9304 \def\textwidthfootnoterule{%
9305 \bidi@autofootnoterulefalse%
9306 \def\footnoterule{\textwidth@footnoterule}}
9307
9308
9309
9310 \def\auto@footnoterule{%
9311 \footdir@LeftRightElse%
9312 \left@footnoterule%
9313 \right@footnoterule%
9314 \left@footnoterule%
9315 }
9316
9317
9318
9319 \def\autofootnoterule{%
9320 \bidi@autofootnoteruletrue%
9321 \def\footnoterule{\auto@footnoterule}%

```

```

9322 }
9323
9324 \newcommand*{\SplitFootnoteRule}{%
9325   \gdef\split@prev{0}
9326   \let\pagefootnoterule\footnoterule
9327   \let\mpfootnoterule\footnoterule
9328   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
9329   \def\footnoterule{\relax
9330     \ifx \@listdepth\@mplistdepth
9331       \mpfootnoterule
9332     \else
9333       \ifnum\split@prev=\z@
9334         \pagefootnoterule
9335       \else
9336         \splitfootnoterule
9337       \fi
9338       \xdef\split@prev{\the\insertpenalties}%
9339     \fi
9340   }%
9341 }
9342
9343
9344
9345
9346 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
9347   \protected@xdef\@thefnmark{\thempfn}%
9348   \@footnotemark\@RTLfootnotetext}}
9349 \def\@xRTLfootnote[#1]{%
9350   \begingroup
9351     \csname c@\@mpfn\endcsname #1\relax
9352     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9353   \endgroup
9354   \@footnotemark\@RTLfootnotetext}
9355 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
9356   \protected@xdef\@thefnmark{\thempfn}%
9357   \@footnotemark\@LTRfootnotetext}}
9358 \def\@xLTRfootnote[#1]{%
9359   \begingroup
9360     \csname c@\@mpfn\endcsname #1\relax
9361     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9362   \endgroup
9363   \@footnotemark\@LTRfootnotetext}
9364
9365
9366 \def\setfootnoteRL{\@RTL@footnotetrue}
9367 \def\unsetfootnoteRL{\@RTL@footnotefalse}
9368 \def\setfootnoteLR{\unsetfootnoteRL}
9369
9370 \long\def\@footnotetext#1{\insert\footins{%
9371   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%

```

```

9372 \reset@font\footnotesize
9373 \interlinepenalty\interfootnotelinepenalty
9374 \splittopskip\footnotesep
9375 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9376 \hsize\columnwidth \@parboxrestore
9377 \protected@edef\@currentlabel{%
9378 \csname p@footnote\endcsname\@thefnmark
9379 }%
9380 \color@begingroup
9381 \makefnintext{%
9382 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9383 \color@endgroup}}%
9384
9385
9386 \long\def\@RTLfootnotetext#1{\insert\footins{%
9387 \RTLtrue%
9388 \reset@font\footnotesize
9389 \interlinepenalty\interfootnotelinepenalty
9390 \splittopskip\footnotesep
9391 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9392 \hsize\columnwidth \@parboxrestore
9393 \protected@edef\@currentlabel{%
9394 \csname p@footnote\endcsname\@thefnmark
9395 }%
9396 \color@begingroup
9397 \makefnintext{%
9398 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9399 \color@endgroup}}%
9400
9401 \long\def\@LTRfootnotetext#1{\insert\footins{%
9402 \RTLfalse%
9403 \reset@font\footnotesize
9404 \interlinepenalty\interfootnotelinepenalty
9405 \splittopskip\footnotesep
9406 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
9407 \hsize\columnwidth \@parboxrestore
9408 \protected@edef\@currentlabel{%
9409 \csname p@footnote\endcsname\@thefnmark
9410 }%
9411 \color@begingroup
9412 \makefnintext{%
9413 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9414 \color@endgroup}}%
9415
9416 \AtBeginDocument{%
9417 \if@RTL@footnote
9418 \newcommand*{\bidi@footdir@footnote}{R}
9419 \else
9420 \newcommand*{\bidi@footdir@footnote}{L}
9421 \fi%

```

```

9422 }
9423
9424 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
9425 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
9426 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
9427
9428 \long\def\@mpRTLfootnotetext#1{%
9429   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnoterule
9430   \global\setbox\@mpfootins\vbox{\@RTLtrue%
9431     \unvbox\@mpfootins
9432     \reset@font\footnotesize
9433     \hsize\columnwidth
9434     \@parboxrestore
9435     \protected@edef\@currentlabel
9436       {\csname p@mpfootnote\endcsname\@thefnmark}%
9437     \color@begingroup
9438     \@makefntext{%
9439       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9440     \color@endgroup}}
9441 \long\def\@mpLTRfootnotetext#1{%
9442   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule
9443   \global\setbox\@mpfootins\vbox{\@RTLfalse%
9444     \unvbox\@mpfootins
9445     \reset@font\footnotesize
9446     \hsize\columnwidth
9447     \@parboxrestore
9448     \protected@edef\@currentlabel
9449       {\csname p@mpfootnote\endcsname\@thefnmark}%
9450     \color@begingroup
9451     \@makefntext{%
9452       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9453     \color@endgroup}}
9454 \long\def\@mpfootnotetext#1{%
9455   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footnoterule
9456   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9457     \unvbox\@mpfootins
9458     \reset@font\footnotesize
9459     \hsize\columnwidth
9460     \@parboxrestore
9461     \protected@edef\@currentlabel
9462       {\csname p@mpfootnote\endcsname\@thefnmark}%
9463     \color@begingroup
9464     \@makefntext{%
9465       \rule{z@footnotesep\ignorespaces#1\@finalstrut\strutbox}%
9466     \color@endgroup}}
9467 \def\@iiiminipage#1#2[#3]#4{%
9468   \leavevmode
9469   \@pboxswfalse
9470   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
9471   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi

```

```

9472 \setlength\@tempdima{#4}%
9473 \def\@mpargs{#{#1}{#2}[#3]{#4}}%
9474 \setbox\@tempboxa\vbox\bgroup
9475 \color@begingroup
9476 \hsize\@tempdima
9477 \textwidth\hsize \columnwidth\hsize
9478 \@parboxrestore
9479 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
9480 \let\@footnotetext\@mpfootnotetext
9481 \let\@LTRfootnotetext\@mpLTRfootnotetext
9482 \let\@RTLfootnotetext\@mpRTLfootnotetext
9483 \let\@listdepth\@mplistdepth \@mplistdepth\z@
9484 \@minipagerestore
9485 \setminipage}
9486 \def\endminipage{%
9487 \par
9488 \unskip
9489 \ifvoid\@mpfootins\else
9490 \vskip\skip\@mpfootins
9491 \normalcolor
9492 \bidi\@mpfootnoterule
9493 \unvbox\@mpfootins
9494 \fi
9495 \@minipagefalse %% added 24 May 89
9496 \color@endgroup
9497 \egroup
9498 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
9499 \def\LTRthanks#1{\footnotemark
9500 \protected@xdef\@thanks{\@thanks
9501 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
9502 }
9503 \def\LTRfootnotetext{%
9504 \ifnextchar [\@xLTRfootnotenext
9505 {\protected@xdef\@thefnmark{\thempfn}%
9506 \@LTRfootnotetext}}
9507 \def\@xLTRfootnotenext[#1]{%
9508 \begingroup
9509 \csname c@\@mpfn\endcsname #1\relax
9510 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9511 \endgroup
9512 \@LTRfootnotetext}
9513 \def\RTLthanks#1{\footnotemark
9514 \protected@xdef\@thanks{\@thanks
9515 \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
9516 }
9517 \let\@thanks\@empty
9518 \def\RTLfootnotetext{%
9519 \ifnextchar [\@xRTLfootnotenext
9520 {\protected@xdef\@thefnmark{\thempfn}%
9521 \@RTLfootnotetext}}

```

```

9522 \def\xRTLfootnotenext[#1]{%
9523   \begingroup
9524     \csname c@\@mpfn\endcsname #1\relax
9525     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9526   \endgroup
9527   \@RTLfootnotetext}
9528 \leftfootnoterule

```

7.62 framed-xetex-bidi.def

```

9529 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
9530 \renewcommand\TitleBarFrame[3][\begingroup
9531   \ifx\delimiter#1\delimiter
9532     \let\TF@conlab\@empty
9533   \else
9534     \def\TF@conlab{% continuation label
9535     \nointerlineskip
9536     \smash{\rlap{\kern\wd\@tempboxa\kern\fbboxrule\kern\fbboxsep #1}}}%
9537   \fi
9538   %\let\TF@savecolor\current@color
9539   \textcolor{TFFrameColor}{%
9540   \CustomFBox
9541     {\TF@Title{#2}}{\TF@conlab}%
9542     \fbboxrule\fbboxrule\fbboxrule\fbboxrule
9543     %{\let\current@color\TF@savecolor\set@color #3}%
9544     {\normalcolor #3}%
9545   }\endgroup
9546 }
9547 \renewenvironment{titled-frame}[1]{%
9548   \def\FrameCommand{\fbboxsep8pt\fbboxrule2pt
9549     \TitleBarFrame{\textbf{#1}}}%
9550   \def\FirstFrameCommand{\fbboxsep8pt\fbboxrule2pt
9551     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
9552   \def\MidFrameCommand{\fbboxsep8pt\fbboxrule2pt
9553     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont
9554   \def\LastFrameCommand{\fbboxsep8pt\fbboxrule2pt
9555     \TitleBarFrame{\textbf{#1\ (cont)}}}%
9556   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
9557 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
9558 % could interfere with the width measurement.
9559 {\endMakeFramed}
9560 \chardef\FrameRestore=\catcode'\| % for debug
9561 \catcode'\|=\catcode'\% % (debug: insert space after backslash)
9562 \def\fb@put@frame#1#2{\relax
9563   \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
9564   | \message{===== Entering putframe =====^^J
9565   | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
9566   \ifinner
9567     \fb@putboxa#1%
9568     \fb@afterframe

```

```

9569 \else
9570 \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
9571 \ifdim\dimen@<2\baselineskip % Too little room on page
9572 | \message{Page has only \the\dimen@\space room left; eject. }%
9573 \eject \fb@adjheight \fb@put@frame#1#2%
9574 \else % there's appreciable room left on the page
9575 \fb@sizeofframe#1%
9576 | \message{\string\pagetotal=\the\pagetotal,
9577 | \string\pagegoal=\the\pagegoal,
9578 | \string\pagestretch=\the\pagestretch,
9579 | \string\pageshrink=\the\pageshrink,
9580 | \string\fb@frh=\the\fb@frh. \space}
9581 | \message{^^JBox of size \the\ht\@tempboxa\space}%
9582 \begingroup % temporarily set \dimen@ to be...
9583 \advance\dimen@.8\pageshrink % maximum space available on page
9584 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
9585 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
9586 \expandafter\endgroup
9587 % expand \ifdim, then restore \dimen@ to real room left on page
9588 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
9589 | \message{fits in \the\dimen@. }%
9590 % ToDo: Change this to use vsplit anyway to capture the marks
9591 % MERGE THIS WITH THE else CLAUSE!!!
9592 \fb@putboxa#1%
9593 \fb@afterframe
9594 \else % box must be split
9595 | \message{must be split to fit in \the\dimen@. }%
9596 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
9597 \fb@sizeofframe#2%
9598 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
9599 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
9600 \kern137sp\kern-137sp\penalty-30
9601 \unvbox\@tempboxa}%
9602 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
9603 \splittopskip\the\splittopskip}%
9604 \boxmaxdepth\z@ \splittopskip\z@
9605 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
9606 % Split box here
9607 \setbox\tw@\vsplit\@tempboxa to\dimen@
9608 | \toks99\expandafter{\splitfirstmark}%
9609 | \toks98\expandafter{\splitbotmark}%
9610 | \message{Marks are: \the\toks99, \the\toks98. }%
9611 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
9612 | \message{Natural height of split box is \the\ht\tw@, leaving
9613 | \the\ht\@tempboxa\space remainder. }%
9614 % If the split-to size > (\vsize-\topskip), then set box to full size.
9615 \begingroup
9616 \advance\dimen@\topskip
9617 \expandafter\endgroup
9618 \ifdim\dimen@>\pagegoal

```



```

9619 |      \message{Frame is big -- Use up the full column. }%
9620      \dimen@ii\pagegoal
9621      \advance\dimen@ii -\topskip
9622      \advance\dimen@ii \FrameHeightAdjust\relax
9623      \else % suspect this is implemented incorrectly:
9624      % If the split-to size > feasible room_on_page, rebox it smaller.
9625      \advance\dimen@.8\pageshrink
9626      \ifdim\ht\tw@>\dimen@
9627 |      \message{Box too tall; rebox it to \the\dimen@. }%
9628      \dimen@ii\dimen@
9629      \else % use natural size
9630      \dimen@ii\ht\tw@
9631      \fi
9632      \fi
9633      % Re-box contents to desired size \dimen@ii
9634      \advance\dimen@ii -\fb@frh
9635      \setbox\tw@\vbox to\dimen@ii \bgroup
9636      % remove simulated frame and page flexibility:
9637      \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
9638      \unvbox\tw@ \unpenalty\unpenalty
9639      \ifdim\lastkern=-137sp % whole box went to next page
9640 |      \message{box split at beginning! }%
9641      % need work here???
9642      \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
9643      \fb@adjheight
9644      \fb@put@frame#1#2% INSERTED ???
9645      \else % Got material split off at the head
9646      \egroup \fb@resto@set
9647      \ifvoid\@tempboxa % it all fit after all
9648 |      \message{box split at end! }%
9649      \setbox\@tempboxa\box\tw@
9650      \fb@putboxa#1%
9651      \fb@afterframe
9652      \else % it really did split
9653 |      \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
9654      \ifdim\wd\tw@>\z@
9655      \wd\tw@\wd\@tempboxa
9656      \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
9657      \else
9658 |      \message{Zero width means likely blank. Don't frame it (guess)}%
9659      \box\tw@
9660      \fi
9661      \hrule \@height\z@ \@width\hsize
9662      \eject
9663      \fb@adjheight
9664      \fb@put@frame\LastFrameCommand\MidFrameCommand
9665      \fi\fi\fi\fi\fi
9666 }
9667 \def\fb@putboxa#1{%
9668   \ifvoid\@tempboxa

```

```

9669 \PackageWarning{framed}{Boxa is void -- discard it. }%
9670 \else
9671 | \message{Frame and place boxa. }%
9672 | %{\showoutput\showbox\@tempboxa}%
9673 \centerline{#1{\hboxL{\box\@tempboxa}}}%
9674 \fi
9675 }
9676 \catcode'\|=\FrameRestore
9677 \def\FrameRestore{%
9678 \let\if@nobreak\iffalse
9679 \let\if@noskipsec\iffalse
9680 \let\-\@dischph
9681 \let'\@acci\let'\@accii\let\=\@acciii
9682 % \message{FrameRestore:
9683 % \totalleftmargin=\the \totalleftmargin,
9684 % \rightmargin=\the\rightmargin,
9685 % \listdepth=\the\@listdepth. }%
9686 % Test if we are in a list (or list-like paragraph)
9687 \ifnum \ifdim\totalleftmargin>\z@ 1\fi
9688 \ifdim\rightmargin>\z@ 1\fi
9689 \ifnum\@listdepth>\z@ 1\fi 0>\z@
9690 % \message{In a list: \linewidth=\the\linewidth, \totalleftmargin=\the\totalleftmargin,
9691 % \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
9692 % \labelwidth=\the\labelwidth. }%
9693 \@setminipage % snug fit around the item
9694 % Now try to propagate changes of width from \hsize to list parameters.
9695 % This is deficient, but a more advanced way to indicate modification to text
9696 % dimensions is not (yet) provided; in particular, no separate left/right
9697 % adjustment.
9698 \advance\linewidth-\columnwidth \advance\linewidth\hsize
9699 \parshape\@ne \@totalleftmargin \linewidth
9700 \else % Not in list
9701 \linewidth=\hsize
9702 %\message{No list, set \string\linewidth=\the\hsize. }%
9703 \fi
9704 \sloppy
9705 }

```

7.63 ftnright-xetex-bidi.def

```

9706 \ProvidesFile{ftnright-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for ftnright package]
9707 \def\LTR@outputdblcol{\if@firstcolumn
9708 \global\@firstcolumnfalse
9709 \global\setbox\@leftcolumn\box\@outputbox
9710 \global\count\footins\@m
9711 \global\skip\footins\rcol@footinsskip
9712 \else \preparefootins
9713 \global\@firstcolumntrue
9714 \setbox\@outputbox\vbox{\hbox to\textwidth
9715 {\hbox to\columnwidth

```

```

9716             {\box\@leftcolumn\hss}%
9717     \hfil\vrule\@width\columnseprule\hfil
9718     \hbox to\columnwidth
9719             {\box\@outputbox\hss}}}%
9720 \@combinedblfloats\@outputpage
9721 \begingroup
9722   \@dblfloatplacement\@startdblcolumn
9723   \@whiles\if@fcolmade\fi
9724   {\@outputpage\@startdblcolumn}%
9725 \endgroup
9726 \fi}
9727 \def\RTL@outputdblcol{\if@firstcolumn
9728   \global\@firstcolumnfalse
9729   \global\setbox\@leftcolumn\box\@outputbox
9730   \global\count\footins\@m
9731   \global\skip\footins\rcol@footinsskip
9732 \else \preparefootins
9733   \global\@firstcolumntrue
9734   \setbox\@outputbox\vbox{\hbox to\textwidth
9735     {\hskip \columnwidth
9736       \hfil \vrule width\columnseprule \hfil
9737       \hbox to\columnwidth
9738         {\box\@leftcolumn\hss}%
9739       \hskip -\textwidth
9740       \hbox to\columnwidth
9741         {\box\@outputbox\hss}
9742       \hskip \columnsep
9743       \hskip \columnwidth}}}%
9744 \@combinedblfloats\@outputpage
9745 \begingroup
9746   \@dblfloatplacement\@startdblcolumn
9747   \@whiles\if@fcolmade\fi
9748   {\@outputpage\@startdblcolumn}%
9749 \endgroup
9750 \fi}
9751 \let\leftfootnoterule\@empty
9752 \let\rightfootnoterule\@empty
9753 \let\textwidthfootnoterule\@empty
9754 \let\autofootnoterule\@empty
9755 \let\footnoterule\@empty
9756 \long\def\@makefntext#1{\parindent 1em
9757   \noindent\hbox to 2em{}}%
9758   \llap{\@thefnmark\hbox{.}\,\,\,}#1}

```

7.64 graphicx-xetex-bidi.def

```

9759 \ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package]
9760 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
9761   \Grot@setangle{#1}%
9762   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}

```

```

9763 \Grot@x\z@
9764 \Grot@y\z@
9765 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
9766 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
9767 \leavevmode
9768 \def\Gscale@x{#1}\def\Gscale@y{#2}%
9769 \setbox\z@\hbox{#{#3}}%
9770 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
9771 \ifdim#2\p@<\z@
9772 \ht\tw@-#2\dp\z@
9773 \dp\tw@-#2\ht\z@
9774 \else
9775 \ht\tw@#2\ht\z@
9776 \dp\tw@#2\dp\z@
9777 \fi
9778 \ifdim#1\p@<\z@
9779 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
9780 \else
9781 \wd\tw@#1\wd\z@
9782 \box\tw@
9783 \fi\ifmmode\else\if@RTL\endL\fi\fi}
9784 \def\Gin@iii[#1,#2][#3,#4]#5{%
9785 \begingroup
9786 \ifmmode\else\if@RTL\beginL\fi\fi
9787 \Gin@bboxtrue
9788 \Gin@defaultbp\Gin@llx{#1}%
9789 \Gin@defaultbp\Gin@lly{#2}%
9790 \Gin@defaultbp\Gin@urx{#3}%
9791 \Gin@defaultbp\Gin@ury{#4}%
9792 \Gin@include@graphics{#5}%
9793 \ifmmode\else\if@RTL\endL\fi\fi
9794 \endgroup}
9795 \def\Gin@ii[#1]#2{%
9796 \def\@tempa{[]}\def\@tempb{#2}%
9797 \ifx\@tempa\@tempb
9798 \def\@tempa{\Gin@iii[#1] []}%
9799 \expandafter\@tempa
9800 \else
9801 \begingroup
9802 \ifmmode\else\if@RTL\beginL\fi\fi
9803 \@tempswafalse
9804 \toks@{\Gin@include@graphics{#2}}%
9805 \setkeys{Gin}{#1}%
9806 \Gin@esetsize
9807 \the\toks@
9808 \ifmmode\else\if@RTL\endL\fi\fi
9809 \endgroup
9810 \fi}
9811 \def\reflectbox{\bidiGscale@box-1[1]}
9812 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%

```

```

9813 \leavevmode
9814 \def\Gscale@x{#1}\def\Gscale@y{#2}%
9815 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
9816 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
9817 \ifdim#2\p@<\z@
9818 \ht\tw@-#2\dp\z@
9819 \dp\tw@-#2\ht\z@
9820 \else
9821 \ht\tw@#2\ht\z@
9822 \dp\tw@#2\dp\z@
9823 \fi
9824 \ifdim#1\p@<\z@
9825 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
9826 \else
9827 \wd\tw@#1\wd\z@
9828 \box\tw@
9829 \fi\ifmmode\else\if@RTL\endL\fi\fi}
9830 \def\scalebox#1{%
9831 \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
9832 \def\resizebox{%
9833 \leavevmode
9834 \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
9835 \def\bidiGscale@@box#1#2#3{%
9836 \let@tempa\Gin@exclamation
9837 \expandafter\def\expandafter@tempb\expandafter{\string#2}%
9838 \expandafter\def\expandafter@tempc\expandafter{\string#3}%
9839 \ifx@tempb@tempa
9840 \ifx@tempc@tempa
9841 \toks@{\mbox}%
9842 \else
9843 \toks@{\bidiGscale@box@dd{#3}#1}%
9844 \fi
9845 \else
9846 \ifx@tempc@tempa
9847 \toks@{\bidiGscale@box@dd{#2}\width}%
9848 \else
9849 \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
9850 \fi
9851 \fi
9852 \the\toks@}
9853 \long\def\bidiGscale@box@dd#1#2#3{%
9854 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
9855 \setlength\@tempdima{#1}%
9856 \setlength\@tempdimb{#2}%
9857 \Gscale@div\@tempa\@tempdima\@tempdimb
9858 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
9859 \@end@tempboxa}
9860 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
9861 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi}%
9862 \setlength\@tempdima{#1}%

```

```

9863 \setlength\@tempdimb{#2}%
9864 \Gscale@div\@tempa\@tempdima\@tempdimb
9865 \setlength\@tempdima{#3}%
9866 \setlength\@tempdimb{#4}%
9867 \Gscale@div\@tempb\@tempdima\@tempdimb
9868 \ifGin@iso
9869 \ifdim\@tempa\p@>\@tempb\p@
9870 \let\@tempa\@tempb
9871 \else
9872 \let\@tempb\@tempa
9873 \fi
9874 \fi
9875 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
9876 \end@tempboxa}

```

7.65 geometry-xetex-bidi.def

```

9877 \ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package]
9878 \renewcommand*{\Gm@vrules@mpi}{%
9879 \if@RTLmain%
9880 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9881 \llap{\Gm@vrule}\ignorespaces
9882 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9883 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
9884 \else%
9885 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
9886 \hskip \textwidth\Gm@vrule\hskip \marginparsep
9887 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
9888 \renewcommand*{\Gm@vrules@mpii}{%
9889 \if@RTLmain%
9890 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
9891 \hskip \textwidth\Gm@vrule\hskip \marginparsep
9892 \llap{\Gm@vrule}\hfil\Gm@vrule}%
9893 \else%
9894 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
9895 \llap{\Gm@vrule}\ignorespaces
9896 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
9897 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
9898

```

7.66 hvfloat-xetex-bidi.def

```

9899 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package]
9900 \def\do@hvFloat[#1]#2#3{%
9901 \def\hv@shortCap{#1}
9902 \def\hv@longCap{#2}
9903 \def\hv@label{#3}
9904 %\newcommand*{\hvFloat}[5][{}]{%
9905 % [#1]: keyvalues
9906 % #2: type figure | table | ...
9907 % #3: float contents

```

```

9908 % [#4]: short caption
9909 % #5: caption
9910 % #6: label
9911 % \setDefault%
9912 % \def\@tempa{#1}%
9913 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
9914 % \def\@tempa{90}%
9915 % \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
9916 % \else \setlength{\hvMaxCapWidth}{\linewidth}
9917 % \fi
9918 %
9919 % First we save the object in \hvObjectBox
9920 %
9921 % \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
9922 % \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
9923 % \else
9924 % \savebox{\hvObjectBox}{%
9925 % \rotatebox{\hvSet@objectAngle}{%
9926 % \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
9927 % \fi
9928 % \setlength{\hvObjectWidth}{\wd\hvObjectBox}
9929 %
9930 % Now we save the caption with its defined \hvCapWidth
9931 %
9932 % \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
9933 % \else
9934 % \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
9935 % \else
9936 % \setlength{\hvCapWidth}{\hvObjectWidth}
9937 % \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9938 % \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
9939 % \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
9940 % \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
9941 % \else
9942 % \setlength{\hvCapWidth}{\hvMaxCapWidth}
9943 % \fi
9944 % \fi
9945 % \fi
9946 %
9947 % now we have the object and the caption with the right
9948 % rotated angles saved in boxes
9949 %
9950 % \def\fps@figure{\hvSet@floatPos}
9951 % \ifhv@nonFloat\begin{group}% Start the nonfloat part
9952 % \else \begin{\hv@floatType}% Start the floating environment
9953 % \fi%
9954 % \saveCaptionSkip% we put this space ourselves
9955 % \ifx\hvSet@capAngle\hv@Width % need rotation?
9956 % \sbox{\hvCaptionBox}{%
9957 % \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation

```

```

9958         \ifhv@nonFloat%
9959 \ifhv@onlyText#2%
9960     \else%
9961         \ifx\hv@floatType\hv@figure
9962             \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
9963         \else
9964             \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
9965         \fi
9966     \fi
9967 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
9968 \fi%
9969 \label{#3}%
9970     \end{minipage}%
9971 }%
9972 \else%
9973     \sbox{\hvCaptionBox}{%
9974         \rotatebox{\hvSet@capAngle}{%
9975             \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
9976 \ifhv@nonFloat%
9977     \ifhv@onlyText#2%
9978     \else%
9979     \ifx\hv@floatType\hv@figure
9980         \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
9981     \else
9982         \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
9983     \fi
9984     \fi
9985 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
9986     \fi%
9987     \label{#3}%
9988     \end{minipage}%
9989 }%
9990 }%
9991 \fi%
9992 %%
9993 \restoreCaptionSkip% save old values
9994 \ifx\hvSet@objectPos\hv@Right\@bidi@raggedleft%
9995 \else%
9996     \ifx\hvSet@objectPos\hv@Center
9997         \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
9998     \fi%
9999 \fi%
10000 %
10001 % to rotate object and caption together, we save all in another box
10002 % the caption comes first, if its on the left or the top
10003 %
10004 \savebox{\@tempboxa}{%
10005     \ifx\hvSet@capPos\hv@Left % caption on left side
10006 \if@RTL%
10007 \ifx\hvSet@capVPos\hv@Center%

```



```

10008 \ifhv@fbox
10009 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10010 \else
10011 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10012 \fi%
10013 \hspace{\hvSet@floatCapSep pt}%
10014 \ifhv@fbox
10015 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10016 \else
10017 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10018 \fi%
10019 \else%
10020 \ifx\hvSet@capVPos\hv@Top
10021 \ifhv@fbox
10022 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10023 \else
10024 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10025 \fi%
10026 \hspace{\hvSet@floatCapSep pt}%
10027 \ifhv@fbox
10028 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10029 \else
10030 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10031 \fi
10032 \else
10033 \ifhv@fbox
10034 \fbox{\usebox{\hvObjectBox}}%
10035 \else
10036 \usebox{\hvObjectBox}%
10037 \fi
10038 \hspace{\hvSet@floatCapSep pt}%
10039 \ifhv@fbox
10040 \fbox{\usebox{\hvCaptionBox}}%
10041 \else
10042 \usebox{\hvCaptionBox}%
10043 \fi%
10044 \fi%
10045 \fi%
10046 \else% not RTL
10047 \ifx\hvSet@capVPos\hv@Center%
10048 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10049 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10050 \fi%
10051 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10052 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10053 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10054 \fi%
10055 \else%
10056 \ifx\hvSet@capVPos\hv@Top % caption at top
10057 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%

```

```

10058      \else      \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10059      \fi
10060      \hspace{\hvSet@floatCapSep pt}% capfloatsep
10061      \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10062      \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
10063      \fi%
10064      \else% caption on bottom
10065      \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10066      \else\usebox{\hvCaptionBox}
10067      \fi%
10068      \hspace{\hvSet@floatCapSep pt}%
10069      \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10070      \else      \usebox{\hvObjectBox}
10071      \fi%
10072      \fi%
10073 \fi% end of RTL
10074 \fi%
10075 \else
10076 \ifx\hvSet@capPos\hv@Top
10077 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10078 \begin{minipage}{\wd\hvCaptionBox}
10079 \else
10080 \begin{minipage}{\wd\hvObjectBox}
10081 \fi
10082 \centering
10083 \ifhv@fbox
10084 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
10085 \fbbox{\usebox{\hvObjectBox}}
10086 \else
10087 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
10088 \usebox{\hvObjectBox}
10089 \fi%
10090 \end{minipage}
10091 \else
10092 \ifx\hvSet@capPos\hv@Bottom
10093 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10094 \begin{minipage}{\wd\hvCaptionBox}
10095 \else
10096 \begin{minipage}{\wd\hvObjectBox}
10097 \fi
10098 \centering
10099 \ifhv@fbox
10100 \fbbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
10101 \fbbox{\usebox{\hvCaptionBox}}
10102 \else
10103 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
10104 \usebox{\hvCaptionBox}
10105 \fi%
10106 \end{minipage}
10107 \else% the last option: put the caption on the right

```

```

10108 \if@RTL%
10109     \ifx\hvSet@capVPos\hv@Center%
10110         \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10111         \else         \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10112         \fi%
10113         \hspace{\hvSet@floatCapSep pt}% capfloatsep
10114         \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10115         \else         \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10116         \fi%
10117     \else%
10118         \ifx\hvSet@capVPos\hv@Top % caption at top
10119             \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10120             \else         \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10121             \fi
10122             \hspace{\hvSet@floatCapSep pt}% capfloatsep
10123             \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10124             \else         \raisebox{-\height}{\usebox{\hvObjectBox}}%
10125             \fi%
10126         \else% caption on bottom
10127             \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10128             \else\usebox{\hvCaptionBox}
10129             \fi%
10130             \hspace{\hvSet@floatCapSep pt}%
10131             \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10132             \else         \usebox{\hvObjectBox}
10133             \fi%
10134         \fi%
10135     \fi%
10136 \else% not RTL
10137 \ifx\hvSet@capVPos\hv@Center%
10138 \ifhv@fbox
10139 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10140 \else
10141 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10142 \fi%
10143 \hspace{\hvSet@floatCapSep pt}%
10144 \ifhv@fbox
10145 \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10146 \else
10147 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10148 \fi%
10149 \else%
10150 \ifx\hvSet@capVPos\hv@Top
10151 \ifhv@fbox
10152 \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10153 \else
10154 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10155 \fi%
10156 \hspace{\hvSet@floatCapSep pt}%
10157 \ifhv@fbox

```

```

10158 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10159 \else
10160 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10161 \fi
10162 \else
10163 \ifhv@fbox
10164 \fbox{\usebox{\hvObjectBox}}%
10165 \else
10166 \usebox{\hvObjectBox}%
10167 \fi
10168 \hspace{\hvSet@floatCapSep pt}%
10169 \ifhv@fbox
10170 \fbox{\usebox{\hvCaptionBox}}%
10171 \else
10172 \usebox{\hvCaptionBox}%
10173 \fi%
10174 \fi%
10175 \fi
10176 \fi% end of RTL
10177 \fi
10178 \fi
10179 \fi
10180 }% End savebox Object and caption
10181 %
10182 % now we rotate the object and caption, if needed
10183 %
10184 \ifx\hvSet@rotAngle\hv@Zero
10185 \usebox{\@tempboxa}
10186 \else
10187 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
10188 \fi
10189 \ifhv@nonFloat
10190 \ifx\hvSet@objectPos\hv@Center
10191 \ifhv@nonFloat
10192 \hspace{\fill}
10193 \fi
10194 \fi
10195 \endgroup% End the nonfloat part
10196 \else
10197 \end{\hv@floatType}% End the floating environment
10198 \fi
10199 }

```

7.67 hyperref-xetex-bidi.def

```

10200 \ProvidesFile{hyperref-xetex-bidi.def}[2013/04/08 v0.7 bidi adaptations for hyperref package]
10201 \AtBeginDocument{%
10202 \def\contentsline#1#2#3#4{%
10203   \ifx\\#4\\%
10204     \csname l@#1\endcsname{#2}{#3}%

```

```

10205 \else
10206 \ifcase\Hy@linktoc % none
10207 \csname l@#1\endcsname{#2}{#3}%
10208 \or % section
10209 \csname l@#1\endcsname{%
10210 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\
10211 }{#3}%
10212 \or % page
10213 \csname l@#1\endcsname{{#2}}{%
10214 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10215 }%
10216 \else % all
10217 \csname l@#1\endcsname{%
10218 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\
10219 }{%
10220 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10221 }%
10222 \fi
10223 \fi
10224 }
10225 \ifHy@hyperfootnotes
10226 \let\H@@footnotetext\@footnotetext
10227 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
10228 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
10229 \def\xfootnotenext[#1]{%
10230 \begingroup
10231 \csname c@\@mpfn\endcsname #1\relax
10232 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10233 \endgroup
10234 \ifx\@footnotetext\@mpfootnotetext
10235 \expandafter\H@@mpfootnotetext
10236 \else
10237 \expandafter\H@@footnotetext
10238 \fi
10239 }%
10240 \def\xRTLfootnotenext[#1]{%
10241 \begingroup
10242 \csname c@\@mpfn\endcsname #1\relax
10243 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10244 \endgroup
10245 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
10246 \expandafter\HRTL@mpRTLfootnotetext
10247 \else
10248 \expandafter\HRTL@RTLfootnotetext
10249 \fi
10250 }%
10251 \def\xLTRfootnotenext[#1]{%
10252 \begingroup
10253 \csname c@\@mpfn\endcsname #1\relax
10254 \unrestored@protected@xdef\@thefnmark{\thempfn}%

```

```

10255 \endgroup
10256 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
10257 \expandafter\HLTR@\@mpLTRfootnotetext
10258 \else
10259 \expandafter\HLTR@\@LTRfootnotetext
10260 \fi
10261 }%
10262 \def\@xfootnotemark[#1]{%
10263 \begingroup
10264 \c@footnote #1\relax
10265 \unrestored@protected@xdef\@thefnmark{\thefootnote}%
10266 \endgroup
10267 \H@\@footnotemark
10268 }%
10269 \let\H@\@mpfootnotetext\@mpfootnotetext
10270 \let\HRTL@\@mpRTLfootnotetext\@mpRTLfootnotetext
10271 \let\HLTR@\@mpLTRfootnotetext\@mpLTRfootnotetext
10272 \long\def\@mpfootnotetext#1{%
10273 \H@\@mpfootnotetext{%
10274 \ifHy@nesting
10275 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10276 \else
10277 \Hy@raisedlink{%
10278 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10279 }#1%
10280 \fi
10281 }%
10282 }%
10283 \long\def\@mpRTLfootnotetext#1{%
10284 \HRTL@\@mpRTLfootnotetext{%
10285 \ifHy@nesting
10286 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10287 \else
10288 \Hy@raisedlink{%
10289 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10290 }#1%
10291 \fi
10292 }%
10293 }%
10294 \long\def\@mpLTRfootnotetext#1{%
10295 \HLTR@\@mpLTRfootnotetext{%
10296 \ifHy@nesting
10297 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10298 \else
10299 \Hy@raisedlink{%
10300 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10301 }#1%
10302 \fi
10303 }%
10304 }%

```

```

10305 \long\def\@footnotetext#1{%
10306 \H@@footnotetext{%
10307 \ifHy@nesting
10308 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10309 \else
10310 \Hy@raisedlink{%
10311 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10312 }%
10313 \let\@currentHlabel\Hy@footnote@currentHlabel
10314 \let\@currentHref\Hy@footnote@currentHref
10315 \let\@currentlabelname\@empty
10316 #1%
10317 \fi
10318 }%
10319 }%
10320 \long\def\@RTLfootnotetext#1{%
10321 \HRTL@@RTLfootnotetext{%
10322 \ifHy@nesting
10323 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10324 \else
10325 \Hy@raisedlink{%
10326 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10327 }%
10328 \let\@currentHlabel\Hy@footnote@currentHlabel
10329 \let\@currentHref\Hy@footnote@currentHref
10330 \let\@currentlabelname\@empty
10331 #1%
10332 \fi
10333 }%
10334 }%
10335 \long\def\@LTRfootnotetext#1{%
10336 \HLTR@@LTRfootnotetext{%
10337 \ifHy@nesting
10338 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
10339 \else
10340 \Hy@raisedlink{%
10341 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
10342 }%
10343 \let\@currentHlabel\Hy@footnote@currentHlabel
10344 \let\@currentHref\Hy@footnote@currentHref
10345 \let\@currentlabelname\@empty
10346 #1%
10347 \fi
10348 }%
10349 }%
10350 \def\@footnotemark{%
10351 \leavevmode
10352 \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
10353 \stepcounter{Hfootnote}%
10354 \global\let\Hy@saved@currentHlabel\@currentHlabel

```

```

10355 \global\let\Hy@saved@currentHref\@currentHref
10356 \hyper@makecurrent{Hfootnote}%
10357 \global\let\Hy@footnote@currentHlabel\@currentHlabel
10358 \global\let\Hy@footnote@currentHref\@currentHref
10359 \global\let\@currentHlabel\Hy@saved@currentHlabel
10360 \global\let\@currentHref\Hy@saved@currentHref
10361 \beginL\hyper@linkstart{link}{\Hy@footnote@currentHref}%
10362 \@makefnmark
10363 \hyper@linkend\endL
10364 \ifhmode\spacefactor\@x@sf\fi
10365 \relax
10366 }%
10367 \let\HyOrg@maketitle\maketitle
10368 \def\maketitle{%
10369 \let\Hy@saved@footnotemark\@footnotemark
10370 \let\Hy@saved@footnotetext\@footnotetext
10371 \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
10372 \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
10373 \let\@footnotemark\H@@footnotemark
10374 \let\@footnotetext\H@@footnotetext
10375 \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
10376 \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
10377 \@ifnextchar[\Hy@maketitle@optarg{% ]
10378 \HyOrg@maketitle
10379 \Hy@maketitle@end
10380 }%
10381 }%
10382 \def\Hy@maketitle@optarg[#1]{%
10383 \HyOrg@maketitle[{#1}]%
10384 \Hy@maketitle@end
10385 }%
10386 \def\Hy@maketitle@end{%
10387 \ifx\@footnotemark\H@@footnotemark
10388 \let\@footnotemark\Hy@saved@footnotemark
10389 \fi
10390 \ifx\@footnotetext\H@@footnotetext
10391 \let\@footnotetext\Hy@saved@footnotetext
10392 \fi
10393 \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
10394 \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
10395 \fi
10396 \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
10397 \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
10398 \fi
10399 }%
10400 \def\realfootnote{%
10401 \@ifnextchar[\@xfootnote{%
10402 \stepcounter{\@mpfn}%
10403 \protected@xdef\@thefnmark{\thempfn}%
10404 \H@@footnotemark\H@@footnotetext

```



```

10405    }%
10406  }%
10407 \fi
10408 \def\hyper@link#1#2#3{%
10409   \ifmmode\else\beginL\fi\hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\endL\fi
10410 }
10411 \def\url@#1{\beginL\hyper@linkurl{\Hurl{#1}}{#1}\endL}
10412 \def\hyper@natlinkstart#1{%
10413   \Hy@backout{#1}%
10414   \beginL\hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
10415   \def\hyper@nat@current{#1}%
10416 }
10417 \def\hyper@natlinkend{%
10418   \if@RTL\endR\fi\hyper@linkend\endL
10419 }
10420 \def\hyper@natlinkbreak#1#2{%
10421   \if@RTL\endR\fi\hyper@linkend\endL#1\beginL\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
10422 }%
10423 }
10424 \begingroup
10425   \catcode'\$=6 %
10426   \catcode'\#=12 %
10427   \gdef\href@#1{\expandafter\href@split$1##\}%
10428   \gdef\href@split$1#$2#$3\\$4{%
10429     \beginL\hyper@link{#1}{#2}{\if@RTL\beginR\fi$4\if@RTL\endR\fi}\endL%
10430     \endgroup
10431   }%
10432 \endgroup
10433 \pdfstringdefDisableCommands{%
10434   \let\LRE\@firstofone
10435   \let\LR\@firstofone
10436   \let\RLE\@firstofone
10437   \let\RL\@firstofone
10438   \def\XeTeX{XeTeX}
10439   \def\XeLaTeX{XeLaTeX}
10440 }

```

7.68 leqno-xetex-bidi.def

```

10441 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX]
10442 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
10443   \rlap{
10444     \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theeqnnum)}

```

7.69 letter-xetex-bidi.def

```

10445 \ProvidesFile{letter-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for standard letter class]
10446 \renewcommand*\opening{[1]{\ifx\@empty\fromaddress
10447   \thispagestyle{firstpage}%
10448   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}}%
10449   \else % home address

```

```

10450 \thispagestyle{empty}%
10451 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
10452 \fromaddress \*[2\parskip]%
10453 \@date \end{tabular}\par}%
10454 \fi
10455 \vspace{2\parskip}%
10456 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
10457 \vspace{2\parskip}%
10458 #1\par\nobreak}
10459 \renewcommand\left@footnoterule{%
10460 \kern-\p@
10461 \hrule \@width .4\columnwidth
10462 \kern .6\p@}
10463 \renewcommand\right@footnoterule{%
10464 \hbox to \columnwidth
10465 {\beginR \vbox{%
10466 \kern-\p@
10467 \hrule \@width .4\columnwidth
10468 \kern .6\p@}\hfil\endR}}

```

7.70 lettrine-xetex-bidi.def

```

10469 \ProvidesFile{lettrine-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for lettrine package]
10470 \def\@lettrine[#1]#2#3{%
10471 \setcounter{L@lines}{\theDefaultLines}%
10472 \renewcommand*{\L@hang}{\DefaultLhang}%
10473 \renewcommand*{\L@oversize}{\DefaultLoversize}%
10474 \renewcommand*{\L@raise}{\DefaultLraise}%
10475 \renewcommand*{\L@ante}{\}%
10476 \setlength{\L@Findent}{\DefaultFindent}%
10477 \setlength{\L@Nindent}{\DefaultNindent}%
10478 \setlength{\L@slope}{\DefaultSlope}%
10479 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
10480 \if\DefaultOptionsFile\relax
10481 \else
10482 \begingroup
10483 \InputIfFileExists{\DefaultOptionsFile}%
10484 {}%
10485 {\PackageWarning{lettrine.sty}%
10486 {File \DefaultOptionsFile\space not found}%
10487 }%
10488 \def\color##1##{\l@color{##1}}%
10489 \let\l@color\@gobbletwo
10490 \def\textcolor##1##{\l@textcolor{##1}}%
10491 \def\l@textcolor##1##2##3{##3}%
10492 \expandafter\ifx\csname l@#2-keys\endcsname\relax
10493 \gdef\l@LOKeys{}%
10494 \else
10495 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
10496 \fi

```

```

10497 \endgroup
10498 \def\KV@prefix{KV@L@}%
10499 \let\@tempc\relax
10500 \expandafter\KV@do\l@LOKeys,\relax,
10501 \sbox{\L@lbox}{\LettrineFont #2}%
10502 \settowidth{\LettrineWidth}{\usebox{\L@lbox}}%
10503 \def\KV@prefix{KV@L@}%
10504 \let\@tempc\relax
10505 \expandafter\KV@do\l@LOKeys,\relax,
10506 \fi
10507 \setkeys{L}{#1}%
10508 \ifL@image
10509 \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
10510 \else
10511 \sbox{\L@lbox}{\LettrineFont #2}%
10512 \fi
10513 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
10514 \@tempdima=\baselineskip
10515 \ifnum\theL@lines=1
10516 \setlength{\L@first}{\ht\L@lbox}%
10517 \addtolength{\L@first}{-\ht\L@tbox}%
10518 \setlength{\L@lraise}{\z@}%
10519 \else
10520 \setlength{\L@first}{-\theL@lines\@tempdima}%
10521 \addtolength{\L@first}{\@tempdima}%
10522 \sbox{\@tempboxa}{\LettrineTextFont x}%
10523 \addtolength{\L@first}{-\ht\@tempboxa}%
10524 \setlength{\L@lraise}{-\L@raise\L@first}%
10525 \addtolength{\L@first}{\L@lraise}%
10526 \addtolength{\L@first}{\ht\L@lbox}%
10527 \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
10528 \addtolength{\L@lraise}{\@tempdima}%
10529 \fi
10530 \par
10531 \ifdim\L@first>0.2\p@\vskip\L@first\fi
10532 \setlength{\L@Pindent}{\wd\L@lbox}%
10533 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
10534 \settowidth{\L@first}{\L@ante}%
10535 \addtolength{\L@Pindent}{\L@first}%
10536 \addtolength{\L@Pindent}{\L@Findent}%
10537 \setlength{\L@first}{\linewidth}%
10538 \addtolength{\L@first}{-\L@Pindent}%
10539 \addtolength{\L@Nindent}{\L@Pindent}%
10540 \setlength{\L@next}{\linewidth}%
10541 \addtolength{\L@next}{-\L@Nindent}%
10542 \addtolength{\L@Pindent}{\rightmargin}%
10543 \addtolength{\L@Nindent}{\rightmargin}%
10544 \addtocounter{L@lines}{1}%
10545 \if@RTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pindent}
10546 \@tempcnta=\tw@

```

```

10547 \@whilenum \@tempcnta<\c@L@lines\do{%
10548     \ifRTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \the\L@next}%
10549     \addtolength{\L@Nindent}{\L@slope}%
10550     \addtolength{\L@next}{-\L@slope}%
10551     \advance\@tempcnta\@ne}%
10552 \ifRTL \edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \the\linewidth}%
10553 \noindent
10554 \parshape=\L@parshape\relax
10555 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
10556     \hspace \the\L@Findent}}%
10557 \usebox{\L@tbox}}

```

7.71 listings-xetex-bidi.def

```

10558 \ProvidesFile{listings-xetex-bidi.def}[2014/07/19 v0.6 bidi adaptations for listings package]
10559 \lstKey{captiondirection}{textdirection}{%
10560     \lstKV@SwitchCases{#1}%
10561     {textdirection&\\%
10562     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
10563     LTR&\chardef\bidi@lst@caption@direction\@z}%
10564     {\PackageError{Listings}{direction #1 unknown}\@ehc}}
10565 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
10566     \@ifundefined{bidi@lst@caption@direction}{\@ehc}%
10567     \ifnum\bidi@lst@caption@direction=\@z%
10568         #1%
10569     \else%
10570         \ifnum\bidi@lst@caption@direction=\@ne%
10571             #2%
10572         \fi%
10573     \fi%
10574 }}
10575 \long\def\@bidi@lst@makecaption#1#2{%
10576     \vskip\abovecaptionskip
10577     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
10578     \sbox\@tempboxa{%
10579     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
10580     #1: #2%
10581     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
10582     }%
10583     \ifdim \wd\@tempboxa >\hsize
10584         #1: #2\par
10585     \else
10586         \global \@minipagefalse
10587         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
10588     \fi
10589     \vskip\belowcaptionskip}%
10590 \def\lst@makecaption{\@bidi@lst@makecaption}
10591 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
10592 \AtBeginDocument{%
10593     \@ifundefined{captionlabelfalse}{\@ehc}%

```

```

10594 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
10595 \@ifundefined{caption@startrue}{\}%
10596 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
10597 }
10598 \AtBeginDocument{
10599 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{%
10600 \lst@ifnumberbychapter
10601 \gdef\thelstlisting%
10602 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
10603 \else
10604 \gdef\thelstlisting{\@arabic\c@lstlisting}
10605 \fi}

```

7.72 loadingorder-xetex-bidi.def

```

10606 \ProvidesFile{loadingorder-xetex-bidi.def}[2013/05/22 v0.95 making sure that bidi is the last
10607 \bidi@isloaded{amsmath}
10608 \bidi@isloaded{amstext}
10609 \bidi@isloaded{amsthm}
10610 \bidi@isloaded{breqn}
10611 \bidi@isloaded{cals}
10612 \bidi@isloaded{caption}
10613 \bidi@isloaded{crop}
10614 \bidi@isloaded{cuted}
10615 \bidi@isloaded{cutwin}
10616 \bidi@isloaded{color}
10617 \bidi@isloaded{dblfnote}
10618 \bidi@isloaded{xcolor}
10619 \bidi@isloaded{colortbl}
10620 \bidi@isloaded{float}
10621 \bidi@isloaded{floatrow}
10622 \bidi@isloaded{flowfram}
10623 \bidi@isloaded{framed}
10624 \bidi@isloaded{ftnright}
10625 \bidi@isloaded{xltextra}
10626 \bidi@isloaded{xunicode}
10627 \bidi@isloaded{wrapfig}
10628 \bidi@isloaded{graphicx}
10629 \bidi@isloaded{geometry}
10630 \bidi@isloaded{hvfloat}
10631 \bidi@isloaded{mdframed}
10632 \bidi@isloaded{midfloat}
10633 \bidi@isloaded{ntheorem}
10634 \bidi@isloaded{ntheorem-hyper}
10635 \bidi@isloaded{hyperref}
10636 \bidi@isloaded{fancybox}
10637 \bidi@isloaded{fancyhdr}
10638 \bidi@isloaded{fix2col}
10639 \bidi@isloaded{draftwatermark}
10640 \bidi@isloaded{empheq}

```

```

10641 \bidi@isloaded{pdfpages}
10642 \bidi@isloaded{listings}
10643 \bidi@isloaded{lettrine}
10644 \bidi@isloaded{pstricks}
10645 \bidi@isloaded{pgf}
10646 \bidi@isloaded{picinpar}
10647 \bidi@isloaded{quotchap}
10648 \bidi@isloaded{tikz}
10649 \bidi@isloaded{titlesec}
10650 \bidi@isloaded{titletoc}
10651 \bidi@isloaded{array}
10652 \bidi@isloaded{stabular}
10653 \bidi@isloaded{subfig}
10654 \bidi@isloaded{subfigure}
10655 \bidi@isloaded{supertabular}
10656 \bidi@isloaded{xtab}
10657 \bidi@isloaded{longtable}
10658 \bidi@isloaded{arydshln}
10659 \bidi@isloaded{multicol}
10660 \bidi@isloaded{multienum}
10661 \bidi@isloaded{minitoc}
10662 \bidi@isloaded{natbib}
10663 \bidi@isloaded{newfloat}
10664 \bidi@isloaded{ragged2e}
10665 \bidi@isloaded{rotating}
10666 \bidi@isloaded{tbls}
10667 \bidi@isloaded{tabulary}
10668 \bidi@isloaded{tocstyle}
10669 \bidi@isloaded{tocbibind}
10670 \bidi@isloaded{fontspec}
10671 \bidi@isloaded{arabxetex}
10672 \bidi@isloaded{polyglossia}
10673 \bidi@isloaded{fancyvrb}
10674 \AtBeginDocument{
10675   \if@bidi@amsmathloaded@else
10676     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packa
10677   \fi%
10678   \if@bidi@amstextloaded@else
10679     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packa
10680   \fi%
10681   \if@bidi@amsthmloaded@else
10682     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
10683   \fi%
10684   \if@bidi@breqnloaded@else
10685     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package
10686   \fi%
10687   \if@bidi@calsloaded@else
10688     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
10689   \fi%
10690   \if@bidi@captionloaded@else

```

```

10691 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}
10692 \fi%
10693 \if@bidi@croploaded@else
10694 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}
10695 \fi%
10696 \if@bidi@colorloaded@else
10697 \@ifpackageloaded{hyperref}{}{
10698 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}
10699 \fi%
10700 \if@bidi@cutwinloaded@else
10701 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}
10702 \fi%
10703 \if@bidi@cutedloaded@else
10704 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}
10705 \fi%
10706 \if@bidi@dblfnote@else
10707 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}
10708 \fi%
10709 \if@bidi@xcolorloaded@else
10710 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}
10711 \fi%
10712 \if@bidi@colortblloaded@else
10713 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}
10714 \fi%
10715 \if@bidi@floatloaded@else
10716 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}
10717 \fi%
10718 \if@bidi@floatrowloaded@else
10719 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}
10720 \fi%
10721 \if@bidi@flowframloaded@else
10722 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}
10723 \fi%
10724 \if@bidi@framedloaded@else
10725 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}
10726 \fi%
10727 \if@bidi@ftnrightloaded@else
10728 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}
10729 \fi%
10730 \if@bidi@xltxtalloaded@else
10731 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtal after bidi package}
10732 \fi%
10733 \if@bidi@xunicodeloaded@else
10734 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}
10735 \fi%
10736 \if@bidi@wrapfigloaded@else
10737 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}
10738 \fi%
10739 \if@bidi@graphicxloaded@else
10740 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package}

```

```

10741 \fi%
10742   \if@bidi@geometryloaded@else
10743     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pack
10744   \fi%
10745   \if@bidi@hvfloatloaded@else
10746     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packa
10747   \fi%
10748     \if@bidi@mdframedloaded@else
10749       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pack
10750   \fi%
10751     \if@bidi@midfloatloaded@else
10752       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pack
10753   \fi%
10754     \if@bidi@ntheoremloaded@else
10755       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pack
10756   \fi%
10757   \if@bidi@hyperrefloaded@else
10758     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pack
10759   \fi%
10760     \if@bidi@fancyboxloaded@else
10761       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pack
10762   \fi%
10763     \if@bidi@fancyhdrloaded@else
10764       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pack
10765   \fi%
10766     \if@bidi@draftwatermarkloaded@else
10767       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid
10768   \fi%
10769     \if@bidi@empheqloaded@else
10770       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packag
10771   \fi%
10772     \if@bidi@pdfpagesloaded@else
10773       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pack
10774   \fi%
10775     \if@bidi@lettrineloaded@else
10776       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pack
10777   \fi%
10778     \if@bidi@listingsloaded@else
10779       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pack
10780   \fi%
10781     \if@bidi@pstricksloaded@else
10782       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pack
10783   \fi%
10784     \if@bidi@pgfloaded@else
10785       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
10786   \fi%
10787     \if@bidi@picinparloaded@else
10788       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pack
10789   \fi%
10790   \if@bidi@quotchaploaded@else

```



```

10791 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pack
10792 \fi%
10793 \if@bidi@tikzloaded@else
10794 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
10795 \fi%
10796 \if@bidi@titlesecloaded@else
10797 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pack
10798 \fi%
10799 \if@bidi@titletocloaded@else
10800 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pack
10801 \fi%
10802 \if@bidi@arrayloaded@else
10803 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package
10804 \fi%
10805 \if@bidi@stabularloaded@else
10806 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pack
10807 \fi%
10808 \if@bidi@subfigloaded@else
10809 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packag
10810 \fi%
10811 \if@bidi@subfigureloaded@else
10812 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pac
10813 \fi%
10814 \if@bidi@supertabularloaded@else
10815 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
10816 \fi%
10817 \if@bidi@xtabloaded@else
10818 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
10819 \fi%
10820 \if@bidi@longtableloaded@else
10821 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pac
10822 \fi%
10823 \if@bidi@arydshlnloaded@else
10824 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pack
10825 \fi%
10826 \if@bidi@multicolloaded@else
10827 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pack
10828 \fi%
10829 \if@bidi@multienumloaded@else
10830 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pac
10831 \fi%
10832 \if@bidi@minitocloaded@else
10833 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
10834 \fi%
10835 \if@bidi@natbibloaded@else
10836 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packag
10837 \fi%
10838 \if@bidi@newfloatloaded@else
10839 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pack
10840 \fi%

```

```

10841 \csname if@bidi@ragged2eloaded@\endcsname\else
10842   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pack
10843 \fi%
10844   \if@bidi@rotatingloaded@\else
10845   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pack
10846 \fi%
10847 \if@bidi@tblsloaded@\else
10848   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package
10849 \fi%
10850 \if@bidi@tabularyloaded@\else
10851   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pack
10852 \fi%
10853 \if@bidi@tocstyleloaded@\else
10854   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pack
10855 \fi%
10856 \if@bidi@tocbibindloaded@\else
10857   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac
10858 \fi%
10859 \if@bidi@fontspecloaded@\else
10860   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pack
10861 \fi%
10862 \if@bidi@arabxetexloaded@\else
10863   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac
10864 \fi%
10865 \if@bidi@polyglossialoaded@\else
10866   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
10867 \fi%
10868 \if@bidi@fancyvrbloaded@\else
10869   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pack
10870 \fi%
10871 }

```

7.73 longtable-xetex-bidi.def

```

10872 \ProvidesFile{longtable-xetex-bidi.def}[2013/04/01 v0.3 bidi adaptations for longtable packag
10873 \def\LT@array[#1]#2{%
10874   \refstepcounter{table}\stepcounter{LT@tables}%
10875   \if l#1%
10876     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
10877   \else\if r#1%
10878     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
10879   \else\if c#1%
10880     \LTleft\fill \LTright\fill
10881   \fi\fi\fi
10882   \let\LT@mcol\multicolumn
10883   \let\LT@@tabarray\@tabarray
10884   \let\LT@@hl\hline
10885   \def\@tabarray{%
10886     \let\hline\LT@@hl
10887     \LT@@tabarray}%

```

```

10888 \let\\LT@tabularcr\let\tabularnewline\\%
10889 \def\newpage{\noalign{\break}}%
10890 \def\pagebreak{\noalign{\ifnum' }=0\fi\@testopt{LT@no@pgbk-}4}%
10891 \def\nopagebreak{\noalign{\ifnum' }=0\fi\@testopt{LT@no@pgbk4}}%
10892 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
10893 \@tempdima\ht\strutbox
10894 \let\@endpbox\LT@endpbox
10895 \ifx\extrarowheight\@undefined
10896   \let\@acol\@tabacol
10897   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
10898   \def\@startpbox{\vtop\LT@startpbox}%
10899   \let\@@startpbox\@startpbox
10900   \let\@@endpbox\@endpbox
10901   \let\LT@LL@FM@cr\@tabularcr
10902 \else
10903   \advance\@tempdima\extrarowheight
10904   \col@sep\tabcolsep
10905   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
10906 \fi
10907 \setbox\@arstrutbox\hbox{\vrule
10908   \@height \arraystretch \@tempdima
10909   \@depth \arraystretch \dp \strutbox
10910   \@width \z@}%
10911 \let\@sharp#\let\protect\relax
10912 \begingroup
10913 \mkpream{#2}%
10914 \xdef\LT@bchunk{%
10915   \global\advance\c@LT@chunks\@ne
10916   \global\LT@rows\z@\setbox\z@\vbox\bgroup
10917   \LT@setprevdepth
10918   \tabskip\LT@left \noexpand\halign to\hsize\bgroup
10919   \tabskip\z@ \@arstrut \@preamble \tabskip\LT@right \cr}%
10920 \endgroup
10921 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
10922 \LT@make@row
10923 \m@th\let\par\@empty
10924 \everycr{}\lineskip\z@\baselineskip\z@
10925 \LT@bchunk}
10926 \def\LT@makecaption#1#2#3{%
10927 \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]{LTcapwidth{%
10928   \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
10929   \ifdim\wd\@tempboxa>\hsize
10930     #1{#2: }#3%
10931   \else
10932     \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
10933   \fi
10934   \endgraf\vskip\baselineskip}%
10935 \hss}}}
10936 \def\LT@startpbox#1{%
10937 \bgroup

```

```

10938 \let\@footnotetext\LT@p@ftntext
10939 \let\@LTrfootnotetext\LT@p@LTrftntext
10940 \let\@RTLfootnotetext\LT@p@RTLftntext
10941 \setlength\hsize{#1}%
10942 \arrayparboxrestore
10943 \vrule \@height \ht\@arstrutbox \@width \z@}
10944 \def\LT@p@LTrftntext#1{%
10945 \edef\@tempa{\the\LT@p@ftn\noexpand\LTrfootnotetext[\the\c@footnote]]}%
10946 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
10947 \def\LT@p@RTLftntext#1{%
10948 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]]}%
10949 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```

7.74 mdframed-xetex-bidi.def

```

10950 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
10951 \newif\if@bidi@mdf@RTL
10952 \def\mdf@lrbox#1{%
10953 \mdf@patchamsthm%patch amsthm
10954 \if@RTL\@bidi@mdf@RTLtrue\fi%
10955 \@RTLfalse%
10956 \setbox#1\vbox\bgroup%
10957 \color@begingroup%
10958 \if@bidi@mdf@RTL\@RTLtrue\fi%
10959 \mdf@horizontalmargin@equation%
10960 \columnwidth=\hsize%
10961 \textwidth=\hsize%
10962 \let\if@nobreak\iffalse%
10963 \let\if@noskipsec\iffalse%
10964 \let\par\@par%
10965 \let\-\@dischyp%
10966 \let\'@accii\let\'@accii\let\=\@acciii%
10967 \parindent\z@ \parskip\z@skip%
10968 \linewidth\hsize%
10969 \@totalleftmargin\z@%
10970 \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
10971 \parfillskip\@flushglue \lineskip\normallineskip%
10972 \baselineskip\normalbaselineskip%
10973 %% \sloppy%
10974 \let\\@normalcr%
10975 \mdf@par@local%New feature to restore parskip/parindent local in save box
10976 \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
10977 \@afterindentfalse%
10978 %\@afterheading%
10979 }
10980 \renewrobustcmd\mdfframedtitleenv[1]{%
10981 \mdf@lrbox{\mdf@frametitlebox}%
10982 \mdf@frametitlealignment%
10983 \leavevmode{\color{\mdf@frametitlefontcolor}%
10984 \normalfont\mdf@frametitlefont{#1}}

```

```

10985     \ifbool{mdf@ignorelastdescenders}%
10986     {%
10987         \par\strut\par
10988         \unskip\unskip\setbox0=\lastbox
10989         \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
10990     }{}%
10991     \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
10992     \endmdf@lrbox\relax%
10993     \mdf@ignorebadness%
10994     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
10995     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
10996     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
10997     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
10998     \mdfframetitleboxtotalheight=\dimexpr
10999                                     \ht\mdf@frametitlebox
11000                                     +\dp\mdf@frametitlebox%
11001                                     +\mdf@frametitleaboveskip@length
11002                                     +\mdf@frametitlebelowskip@length
11003                                     \relax%
11004 }
11005
11006 \renewrobustcmd*\mdf@footnoteoutput{%
11007     \ifvoid\@mpfootins\else%
11008         \nobreak%
11009         \vskip\mdf@footnotedistance@length%
11010         \normalcolor%
11011         \bidi@mpfootnoterule%
11012         \unvbox\@mpfootins%
11013     \fi%
11014 }
11015
11016
11017 \renewrobustcmd*\mdf@footnoteinput{%
11018     \def\@mpfn{mpfootnote}%
11019     \def\thempfn{\thempfootnote}%
11020     \c@mpfootnote\z@%
11021     \let\@footnotetext\@mpfootnotetext%
11022     \let\@LTRfootnotetext\@mpLTRfootnotetext%
11023     \let\@RTLfootnotetext\@mpRTLfootnotetext%
11024 }

```

7.75 memoir-xetex-bidi.def

```

11025 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for Xe
11026 \renewcommand{\keepthetitle}{%
11027     \bsmttitleempty
11028     \global\let\thanks\relax
11029     \global\let\LTRthanks\relax
11030     \global\let\RTLthanks\relax
11031     \global\let\and\relax

```

```

11032 \global\let\andnext\relax
11033 \global\let\@thanks\@empty
11034 \global\let\@title\@empty
11035 \global\let\@author\@empty
11036 \global\let\@date\@empty}
11037 \renewcommand{\maketitle}{\par
11038 \beginingroup
11039 \@bsmarkseries
11040 \def\@makefnmark{\@textsuperscript{%
11041 \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
11042 \long\def\@makefntext##1{\makethanksmark ##1}
11043 \if@twocolumn
11044 \ifnum \col@number=\@ne
11045 \@maketitle
11046 \else
11047 \twocolumn[\@maketitle]%
11048 \fi
11049 \else
11050 \ifdim\pagetotal>\z@
11051 \newpage
11052 \fi
11053 \global\@topnum\z@
11054 \@maketitle
11055 \fi
11056 \thispagestyle{title}\@thanks
11057 \endgroup
11058 \@bscontmark % \setcounter{footnote}{0}%
11059 }
11060 \renewcommand*{\memRTLleftskip}{\if@RTL\righskip\else\leftskip\fi}
11061 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\righskip\fi}
11062 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
11063 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
11064 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
11065 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
11066 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
11067 \renewcommand*{\thesubsection}{%
11068 \thesection\@SepMark\@arabic\c@subsection}
11069 \renewcommand*{\thesubsubsection}{%
11070 \thesubsubsection\@SepMark\@arabic\c@subsubsection}
11071 \renewcommand*{\theparagraph}{%
11072 \thesubsubsection\@SepMark\@arabic\c@paragraph}
11073 \renewcommand*{\thesubparagraph}{%
11074 \theparagraph\@SepMark\@arabic\c@subparagraph}
11075 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
11076 \renewcommand{\theequation}{%
11077 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11078 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
11079 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
11080 \ifartopt
11081 \chapterstyle{article}

```

```

11082 \counterwithout{figure}{chapter}
11083 \counterwithout{table}{chapter}
11084 \counterwithout{footnote}{chapter}
11085 \counterwithout{equation}{chapter}
11086 \renewcommand{\chaptername}{%
11087 \renewcommand{\maketitlehookb}{%
11088 \vskip -1.5\topsep\vskip -1.5\partopsep}
11089 \renewcommand{\maketitlehookc}{%
11090 \vskip -1.5\topsep\vskip -1.5\partopsep}
11091 \fi
11092 \long\def\@makecaption#1#2{\let\@memtempa\relax
11093 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
11094 \else \def\@memtempa{\vbox to\topskip{}}\fi
11095 \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
11096 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
11097 \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
11098 \let\footnote\@contfnote
11099 \let\footnotemark\@contfmark
11100 \ifdim\wd\@tempboxa<\linewidth \centering \fi
11101 \if@contcw
11102 \centering
11103 \parbox{\@contcwidth}{%
11104 \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
11105 \fi
11106 \ifdim\wd\@tempboxa<\linewidth
11107 \@contpre
11108 {\@contnfont #1\@contdelim}\@memtempa
11109 {\@contcshortstyle \@conttfont #2\@contfinal\par}
11110 \else
11111 \if@conthang
11112 \sbox\@tempboxa{\@contnfont #1\@contdelim}
11113 \@contpre%
11114 {\@contcstyle\hangindent=\wd\@tempboxa
11115 \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
11116 \else
11117 \if@contindent
11118 \@contpre%
11119 {\@contnfont #1\@contdelim}\@memtempa
11120 {\@contcstyle\hangindent=\@contindw
11121 \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
11122 \else
11123 \@contpre%
11124 {\@contnfont #1\@contdelim}\@memtempa
11125 {\@contcstyle \@conttfont #2\@contfinal\par}
11126 \fi
11127 \fi
11128 \fi
11129 \@contpost
11130 \if@contcw
11131 \par

```

```

11132 } % end of the \parbox
11133 \fi
11134 \vskip\belowcaptionskip}
11135 \@ifpackageloaded{caption}{%
11136 \AtBeginPackage{caption}{
11137 \ClassWarningNoLine{memoir}{%
11138 You are using the caption package with the memoir \MessageBreak
11139 class. This may cause unexpected or inconsistent \MessageBreak
11140 results if you use any of memoir's captioning facilities}
11141
11142 \long\def\@makecaption##1##2{%
11143 \vskip\abovcaptionskip
11144 \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
11145 \ifdim \wd\@tempboxa >\hsize
11146 \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
11147 \else
11148 \global \@minipagefalse
11149 \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
11150 \fi
11151 \vskip\belowcaptionskip}
11152
11153 \def\caption{%
11154 \ifx\@capttype\@undefined
11155 \latex@error{\noexpand\caption outside float}\@ehd
11156 \expandafter\@gobble
11157 \else
11158 \refstepcounter\@capttype
11159 \expandafter\@firstofone
11160 \fi
11161 {\@dblarg{\@caption\@capttype}}%
11162 }
11163
11164 \long\def\@caption##1[##2]##3{%
11165 \par
11166 \addcontentsline{\csname ext@##1\endcsname}{##1}%
11167 {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
11168 \begingroup
11169 \@parboxrestore
11170 \if@minipage
11171 \@setminipage
11172 \fi
11173 \normalsize
11174 \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
11175 \endgroup}
11176 }}{}
11177 \renewenvironment{thebibliography}[1]{%
11178 \bibsection
11179 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11180 \begin{bibitemlist}{#1}}{\end{bibitemlist}}\postbibhook}

```


7.76 midfloat-xetex-bidi.def

```

11181 \ProvidesFile{midfloat-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for midfloat package]
11182 \def\RTL@outputdblcol{%
11183   \if@firstcolumn
11184     \global \@firstcolumnfalse
11185     \global \setbox\@leftcolumn \box\@outputbox
11186     \global\c@colht\@colht\global\c@advvipersep\z@
11187     \ifnum\jua@sk>0
11188       \remove@strip\jua@sar
11189       \global\@colht\the\jua@pr
11190       \ifdim\right@cor>\z@
11191         \global\advance\@colht by\right@cor
11192       \fi
11193       \global\advance\@colht by\cor@height
11194       \global\cor@height=Opt
11195     \fi
11196     \global \setbox\@rightcolumn \vbox{}%
11197   \else
11198     \ifdim\c@colht>\@colht
11199       \@tempdima\@colht
11200       \ifdim\@colht>\z@
11201         \global\setbox\@rightcolumn \vbox{%
11202           \unvbox\@rightcolumn
11203           \vbox to\@tempdima{%
11204             \vskip\c@advvipersep\unvbox\@outputbox}%
11205           \vskip\stripsep
11206           \vrule height\the\jua@ht width Opt depth Opt
11207           \vskip\stripsep
11208         }%
11209         \global\c@advvipersep\m@advvipersep
11210       \else
11211         \global\setbox\@rightcolumn \vbox{%
11212           \unvbox\@rightcolumn
11213           \vrule height\the\jua@ht width Opt depth Opt
11214           \vskip\stripsep
11215         }%
11216       \fi
11217       \ifnum\jua@sk>0
11218         \remove@strip\jua@sar
11219         \global\@colht\the\jua@pr
11220         \global\advance\@colht by -\ht\@rightcolumn
11221         \global\advance\@colht by\cor@height
11222         \global\cor@height=Opt
11223       \else
11224         \global\advance\c@colht by-\ht\@rightcolumn
11225         \global\@colht\c@colht
11226       \fi
11227     \else
11228       \global\@firstcolumntrue

```

```

11229 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11230 \unvbox\@rightcolumn
11231 \vskip\c@addvipersep
11232 \unvbox\@outputbox
11233 }%
11234 \setbox\@outputbox \vbox {%
11235 \hb@xt@\textwidth {%
11236 \hskip \columnwidth
11237 \hfil
11238 \vrule \@width\columnseprule
11239 \hfil
11240 \hb@xt@\columnwidth {%
11241 \box\@leftcolumn \hss}%
11242 \hskip-\textwidth
11243 \hb@xt@\columnwidth {%
11244 \box\@outputbox \hss}%
11245 \hskip\columnwidth
11246 \hskip\columnsep}%
11247 }%
11248 \@combinedblfloats
11249 \@outputpage
11250 \begingroup
11251 \@dblfloatplacement
11252 \@startdblcolumn
11253 \@whiles\if@fcolmade \fi
11254 {\@outputpage
11255 \@startdblcolumn}%
11256 \endgroup
11257 \global\jua@sk=0\global\jua@sar={}%
11258 \global\cor@height\z@\global\c@addvipersep\z@
11259 \fi
11260 \fi
11261 }
11262
11263
11264 \def\LTR@outputdblcol{%
11265 \if@firstcolumn
11266 \global \@firstcolumnfalse
11267 \global \setbox\@leftcolumn \box\@outputbox
11268 \global\c@colht\@colht\global\c@addvipersep\z@
11269 \ifnum\jua@sk>0
11270 \remove@strip\jua@sar
11271 \global\@colht\the\jua@pr
11272 \ifdim\right@cor>\z@
11273 \global\advance\@colht by\right@cor
11274 \fi
11275 \global\advance\@colht by\cor@height
11276 \global\cor@height=0pt
11277 \fi
11278 \global \setbox\@rightcolumn \vbox{%

```

```

11279 \else
11280   \ifdim\c@colht>\@colht
11281     \@tempdima\@colht
11282     \ifdim\@colht>\z@
11283       \global\setbox\@rightcolumn \vbox{%
11284         \unvbox\@rightcolumn
11285         \vbox to\@tempdima{%
11286           \vskip\c@addvipersep\unvbox\@outputbox}%
11287         \vskip\stripsep
11288         \vrule height\the\jua@ht width 0pt depth 0pt
11289         \vskip\stripsep
11290       }%
11291       \global\c@addvipersep\m@addvipersep
11292     \else
11293       \global\setbox\@rightcolumn \vbox{%
11294         \unvbox\@rightcolumn
11295         \vrule height\the\jua@ht width 0pt depth 0pt
11296         \vskip\stripsep
11297       }%
11298     \fi
11299     \ifnum\jua@sk>0
11300       \remove@strip\jua@sar
11301       \global\@colht\the\jua@pr
11302       \global\advance\@colht by -\ht\@rightcolumn
11303       \global\advance\@colht by\cor@height
11304       \global\cor@height=0pt
11305     \else
11306       \global\advance\c@colht by-\ht\@rightcolumn
11307       \global\@colht\c@colht
11308     \fi
11309 \else
11310   \global\@firstcolumntrue
11311   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
11312     \unvbox\@rightcolumn
11313     \vskip\c@addvipersep
11314     \unvbox\@outputbox
11315   }%
11316   \setbox\@outputbox \vbox {%
11317     \hb@xt@\textwidth {%
11318       \hb@xt@\columnwidth {%
11319         \box\@leftcolumn \hss}%
11320       \hfil
11321       \vrule \@width\columnseprule
11322       \hfil
11323       \hb@xt@\columnwidth {%
11324         \box\@outputbox \hss}%
11325       }%
11326     }%
11327   \@combinedblfloats
11328   \@outputpage

```

```

11329 \begingroup
11330 \@dblfloatplacement
11331 \@startdblcolumn
11332 \@whilesw\if@fcolmade \fi
11333 {\@outputpage
11334 \startdblcolumn}%
11335 \endgroup
11336 \global\jua@sk=0\global\jua@sar={}%
11337 \global\cor@height\z@\global\c@advvipersep\z@
11338 \fi
11339 \fi
11340 }
11341
11342
11343 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
11344 \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
11345 \hsize\textwidth
11346 \@parboxrestore
11347 \col@number \@ne
11348 \vrule height\topskip width0pt depth0pt
11349 }
11350
11351 \def\endstrip{%
11352 \egroup\egroup
11353 \if@firstcolumn
11354 \ifdim\pagetotal>\z@
11355 \vskip\stripsep
11356 \global\ht@strip\pagegoal
11357 \global\advance\ht@strip by-\pagetotal
11358 \global\advance\ht@strip by-\stripsep
11359 \global\advance\ht@strip by-\ht\@viper
11360 \global\advance\ht@strip by-\stripsep
11361 \global\jua@ht=\ht\@viper
11362 \else
11363 \global\ht@strip\z@
11364 \fi
11365 \ifdim\ht@strip>\z@
11366 \unvbox\@viper
11367 \vskip\stripsep
11368 \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
11369 \global\advance\jua@sk by1
11370 \else
11371 \@latex@error{Strip needs more place!}\@ehc
11372 \if@vihproof
11373 \framebox[\columnwidth]{??? Strip ???}%
11374 \fi
11375 \fi
11376 \else
11377 \@latex@error{Strip is used only on left column!}\@ehc
11378 \if@vihproof

```

```

11379         \framebox[\columnwidth]{??? Strip ???}%
11380     \fi
11381 \fi
11382 }

```

7.77 minitoc-xetex-bidi.def

```

11383 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for xetex]
11384 \def\@undottedtocline#1#2#3#4#5{%
11385     \ifnum #1>\c@tocdepth\relax \else
11386     \vskip \z@ plus.2\p@
11387     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg
11388     \parindent #2\relax\@afterindenttrue
11389     \interlinepenalty\@M
11390     \leavevmode
11391     \@tempdima #3\relax \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \hbox{}%
11392     \hskip -\if@RTL\righskip\else\leftskip\fi
11393     #4\nobreak\hfill \nobreak
11394     \null\par}%
11395 \fi}
11396 \def\@Undottedtocline#1#2#3#4#5{%
11397     \ifnum #1>\c@tocdepth\relax \else
11398     \vskip \z@ \@plus.2\p@
11399     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg
11400     \parindent #2\relax\@afterindenttrue
11401     \interlinepenalty\@M
11402     \leavevmode
11403     \@tempdima #3\relax
11404     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip\else\leftskip\fi
11405     {\coffee@font #4}\nobreak \nobreak\null
11406     \par}%
11407 \fi}
11408 \def\@Undottedtoclinep#1#2#3#4#5{%
11409     \ifnum #1>\c@tocdepth\relax \else
11410     \vskip \z@ \@plus.2\p@
11411     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrmarg
11412     \parindent #2\relax\@afterindenttrue
11413     \interlinepenalty\@M
11414     \leavevmode
11415     \@tempdima #3\relax
11416     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip\else\leftskip\fi
11417     {\#4}\nobreak \hfill \nobreak\null
11418     \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
11419     \par}%
11420 \fi}

```

7.78 multicol-xetex-bidi.def

```

11421 \ProvidesFile{multicol-xetex-bidi.def}[2014/06/26 v0.5 bidi adaptations for multicol package for xetex]
11422 \def\page@sofar{%
11423     \process@cols\mult@rightbox

```

```

11424      {\ifvoid\count@
11425        \setbox\count@\hbox to\hsize{}}%
11426      \else
11427        \wd\count@\hsize
11428      \fi}%
11429 \count@\col@number \advance\count@\m@ne
11430 \mult@info\z@
11431 {Column spec: \the\full@width\space = indent
11432               + columns + sep =\MessageBreak
11433       \the\multicol@leftmargin\space
11434       + \the\col@number\space
11435       x \the\hsize\space
11436       + \the\count@\space
11437       x \the\columnsep
11438     }%
11439 \ifvmode\else\errmessage{Multicol Error}\fi
11440 \nointerlineskip
11441 \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
11442 \moveright\multicol@leftmargin
11443 \hbox to\full@width{%
11444   \bidi@multicol@align@columns
11445   \rlap{\phantom p}%
11446 }%
11447 \kern-\dimen\tw@
11448 \ifdim\dimen\tw@ = \mc@gridwarn
11449   \PackageWarning{multicol}%
11450     {Very deep columns!\MessageBreak
11451     Grid alignment might be broken}%
11452 \fi
11453 }
11454 \def\LTR@column@boxes{%
11455   \process@cols\mult@gfirstbox{%
11456     \ifdim\dp\count@>\dimen\tw@
11457       \global\dimen\tw@\dp\count@ \fi
11458     \mc@col@status@write
11459     \box\count@
11460     \hss{\columnseprulecolor\vrule
11461           \@width\columnseprule}\hss}%
11462   \ifdim\dp\mult@rightbox>\dimen\tw@
11463     \global\dimen\tw@\dp\mult@rightbox \fi
11464   \mc@lastcol@status@write
11465   \box\mult@rightbox
11466 }
11467
11468 \def\RTL@column@boxes{%
11469   \process@cols\mult@gfirstbox{%
11470     \hskip\hsize
11471     \hss{\columnseprulecolor\vrule
11472           \@width\columnseprule}\hss
11473   }%

```

```

11474 \hskip\hsize
11475 \process@cols\mult@gfirstbox{%
11476 \ifdim\dp\count@>\dimen\tw@
11477 \global\dimen\tw@\dp\count@ \fi
11478 \hskip-\hsize
11479 \mc@col@status@write
11480 \box\count@
11481 \hskip-\hsize
11482 \hskip-\columnsep
11483 }%
11484 \ifdim\dp\mult@rightbox>\dimen\tw@
11485 \global\dimen\tw@\dp\mult@rightbox \fi
11486 \hskip-\hsize
11487 \mc@lastcol@status@write
11488 \box\mult@rightbox
11489 \hskip-\hsize
11490 \hskip\full@width
11491 }
11492 \newcommand\RTLmulticolcolumns
11493 {\let\bidimulticol@align@columns
11494 \RTL@column@boxes}
11495 \newcommand\LTRmulticolcolumns
11496 {\let\bidimulticol@align@columns
11497 \LTR@column@boxes}
11498 \newcommand\bidimulticol@align@columns
11499 {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
11500 \def\multicols#1{\col@number#1\relax
11501 \ifnum\col@number<\tw@
11502 \PackageWarning{multicol}%
11503 {Using '\number\col@number'
11504 columns doesn't seem a good idea.^^J
11505 I therefore use two columns instead}%
11506 \col@number\tw@ \fi
11507 \ifnum\col@number>10
11508 \PackageError{multicol}%
11509 {Too many columns}%
11510 {Current implementation doesn't
11511 support more than 10 columns.%
11512 \MessageBreak
11513 I therefore use 10 columns instead}%
11514 \col@number10 \fi
11515 \ifx\@footnotetext\mult@footnotetext\else
11516 \let\orig@footnotetext\@footnotetext
11517 \let\@footnotetext\mult@footnotetext
11518 \fi
11519 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
11520 \let\orig@LTRfootnotetext\@LTRfootnotetext
11521 \let\@LTRfootnotetext\mult@LTRfootnotetext
11522 \fi
11523 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else

```

```

11524      \let\orig@RTLfootnotetext\@RTLfootnotetext
11525      \let\@RTLfootnotetext\mult@RTLfootnotetext
11526      \fi
11527      \@ifnextchar[\mult@cols{\mult@cols[]}]{}
11528 \long\def\mult@footnotetext#1{\begingroup
11529      \hsize\textwidth
11530      \columnwidth\textwidth
11531      \orig@footnotetext{#1}\endgroup}
11532 \long\def\mult@LTRfootnotetext#1{\begingroup
11533      \hsize\textwidth
11534      \columnwidth\textwidth
11535      \orig@LTRfootnotetext{#1}\endgroup}
11536 \long\def\mult@RTLfootnotetext#1{\begingroup
11537      \hsize\textwidth
11538      \columnwidth\textwidth
11539      \orig@RTLfootnotetext{#1}\endgroup}
11540 \def\right@footnoterule{%
11541   \hbox to \textwidth
11542   {\beginR \vbox{\kern -3\p@
11543    \hrule width .4\columnwidth \kern2.6\p@\hfil\endR}}
11544 \def\textwidth@footnoterule{\kern-3\p@
11545   \hrule \@width \textwidth \kern 2.6\p@}

```

7.79 multienum-xetex-bidi.def

```

11546 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
11547 \renewcommand{\itemx}[1]{\parbox[t]%
11548 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11549 \parbox[t]{\remainx}{\bidi@raggedright #1\par}%\smallskip
11550 \renewcommand{\itemxx}[2]{\parbox[t]%
11551 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11552 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11553 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11554 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
11555 \renewcommand{\itemxxx}[3]{\parbox[t]%
11556 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11557 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11558 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
11559 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
11560 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
11561 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3\par}%\smallskip
11562 \renewcommand{\itemxxxx}[4]{\parbox[t]%
11563 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11564 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
11565 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11566 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11567 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11568 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
11569 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11570 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}

```



```

11571 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
11572 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11573 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
11574 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11575 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
11576 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11577 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
11578 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11579 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
11580 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11581 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
11582 \renewcommand{\itemxox}[2]{\parbox[t]{%
11583 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11584 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
11585 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11586 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
11587 \renewcommand{\itemxox}[2]{\parbox[t]{%
11588 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11589 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
11590 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11591 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
11592 \renewcommand{\itemxox}[3]{\parbox[t]{%
11593 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11594 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
11595 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11596 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11597 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11598 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
11599 \renewcommand{\itemxox}[3]{\parbox[t]{%
11600 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11601 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11602 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11603 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
11604 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11605 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
11606 \renewcommand{\itemxox}[3]{\parbox[t]{%
11607 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11608 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
11609 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11610 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
11611 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
11612 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

7.80 natbib-xetex-bidi.def

```

11613 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for
11614 \renewenvironment{thebibliography}[1]{%
11615 \bibsection
11616 \parindent\z@
11617 \bibpreamble

```

```

11618 \bibfont
11619 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
11620 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
11621 \ifNAT@openbib
11622   \renewcommand\newblock{\par}%
11623 \else
11624   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
11625 \fi
11626 \sloppy\clubpenalty4000\widowpenalty4000
11627 \sfcode'\.\@m
11628 \let\NAT@bibitem@first@sw\@firstoftwo
11629   \let\citeN\cite \let\shortcite\cite
11630   \let\citeasnoun\cite
11631 }{%
11632 \bibitem@fin
11633 \bibpostamble
11634 \def\@noitemerr{%
11635   \PackageWarning{natbib}{Empty ‘thebibliography’ environment}}%
11636 }%
11637 \endlist
11638 \bibcleanup
11639 }%

```

7.81 newfloat-xetex-bidi.def

```

11640 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
11641 \renewcommand*\newfloat@setwithin[2]{%
11642   \ifcsname c@chapter\endcsname
11643     \@removefromreset{#1}{chapter}%
11644   \fi
11645   \@removefromreset{#1}{section}%
11646   \edef\@tempa{#2}%
11647   \ifx\@tempa\@empty
11648     \def\@tempa{none}%
11649   \fi
11650   \def\@tempb{none}%
11651   \ifx\@tempa\@tempb
11652     \ifcsname c@chapter\endcsname
11653       \@chapterlistsgap@off{#1}%
11654     \fi
11655     \newfloat@@setwithin{#1}{-}{-}%
11656   \else
11657     \def\@tempb{chapter}%
11658     \ifx\@tempa\@tempb
11659       \@addtoreset{#1}{chapter}%
11660       \@chapterlistsgap@on{#1}%
11661       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMark}%
11662     \else
11663       \def\@tempb{section}%
11664       \ifx\@tempa\@tempb

```

```

11665         \@addtoreset{#1}{section}%
11666         \ifcsname c@chapter\endcsname
11667             \@addtoreset{#1}{chapter}%
11668             \@chapterlistsgap@on{#1}%
11669             \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
11670         \else
11671             \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@SepMark}%
11672         \fi
11673     \else
11674         \newfloat@Error{Invalid value ‘#2’ for option ‘within’}%
11675     \fi
11676 \fi
11677 \fi}

```

7.82 ntheorem-xetex-bidi.def

```

11678 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
11679 \gdef\@thm#1#2#3{%
11680     \if@thmmarks
11681         \stepcounter{end\InTheoType ctr}%
11682     \fi
11683     \renewcommand{\InTheoType}{#1}%
11684     \if@thmmarks
11685         \stepcounter{curr#1ctr}%
11686         \setcounter{end#1ctr}{0}%
11687     \fi
11688     \refstepcounter{#2}%
11689     \theorem@prework
11690     \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
11691     \ifvmode \advance\thm@topsepadd\partopsep\fi
11692     \trivlist
11693     \@topsep \theorempreskipamount
11694     \@topsepadd \thm@topsepadd % used by \@endparenv
11695     \advance\linewidth -\theorem@indent
11696     \advance\@totalleftmargin \theorem@indent
11697     \if@RTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
11698     \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.83 ntheorem-hyper-xetex-bidi.def

```

11699 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper package]
11700 \gdef\@thm#1#2#3{%
11701     \if@thmmarks
11702         \stepcounter{end\InTheoType ctr}%
11703     \fi
11704     \renewcommand{\InTheoType}{#1}%
11705     \if@thmmarks
11706         \stepcounter{curr#1ctr}%
11707         \setcounter{end#1ctr}{0}%
11708     \fi
11709     \refstepcounter{#2}%

```

```

11710 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
11711 \ifvmode \advance\thm@topsepadd\partopsep\fi
11712 \trivlist
11713 \@topsep \theorempreskipamount
11714 \@topsepadd \thm@topsepadd % used by \@endparenv
11715 \advance\linewidth -\theorem@indent
11716 \advance\@totalleftmargin \theorem@indent
11717 \ifRTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
11718 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.84 pdfpages-xetex-bidi.def

```

11719 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
11720 \renewcommand*{\includepdf}[2] [] {%
11721   \begingroup
11722   \@RTLfalse
11723   \let\AM@threadname\relax
11724   \AM@split@options{pdfpages}{#1}%
11725   \edef\AM@temp{\{pdfpages\}\the\@temptokena}%
11726   \expandafter\setkeys\AM@temp
11727   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
11728     \let\AM@currentdocname\relax
11729     \renewcommand\includegraphics[2] [] {Survey in draft-mode}%
11730     \def\AM@pagecount{0}%
11731   }{%
11732     \AM@findfile{#2}%
11733     \if\AM@threadname\relax
11734       \def\AM@threadname{\AM@currentdocname}%
11735     \fi
11736   }%
11737   \ifAM@survey
11738     \def\AM@pagestemp{%
11739       \@tempcnta=0
11740       \def\foo{%
11741         \ifundefined{r@\AM@xrpref prefix pdfpages@page\the\@tempcnta}%
11742           {\let\foo\relax}
11743           {\expandafter\ifx\expandafter\\AM@pagestemp\\
11744             \edef\AM@pagestemp{%
11745               \AM@pageref{\AM@xrpref prefix pdfpages@page\the\@tempcnta}}%
11746             \else
11747               \edef\AM@pagestemp{\AM@pagestemp,%
11748                 \AM@pageref{\AM@xrpref prefix pdfpages@page\the\@tempcnta}}%
11749             \fi
11750             \advance\@tempcnta 1\relax
11751           }%
11752         \foo
11753       }%
11754       \foo
11755       \expandafter\ifx\expandafter\\AM@pagestemp\\
11756       \def\AM@pagestemp{1}%

```

```

11757 \fi
11758 \fi
11759 \ifAM@output
11760 \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
11761 \AM@output{#1}%
11762 \fi
11763 \AM@CheckAtEnd
11764 \endgroup
11765 \AM@ClearShipoutPicture
11766 }

```

7.85 pgf-xetex-bidi.def

```

11767 \ProvidesFile{pgf-xetex-bidi.def}[2012/07/08 v0.4 bidi adaptations for pgf package for XeTeX
11768 \let\origin@pgfpicture=\pgfpicture
11769 \let\origin@endpgfpicture=\endpgfpicture
11770 \def\pgfpicture{\ifmmode\else\LTR\beginL\fi\origin@pgfpicture}
11771 \def\endpgfpicture{\origin@endpgfpicture\ifmmode\else\endL\endLTR\fi}%

```

7.86 picinpar-xetex-bidi.def

```

11772 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
11773 \long\def\@makewincaption#1#2{%
11774 \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
11775 \ifdim\wd\@tempboxa>\picwd
11776 {\footnotesize{\bf #1:\enspace}{#2\par}}
11777 \else
11778 \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
11779 \fi}
11780 \def\endwindow{%
11781 \global\tcd=\tcdsav
11782 \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
11783 \vbadness=10000
11784 \splittopskip=0pt
11785 %
11786 % Typeset the lines above the window
11787 %
11788 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
11789 \tcn=\tcd
11790 \loop\advance\tcn -1
11791 \setbox\fslice=\vsplit\holder to\baselineskip
11792 \prune\fslice\linewidth
11793 \topheight=0pt
11794 \ifnum\dp\fslice>\dp\wstrutbox
11795 \advance\topheight-\dp\fslice
11796 \advance\topheight\dp\wstrutbox
11797 \advance\topheight\ilg\fi
11798 \hbox to\linewidth{\box\fslice}
11799 \vskip-\topheight
11800 \ifdim\ht\holder>0pt\repeat
11801 \fi

```

```

11802 %
11803 % Now we build the boxes beside the window
11804 %
11805 \global\topheight=\tcl\baselineskip
11806 \ifnum\cumpartcl>0\global\tcl=\cumtcl
11807     \global\topheight=\vpic
11808 \fi
11809 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
11810 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
11811 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
11812 \tcn=\tcl \na=0 \nb=0
11813 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
11814 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
11815 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
11816 \ifnum\na=0\ifnum\nb=0
11817     \setbox\waslice=\vbox to\vpic{\vss}
11818     \setbox\wbslice=\vbox to\vpic{\vss}
11819     \bl=1\br=1
11820     \vskip\ilg
11821 \fi\fi
11822 %
11823 % both sides
11824 %
11825 \ifnum\na>0 \ifnum\nb>0
11826 \loop\advance\nb -1
11827 \advance\na -1
11828 \if@RTL%
11829 \setbox\bslice=\vsplit\holder to\baselineskip
11830 \prune\bslice\rtside
11831 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11832 to\rtside{\box\bslice\hfil}}
11833 \setbox\aslice=\vsplit\holder to\baselineskip
11834 \prune\aslice\lftside
11835 \setbox\waslice=\vbox{\unvbox\waslice\hbox
11836 to\lftside{\box\aslice\hfil}}
11837 \else%
11838 \setbox\aslice=\vsplit\holder to\baselineskip
11839 \prune\aslice\lftside
11840 \setbox\waslice=\vbox{\unvbox\waslice\hbox
11841 to\lftside{\box\aslice\hfil}}
11842 \setbox\bslice=\vsplit\holder to\baselineskip
11843 \prune\bslice\rtside
11844 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11845 to\rtside{\box\bslice\hfil}}
11846 \fi%
11847 \ifnum\nb>0\repeat
11848 \fi\fi
11849 %
11850 % only text on the left side
11851 %

```

```

11852 \ifnum\na>0
11853     \loop\advance\na -1
11854     \setbox\aslice=\vsplit\holder to\baselineskip
11855     \prune\aslice\lftside
11856     \setbox\waslice=\vbox{\unvbox\waslice\hbox
11857     to\lftside{\box\aslice\hfil}}
11858     \ifdim\ht\holder>0pt\repeat
11859 \fi
11860 %
11861 % only text on the right side
11862 %
11863 \ifnum\nb>0
11864     \loop\advance\nb -1
11865     \setbox\bslice=\vsplit\holder to\baselineskip
11866     \prune\bslice\rtside
11867     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
11868     to\rtside{\box\bslice\hfil}}
11869     \ifdim\ht\holder>0pt\repeat
11870 \fi
11871 %
11872 % fixing the dimensions of the window part
11873 %
11874 \ifnum\bl=0\topheight=\ht\wbslice
11875 \else\ifnum\br=0\topheight=\ht\waslice
11876     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
11877         \else\topheight=\ht\wbslice\fi\fi\fi
11878 %
11879 % ship out the window material to the main vertical list
11880 %
11881 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
11882 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
11883 \fi\fi\fi
11884 \setbox>windowbox=\vbox{\hbox to\linewidth{%
11885 \ifnum\bl>0\box\waslice\hfill\fi%
11886 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
11887 \vfill\unvbox\picbox%
11888 \ifnum\picwd>0\vfill\fi%
11889 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
11890 \unvbox>windowbox%
11891 \loop
11892 \setbox\bslice=\vsplit\rawtext to\baselineskip
11893 \prune\bslice\linewidth
11894 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
11895 \unvbox\wbslice
11896 \ifdim\ht\rawtext>0pt
11897 \repeat
11898 }% FINITO

```

7.87 plain-xetex-bidi.def

```

11899 \def\TeXXeTOn{\TeXXeTstate=1 }
11900 \def\TeXXeTOff{\TeXXeTstate=0 }
11901 \TeXXeTOn
11902 \def\usebox#1{\leavevmode\copy #1\relax}
11903 \def\bidirectional@everypar{\if@RTL{\setbox\z@lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
11904 \let\bidirectional@everypar=\everypar
11905 \newtoks\bidirectional@n@everypar
11906 \bidirectional@n@everypar\expandafter{\the\bidirectional@everypar}
11907 \bidirectional@everypar{\bidirectional@RTL@everypar\the\bidirectional@n@everypar}
11908 \let\everypar=\bidirectional@n@everypar
11909 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
11910 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
11911 \protected\def\hboxR{\hbox\bgroup
11912 \everyhbox{%
11913 \aftergroup\egroup
11914 \everyhbox{}}%
11915 \beginR
11916 \bgroup
11917 \aftergroup\endR
11918 \aftergroup\egroup
11919 }\hbox}
11920 \protected\def\hboxL{\hbox\bgroup
11921 \everyhbox{%
11922 \aftergroup\egroup
11923 \everyhbox{}}%
11924 \beginL
11925 \bgroup
11926 \aftergroup\endL
11927 \aftergroup\egroup
11928 }\hbox}
11929 \protected\def\vboxR{\vbox\bgroup
11930 \everyvbox{%
11931 \aftergroup\egroup
11932 \everyvbox{}}%
11933 \@RTLtrue
11934 \bgroup
11935 \aftergroup\egroup
11936 }\vbox}
11937 \protected\def\vboxL{\vbox\bgroup
11938 \everyvbox{%
11939 \aftergroup\egroup
11940 \everyvbox{}}%
11941 \@RTLfalse
11942 \bgroup
11943 \aftergroup\egroup
11944 }\vbox}
11945 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
11946 \def\endLTR{\par}
11947 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
11948 \def\endRTL{\par}

```



```

11949 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
11950 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
11951 \let\unsetRTL=\setRTL
11952 \let\unsetLTR=\setRTL
11953 \let\LR=\LRE
11954 \let\RL=\RLE
11955 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
11956 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
11957 \let\@ensure@RL=\@ensure@RTL
11958 \let\@ensure@LR=\@ensure@LTR
11959 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
11960 \let\@ensure@maindir=\@ensure@dir
11961 \def\@RTL{RTL}
11962 \def\@LTR{LTR}
11963 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
11964 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
11965 \let\@TeX\TeX
11966 \def\TeX{\@ensure@LTR{\@TeX}}
11967 \long\def\bidireflect@box#1{%
11968   \leavevmode
11969   \setbox\z@ \hbox{#{#1}}%
11970   \setbox\tw@ \hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
11971   \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
11972 }
11973 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
11974   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}
11975 \let\setRL=\setRTL
11976 \let\setLR=\setLTR
11977 \let\unsetRL=\setLTR
11978 \let\bidisaved@eqno=\eqno
11979 \let\bidisaved@leqno=\leqno
11980 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
11981 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
11982 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
11983 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
11984 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.88 pstricks-xetex-bidi.def

```

11985 \ProvidesFile{pstricks-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for pstricks package]
11986 \let\origin@pspicture=\pspicture
11987 \let\origin@endpspicture=\endpspicture
11988 \def\pspicture{\ifmmode\else\LTR\beginL\fi\origin@pspicture}
11989 \def\endpspicture{\origin@endpspicture\ifmmode\else\endL\endLTR\fi}

```

7.89 quotchap-xetex-bidi.def

```

11990 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
11991 \renewcommand{\qauthor}[1]{%
11992   \par\smallskip
11993   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{\par}\bigskip}

```

```

11994 \renewcommand{\makechapterhead}[1]{\chapterheadstartvskip%
11995   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
11996     {\chapnumfont
11997       \ifnum \c@secnumdepth >\m@ne%
11998       \if@mainmatter\thechapter%
11999       \fi\fi
12000       \par\nobreak}%
12001     {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10pt}
12002   \nobreak\chapterheadendvskip}}
12003 \renewcommand*{\@iprintcites}{%
12004   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
12005   \global\let\@printcites\relax}

```

7.90 ragged2e-xetex-bidi.def

```

12006 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package]
12007 \renewcommand{\Centering}{%
12008   \ifx\\ \@raggedtwoe@savedcr
12009     \let\\ \@centercr
12010   \fi
12011   \let\@gnewline\@raggedtwoe@gnewline
12012   \if@RTL\righskip\else\leftskip\fi\CenteringLeftskip
12013   \@rightskip\CenteringRightskip
12014   \if@RTL\leftskip\else\righskip\fi\@rightskip
12015   \parfillskip\CenteringParfillskip
12016   \parindent\CenteringParindent
12017   \@raggedtwoe@spaceskiptrue
12018   \@raggedtwoe@everyselectfont
12019 }
12020 \renewcommand{\RaggedLeft}{%
12021   \ifx\\ \@raggedtwoe@savedcr
12022     \let\\ \@centercr
12023   \fi
12024   \let\@gnewline\@raggedtwoe@gnewline
12025   \if@RTL\righskip\else\leftskip\fi\RaggedLeftLeftskip
12026   \@rightskip\RaggedLeftRightskip
12027   \if@RTL\leftskip\else\righskip\fi\@rightskip
12028   \parfillskip\RaggedLeftParfillskip
12029   \parindent\RaggedLeftParindent
12030   \@raggedtwoe@spaceskiptrue
12031   \@raggedtwoe@everyselectfont
12032 }
12033 \renewcommand{\RaggedRight}{%
12034   \ifx\\ \@raggedtwoe@savedcr
12035     \let\\ \@centercr
12036   \fi
12037   \let\@gnewline\@raggedtwoe@gnewline
12038   \if@RTL\righskip\else\leftskip\fi\RaggedRightLeftskip
12039   \@rightskip\RaggedRightRightskip
12040   \if@RTL\leftskip\else\righskip\fi\@rightskip

```

```

12041 \parfillskip\RaggedRightParfillskip
12042 \parindent\RaggedRightParindent
12043 \@raggedtwoe@spaceskiptrue
12044 \@raggedtwoe@everyselectfont
12045 }
12046 \renewcommand{\justifying}{%
12047 \let\\\@raggedtwoe@savedcr
12048 \let\@newline\@raggedtwoe@saved@newline
12049 \if@RTL\rightright\else\leftskip\fi\z@
12050 \@rightskip\z@
12051 \if@RTL\leftskip\else\rightright\fi\@rightskip
12052 \parfillskip\JustifyingParfillskip
12053 \parindent\JustifyingParindent
12054 \@raggedtwoe@spaceskipfalse
12055 \@raggedtwoe@everyselectfont
12056 }
12057 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
12058 \CheckCommand*{\@arrayparboxrestore}{%
12059 \let\if@nobreak\iffalse
12060 \let\if@noskipsec\iffalse
12061 \let\par\@par
12062 \let\-\@dischyph
12063 \let'\@acci\let'\@accii\let\=\@acciii
12064 \parindent\z@ \parskip\z@skip
12065 \everypar{}%
12066 \linewidth\hsize
12067 \@totalleftmargin\z@
12068 \if@RTL\rightright\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightright\fi\z@skip \@rightskip\z@
12069 \parfillskip\@flushglue \lineskip\normallineskip
12070 \baselineskip\normalbaselineskip
12071 \sloppy}%
12072 \renewcommand{\@arrayparboxrestore}{%
12073 \let\if@nobreak\iffalse
12074 \let\if@noskipsec\iffalse
12075 \let\par\@par
12076 \let\-\@dischyph
12077 \let'\@acci\let'\@accii\let\=\@acciii
12078 \parskip\z@skip
12079 \everypar{}%
12080 \linewidth\hsize
12081 \@totalleftmargin\z@
12082 \RaggedRight
12083 \lineskip\normallineskip
12084 \baselineskip\normalbaselineskip
12085 \sloppy}%
12086 \let\@raggedtwoe@raggedrightboxes@opt\relax
12087 }
12088 \let\origin@RaggedLeft=\RaggedLeft
12089 \let\origin@RaggedRight=\RaggedRight
12090 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}

```

```
12091 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

7.91 rapport1-xetex-bidi.def

```
12092 \ProvidesFile{rapport1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for rapport1 class fo
12093 \renewenvironment{theindex}{%
12094   \if@twocolumn
12095     \@restonecolfalse
12096   \else
12097     \@restonecoltrue
12098   \fi
12099   \columnseprule \z@
12100   \columnsep 35\p@
12101   \twocolumn[\@makeschapterhead{\indexname}]{%
12102     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
12103   \thispagestyle{plain}\parindent\z@
12104   \parskip\z@ \@plus .3\p@\relax
12105   \let\item\@idxitem
12106   }{%
12107   \if@restonecol\onecolumn\else\clearpage\fi}
12108 \renewcommand*\head@style{%
12109   \interlinepenalty \@M
12110   \hyphenpenalty=\@M \exhyphenpenalty=\@M
12111   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12112 \if@titlepage
12113   \renewenvironment{abstract}{%
12114     \titlepage
12115     \null\vfil
12116     \section*{\SectFont\abstractname}%
12117     \noindent\ignorespaces
12118     {\par\vfil\null\endtitlepage}
12119   \else
12120     \renewenvironment{abstract}{%
12121       \if@twocolumn
12122         \section*{\abstractname}%
12123       \else
12124         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
12125         \section*{\small\SectFont\abstractname}%
12126         \noindent\ignorespaces
12127       \fi}
12128       {\if@twocolumn\else\par\egroup\fi}
12129   \fi
12130 \renewcommand*\@regtocline[3]{%
12131   \ifnum #1>\c@tocdepth
12132   \else
12133     \vskip\z@\@plus.2\p@
12134     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
12135     \if@RTL\rightskip\else\leftskip\fi\unitindent
12136     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
12137     \parfillskip\z@}
```

```

12138 \@tempdima\unitindent
12139 \parindent\z@
12140 \leavevmode
12141 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
12142 \hskip 1em \nobreak{\slshape #3}\par
12143 }%
12144 \fi}
12145 \if@oldtoc
12146 \renewcommand*\l@part[2]{%
12147 \ifnum \c@tocdepth >-2\relax
12148 \addpenalty{-\@highpenalty}%
12149 \addvspace{2.25em \@plus\p@}%
12150 \begingroup
12151 \setlength\@tempdima{3em}%
12152 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12153 \parfillskip -\@pnumwidth
12154 {\leavevmode
12155 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12156 \nobreak
12157 \global\@nobreaktrue
12158 \everypar{\global\@nobreakfalse\everypar{}}}%
12159 \endgroup
12160 \fi}
12161 \else
12162 \renewcommand*\l@part{%
12163 \ifnum \c@tocdepth >-2\relax
12164 \addpenalty{-\@highpenalty}%
12165 \addvspace{2.25em \@plus \p@}%
12166 \@regtocline{0}%
12167 \fi}
12168 \fi
12169 \if@oldtoc
12170 \renewcommand*\l@chapter[2]{%
12171 \addpenalty{-\@highpenalty}%
12172 \vskip 1.0em \@plus\p@
12173 \setlength\@tempdima{1.5em}%
12174 \begingroup
12175 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12176 \parfillskip -\@pnumwidth
12177 \leavevmode \bfseries
12178 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12179 \hskip -\if@RTL\rightskip\else\leftskip\fi
12180 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12181 \penalty\@highpenalty
12182 \endgroup}
12183 \else
12184 \renewcommand*\l@chapter{\@regtocline{0}}
12185 \fi
12186 \renewcommand*\left@footnoterule{%
12187 \kern-3\p@

```

```

12188 \kern.5\baselineskip
12189 \hrule\@width\unitindent
12190 \kern.4\baselineskip
12191 }
12192 \renewcommand*\right@footnoterule{%
12193 \hbox to \columnwidth
12194 {\beginR \vbox{%
12195 \kern-3\p@
12196 \kern.5\baselineskip
12197 \hrule\@width\unitindent
12198 \kern.4\baselineskip}\hfil\endR}
12199 }
12200 \renewenvironment{thebibliography}[1]
12201 {\chapter*{\bibname}%
12202 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12203 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
12204 \list{\@biblabel{\@arabic\c@enumiv}}%
12205 {\settowidth\labelwidth{\@biblabel{#1}}%
12206 \leftmargin\labelwidth
12207 \advance\leftmargin\labelsep
12208 \@openbib@code
12209 \usecounter{enumiv}%
12210 \let\p@enumiv\@empty
12211 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
12212 \sloppy\clubpenalty4000\widowpenalty4000%
12213 \sfcode'\.\@m}
12214 {\def\@noitemerr
12215 {\@latex@warning{Empty 'thebibliography' environment}}%
12216 \endlist}
12217 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
12218 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
12219 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
12220 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
12221 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
12222 \renewcommand*\theequation{%
12223 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
12224 \renewcommand*\thefigure{%
12225 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
12226 \renewcommand*\thetable{%
12227 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
12228 \if@titlepage
12229 \renewcommand*\TitleFont{\rmfamily}
12230 \renewcommand*\maketitle{%
12231 \begin{titlepage}%
12232 \let\footnotesize\small
12233 \let\right@footnoterule\relax
12234 \let\left@footnoterule\relax
12235 \let\textwidth\footnoterule\relax
12236 \let \footnote \thanks
12237 \long\def\@makefntext##1{\parindent\z@

```

```

12238         \def\labelitemi{\textendash}\@revlabeltrue
12239         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
12240 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12241 \if@compatibility\setcounter{page}{0}\fi
12242 \null\vfil
12243 \vskip 60\p@
12244 \begin{center}%
12245   \TitleFont
12246   {\LARGE \def\{\penalty -\@M}
12247   \if@allcaps
12248     \expandafter\uc@nothanks\@title\thanks\relax
12249   \else
12250     \@title
12251   \fi\par}%
12252 \vskip 3em%
12253 {\large
12254   \lineskip .75em \parindent\z@
12255   \begin{tabular}[t]{c}%
12256     \if@allcaps
12257       \expandafter\uc@authornothanks\@author\and\relax
12258     \else
12259       \@author
12260     \fi
12261   \end{tabular}\par}%
12262 \vskip 1.5em%
12263 {\large
12264   \if@allcaps
12265     \uppercase\expandafter{\@date}%
12266   \else
12267     \@date
12268   \fi\par}%
12269 \end{center}\par
12270 \@thanks
12271 \vfil\null
12272 \end{titlepage}%
12273 \setcounter{footnote}{0}%
12274 \global\let\thanks\relax
12275 \global\let\maketitle\relax
12276 \global\let\@thanks\@empty
12277 \global\let\@author\@empty
12278 \global\let\@title\@empty
12279 \global\let\@date\@empty
12280 \global\let\title\relax
12281 \global\let\author\relax
12282 \global\let\date\relax
12283 \global\let\and\relax
12284 }
12285 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
12286 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
12287   \futurelet\@tempa\uc@ax}

```

```

12288 \def\uc@ax{%
12289   \ifx\@tempa\relax
12290   \else
12291     \\\andname \\\expandafter\uc@authornothanks
12292   \fi}
12293 \def\uc@tx{\ifx\@tempa\relax
12294   \else \expandafter\uc@ty \fi}
12295 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
12296 \else
12297 \renewcommand*\maketitle{\par
12298   \begingroup
12299     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12300     \def\@makefnmark{\rlap{%
12301       \textsuperscript{\normalfont\@thefnmark}}}%
12302     \long\def\@makefntext{\@xmakefntext{%
12303       \textsuperscript{\normalfont\@thefnmark}}}%
12304     \if@twocolumn
12305       \ifnum \col@number=\@ne
12306         \@maketitle
12307       \else
12308         \twocolumn[\@maketitle]%
12309       \fi
12310     \else
12311       \newpage
12312       \global\@topnum\z@
12313       \@maketitle
12314     \fi
12315     \thispagestyle{plain}\@thanks
12316   \endgroup
12317   \setcounter{footnote}{0}%
12318   \global\let\thanks\relax
12319   \global\let\maketitle\relax
12320   \global\let\@maketitle\relax
12321   \global\let\@thanks\@empty
12322   \global\let\@author\@empty
12323   \global\let\@title\@empty
12324   \global\let\@date\@empty
12325   \global\let\title\relax
12326   \global\let\author\relax
12327   \global\let\date\relax
12328   \global\let\and\relax
12329 }
12330 \def\@maketitle{%
12331   \newpage
12332   \null
12333   \vskip 2em%
12334   \begin{center}%
12335     \let \footnote \thanks
12336     {\LARGE \TitleFont \@title \par}%
12337     \vskip 1.5em%

```



```

12338     {\large \TitleFont
12339       \lineskip .5em%
12340       \begin{tabular}[t]{c}%
12341         \@author
12342       \end{tabular}\par}%
12343     \vskip 1em%
12344     {\large \TitleFont \@date}%
12345   \end{center}%
12346   \par
12347   \vskip 1.5em}
12348 \fi

```

7.92 rapport3-xetex-bidi.def

```

12349 \ProvidesFile{rapport3-xetex-bidi.def}[2011/08/26 v0.4 bidi adaptations for rapport3 class fo
12350 \renewenvironment{theindex}{%
12351   \if@twocolumn
12352     \@restonecolfalse
12353   \else
12354     \@restonecoltrue
12355   \fi
12356   \columnseprule \z@
12357   \columnsep 35\p@
12358   \twocolumn[\@makeschapterhead{\indexname}]%
12359   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
12360   \thispagestyle{plain}\parindent\z@
12361   \parskip\z@ \@plus .3\p@\relax
12362   \let\item\@idxitem
12363   }{%
12364   \if@restonecol\onecolumn\else\clearpage\fi}
12365 \if@titlepage
12366 \renewcommand*\TitleFont{\rmfamily}
12367 \renewcommand*\maketitle{%
12368   \begin{titlepage}%
12369     \let\footnotesize\small
12370     \let\right@footnoterule\relax
12371     \let\left@footnoterule\relax
12372     \let\textwidth\footnoterule\relax
12373     \let \footnote \thanks
12374     \let \LTRfootnote \LTRthanks
12375     \let \RTLfootnote \RTLthanks
12376     \long\def\@makefnmark##1{\parindent\z@
12377       \def\labelitemi{\textendash}\@revlabeltrue
12378       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
12379     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12380     \if@compatibility\setcounter{page}{0}\fi
12381     \null\vfil
12382     \vskip 60\p@
12383     \begin{center}%
12384       \TitleFont

```

```

12385      {\LARGE \def\\{\penalty -\@M}
12386        \if@allcaps
12387          \expandafter\uc@nothanks\@title\thanks\relax
12388        \else
12389          \@title
12390        \fi\par}%
12391      \vskip 3em%
12392      {\large
12393        \lineskip .75em \parindent\z@
12394        \begin{tabular}[t]{c}%
12395          \if@allcaps
12396            \expandafter\uc@authornothanks\@author\and\relax
12397          \else
12398            \@author
12399          \fi
12400        \end{tabular}\par}%
12401      \vskip 1.5em%
12402      {\large
12403        \if@allcaps
12404          \uppercase\expandafter{\@date}%
12405        \else
12406          \@date
12407        \fi\par}%
12408      \end{center}\par
12409      \@thanks
12410      \vfil\null
12411    \end{titlepage}%
12412    \setcounter{footnote}{0}%
12413    \global\let\thanks\relax
12414    \global\let\LTRthanks\relax
12415    \global\let\RTLthanks\relax
12416    \global\let\maketitle\relax
12417    \global\let\@thanks\@empty
12418    \global\let\@author\@empty
12419    \global\let\@title\@empty
12420    \global\let\@date\@empty
12421    \global\let\title\relax
12422    \global\let\author\relax
12423    \global\let\date\relax
12424    \global\let\and\relax
12425  }
12426  \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
12427  \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
12428    \futurelet\@tempa\uc@ax}
12429  \def\uc@ax{%
12430    \ifx\@tempa\relax
12431    \else
12432      \andname \and \expandafter\uc@authornothanks
12433    \fi}
12434  \def\uc@tx{\ifx\@tempa\relax

```

```

12435 \else \expandafter\uc@ty \fi}
12436 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
12437 \else
12438 \renewcommand*\maketitle{\par
12439 \begin{group
12440 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
12441 \def\@makefnmark{\rlap{%
12442 \textsuperscript{\normalfont\thefnmark}}}%
12443 \long\def\@makefntext{\@xmakefntext{%
12444 \textsuperscript{\normalfont\thefnmark}}}%
12445 \if@twocolumn
12446 \ifnum \col@number=\@ne
12447 \maketitle
12448 \else
12449 \twocolumn[\maketitle]%
12450 \fi
12451 \else
12452 \newpage
12453 \global\@topnum\z@
12454 \maketitle
12455 \fi
12456 \thispagestyle{plain}\@thanks
12457 \endgroup
12458 \setcounter{footnote}{0}%
12459 \global\let\thanks\relax
12460 \global\let\LTRthanks\relax
12461 \global\let\RTLthanks\relax
12462 \global\let\maketitle\relax
12463 \global\let\@maketitle\relax
12464 \global\let\@thanks\@empty
12465 \global\let\@author\@empty
12466 \global\let\@title\@empty
12467 \global\let\@date\@empty
12468 \global\let\title\relax
12469 \global\let\author\relax
12470 \global\let\date\relax
12471 \global\let\and\relax
12472 }
12473 \def\@maketitle{%
12474 \newpage
12475 \null
12476 \vskip 2em%
12477 \if@titlecentered
12478 \begin{center}%
12479 \let \footnote \thanks
12480 \let \LTRfootnote \LTRthanks
12481 \let \RTLfootnote \RTLthanks
12482 {\LARGE \TitleFont \@title \par}%
12483 \vskip 1.5em%
12484 {\large \TitleFont

```

```

12485     \lineskip .5em%
12486     \begin{tabular}[t]{c}%
12487         \@author
12488     \end{tabular}\par}%
12489     \vskip 1em%
12490     {\large \TitleFont \@date}%
12491 \end{center}%
12492 \else
12493     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
12494     {\large \TitleFont \lineskip .5em \tabcolsep\z@
12495         \def\and{%% \begin{tabular} has already started
12496             \end{tabular}\hskip 1em plus .17fil
12497             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
12498             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
12499     \vskip 1em {\large \TitleFont \@date}
12500 \fi
12501 \par
12502 \vskip 1.5em}
12503 \fi
12504 \renewcommand*\@regtocline[3]{%
12505     \ifnum #1>\c@tocdepth
12506     \else
12507         \vskip\z@\@plus.2\p@
12508         {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
12509             \if@RTL\righskip\else\leftskip\fi\unitindent
12510             \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
12511             \parfillskip\z@
12512             \@tempdima\unitindent
12513             \parindent\z@
12514             \leavevmode
12515             \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
12516             \hskip 1em \nobreak{\slshape #3}\par
12517         }%
12518     \fi}
12519 \if@oldtoc
12520 \renewcommand*\l@part[2]{%
12521     \ifnum \c@tocdepth >-2\relax
12522         \addpenalty{-\@highpenalty}%
12523         \addvspace{2.25em \@plus\p@}%
12524         \begingroup
12525             \setlength\@tempdima{3em}%
12526             \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
12527             \parfillskip -\@pnumwidth
12528             {\leavevmode
12529                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12530             \nobreak
12531             \global\@nobreaktrue
12532             \everypar{\global\@nobreakfalse\everypar{}}%
12533         \endgroup
12534     \fi}

```

```

12535 \else
12536   \renewcommand*\l@part{%
12537     \ifnum \c@tocdepth >-2\relax
12538       \addpenalty{-\@highpenalty}%
12539       \addvspace{2.25em \@plus \p}%
12540       \@regtocline{0}%
12541     \fi}
12542 \fi
12543 \if@oldtoc
12544 \renewcommand*\l@chapter[2]{%
12545   \addpenalty{-\@highpenalty}%
12546   \vskip 1.0em \@plus\p@
12547   \setlength\@tempdima{1.5em}%
12548   \begingroup
12549   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12550   \parfillskip -\@pnumwidth
12551   \leavevmode \bfseries
12552   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12553   \hskip -\if@RTL\rightskip\else\leftskip\fi
12554   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12555   \penalty\@highpenalty
12556   \endgroup}
12557 \else
12558   \renewcommand*\l@chapter{\@regtocline{0}}
12559 \fi
12560 \renewcommand*\head@style{%
12561   \interlinepenalty \@M
12562   \hyphenpenalty=\@M \exhyphenpenalty=\@M
12563   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
12564 \if@titlepage
12565   \renewenvironment{abstract}{%
12566     \titlepage
12567     \null\vfil
12568     \section*\SectFont\abstractname}%
12569     \noindent\ignorespaces}
12570   {\par\vfil\null\endtitlepage}
12571 \else
12572   \renewenvironment{abstract}{%
12573     \if@twocolumn
12574       \section*\abstractname}%
12575     \else
12576       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
12577       \section*\small\SectFont\abstractname}%
12578       \noindent\ignorespaces
12579     \fi}
12580   {\if@twocolumn\else\par\egroup\fi}
12581 \fi
12582 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
12583 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
12584 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}

```

```

12585 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
12586 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
12587 \renewcommand*\thefigure{%
12588   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
12589 \renewcommand*\thetable{%
12590   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
12591 \renewcommand*\theequation{%
12592   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
12593 \renewenvironment{thebibliography}[1]
12594   {\chapter*\bibname}%
12595   \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12596   \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
12597   \list{\@biblabel{\@arabic\c@enumiv}}%
12598     {\settowidth\labelwidth{\@biblabel{#1}}%
12599     \leftmargin\labelwidth
12600     \advance\leftmargin\labelsep
12601     \@openbib@code
12602     \usecounter{enumiv}%
12603     \let\p@enumiv\@empty
12604     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
12605   \sloppy\clubpenalty4000\widowpenalty4000%
12606   \sfcode'\.\@m}
12607   {\def\@noitemerr
12608     {\@latex@warning{Empty 'thebibliography' environment}}%
12609     \endlist}
12610 \renewcommand*\left@footnoterule{%
12611   \kern-3\p@
12612   \kern.5\baselineskip
12613   \hrule\@width\unitindent
12614   \kern.4\baselineskip
12615 }
12616 \renewcommand*\right@footnoterule{%
12617   \hbox to \columnwidth
12618   {\beginR \vbox{%
12619     \kern-3\p@
12620     \kern.5\baselineskip
12621     \hrule\@width\unitindent
12622     \kern.4\baselineskip}\hfil\endR}
12623 }
12624 \renewcommand*\head@style{%
12625   \interlinepenalty \@M
12626   \hyphenpenalty=\@M \exhyphenpenalty=\@M
12627   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

7.93 refrep-xetex-bidi.def

```

12628 \ProvidesFile{refrep-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for refrep class for Xe
12629 \if@titlepage
12630   \renewcommand\maketitle{\begin{titlepage}%
12631     \let\footnotesize\small

```

```

12632 \let\right@footnoterule\relax
12633 \let\left@footnoterule\relax
12634 \let\textwidth@footnoterule\relax
12635 \let\footnote\thanks
12636 \let\LTRfootnote\LTRthanks
12637 \let\RTLfootnote\RTLthanks
12638 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12639 \def\@makefnmark%
12640     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12641 \long\def\@makefntext##1{%
12642     \setpar{\@par
12643         \tempdima = \hsize
12644         \advance\tempdima -1em
12645         \parshape \@ne 1em \tempdima}%
12646     \par\parindent 1em \noindent
12647     \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
12648 \null\vfil
12649 \vskip 60\p@
12650 \begin{center}%
12651     {\LARGE \@title \par}%
12652     \vskip 3em%
12653     {\large
12654         \lineskip .75em%
12655         \begin{tabular}[t]{c}%
12656             \@author
12657             \end{tabular}\par}%
12658     \vskip 1.5em%
12659     {\large \@date \par}%           % Set date in \large size.
12660 \end{center}\par
12661 \@thanks
12662 \vfil\null
12663 \end{titlepage}%
12664 \setcounter{footnote}{0}%
12665 \global\let\thanks\relax
12666 \global\let\LTRthanks\relax
12667 \global\let\RTLthanks\relax
12668 \global\let\maketitle\relax
12669 \global\let\@thanks\@empty
12670 \global\let\@author\@empty
12671 \global\let\@date\@empty
12672 \global\let\@title\@empty
12673 \global\let\title\relax
12674 \global\let\author\relax
12675 \global\let\date\relax
12676 \global\let\and\relax
12677 }
12678 \else
12679 \renewcommand\maketitle{\par
12680     \begingroup
12681     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%

```

```

12682 \def\@makefnmark%
12683     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12684 \long\def\@makefntext##1{%
12685     \setpar{\@par
12686         \tempdima = \hsize
12687         \advance\tempdima -1em
12688         \parshape \@ne 1em \tempdima}%
12689     \par\parindent 1em \noindent
12690     \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
12691 \if@twocolumn
12692     \ifnum \col@number=\@ne
12693         \@maketitle
12694     \else
12695         \twocolumn[\@maketitle]%
12696     \fi
12697 \else
12698     \newpage
12699     \global\@topnum\z@ % Prevents figures from going at top of page.
12700     \@maketitle
12701 \fi
12702 \thispagestyle{empty}\@thanks
12703 \endgroup
12704 \setcounter{footnote}{0}%
12705 \global\let\thanks\relax
12706 \global\let\LTRthanks\relax
12707 \global\let\RTLthanks\relax
12708 \global\let\maketitle\relax
12709 \global\let\@maketitle\relax
12710 \global\let\@thanks\@empty
12711 \global\let\@author\@empty
12712 \global\let\@date\@empty
12713 \global\let\@title\@empty
12714 \global\let\title\relax
12715 \global\let\author\relax
12716 \global\let\date\relax
12717 \global\let\and\relax
12718 }
12719 \def\@maketitle{%
12720     \newpage
12721     \null
12722     \longthickrule\vskip1.5em%
12723     \let \footnote \thanks
12724     \let \LTRfootnote \LTRthanks
12725     \let \RTLfootnote \RTLthanks
12726     {\secshape \parskip\z@ \parindent\z@
12727     \Large\bfseries \@title \par}%
12728     \vskip1.5em\longthickrule\vskip1.5em%
12729     {\normalsize
12730     \lineskip .5em%
12731     \begin{flushright}%

```



```

12732      {\slshape\@author\par}
12733      \vskip 1em%
12734      {\@date}%
12735      \end{flushright}\par}%
12736      \vskip 1.5em}
12737 \fi
12738 \renewcommand*\l@part[2]{%
12739   \ifnum \c@tocdepth >-2\relax
12740     \addpenalty{-\@highpenalty}%
12741     \addvspace{2.25em \@plus\p@}%
12742     \begingroup
12743       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12744       \parfillskip -\@pnumwidth
12745       {\leavevmode
12746         \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
12747       \nobreak
12748       \global\@nobreaktrue
12749       \everypar{\global\@nobreakfalse\everypar{}}%
12750     \endgroup
12751   \fi}
12752 \renewcommand*\l@chapter[2]{%
12753   \ifnum \c@tocdepth >\m@ne
12754     \addpenalty{-\@highpenalty}%
12755     \vskip 1.0em \@plus\p@
12756     \setlength\@tempdima{1.5em}%
12757     \begingroup
12758       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12759       \parfillskip -\@pnumwidth
12760       \leavevmode \bfseries
12761       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12762       \hskip -\if@RTL\rightskip\else\leftskip\fi
12763       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12764       \penalty\@highpenalty
12765     \endgroup
12766   \fi}
12767 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
12768                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
12769                       \hyphenpenalty=2000}
12770 \renewcommand\left@footnoterule{%
12771   \kern-3\p@
12772   \hrule\@width.4\columnwidth
12773   \kern 2.6\p@}
12774 \renewcommand\right@footnoterule{%
12775   \hbox to \columnwidth
12776   {\beginR \vbox{%
12777     \kern-3\p@
12778     \hrule\@width.4\columnwidth
12779     \kern 2.6\p@}\hfil\endR}}
12780 \renewcommand\theequation
12781 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}

```

```

12782 \renewcommand\thefigure
12783     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
12784 \renewcommand\thetable%
12785     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
12786 \renewcommand\thesection     {\thechapter\@SepMark\@arabic\c@section}
12787 \renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
12788 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
12789 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
12790 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
12791 \renewenvironment{thebibliography}[1]
12792     {\chapter*{\bibname
12793         \mkboth{\bibname}{\bibname}}%
12794         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12795         \list{\@biblabel{\@arabic\c@enumiv}}%
12796             {\settowidth\labelwidth{\@biblabel{#1}}%
12797              \leftmargin\labelwidth
12798              \advance\leftmargin\labelsep
12799              \@openbib@code
12800              \usecounter{enumiv}%
12801              \let\p@enumiv\@empty
12802              \renewcommand\theenumiv{\@arabic\c@enumiv}}%
12803              \sloppy
12804              \clubpenalty4000
12805              \@clubpenalty \clubpenalty
12806              \widowpenalty4000%
12807              \sfcode'\@m}
12808     {\def\@noitemerr
12809         {\@latex@warning{Empty 'thebibliography' environment}}%
12810     \endlist}

```

7.94 report-xetex-bidi.def

```

12811 \ProvidesFile{report-xetex-bidi.def}[2011/08/26 v0.6 bidi adaptations for standard report cla
12812 \renewenvironment{theindex}
12813     {\if@twocolumn
12814         \@restonecolfalse
12815         \else
12816             \@restonecoltrue
12817         \fi
12818         \columnseprule \z@
12819         \columnsep 35\p@
12820         \twocolumn[\@makeschapterhead{\indexname}]%
12821         \mkboth{\MakeUppercase\indexname}%
12822             {\MakeUppercase\indexname}%
12823         \thispagestyle{plain}\parindent\z@
12824         \parskip\z@ \@plus .3\p@\relax
12825         \let\item\@idxitem}
12826     {\if@restonecol\onecolumn\else\clearpage\fi}
12827 \if@titlepage
12828 \renewcommand\maketitle{\begin{titlepage}%

```

```

12829 \let\footnotesize\small
12830 \let\right@footnoterule\relax
12831 \let\left@footnoterule\relax
12832 \let\textwidth@footnoterule\relax
12833 \let \footnote \thanks
12834 \let \LTRfootnote \LTRthanks
12835 \let \RTLfootnote \RTLthanks
12836 \null\vfil
12837 \vskip 60\p@
12838 \begin{center}%
12839   {\LARGE \@title \par}%
12840   \vskip 3em%
12841   {\large
12842     \lineskip .75em%
12843     \begin{tabular}[t]{c}%
12844       \@author
12845     \end{tabular}\par}%
12846     \vskip 1.5em%
12847     {\large \@date \par}%           % Set date in \large size.
12848 \end{center}\par
12849 \@thanks
12850 \vfil\null
12851 \end{titlepage}%
12852 \setcounter{footnote}{0}%
12853 \global\let\thanks\relax
12854 \global\let\LTRthanks\relax
12855 \global\let\RTLthanks\relax
12856 \global\let\maketitle\relax
12857 \global\let\@thanks\@empty
12858 \global\let\@author\@empty
12859 \global\let\@date\@empty
12860 \global\let\@title\@empty
12861 \global\let\title\relax
12862 \global\let\author\relax
12863 \global\let\date\relax
12864 \global\let\and\relax
12865 }
12866 \else
12867 \renewcommand\maketitle{\par
12868   \begingroup
12869     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12870     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12871     \long\def\@makefntext##1{\parindent 1em\noindent
12872       \hb@xt@1.8em{%
12873         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
12874     \if@twocolumn
12875       \ifnum \col@number=\@ne
12876         \@maketitle
12877       \else
12878         \twocolumn[\@maketitle]%

```

```

12879     \fi
12880     \else
12881     \newpage
12882     \global\@topnum\z@    % Prevents figures from going at top of page.
12883     \@maketitle
12884     \fi
12885     \thispagestyle{plain}\@thanks
12886 \endgroup
12887 \setcounter{footnote}{0}%
12888 \global\let\thanks\relax
12889 \global\let\LTRthanks\relax
12890 \global\let\RTLthanks\relax
12891 \global\let\maketitle\relax
12892 \global\let\@maketitle\relax
12893 \global\let\@thanks\@empty
12894 \global\let\@author\@empty
12895 \global\let\@date\@empty
12896 \global\let\@title\@empty
12897 \global\let\title\relax
12898 \global\let\author\relax
12899 \global\let\date\relax
12900 \global\let\and\relax
12901 }
12902 \def\@maketitle{%
12903     \newpage
12904     \null
12905     \vskip 2em%
12906     \begin{center}%
12907     \let \footnote \thanks
12908     \let \LTRfootnote \LTRthanks
12909     \let \RTLfootnote \RTLthanks
12910     {\LARGE \@title \par}%
12911     \vskip 1.5em%
12912     {\large
12913         \lineskip .5em%
12914         \begin{tabular}[t]{c}%
12915             \@author
12916         \end{tabular}\par}%
12917     \vskip 1em%
12918     {\large \@date}%
12919     \end{center}%
12920     \par
12921     \vskip 1.5em}
12922 \fi
12923 \renewcommand*\l@part[2]{%
12924     \ifnum \c@tocdepth >-2\relax
12925         \addpenalty{-\@highpenalty}%
12926         \addvspace{2.25em \@plus\p@}%
12927         \setlength\@tempdima{3em}%
12928         \begingroup

```

```

12929      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12930      \parfillskip -\@pnumwidth
12931      {\leavevmode
12932       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12933       \nobreak
12934       \global\@nobreaktrue
12935       \everypar{\global\@nobreakfalse\everypar{}}}%
12936   \endgroup
12937   \fi}
12938 \renewcommand*\l@chapter[2]{%
12939   \ifnum \c@tocdepth >\m@ne
12940     \addpenalty{-\@highpenalty}%
12941     \vskip 1.0em \@plus\p@
12942     \setlength\@tempdima{1.5em}%
12943     \begingroup
12944       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12945       \parfillskip -\@pnumwidth
12946       \leavevmode \bfseries
12947       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12948       \hskip -\if@RTL\rightskip\else\leftskip\fi
12949       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12950       \penalty\@highpenalty
12951     \endgroup
12952   \fi}
12953 \renewcommand\left@footnoterule{%
12954   \kern-3\p@
12955   \hrule\@width.4\columnwidth
12956   \kern2.6\p@}
12957 \renewcommand\right@footnoterule{%
12958   \hbox to \columnwidth
12959   {\beginR \vbox{%
12960     \kern-3\p@
12961     \hrule\@width.4\columnwidth
12962     \kern2.6\p@}\hfil\endR}}
12963 \renewcommand\theequation
12964   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
12965 \renewcommand \thefigure
12966   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
12967 \renewcommand \thetable
12968   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
12969 \renewcommand \thechapter {\@arabic\c@chapter}
12970 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
12971 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\csubsection}
12972 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\csubsubsection}
12973 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
12974 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
12975 \def\@makechapterhead#1{%
12976   \vspace*{50\p@}%
12977   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
12978     \ifnum \c@secnumdepth >\m@ne

```

```

12979      \huge\bfseries \@chapapp\space \thechapter
12980      \par\nobreak
12981      \vskip 20\p@
12982      \fi
12983      \interlinepenalty\@M
12984      \Huge \bfseries #1\par\nobreak
12985      \vskip 40\p@
12986    }}
12987 \def\@makeschapterhead#1{%
12988   \vspace*{50\p@}%
12989   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
12990    \normalfont
12991    \interlinepenalty\@M
12992    \Huge \bfseries #1\par\nobreak
12993    \vskip 40\p@
12994   }}
12995 \renewenvironment{thebibliography}[1]
12996   {\chapter*{\bibname}%
12997    \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
12998    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12999    \list{\@biblabel{\@arabic{cenumiv}}}%
13000      {\settowidth\labelwidth{\@biblabel{#1}}%
13001       \leftmargin\labelwidth
13002       \advance\leftmargin\labelsep
13003       \@openbib@code
13004       \usecounter{enumiv}%
13005       \let\p@enumiv\@empty
13006       \renewcommand\theenumiv{\@arabic{cenumiv}}}%
13007   \sloppy
13008   \clubpenalty4000
13009   \@clubpenalty \clubpenalty
13010   \widowpenalty4000%
13011   \sfcode'\.\@m}
13012   {\def\@noitemerr
13013    {\@latex@warning{Empty 'thebibliography' environment}}%
13014    \endlist}

```

7.95 rotating-xetex-bidi.def

```

13015 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
13016 \def\end@rotfloat{%
13017   \end{minipage}\end{lrbox}%
13018   \stepcounter{r@tfl@t}%
13019   \rot@label{RF\ther@tfl@t}%
13020   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13021   \edef\@tempa{Adding sideways \@c@type\space on page \R@@page\space}
13022   \rot@mess@toks\expandafter{\@tempa}
13023   \wd\rot@float@box\z@
13024   \ht\rot@float@box\z@
13025   \dp\rot@float@box\z@

```

```

13026 \vboxL to \textheight{%
13027 \setkeys{Grot}{units=360}%
13028 \if@rot@twoside
13029 \else
13030 \let\R@@page\rot@LR
13031 \fi
13032 \ifthenelse{\isodd{\R@@page}}{%
13033 \if@rot@twoside
13034 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}}%
13035 \fi
13036 \vfill
13037 @@line{%
13038 \hskip\rotFPtop
13039 \rotatebox{90}{\box\rot@float@box}%
13040 \hskip\rotFPbot
13041 }%
13042 }{%
13043 \if@rot@twoside
13044 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
13045 \fi
13046 @@line{%
13047 \hskip\rotFPbot
13048 \rotatebox{-90}{\box\rot@float@box}%
13049 \hskip\rotFPtop
13050 }%
13051 \vfill
13052 }%
13053 \rot@message{\the\rot@mess@toks}
13054 }%
13055 \end@float
13056 }
13057 \let\endsidewaysfigure\end@rotfloat
13058 \let\endsidewaysstable\end@rotfloat
13059 \def\end@rotdblfloat{%
13060 \end{minipage}\end{lrbox}%
13061 \stepcounter{r@tfl@t}%
13062 \rot@label{RF\ther@tfl@t}%
13063 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
13064 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
13065 \rot@mess@toks\expandafter{\@tempa}
13066 \@tempdima\ht\rot@float@box
13067 \advance\@tempdima by \dp\rot@float@box
13068 \wd\rot@float@box\z@
13069 \ht\rot@float@box\z@
13070 \dp\rot@float@box\z@
13071 \vboxL to \textheight{%
13072 \setkeys{Grot}{units=360}%
13073 \if@rot@twoside
13074 \else
13075 \let\R@@page\rot@LR

```

```

13076 \fi
13077 \ifthenelse{\isodd{\R@@page}}{%
13078 \ifrot@messages
13079 \if@rot@twoside
13080 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
13081 \fi
13082 \fi
13083 \vfill
13084 \@@line{%
13085 \hskip\rotFPtop
13086 \rotatebox{90}{\box\rot@float@box}%
13087 \hskip\rotFPbot
13088 }%
13089 }{%
13090 \ifrot@messages
13091 \if@rot@twoside
13092 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
13093 \fi
13094 \fi%
13095 \@@line{%
13096 \hskip\rotFPbot
13097 \rotatebox{-90}{\box\rot@float@box}%
13098 \hskip\rotFPtop
13099 }%
13100 \vfill
13101 }%
13102 \rot@message{\the\rot@mess@toks}%
13103 }%
13104 \end@dblfloat
13105 }
13106 \def\turn#1{%
13107 \Grot@setangle{#1}%
13108 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13109 \def\endturn{%
13110 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13111 \unskip\color@endbox
13112 \Grot@x\z@
13113 \Grot@y\z@
13114 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13115 }
13116 \def\rotate#1{%
13117 \Grot@setangle{#1}%
13118 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13119 \def\endrotate{%
13120 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13121 \unskip\color@endbox
13122 \Grot@x\z@
13123 \Grot@y\z@
13124 \wd0\z@\dp0\z@\ht0\z@
13125 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi

```



```

13126 }
13127 \def\turnbox#1#2{%
13128   \Grot@setangle{#1}%
13129   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi}
13130   \Grot@x\z@\Grot@y\z@
13131   \wd0\z@\dp0\z@\ht0\z@
13132   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13133 }
13134 \def\sideways{%
13135   \Grot@setangle{90}%
13136   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
13137 \def\endsideways{%
13138   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
13139   \unskip\color@endbox
13140   \Grot@x\z@
13141   \Grot@y\z@
13142   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13143 }

```

7.96 scrartcl-xetex-bidi.def

```

13144 \ProvidesFile{scrartcl-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrartcl class for XeTeX]
13145 \newcommand{\scr@saved@LTRfootnotetext}{}
13146 \newcommand{\scr@saved@RTLfootnotetext}{}
13147 \let\scr@saved@footnotetext\@footnotetext
13148 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13149 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13150 \renewcommand{\@footnotetext}[1]{%
13151   \scr@saved@footnotetext{#1}%
13152   \csname FN@mfb@prepare\endcsname
13153 }
13154 \renewcommand{\@LTRfootnotetext}[1]{%
13155   \scr@saved@LTRfootnotetext{#1}%
13156   \csname FN@mfb@prepare\endcsname
13157 }
13158 \renewcommand{\@RTLfootnotetext}[1]{%
13159   \scr@saved@RTLfootnotetext{#1}%
13160   \csname FN@mfb@prepare\endcsname
13161 }
13162 \renewcommand\deffootnote[4][1]{%
13163   \long\def\@makefnintext##1{%
13164     \setlength{\@tempdimc}{#3}%
13165     \def\@tempa{#1}\ifx\@tempa\@empty
13166       \setpar{\@par
13167         \@tempdima = \hsize
13168         \addtolength{\@tempdima}{-#2}%
13169         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
13170     \else
13171       \addtolength{\@tempdimc}{#2}%
13172       \addtolength{\@tempdimc}{-#1}%

```

```

13173 \setpar{\@par
13174 \tempdima = \hsize
13175 \addtolength{\tempdima}{-#1}%
13176 \tempdimb = \hsize
13177 \addtolength{\tempdimb}{-#2}%
13178 \ifRTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
13179 }%
13180 \fi
13181 \par
13182 \parindent\tempdimc\noindent
13183 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
13184 }%
13185 \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
13186 }
13187 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13188 \renewcommand*\left@footnoterule{%
13189 \normalsize\ftn@rule@test@values
13190 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13191 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13192 {\usekomafont{footnoterule}{%
13193 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13194 \kern 2.6\p@}
13195 \renewcommand*\right@footnoterule{%
13196 \hbox to \columnwidth
13197 {\beginR \vbox{\kern -3\p@
13198 \normalsize\ftn@rule@test@values
13199 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13200 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13201 {\usekomafont{footnoterule}{%
13202 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13203 \kern 2.6\p@}\hfil\endR}}
13204 \renewcommand*\maketitle[1][1]{%
13205 \if@titlepage
13206 \begin{titlepage}
13207 \setcounter{page}{%
13208 #1%
13209 }%
13210 \let\footnotesize\small
13211 \let\right@footnoterule\relax
13212 \let\left@footnoterule\relax
13213 \let\textwidth\footnoterule\relax
13214 \let\footnote\thanks
13215 \let\LTRfootnote\LTRthanks
13216 \let\RTLfootnote\RTLthanks
13217 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13218 \let\@oldmakefnmark\@makefnmark
13219 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
13220 \ifx\@extratitle\@empty \else
13221 \noindent\@extratitle\next@tpage\cleardoubleemptypage
13222 \thispagestyle{empty}%

```

```

13223 \fi
13224 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@update relative
13225 \ifx\@titlehead\@empty \else
13226 \begin{minipage}[t]{\textwidth}%
13227 \@titlehead
13228 \end{minipage}\par
13229 \fi
13230 \null\vfill
13231 \begin{center}
13232 \ifx\@subject\@empty \else
13233 {\subject@font \@subject \par}%
13234 \vskip 3em
13235 \fi
13236 {\titlefont\huge \@title\par}%
13237 \vskip 1em
13238 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13239 \vskip 2em
13240 {\Large \lineskip 0.75em
13241 \begin{tabular}[t]{c}
13242 \@author
13243 \end{tabular}\par
13244 }%
13245 \vskip 1.5em
13246 {\Large \@date \par}%
13247 \vskip \z@ \@plus3fill
13248 {\Large \@publishers \par}%
13249 \vskip 3em
13250 \end{center}\par
13251 \@thanks
13252 \vfill\null
13253 \if@twoside\next@tpage
13254 \begin{minipage}[t]{\textwidth}
13255 \@uppertitleback
13256 \end{minipage}\par
13257 \vfill
13258 \begin{minipage}[b]{\textwidth}
13259 \@lowertitleback
13260 \end{minipage}
13261 \fi
13262 \ifx\@dedication\@empty \else
13263 \next@tpage\null\vfill
13264 {\centering \Large \@dedication \par}%
13265 \vskip \z@ \@plus3fill
13266 \if@twoside \next@tpage\cleardoubleemptypage \fi
13267 \fi
13268 \end{titlepage}
13269 \else
13270 \par
13271 \@tempcnta=%
13272 #1%

```

```

13273 \relax\ifnum\@tempcnta=1\else
13274 \ClassWarning{\KOMAClassName}{%
13275 Optional argument of \string\maketitle\space ignored
13276 at\MessageBreak
13277 notitlepage-mode%
13278 }%
13279 \fi
13280 \begingroup
13281 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13282 \let\@oldmakefnmark\@makefnmark
13283 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
13284 \if@twocolumn
13285 \ifnum \col@number=\@ne
13286 \@maketitle
13287 \else
13288 \twocolumn[\@maketitle]%
13289 \fi
13290 \else
13291 \newpage
13292 \global\@topnum\z@
13293 \@maketitle
13294 \fi
13295 \thispagestyle{\titlepagestyle}\@thanks
13296 \endgroup
13297 \fi
13298 \setcounter{footnote}{0}%
13299 \let\thanks\relax
13300 \let\LTRthanks\relax
13301 \let\RTLthanks\relax
13302 \let\maketitle\relax
13303 \let\@maketitle\relax
13304 \global\let\@thanks\@empty
13305 \global\let\@author\@empty
13306 \global\let\@date\@empty
13307 \global\let\@title\@empty
13308 \global\let\@subtitle\@empty
13309 \global\let\@extratitle\@empty
13310 \global\let\@titlehead\@empty
13311 \global\let\@subject\@empty
13312 \global\let\@publishers\@empty
13313 \global\let\@uppertitleback\@empty
13314 \global\let\@lowertitleback\@empty
13315 \global\let\@dedication\@empty
13316 \global\let\author\relax
13317 \global\let\title\relax
13318 \global\let\extratitle\relax
13319 \global\let\titlehead\relax
13320 \global\let\subject\relax
13321 \global\let\publishers\relax
13322 \global\let\uppertitleback\relax

```

```

13323 \global\let\lowertitleback\relax
13324 \global\let\dedication\relax
13325 \global\let\date\relax
13326 \global\let\and\relax
13327 }%
13328 \renewcommand*{\@maketitle}{%
13329 \clearpage
13330 \let\footnote\thanks
13331 \let\LTRfootnote\LTRthanks
13332 \let\RTLfootnote\RTLthanks
13333 \ifx\@extratitle\@empty \else
13334 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
13335 \fi
13336 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13337 \ifx\@titlehead\@empty \else
13338 \begin{minipage}[t]{\textwidth}
13339 \@titlehead
13340 \end{minipage}\par
13341 \fi
13342 \null
13343 \vskip 2em%
13344 \begin{center}%
13345 \ifx\@subject\@empty \else
13346 {\subject@font \@subject \par}
13347 \vskip 1.5em
13348 \fi
13349 {\titlefont\huge \@title \par}%
13350 \vskip .5em
13351 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13352 \vskip 1em
13353 {\Large
13354 \lineskip .5em%
13355 \begin{tabular}[t]{c}
13356 \@author
13357 \end{tabular}\par
13358 }%
13359 \vskip 1em%
13360 {\Large \@date \par}%
13361 \vskip \z@ \@plus 1em
13362 {\Large \@publishers \par}
13363 \ifx\@dedication\@empty \else
13364 \vskip 2em
13365 {\Large \@dedication \par}
13366 \fi
13367 \end{center}%
13368 \par
13369 \vskip 2em
13370 }%
13371 \renewcommand*\l@part[2]{%
13372 \ifnum \c@tocdepth >\m@ne\relax

```

```

13373 \addpenalty{\@secpenalty}%
13374 \addvspace{2.25em \@plus\p@}%
13375 \setlength{\@tempdima}{2em}%
13376 \if@tocleft
13377 \ifx\toc@l@number\@empty\else
13378 \setlength{\@tempdima}{0\toc@l@number}%
13379 \fi
13380 \fi
13381 \begingroup
13382 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13383 \parfillskip -\@pnumwidth
13384 \leavevmode
13385 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
13386 \hskip -\if@RTL\rightskip\else\leftskip\fi
13387 {\usekomafont{partentry}{#1\nobreak
13388 \usekomafont{partentrypagenumber}{\hfil\nobreak
13389 \hb@xt@\@pnumwidth{\hss#2}}}\par
13390 \ifnum \scr@compatibility>\@nameuse{scr@v2.96}\relax
13391 \endgroup
13392 \penalty20010
13393 \else
13394 \if@compatibility
13395 \global\@nobreaktrue
13396 \everypar{\global\@nobreakfalse\everypar{}}%
13397 \else
13398 \penalty\@highpenalty
13399 \fi
13400 \endgroup
13401 \fi
13402 \fi
13403 }
13404 \renewcommand*\l@section[2]{%
13405 \ifnum \c@tocdepth >\z@
13406 \ifnum \lastpenalty<20009
13407 \addpenalty{\@secpenalty}%
13408 \fi
13409 \addvspace{1.0em \@plus\p@}%
13410 \setlength{\@tempdima}{1.5em}%
13411 \if@tocleft
13412 \ifx\toc@l@number\@empty\else
13413 \setlength{\@tempdima}{0\toc@l@number}%
13414 \fi
13415 \fi
13416 \begingroup
13417 \raggedsectionentry
13418 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13419 \parfillskip -\@pnumwidth
13420 \interlinepenalty\@M
13421 \leavevmode
13422 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right

```

```

13423      {\usekomafont{sectionentry}{#1\nobreak
13424        \usekomafont{sectionentrypagenumber}{%
13425          \hfill\nobreak
13426          \hb@xt@{\pnumwidth{\hss#2}}}\par
13427      \endgroup
13428      \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13429        \penalty20008
13430      \fi
13431    \fi
13432  }
13433  \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
13434  \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
13435  \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
13436  \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
13437  \renewcommand*{\thesubsubsection}{%
13438    \thesubsection\@SepMark\@arabic\c@subsubsection
13439  }
13440  \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13441  \renewcommand*{\thesubparagraph}{%
13442    \theparagraph\@SepMark\@arabic\c@subparagraph
13443  }
13444  \renewenvironment{thebibliography}[1]{%
13445    \if@bib@break@
13446      \bib@beginhook
13447    \else
13448      \bib@heading
13449      \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
13450        \noindent\bibpreamble\par\nobreak
13451      \fi\fi
13452      \bib@beginhook
13453      \bib@before@hook
13454    \fi
13455    \renewcommand{\BreakBibliography}[1]{%
13456      \@bib@break
13457      \end{thebibliography}%
13458      \begingroup ##1\endgroup
13459      \begin{thebibliography}{#1}
13460    }%
13461    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13462    \list{%
13463      \@biblabel{\@arabic\c@enumiv}%
13464    }{%
13465      \settowidth\labelwidth{\@biblabel{#1}}%
13466      \leftmargin\labelwidth
13467      \advance\leftmargin\labelsep
13468      \@openbib@code
13469      \if@bib@break@
13470        \edef\@tempa{%
13471          \noexpand\usecounter{enumiv}%
13472          \noexpand\setcounter{enumiv}{\the\c@enumiv}%

```

```

13473     }\@tempa
13474     \no@bib@break
13475     \else
13476         \usecounter{enumiv}%
13477     \fi
13478     \let\p@enumiv\@empty
13479     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
13480 }%
13481 \sloppy\clubpenalty4000 \widowpenalty4000
13482 \sfcode'\.=\@m
13483 }{%
13484 \if@bib@break@
13485     \def\@noitemerr{%
13486         \@latex@warning{%
13487             \string\BreakBibliography\space at begin of 'thebibliography'
13488             environment\MessageBreak
13489             or following \string\BreakBibliography}%
13490     }%
13491 \else
13492     \def\@noitemerr{%
13493         \@latex@warning{%
13494             Empty 'thebibliography' environment or
13495             \string\BreakBibliography\MessageBreak
13496             before end of 'thebibliography' environment}%
13497     }%
13498 \fi
13499 \endlist
13500 \if@bib@break@
13501 \else
13502     \bib@after@hook
13503     \let\bib@before@hook\@empty
13504     \let\bib@after@hook\@empty
13505 \fi
13506 \bib@endhook
13507 }
13508 \renewcommand*\left@footnoterule{%
13509     \kern-3\p@
13510     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13511     \hrule\@width.4\columnwidth
13512     \kern 2.6\p@}
13513 \renewcommand*\right@footnoterule{%
13514     \hbox to \columnwidth
13515     {\beginR \vbox{%
13516         \kern-3\p@
13517         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13518         \hrule\@width.4\columnwidth
13519         \kern 2.6\p@}\hfil\endR}}
13520 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
13521 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
13522 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}

```



```

13523 \renewcommand\marginline[1]{%
13524   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
13525 }
13526 \renewcommand{\@@makecaption}[3]{%
13527   \cap@margin
13528   \ifonelinecaptions
13529     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
13530     \let\scr@tmp@footnotetext=\@footnotetext
13531     \let\@footnotetext=\@gobble
13532     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
13533     \let\@LTRfootnotetext=\@gobble
13534     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
13535     \let\@RTLfootnotetext=\@gobble
13536     \sbox\@tempboxa{%
13537       {\capfont{\strut\ignorespaces
13538         #1{\caplabelfont{#2\captionformat}}}%
13539         #3\unskip\strut}}%
13540     }%
13541     \let\@footnotetext=\scr@tmp@footnotetext
13542     \let\scr@tmp@footnotetext=\undefined
13543     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
13544     \let\scr@tmp@LTRfootnotetext=\undefined
13545     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
13546     \let\scr@tmp@RTLfootnotetext=\undefined
13547     \setcounter{footnote}{\@tempcntb}%
13548     \setcounter{mpfootnote}{\@tempcnta}%
13549   \else
13550     \sbox\@tempboxa{\hspace*{2\cap@width}}%
13551   \fi
13552   \begingroup%
13553     \setlength{\@tempdima}{\cap@width}%
13554     \ifdim \wd\@tempboxa >\@tempdima
13555       \hb@xt@\hsize{%
13556         \setbox\@tempboxa\vbox{\hsize=\cap@width
13557           \ifdofullc@p
13558             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
13559               #1{\caplabelfont{#2\captionformat}}}}}%
13560               {\#3\unskip\strut\par}}}%
13561           \else%
13562             \ifdim\cap@indent<\z@
13563               {\capfont{\strut\ignorespaces
13564                 #1{\caplabelfont{#2\captionformat\par}}}%
13565                 \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
13566             \else%
13567               \if@capbreak
13568                 {\capfont{\strut\ignorespaces
13569                   #1{\caplabelfont{#2\captionformat\par}}}%
13570                   \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}%
13571               \else
13572                 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}%

```

```

13573         {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
13574         {\{\caplabelfont{#2\captionformat}}}\#3\unskip\strut\par}}}%
13575         \fi
13576         \fi
13577         \fi
13578     }%
13579     \setlength{\@tempdima}{\ht\@tempboxa}%
13580     \addtolength{\@tempdima}{\dp\@tempboxa}%
13581     \addtolength{\@tempdima}{-\ht\strutbox}%
13582     \ht\@tempboxa\ht\strutbox
13583     \dp\@tempboxa\@tempdima
13584     \strut\cap@left
13585     \box\@tempboxa
13586     \cap@right\strut
13587 }%
13588 \else
13589     \global \@minipagefalse
13590     \sbox\@tempboxa{%
13591         {\capfont{\scr@smashdp{\strut\ignorespaces
13592         #1{\{\caplabelfont{#2\captionformat}}}\#3}}}%
13593         #3}}}%
13594     }%
13595     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\c
13596     \fi
13597 \endgroup
13598 }
13599 \renewcommand{\@makecaption}[2]{%
13600     \if@captionabove
13601         \vskip\belowcaptionskip
13602     \else
13603         \vskip\abovecaptionskip
13604     \fi
13605     \@@makecaption\@firstofone{#1}{#2}%
13606     \if@captionabove
13607         \vskip\abovecaptionskip
13608     \else
13609         \vskip\belowcaptionskip
13610     \fi
13611 }

```

7.97 scrbook-xetex-bidi.def

```

13612 \ProvidesFile{scrbook-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrbook class for
13613 \newcommand{\scr@saved@LTRfootnotetext}{}
13614 \newcommand{\scr@saved@RTLfootnotetext}{}
13615 \let\scr@saved@footnotetext\@footnotetext
13616 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
13617 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
13618 \renewcommand{\@footnotetext}[1]{%
13619     \scr@saved@footnotetext{#1}%

```

```

13620 \csname FN@mfb@prepare\endcsname
13621 }
13622 \renewcommand{\@LTRfootnotetext}[1]{%
13623 \scr@saved@LTRfootnotetext{#1}%
13624 \csname FN@mfb@prepare\endcsname
13625 }
13626 \renewcommand{\@RTLfootnotetext}[1]{%
13627 \scr@saved@RTLfootnotetext{#1}%
13628 \csname FN@mfb@prepare\endcsname
13629 }
13630 \renewcommand\deffootnote[4][1]{%
13631 \long\def\@makefnmark##1{%
13632 \setlength{\@tempdimc}{#3}%
13633 \def\@tempa{#1}\ifx\@tempa\@empty
13634 \setpar{\@par
13635 \@tempdima = \hsize
13636 \addtolength{\@tempdima}{-#2}%
13637 \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
13638 \else
13639 \addtolength{\@tempdimc}{#2}%
13640 \addtolength{\@tempdimc}{-#1}%
13641 \setpar{\@par
13642 \@tempdima = \hsize
13643 \addtolength{\@tempdima}{-#1}%
13644 \@tempdimb = \hsize
13645 \addtolength{\@tempdimb}{-#2}%
13646 \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima
13647 }%
13648 \fi
13649 \par
13650 \parindent\@tempdimc\noindent
13651 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
13652 }%
13653 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
13654 }
13655 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
13656 \renewcommand*\left@footnoterule{%
13657 \normalsize\ftn@rule@test@values
13658 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13659 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13660 {\usekomafont{footnoterule}{%
13661 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13662 \kern 2.6\p@}
13663 \renewcommand*\right@footnoterule{%
13664 \hbox to \columnwidth
13665 {\beginR \vbox{\kern -3\p@
13666 \normalsize\ftn@rule@test@values
13667 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
13668 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
13669 {\usekomafont{footnoterule}{%

```

```

13670      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
13671      \kern 2.6\p@\hfil\endR}}
13672 \renewcommand*\maketitle[1][1]{%
13673   \if@titlepage
13674     \begin{titlepage}
13675       \setcounter{page}{%
13676         #1%
13677       }%
13678       \let\footnotesize\small
13679       \let\right@footnoterule\relax
13680       \let\left@footnoterule\relax
13681       \let\textwidth@footnoterule\relax
13682       \let\footnote\thanks
13683       \let\LTRfootnote\LTRthanks
13684       \let\RTLfootnote\RTLthanks
13685       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13686       \let\@oldmakefnmark\@makefnmark
13687       \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
13688       \ifx\@extratitle\@empty \else
13689         \noindent\@extratitle\next@tpage\cleardoubleemptypage
13690         \thispagestyle{empty}%
13691       \fi
13692       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
13693       \ifx\@titlehead\@empty \else
13694         \begin{minipage}[t]{\textwidth}%
13695           \@titlehead
13696         \end{minipage}\par
13697       \fi
13698       \null\vfill
13699       \begin{center}
13700         \ifx\@subject\@empty \else
13701           {\subject@font \@subject \par}%
13702           \vskip 3em
13703         \fi
13704         {\titlefont\huge \@title\par}%
13705         \vskip 1em
13706         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
13707         \vskip 2em
13708         {\Large \lineskip 0.75em
13709           \begin{tabular}[t]{c}
13710             \@author
13711           \end{tabular}\par
13712         }%
13713         \vskip 1.5em
13714         {\Large \@date \par}%
13715         \vskip \z@ \@plus3fill
13716         {\Large \@publishers \par}%
13717         \vskip 3em
13718       \end{center}\par
13719       \@thanks

```

```

13720 \vfill\null
13721 \if@twoside\next@tpage
13722 \begin{minipage}[t]{\textwidth}
13723 \@uppertitleback
13724 \end{minipage}\par
13725 \vfill
13726 \begin{minipage}[b]{\textwidth}
13727 \@lowertitleback
13728 \end{minipage}
13729 \fi
13730 \ifx\@dedication\@empty \else
13731 \next@tpage\null\vfill
13732 {\centering \Large \@dedication \par}%
13733 \vskip \z@ \@plus3fill
13734 \if@twoside \next@tpage\cleardoubleemptypage \fi
13735 \fi
13736 \end{titlepage}
13737 \else
13738 \par
13739 \@tempcnta=%
13740 #1%
13741 \relax\ifnum\@tempcnta=1\else
13742 \ClassWarning{\KOMAClassName}{%
13743 Optional argument of \string\maketitle\space ignored
13744 at\MessageBreak
13745 notitlepage-mode%
13746 }%
13747 \fi
13748 \begingroup
13749 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13750 \let\@oldmakefnmark\@makefnmark
13751 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
13752 \if@twocolumn
13753 \ifnum \col@number=\@ne
13754 \@maketitle
13755 \else
13756 \twocolumn[\@maketitle]%
13757 \fi
13758 \else
13759 \newpage
13760 \global\@topnum\z@
13761 \@maketitle
13762 \fi
13763 \thispagestyle{\titlepagestyle}\@thanks
13764 \endgroup
13765 \fi
13766 \setcounter{footnote}{0}%
13767 \let\thanks\relax
13768 \let\LTRthanks\relax
13769 \let\RTLthanks\relax

```

```

13770 \let\maketitle\relax
13771 \let\@maketitle\relax
13772 \global\let\@thanks\@empty
13773 \global\let\@author\@empty
13774 \global\let\@date\@empty
13775 \global\let\@title\@empty
13776 \global\let\@subtitle\@empty
13777 \global\let\@extratitle\@empty
13778 \global\let\@titlehead\@empty
13779 \global\let\@subject\@empty
13780 \global\let\@publishers\@empty
13781 \global\let\@uppertitleback\@empty
13782 \global\let\@lowertitleback\@empty
13783 \global\let\@dedication\@empty
13784 \global\let\author\relax
13785 \global\let\title\relax
13786 \global\let\extratitle\relax
13787 \global\let\titlehead\relax
13788 \global\let\subject\relax
13789 \global\let\publishers\relax
13790 \global\let\uppertitleback\relax
13791 \global\let\lowertitleback\relax
13792 \global\let\dedication\relax
13793 \global\let\date\relax
13794 \global\let\and\relax
13795 }%
13796 \renewcommand*{\@maketitle}{%
13797 \clearpage
13798 \let\footnote\thanks
13799 \let\LTRfootnote\LTRthanks
13800 \let\RTLfootnote\RTLthanks
13801 \ifx\@extratitle\@empty \else
13802 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
13803 \fi
13804 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updateerelative
13805 \ifx\@titlehead\@empty \else
13806 \begin{minipage}[t]{\textwidth}
13807 \@titlehead
13808 \end{minipage}\par
13809 \fi
13810 \null
13811 \vskip 2em%
13812 \begin{center}%
13813 \ifx\@subject\@empty \else
13814 {\subject@font \@subject \par}
13815 \vskip 1.5em
13816 \fi
13817 {\titlefont\huge \@title \par}%
13818 \vskip .5em
13819 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%

```

```

13820 \vskip 1em
13821 {\Large
13822 \lineskip .5em%
13823 \begin{tabular}[t]{c}
13824 \author
13825 \end{tabular}\par
13826 }%
13827 \vskip 1em%
13828 {\Large \@date \par}%
13829 \vskip \z@ \@plus 1em
13830 {\Large \@publishers \par}
13831 \ifx\@dedication\@empty \else
13832 \vskip 2em
13833 {\Large \@dedication \par}
13834 \fi
13835 \end{center}%
13836 \par
13837 \vskip 2em
13838 }%
13839 \renewcommand*\l@part[2]{%
13840 \ifnum \c@tocdepth >-2\relax
13841 \addpenalty{-\@highpenalty}%
13842 \addvspace{2.25em \@plus\p@}%
13843 \setlength{\@tempdima}{2em}%
13844 \if@tocleft
13845 \ifx\toc@l@number\@empty\else
13846 \setlength{\@tempdima}{0\toc@l@number}%
13847 \fi
13848 \fi
13849 \begingroup
13850 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13851 \parfillskip -\@pnumwidth
13852 \leavevmode
13853 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13854 \hskip -\if@RTL\rightskip\else\leftskip\fi
13855 {\usekomafont{partentry}{#1\nobreak
13856 \usekomafont{partentrypagenumber}{\hfil\nobreak
13857 \hb@xt@\@pnumwidth{\hss#2}}}\par
13858 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13859 \endgroup
13860 \penalty20010
13861 \else
13862 \penalty\@highpenalty
13863 \endgroup
13864 \fi
13865 \fi
13866 }\renewcommand*\l@part[2]{%
13867 \ifnum \c@tocdepth >-2\relax
13868 \addpenalty{-\@highpenalty}%
13869 \addvspace{2.25em \@plus\p@}%

```

```

13870 \setlength{\@tempdima}{2em}%
13871 \if@tocleft
13872 \ifx\toc@l@number\@empty\else
13873 \setlength\@tempdima{0\toc@l@number}%
13874 \fi
13875 \fi
13876 \begingroup
13877 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13878 \parfillskip -\@pnumwidth
13879 \leavevmode
13880 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
13881 \hskip -\if@RTL\rightskip\else\leftskip\fi
13882 {\usekomafont{partentry}{#1\nobreak
13883 \usekomafont{partentrypagenumber}{\hfil\nobreak
13884 \hb@xt@\@pnumwidth{\hss#2}}}\par
13885 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13886 \endgroup
13887 \penalty20010
13888 \else
13889 \penalty\@highpenalty
13890 \endgroup
13891 \fi
13892 \fi
13893 }
13894 \renewcommand*\l@chapter[2]{%
13895 \ifnum \c@tocdepth >\m@ne
13896 \ifnum \lastpenalty<20010
13897 \addpenalty{-\@highpenalty}%
13898 \fi
13899 \vskip 1.0em \@plus\p@
13900 \setlength\@tempdima{1.5em}%
13901 \if@tocleft
13902 \ifx\toc@l@number\@empty\else
13903 \setlength\@tempdima{0\toc@l@number}%
13904 \fi
13905 \fi
13906 \begingroup
13907 \raggedchapterentry
13908 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13909 \parfillskip -\@pnumwidth
13910 \interlinepenalty\@M
13911 \leavevmode
13912 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
13913 {\usekomafont{chapterentry}{#1\nobreak
13914 \usekomafont{chapterentrypagenumber}{%
13915 \hfill\nobreak
13916 \hb@xt@\@pnumwidth{\hss#2}}}\par
13917 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
13918 \endgroup
13919 \penalty20009

```



```

13920         \else
13921             \penalty\@highpenalty
13922         \endgroup
13923     \fi
13924 \fi
13925 }
13926 \def\raggedsection{\ifRTL\raggedleft\else\raggedright\fi}
13927 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
13928 \renewcommand*\thesection{%
13929     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13930         \if@mainmatter\thechapter\@SepMark\fi
13931     \else
13932         \thechapter\@SepMark%
13933     \fi
13934     \@arabic\c@section
13935 }
13936 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
13937 \renewcommand*\thesubsubsection{%
13938     \thesubsection\@SepMark\@arabic\c@subsubsection
13939 }
13940 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13941 \renewcommand*\thesubparagraph{%
13942     \theparagraph\@SepMark\@arabic\c@subparagraph
13943 }
13944 \renewcommand*\thefigure{%
13945     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13946         \if@mainmatter\thechapter\@SepMark\fi
13947     \else
13948         \thechapter\@SepMark%
13949     \fi
13950     \@arabic\c@figure
13951 }
13952 \renewcommand*\thetable{%
13953     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13954         \if@mainmatter\thechapter\@SepMark\fi
13955     \else
13956         \thechapter\@SepMark%
13957     \fi
13958     \@arabic\c@table
13959 }
13960 \renewcommand*\theequation{%
13961     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
13962         \if@mainmatter\thechapter\@SepMark\fi
13963     \else
13964         \thechapter\@SepMark%
13965     \fi
13966     \@arabic\c@equation
13967 }
13968 \renewenvironment{thebibliography}[1]{%
13969     \if@bib@break@

```

```

13970 \bib@beginhook
13971 \else
13972 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
13973 \setchapterpreamble{\bibpreamble}%
13974 \fi\fi
13975 \bib@heading
13976 \bib@beginhook
13977 \bib@before@hook
13978 \fi
13979 \renewcommand{\BreakBibliography}[1]{%
13980 \@bib@break
13981 \end{thebibliography}%
13982 \begingroup ##1\endgroup
13983 \begin{thebibliography}{#1}
13984 }%
13985 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
13986 \list{%
13987 \@biblabel{\@arabic\c@enumiv}%
13988 }{%
13989 \settowidth\labelwidth{\@biblabel{#1}}%
13990 \leftmargin\labelwidth
13991 \advance\leftmargin\labelsep
13992 \@openbib@code
13993 \if@bib@break@
13994 \edef\@tempa{%
13995 \noexpand\usecounter{enumiv}%
13996 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
13997 }\@tempa
13998 \no@bib@break
13999 \else
14000 \usecounter{enumiv}%
14001 \fi
14002 \let\p@enumiv\@empty
14003 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14004 }%
14005 \sloppy\clubpenalty4000 \widowpenalty4000
14006 \sfcode'\.=\@m
14007 }{%
14008 \if@bib@break@
14009 \def\@noitemerr{%
14010 \@latex@warning{%
14011 \string\BreakBibliography\space at begin of 'thebibliography'
14012 environment\MessageBreak
14013 or following \string\BreakBibliography}%
14014 }%
14015 \else
14016 \def\@noitemerr{%
14017 \@latex@warning{%
14018 Empty 'thebibliography' environment or
14019 \string\BreakBibliography\MessageBreak

```

```

14020         before end of 'thebibliography' environment}%
14021     }%
14022 \fi
14023 \endlist
14024 \if@bib@break@
14025 \else
14026     \bib@after@hook
14027     \let\bib@before@hook\@empty
14028     \let\bib@after@hook\@empty
14029 \fi
14030 \bib@endhook
14031 }
14032 \renewcommand*\left@footnoterule{%
14033     \kern-3\p@
14034     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14035     \hrule\@width.4\columnwidth
14036     \kern 2.6\p@}
14037 \renewcommand*\right@footnoterule{%
14038     \hbox to \columnwidth
14039     {\beginR \vbox{%
14040         \kern-3\p@
14041         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14042         \hrule\@width.4\columnwidth
14043         \kern 2.6\p@}\hfil\endR}}
14044 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14045 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14046 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14047 \renewcommand\marginline[1]{%
14048     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14049 }
14050 \renewcommand{\@makecaption}[3]{%
14051     \cap@margin
14052     \ifonlinecaptions
14053         \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14054         \let\scr@tmp@footnotetext=\@footnotetext
14055         \let\@footnotetext=\@gobble
14056         \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14057         \let\@LTRfootnotetext=\@gobble
14058         \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14059         \let\@RTLfootnotetext=\@gobble
14060         \sbox\@tempboxa{%
14061             {\capfont{\strut\ignorespaces
14062                 #1{\caplabelfont{#2\captionformat}}}%
14063                 #3\unskip\strut}}%
14064         }%
14065         \let\@footnotetext=\scr@tmp@footnotetext
14066         \let\scr@tmp@footnotetext=\undefined
14067         \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14068         \let\scr@tmp@LTRfootnotetext=\undefined
14069         \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext

```

```

14070 \let\scr@tmp@RTLfootnotetext=\undefined
14071 \setcounter{footnote}{\@tempcntb}%
14072 \setcounter{mpfootnote}{\@tempcnta}%
14073 \else
14074 \sbox\@tempboxa{\hspace*{2\cap@width}}%
14075 \fi
14076 \begingroup%
14077 \setlength{\@tempdima}{\cap@width}%
14078 \ifdim \wd\@tempboxa >\@tempdima
14079 \hb@xt@\hsize{%
14080 \setbox\@tempboxa\vbox{\hsize=\cap@width
14081 \ifdofullc@p
14082 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14083 #1{\caplabelfont{#2\captionformat}}}}}%
14084 #3\unskip\strut\par}}}%
14085 \else%
14086 \ifdim\cap@indent<z@
14087 {\capfont{\strut\ignorespaces
14088 #1{\caplabelfont{#2\captionformat\par}}}%
14089 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14090 \else%
14091 \if@capbreak
14092 {\capfont{\strut\ignorespaces
14093 #1{\caplabelfont{#2\captionformat\par}}}%
14094 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
14095 \else
14096 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}%
14097 {\hspace*{-\cap@indent}}\scr@smashdp{\ignorespaces#1%
14098 {\caplabelfont{#2\captionformat}}}{#3\unskip\strut\par}}}%
14099 \fi
14100 \fi
14101 \fi
14102 }%
14103 \setlength{\@tempdima}{\ht\@tempboxa}%
14104 \addtolength{\@tempdima}{\dp\@tempboxa}%
14105 \addtolength{\@tempdima}{-\ht\strutbox}%
14106 \ht\@tempboxa\ht\strutbox
14107 \dp\@tempboxa\@tempdima
14108 \strut\cap@left
14109 \box\@tempboxa
14110 \cap@right\strut
14111 }%
14112 \else
14113 \global \@minipagefalse
14114 \sbox\@tempboxa{%
14115 {\capfont{\scr@smashdp{\strut\ignorespaces
14116 #1{\caplabelfont{#2\captionformat}}}}}%
14117 #3}%
14118 }%
14119 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}

```

```

14120 \fi
14121 \endgroup
14122 }
14123 \renewcommand{\@makecaption}[2]{%
14124 \if@captionabove
14125 \vskip\belowcaptionskip
14126 \else
14127 \vskip\abovecaptionskip
14128 \fi
14129 \@makecaption\@firstofone{#1}{#2}%
14130 \if@captionabove
14131 \vskip\abovecaptionskip
14132 \else
14133 \vskip\belowcaptionskip
14134 \fi
14135 }

```

7.98 scrlettr-xetex-bidi.def

```

14136 \ProvidesFile{scrlettr-xetex-bidi.def}[2011/09/24 v0.2 bidi adaptations for scrlettr class fo
14137 \renewcommand\deffootnote[4][{}]{%
14138 \long\def\@makefnmark##1{%
14139 \edef\@tempa{#1}\ifx\@tempa\@empty
14140 \setpar{\@par
14141 \tempdima = \hsize
14142 \addtolength{\tempdima}{-#2}
14143 \ifRTL\parshape \@ne 0pt \tempdima\else\parshape \@ne #2 \tempdima\fi}%
14144 \else
14145 \setpar{\@par
14146 \tempdima = \hsize
14147 \addtolength{\tempdima}{-#1}
14148 \tempdimb = \hsize
14149 \addtolength{\tempdimb}{-#2}
14150 \ifRTL\parshape \tw@ 0pt \tempdima 0pt \tempdimb\else\parshape \tw@ #1 \tempdima
14151 \fi
14152 \par
14153 \parindent #3\noindent
14154 \hbox to \z@{\hss\@makefnmark}##1}
14155 \def\@makefnmark{\hbox{#4}}
14156 }
14157 \deffootnote[1em]{1.5em}{1em}
14158 {\textsuperscript{\thefootnotemark}}
14159 \def\left@footnoterule{\kern-1\p@
14160 \hrule width 0.4\columnwidth
14161 \kern .6\p@}
14162 \def\right@footnoterule{%
14163 \hbox to \columnwidth
14164 {\beginR \vbox{\kern -3\p@
14165 \kern-1\p@
14166 \hrule width 0.4\columnwidth

```

```

14167 \kern .6\p@}\hfil\endR}}
14168 \def\@datefield{\@reffalse
14169 \ifx\varyourref\@empty \else \@reftrue \fi
14170 \ifx\varyourmail\@empty \else \@reftrue \fi
14171 \ifx\varmyref\@empty \else \@reftrue \fi
14172 \ifx\varcustomer\@empty \else \@reftrue \fi
14173 \ifx\varinvoice\@empty \else \@reftrue \fi
14174 \ifx\varrefitemi\@empty \else \@reftrue \fi
14175 \ifx\varrefitemii\@empty \else \@reftrue \fi
14176 \ifx\varrefitemiii\@empty \else \@reftrue \fi
14177 \vskip -\parskip
14178 \vskip \refvskip
14179 \if@ref
14180 \ifx\varyourref\@empty \else
14181 \settowidth{\sc@temp}{\varyourref}
14182 \setbox0\hbox{\scriptsize \sf \yourrefname}
14183 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14184 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
14185 \fi
14186 \ifx\varyourmail\@empty \else
14187 \settowidth{\sc@temp}{\varyourmail}
14188 \setbox0\hbox{\scriptsize \sf \yourmailname}
14189 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14190 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
14191 \fi
14192 \ifx\varmyref\@empty \else
14193 \settowidth{\sc@temp}{\varmyref}
14194 \setbox0\hbox{\scriptsize \sf \myrefname}
14195 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14196 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
14197 \fi
14198 \ifx\varcustomer\@empty \else
14199 \settowidth{\sc@temp}{\varcustomer}
14200 \setbox0\hbox{\scriptsize \sf \customername}
14201 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14202 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
14203 \fi
14204 \ifx\varinvoice\@empty \else
14205 \settowidth{\sc@temp}{\varinvoice}
14206 \setbox0\hbox{\scriptsize \sf \invoicename}
14207 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14208 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
14209 \fi
14210 \ifx\varrefitemi\@empty \else
14211 \settowidth{\sc@temp}{\varrefitemi}
14212 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
14213 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
14214 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
14215 \fi
14216 \ifx\varrefitemii\@empty \else

```

```

14217 \settowidth{\sc@temp}{\varrefitemii}
14218 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
14219 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14220 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
14221 \fi
14222 \ifx\varrefitemiii\@empty \else
14223 \settowidth{\sc@temp}{\varrefitemiii}
14224 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
14225 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14226 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
14227 \fi
14228 \ifx\@date\@empty \else
14229 \settowidth{\sc@temp}{\@date}
14230 \setbox0\hbox{\scriptsize \sf \datename}
14231 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
14232 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
14233 \fi
14234 \par
14235 \vspace{2.5\baselineskip}
14236 \else
14237 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
14238 \vspace{1.5\baselineskip}
14239 \fi}
14240 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
14241 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
14242 -\sigindent \hspace{\sigindent}}
14243 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\[/presig@sk
14244 \fromsig\strut}\par
14245 \vspace{1.5\baselineskip}}

```

7.99 scrreprt-xetex-bidi.def

```

14246 \ProvidesFile{scrreprt-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrreprt class fo
14247 \newcommand{\scr@saved@LTRfootnotetext}{}
14248 \newcommand{\scr@saved@RTLfootnotetext}{}
14249 \let\scr@saved@footnotetext\@footnotetext
14250 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14251 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14252 \renewcommand{\@footnotetext}[1]{%
14253 \scr@saved@footnotetext{#1}%
14254 \csname FN@mfb@prepare\endcsname
14255 }
14256 \renewcommand{\@LTRfootnotetext}[1]{%
14257 \scr@saved@LTRfootnotetext{#1}%
14258 \csname FN@mfb@prepare\endcsname
14259 }
14260 \renewcommand{\@RTLfootnotetext}[1]{%
14261 \scr@saved@RTLfootnotetext{#1}%
14262 \csname FN@mfb@prepare\endcsname
14263 }

```

```

14264 \renewcommand\deffootnote[4] [] {%
14265   \long\def\@makefnmark##1{%
14266     \setlength{\@tempdimc}{#3}%
14267     \def\@tempa{#1}\ifx\@tempa\@empty
14268       \setpar{\@par
14269         \@tempdima = \hsize
14270         \addtolength{\@tempdima}{-#2}%
14271         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
14272     \else
14273       \addtolength{\@tempdimc}{#2}%
14274       \addtolength{\@tempdimc}{-#1}%
14275       \setpar{\@par
14276         \@tempdima = \hsize
14277         \addtolength{\@tempdima}{-#1}%
14278         \@tempdimb = \hsize
14279         \addtolength{\@tempdimb}{-#2}%
14280         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima
14281       }%
14282     \fi
14283     \par
14284     \parindent\@tempdimc\noindent
14285     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14286   }%
14287 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14288 }
14289 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14290 \renewcommand*\left@footnoterule{%
14291   \normalsize\ftn@rule@test@values
14292   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14293   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14294   {\usekomafont{footnoterule}{%
14295     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14296   \kern 2.6\p@}
14297 \renewcommand*\right@footnoterule{%
14298   \hbox to \columnwidth
14299   {\beginR \vbox{\kern -3\p@
14300     \normalsize\ftn@rule@test@values
14301     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14302     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14303     {\usekomafont{footnoterule}{%
14304       \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14305     \kern 2.6\p@}\hfil\endR}}
14306 \renewcommand*\maketitle[1][1]{%
14307   \if@titlepage
14308     \begin{titlepage}
14309       \setcounter{page}{%
14310         #1%
14311       }%
14312       \let\footnotesize\small
14313       \let\right@footnoterule\relax

```



```

14314 \let\left@footnoterule\relax
14315 \let\textwidth@footnoterule\relax
14316 \let\footnote\thanks
14317 \let\LTRfootnote\LTRthanks
14318 \let\RTLfootnote\RTLthanks
14319 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14320 \let\@oldmakefnmark\@makefnmark
14321 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
14322 \ifx\@extratitle\@empty \else
14323   \noindent\@extratitle\next@tpage\cleardoubleemptypage
14324   \thispagestyle{empty}%
14325 \fi
14326 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14327 \ifx\@titlehead\@empty \else
14328   \begin{minipage}[t]{\textwidth}%
14329     \@titlehead
14330   \end{minipage}\par
14331 \fi
14332 \null\vfill
14333 \begin{center}
14334   \ifx\@subject\@empty \else
14335     {\subject@font \@subject \par}%
14336     \vskip 3em
14337   \fi
14338   {\titlefont\huge \@title\par}%
14339   \vskip 1em
14340   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14341   \vskip 2em
14342   {\Large \lineskip 0.75em
14343     \begin{tabular}[t]{c}
14344       \@author
14345     \end{tabular}\par
14346   }%
14347   \vskip 1.5em
14348   {\Large \@date \par}%
14349   \vskip \z@\@plus3fil
14350   {\Large \@publishers \par}%
14351   \vskip 3em
14352 \end{center}\par
14353 \@thanks
14354 \vfill\null
14355 \if@twoside\next@tpage
14356   \begin{minipage}[t]{\textwidth}
14357     \@uppertitleback
14358   \end{minipage}\par
14359   \vfill
14360   \begin{minipage}[b]{\textwidth}
14361     \@lowertitleback
14362   \end{minipage}
14363 \fi

```

```

14364     \ifx\@dedication\@empty \else
14365         \next@tpage\@null\@vfill
14366         {\centering \Large \@dedication \par}%
14367         \vskip \z@ \@plus3fill
14368         \if@twoside \next@tpage\clear@double@empty@page \fi
14369     \fi
14370 \end{titlepage}
14371 \else
14372     \par
14373     \@tempcnta=%
14374     #1%
14375     \relax\ifnum\@tempcnta=1\else
14376         \ClassWarning{\KOMAClassName}{%
14377             Optional argument of \string\maketitle\space ignored
14378             at\MessageBreak
14379             notitlepage-mode%
14380         }%
14381     \fi
14382     \begin@group
14383         \renewcommand*\the@footnote{\@fnsymbol\c@footnote}%
14384         \let\@oldmakefnmark\@makefnmark
14385         \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
14386         \if@twocolumn
14387             \ifnum \col@number=\@one
14388                 \@maketitle
14389             \else
14390                 \twocolumn[\@maketitle]%
14391             \fi
14392         \else
14393             \newpage
14394             \global\@topnum\z@
14395             \@maketitle
14396         \fi
14397         \thispagestyle{\titlepagestyle}\@thanks
14398     \end@group
14399 \fi
14400 \setcounter{footnote}{0}%
14401 \let\thanks\relax
14402 \let\LTRthanks\relax
14403 \let\RTLthanks\relax
14404 \let\maketitle\relax
14405 \let\@maketitle\relax
14406 \global\let\@thanks\@empty
14407 \global\let\@author\@empty
14408 \global\let\@date\@empty
14409 \global\let\@title\@empty
14410 \global\let\@subtitle\@empty
14411 \global\let\@extratitle\@empty
14412 \global\let\@titlehead\@empty
14413 \global\let\@subject\@empty

```

```

14414 \global\let\@publishers\@empty
14415 \global\let\@uppertitleback\@empty
14416 \global\let\@lowertitleback\@empty
14417 \global\let\@dedication\@empty
14418 \global\let\author\relax
14419 \global\let\title\relax
14420 \global\let\extratitle\relax
14421 \global\let\titlehead\relax
14422 \global\let\subject\relax
14423 \global\let\publishers\relax
14424 \global\let\uppertitleback\relax
14425 \global\let\lowertitleback\relax
14426 \global\let\dedication\relax
14427 \global\let\date\relax
14428 \global\let\and\relax
14429 }%
14430 \renewcommand*{\@maketitle}{%
14431 \clearpage
14432 \let\footnote\thanks
14433 \let\LTRfootnote\LTRthanks
14434 \let\RTLfootnote\RTLthanks
14435 \ifx\@extratitle\@empty \else
14436 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14437 \fi
14438 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14439 \ifx\@titlehead\@empty \else
14440 \begin{minipage}[t]{\textwidth}
14441 \@titlehead
14442 \end{minipage}\par
14443 \fi
14444 \null
14445 \vskip 2em%
14446 \begin{center}%
14447 \ifx\@subject\@empty \else
14448 {\subject@font \@subject \par}
14449 \vskip 1.5em
14450 \fi
14451 {\titlefont\huge \@title \par}%
14452 \vskip .5em
14453 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14454 \vskip 1em
14455 {\Large
14456 \lineskip .5em%
14457 \begin{tabular}[t]{c}
14458 \@author
14459 \end{tabular}\par
14460 }%
14461 \vskip 1em%
14462 {\Large \@date \par}%
14463 \vskip \z@ \@plus 1em

```

```

14464     {\Large \@publishers \par}
14465     \ifx\@dedication\@empty \else
14466         \vskip 2em
14467         {\Large \@dedication \par}
14468     \fi
14469 \end{center}%
14470 \par
14471 \vskip 2em
14472 }%
14473 \renewcommand*\l@part[2]{%
14474     \ifnum \c@tocdepth >-2\relax
14475         \addpenalty{-\@highpenalty}%
14476         \addvspace{2.25em \@plus\p@}%
14477         \setlength{\@tempdima}{2em}%
14478         \if@tocleft
14479             \ifx\toc@l@number\@empty\else
14480                 \setlength{\@tempdima}{0\toc@l@number}%
14481             \fi
14482         \fi
14483         \begingroup
14484             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14485             \parfillskip -\@pnumwidth
14486             \leavevmode
14487             \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14488             \hskip -\if@RTL\rightskip\else\leftskip\fi
14489             {\usekomafont{partentry}{#1\nobreak
14490                 \usekomafont{partentrypagenumber}{\hfil\nobreak
14491                     \hb@xt@\@pnumwidth{\hss#2}}}\par
14492             \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14493             \endgroup
14494             \penalty20010
14495         \else
14496             \penalty\@highpenalty
14497         \endgroup
14498     \fi
14499 \fi
14500 }
14501 \renewcommand*\l@chapter[2]{%
14502     \ifnum \c@tocdepth >\m@ne
14503         \ifnum \lastpenalty<20010
14504             \addpenalty{-\@highpenalty}%
14505         \fi
14506         \vskip 1.0em \@plus\p@
14507         \setlength{\@tempdima}{1.5em}%
14508         \if@tocleft
14509             \ifx\toc@l@number\@empty\else
14510                 \setlength{\@tempdima}{0\toc@l@number}%
14511             \fi
14512         \fi
14513         \begingroup

```

```

14514 \raggedchapterentry
14515 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14516 \parfillskip -\@pnumwidth
14517 \interlinepenalty\@M
14518 \leavevmode
14519 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
14520 {\usekomafont{chapterentry}{#1\nobreak
14521 \usekomafont{chapterentrypagenumber}{%
14522 \hfill\nobreak
14523 \hb@xt@\@pnumwidth{\hss#2}}}\par
14524 \ifnum \scr@compatibility>\@nameuse{scr@v2.96}\relax
14525 \endgroup
14526 \penalty20009
14527 \else
14528 \penalty\@highpenalty
14529 \endgroup
14530 \fi
14531 \fi
14532 }
14533 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14534 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14535 \renewcommand*\thesection{%
14536 \thechapter\@SepMark%
14537 \@arabic\c@section
14538 }
14539 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\csubsection}
14540 \renewcommand*{\thesubsubsection}{%
14541 \thesubsection\@SepMark\@arabic\csubsubsection
14542 }
14543 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\cparagraph}
14544 \renewcommand*{\thesubparagraph}{%
14545 \theparagraph\@SepMark\@arabic\csubparagraph
14546 }
14547 \renewcommand*\thefigure{%
14548 \thechapter\@SepMark%
14549 \@arabic\c@figure
14550 }
14551 \renewcommand*\thetable{%
14552 \thechapter\@SepMark%
14553 \@arabic\c@table
14554 }
14555 \renewcommand*\theequation{%
14556 \thechapter\@SepMark%
14557 \@arabic\c@equation
14558 }
14559 \renewenvironment{thebibliography}[1]{%
14560 \if@bib@break@
14561 \bib@beginhook
14562 \else
14563 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else

```

```

14564         \setchapterpreamble{\bibpreamble}%
14565     \fi\fi
14566     \bib@heading
14567     \bib@beginhook
14568     \bib@before@hook
14569 \fi
14570 \renewcommand{\BreakBibliography}[1]{%
14571     \@bib@break
14572     \end{thebibliography}%
14573     \begingroup ##1\endgroup
14574     \begin{thebibliography}{#1}
14575 }%
14576 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14577 \list{%
14578     \@biblabel{\@arabic\c@enumiv}%
14579 }{%
14580     \settowidth\labelwidth{\@biblabel{#1}}%
14581     \leftmargin\labelwidth
14582     \advance\leftmargin\labelsep
14583     \@openbib@code
14584     \if@bib@break@
14585         \edef\@tempa{%
14586             \noexpand\usecounter{enumiv}%
14587             \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14588         }\@tempa
14589         \no@bib@break
14590     \else
14591         \usecounter{enumiv}%
14592     \fi
14593     \let\p@enumiv\@empty
14594     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14595 }%
14596 \sloppy\clubpenalty4000 \widowpenalty4000
14597 \sfcode'\.=\@m
14598 }{%
14599 \if@bib@break@
14600     \def\@noitemerr{%
14601         \@latex@warning{%
14602             \string\BreakBibliography\space at begin of 'thebibliography'
14603             environment\MessageBreak
14604             or following \string\BreakBibliography}%
14605     }%
14606 \else
14607     \def\@noitemerr{%
14608         \@latex@warning{%
14609             Empty 'thebibliography' environment or
14610             \string\BreakBibliography\MessageBreak
14611             before end of 'thebibliography' environment}%
14612     }%
14613 \fi

```

```

14614 \endlist
14615 \if@bib@break@
14616 \else
14617 \bib@after@hook
14618 \let\bib@before@hook\@empty
14619 \let\bib@after@hook\@empty
14620 \fi
14621 \bib@endhook
14622 }
14623 \renewcommand*\left@footnoterule{%
14624 \kern-3\p@
14625 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14626 \hrule\@width.4\columnwidth
14627 \kern 2.6\p@}
14628 \renewcommand*\right@footnoterule{%
14629 \hbox to \columnwidth
14630 {\beginR \vbox{%
14631 \kern-3\p@
14632 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14633 \hrule\@width.4\columnwidth
14634 \kern 2.6\p@}\hfil\endR}}
14635 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
14636 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
14637 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
14638 \renewcommand\marginline[1]{%
14639 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14640 }
14641 \renewcommand{\@makecaption}[3]{%
14642 \cap@margin
14643 \ifonelinecaptions
14644 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14645 \let\scr@tmp@footnotetext=\@footnotetext
14646 \let\@footnotetext=\@gobble
14647 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14648 \let\@LTRfootnotetext=\@gobble
14649 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14650 \let\@RTLfootnotetext=\@gobble
14651 \sbox\@tempboxa{%
14652 {\capfont{\strut\ignorespaces
14653 #1{\caplabelfont{#2\captionformat}}}%
14654 #3\unskip\strut}}%
14655 }%
14656 \let\@footnotetext=\scr@tmp@footnotetext
14657 \let\scr@tmp@footnotetext=\undefined
14658 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14659 \let\scr@tmp@LTRfootnotetext=\undefined
14660 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14661 \let\scr@tmp@RTLfootnotetext=\undefined
14662 \setcounter{footnote}{\@tempcntb}%
14663 \setcounter{mpfootnote}{\@tempcnta}%

```

```

14664 \else
14665 \sbox\@tempboxa{\hspace*{2\cap@width}}%
14666 \fi
14667 \beginngroup%
14668 \setlength{\@tempdima}{\cap@width}%
14669 \ifdim \wd\@tempboxa >\@tempdima
14670 \hb@xt@\hsize{%
14671 \setbox\@tempboxa\vbox{\hsize=\cap@width
14672 \ifdofullc@p
14673 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14674 #1{\caplabelfont{#2\captionformat}}}}}%
14675 {#3\unskip\strut\par}}}%
14676 \else%
14677 \ifdim\cap@indent<\z@
14678 {\capfont{\strut\ignorespaces
14679 #1{\caplabelfont{#2\captionformat\par}}}%
14680 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
14681 \else%
14682 \if@capbreak
14683 {\capfont{\strut\ignorespaces
14684 #1{\caplabelfont{#2\captionformat\par}}}%
14685 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
14686 \else
14687 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}%
14688 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14689 {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
14690 \fi
14691 \fi
14692 \fi
14693 }%
14694 \setlength{\@tempdima}{\ht\@tempboxa}%
14695 \addtolength{\@tempdima}{\dp\@tempboxa}%
14696 \addtolength{\@tempdima}{-\ht\strutbox}%
14697 \ht\@tempboxa\ht\strutbox
14698 \dp\@tempboxa\@tempdima
14699 \strut\cap@left
14700 \box\@tempboxa
14701 \cap@right\strut
14702 }%
14703 \else
14704 \global \@minipagefalse
14705 \sbox\@tempboxa{%
14706 {\capfont{\scr@smashdp{\strut\ignorespaces
14707 #1{\caplabelfont{#2\captionformat}}}}}%
14708 #3}%
14709 }%
14710 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}%
14711 \fi
14712 \endgroup
14713 }

```



```

14714 \renewcommand{\@makecaption}[2]{%
14715   \if@captionabove
14716     \vskip\belowcaptionskip
14717   \else
14718     \vskip\abovecaptionskip
14719   \fi
14720   \@makecaption\@firstofone{#1}{#2}%
14721   \if@captionabove
14722     \vskip\abovecaptionskip
14723   \else
14724     \vskip\belowcaptionskip
14725   \fi
14726 }

```

7.100 sidecap-xetex-bidi.def

```

14727 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package fo
14728 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
14729   \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} \if@RTL%
14730 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} \if@RTL%
14731 \renewcommand*{\SC@justify@caption}{\if@RTL%
14732 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\else%
14733 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi}

```

7.101 stabular-xetex-bidi.def

```

14734 \ProvidesFile{stabular-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for stabular package
14735 \def\@stabular{\if@RTL\@RTLtabtrue\fi
14736   \leavevmode \bgroup \if@RTLtab\beginR \fi
14737   \let\@acol\@tabacol
14738   \let\@classz\@tabclassz
14739   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
14740 \def\endstabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
14741   \egroup \if@RTLtab\endR\fi\egroup
14742   \@RTLtabfalse}
14743 \expandafter \let \csname endstabular*\endcsname = \endstabular
14744 \def\@sarray[#1]#2{%
14745   \bgroup
14746   \setbox\@arstrutbox\hbox{%
14747     \vrule \@height\arraystretch\ht\strutbox
14748     \@depth\arraystretch \dp\strutbox
14749     \@width\z@}%
14750   \@mkpream{#2}%
14751   \edef\@preamble{%
14752     \ialign \noexpand\@halignto
14753       \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
14754   \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
14755   \let\@tabularnewline\\%
14756   \let\@sharp##%
14757   \set@typeset@protect
14758   \lineskip\z@skip\baselineskip\z@skip

```

```

14759 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
14760 \@preamble}

```

7.102 subfigure-xetex-bidi.def

```

14761 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
14762 \AtBeginDocument{%
14763 \let\p@subfigure=\thefigure
14764 \let\p@subtable=\thetable%
14765 }

```

7.103 tabs-xetex-bidi.def

```

14766 \ProvidesFile{tabs-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for tabs package for XeTeX]
14767 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup
14768 \@RTLtabfalse}
14769
14770 \expandafter\let\csname endtabular*\endcsname=\endtabular
14771
14772 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
14773 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
14774 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
14775
14776 \def\@array[#1]#2{% remember global variables to allow recursion:
14777 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
14778 \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
14779 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
14780 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
14781 \else \let\@tarlinesep\tablinesep \fi
14782 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
14783 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
14784 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
14785 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
14786 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
14787 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
14788 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
14789 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
14790 \let\protect\noexpand
14791 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
14792 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
14793 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
14794 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
14795 \bgroup \let\par\@empty
14796 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
14797 \advance\extrarulesep.5\arrayrulewidth
14798 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
14799 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
14800 \@preamble}

```

7.104 tabulary-xetex-bidi.def

```

14801 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]

```

[illegible]

7.105 tc-xetex-bidi.def

```

14831 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX
14832 \def\@cliptoboxdim#1{%
14833     \setbox#1=\hbox{%
14834         \Gin@defaultbp\WIDTH{\wd#1}%
14835         \Gin@defaultbp\DEPTH{\dp#1}%
14836         \@tempdima\ht#1%
14837         \advance\@tempdima\dp#1%
14838         \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
14839         \beginL\special{pdf:bcontent }%
14840         \special{%
14841             pdf:literal direct
14842             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
14843         }%
14844         \special{pdf:literal direct W }%
14845         \special{pdf:literal direct n }%
14846         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
14847         \special{pdf:econtent }\endL%
14848     }%

```

14849 }

7.106 titlesec-xetex-bidi.def

```
14850 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
14851 \renewcommand\filright{%
14852   \gdef\ttl@filleft##1{\hskip##1}%
14853   \gdef\ttl@filright##1{\hfill}%
14854   \let\\\@centercr
14855   \advance\rightskip\z@ \@plus 1fil
14856   \parfillskip\z@}
14857 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
14858   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
14859   \setlength\leftskip{#6}%
14860   \setlength\rightskip{#7}%
14861   \interlinepenalty\@M
14862   \ttl@changecentercr
14863   \ttl@beginlongest
14864   #1{\ifhmode\ttl@hmode@error\fi
14865     \ttl@glcmds
14866     \parindent\z@
14867     \leavevmode
14868     \begingroup
14869     \ifttl@label
14870       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
14871       \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
14872       \llap{\box\z@}%
14873       \fi
14874       #4{#8}%
14875       \kern\z@\strut\@par
14876     \endgroup
14877     \nobreak\ttl@midlongest#5\@par}%
14878   \ttl@endlongest}
```

7.107 titletoc-xetex-bidi.def

```
14879 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
14880 \renewcommand\filright{%
14881   \gdef\ttl@filleft##1{\hskip##1}%
14882   \gdef\ttl@filright##1{\hfill}%
14883   \let\\\@centercr
14884   \advance\rightskip\z@ \@plus 1fil
14885   \parfillskip\z@}
14886 \renewcommand\contentspush[1]{%
14887   \sbox\z@{#1}%
14888   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
14889   \aftergroup\ttl@b
14890   \leavevmode\llap{\box\z@}}
14891 \def\ttl@outnoblock#1#2#3{%
14892   \begingroup
14893   \ifnum\ttl@b>\ttl@a
```

```

14894 \nobreak
14895 \else\ifnum\ttl@b<\ttl@a
14896 \addpenalty{\@secpenalty}%
14897 \else
14898 \addpenalty{\z@}%
14899 \fi\fi
14900 \ttl@contentsstretch
14901 \nobreak
14902 \ifcase#1\relax\else\interlinepenalty\M\fi
14903 \parindent\z@
14904 \ifx\@nil#2%
14905 \PackageError{titletoc}{Unimplemented}%
14906 {The optional argument is currently mandatory}%
14907 \else
14908 \if@RTL\setlength\rightskip{#2}\else
14909 \setlength\leftskip{#2}\fi%
14910 \fi
14911 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
14912 \let\contentsmargin\ttl@margin
14913 \def\ttl@makeline##1{##1}%
14914 #3%
14915 \addtolength{\parfillskip}{-\ttl@corr}%
14916 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
14917 \let\ttl@leaders\leaders}
14918 \renewcommand\ttl@margin[2][\z@]{%
14919 \def\ttl@corr{#1}%
14920 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
14921 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
14922 \def\@pnumwidth{#2}}
14923 \let\ttl@savel@part\l@part
14924 \def\l@part{\ttl@lselect{part}}
14925
14926 \let\ttl@savel@chapter\l@chapter
14927 \def\l@chapter{\ttl@lselect{chapter}}

```

7.108 tocbibind-xetex-bidi.def

```

14928 \ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package]
14929 \if@dotocbib
14930 \@ifpackageloaded{natbib}{\natbib}{\natbib not loaded}
14931 \renewcommand{\bibsection}{\tcb@bchapsec}
14932 \renewenvironment{thebibliography}[1]{%
14933 \bibsection
14934 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}
14935 \renewenvironment{thebibitemlist}[1]{
14936 \if@RTL\if@LTRbibitems\RTLfalse\else\fi\else\if@RTLbibitems\RTLtrue\else\fi\fi
14937 \list{\@biblabel{\@arabic{c@enumiv}}}%
14938 {\settowidth\labelwidth{\@biblabel{#1}}%
14939 \leftmargin\labelwidth
14940 \advance\leftmargin\labelsep

```

```

14941         \@openbib@code
14942         \usecounter{enumiv}%
14943         \let\p@enumiv\@empty
14944         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
14945     \sloppy
14946     \clubpenalty4000
14947     \@clubpenalty \clubpenalty
14948     \widowpenalty4000%
14949     \sfcode'\.\@m}
14950 {\def\@noitemerr
14951   {\@latex@warning{Empty 'thebibliography' environment}}}%
14952   \endlist}
14953
14954   \@ifpackagewith{chapterbib}{sectionbib}%
14955   {\renewcommand{\sectionbib}[2]{}}%
14956   {}
14957
14958 \fi
14959 \if@inltxdoc\else
14960   \renewenvironment{theindex}%
14961   {\if@twocolumn
14962     \@restonecolfalse
14963   \else
14964     \@restonecoltrue
14965   \fi
14966   \if@bibchapter
14967     \if@donumindex
14968       \refstepcounter{chapter}
14969       \twocolumn[\vspace*{2\topskip}%
14970         \@makechapterhead{\indexname}}%
14971       \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
14972       \chaptermark{\indexname}
14973     \else
14974       \if@dotocind
14975         \twocolumn[\vspace*{2\topskip}%
14976           \@makeschapterhead{\indexname}}%
14977         \prw@mkboth{\indexname}
14978         \addcontentsline{toc}{chapter}{\indexname}
14979       \else
14980         \twocolumn[\vspace*{2\topskip}%
14981           \@makeschapterhead{\indexname}}%
14982         \prw@mkboth{\indexname}
14983       \fi
14984     \fi
14985   \else
14986     \if@donumindex
14987       \twocolumn[\vspace*{-1.5\topskip}%
14988         \@nameuse{\@tocextra}{\indexname}}%
14989       \csname \@tocextra mark\endcsname{\indexname}
14990     \else

```

```

14991         \if@dotocind
14992             \twocolumn[\vspace*{-1.5\topskip}%
14993                 \toc@headstar{\@tocextra}{\indexname}}%
14994             \prw@mkboth{\indexname}
14995             \addcontentsline{toc}{\@tocextra}{\indexname}
14996         \else
14997             \twocolumn[\vspace*{-1.5\topskip}%
14998                 \toc@headstar{\@tocextra}{\indexname}}%
14999             \prw@mkboth{\indexname}
15000         \fi
15001     \fi
15002 \fi
15003 \thispagestyle{plain}\parindent\z@
15004 \parskip\z@ \@plus .3p@\relax
15005 \let\item\@idxitem}
15006 {\if@restonecol\onecolumn\else\clearpage\fi}
15007 \fi

```

7.109 tocloft-xetex-bidi.def

```

15008 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for xetex]
15009 \let\cftdot\@SepMark
15010 \if@cfthaspart
15011 \renewcommand*{\l@part}[2]{
15012     \@cftdopartfalse
15013     \ifnum \c@tocdepth >-2\relax
15014         \if@cfthaschapter
15015             \@cftdoparttrue
15016         \fi
15017         \ifnum \c@tocdepth >\m@ne
15018             \if@cfthaschapter\else
15019                 \@cftdoparttrue
15020             \fi
15021         \fi
15022     \fi
15023     \if@cftdopart
15024         \if@cfthaschapter
15025             \addpenalty{-\@highpenalty}
15026         \else
15027             \addpenalty\@secpenalty
15028         \fi
15029     \addvspace{\cftbeforepartskip}
15030     \begingroup
15031     {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
15032     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15033     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15034     \parindent \cftpartindent\relax\@afterindenttrue
15035     \interlinepenalty\@M
15036     \leavevmode
15037     \@tempdima \cftpartnumwidth\relax

```

```

15038     \let\@cftbsnum \cftpartpresnum
15039     \let\@cftasnum \cftpartaftersnum
15040     \let\@cftasnumb \cftpartaftersnumb
15041     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15042     {\cftpartfont \cftpartpresnum #1}
15043     \cftpartfillnum{#2}}
15044     \nobreak
15045     \if@cfthaschapter
15046         \global\@nobreaktrue
15047         \everypar{\global\@nobreakfalse\everypar{}}
15048     \else
15049         \if@compatibility
15050             \global\@nobreaktrue
15051             \everypar{\global\@nobreakfalse\everypar{}}
15052         \fi
15053     \fi
15054 \endgroup
15055 \fi}
15056 \fi
15057 \if@cfthaschapter
15058 \renewcommand*{\l@chapter}[2]{
15059     \ifnum \c@tocdepth >\m@ne
15060         \addpenalty{-\@highpenalty}
15061         \vskip \cftbeforechapskip
15062         {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
15063         \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15064         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15065         \parindent \cftchapindent\relax\@afterindenttrue
15066         \interlinepenalty\@M
15067         \leavevmode
15068         \@tempdima \cftchapnumwidth\relax
15069         \let\@cftbsnum \cftchappresnum
15070         \let\@cftasnum \cftchapaftersnum
15071         \let\@cftasnumb \cftchapaftersnumb
15072         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15073         {\cftchapfont #1}\nobreak
15074         \cftchapfillnum{#2}}
15075     \fi}
15076 \fi
15077 \renewcommand*{\l@section}[2]{%
15078     \ifnum \c@tocdepth >\z@
15079         \if@cfthaschapter
15080             \vskip \cftbeforesecskip
15081         \else
15082             \addpenalty\@secpenalty
15083             \addvspace{\cftbeforesecskip}
15084         \fi
15085         {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
15086         \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15087         \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

15088 \parindent \cftsecindent\relax\@afterindenttrue
15089 \interlinepenalty\@M
15090 \leavevmode
15091 \@tempdima \cftsecnumwidth\relax
15092 \let\@cftbsnum \cftsecpresnum
15093 \let\@cftasnum \cftsecaftersnum
15094 \let\@cftasnumb \cftsecaftersnumb
15095 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15096 {\cftsecfont #1}\nobreak
15097 \cftsecfillnum{#2}}
15098 \fi}
15099 \renewcommand*{\l@section}[2]{%
15100 \ifnum \c@tocdepth >\@ne
15101 \vskip \cftbeforesubsecskip
15102 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
15103 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15104 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15105 \parindent \cftsubsecindent\relax\@afterindenttrue
15106 \interlinepenalty\@M
15107 \leavevmode
15108 \@tempdima \cftsubsecnumwidth\relax
15109 \let\@cftbsnum \cftsubsecpresnum
15110 \let\@cftasnum \cftsubsecaftersnum
15111 \let\@cftasnumb \cftsubsecaftersnumb
15112 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15113 {\cftsubsecfont #1}\nobreak
15114 \cftsubsecfillnum{#2}}
15115 \fi}
15116 \renewcommand*{\l@subsubsection}[2]{%
15117 \ifnum \c@tocdepth >\tw@
15118 \vskip \cftbeforesubsubsecskip
15119 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
15120 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15121 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15122 \parindent \cftsubsubsecindent\relax\@afterindenttrue
15123 \interlinepenalty\@M
15124 \leavevmode
15125 \@tempdima \cftsubsubsecnumwidth\relax
15126 \let\@cftbsnum \cftsubsubsecpresnum
15127 \let\@cftasnum \cftsubsubsecaftersnum
15128 \let\@cftasnumb \cftsubsubsecaftersnumb
15129 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15130 {\cftsubsubsecfont #1}\nobreak
15131 \cftsubsubsecfillnum{#2}}
15132 \fi}
15133 \renewcommand*{\l@paragraph}[2]{%
15134 \ifnum \c@tocdepth >3\relax
15135 \vskip \cftbeforeparaskip
15136 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
15137 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg

```

```

15138     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15139     \parindent \cftparaindent\relax\@afterindenttrue
15140     \interlinepenalty\@M
15141     \leavevmode
15142     \@tempdima \cftparanumwidth\relax
15143     \let\@cftbsnum \cftparapresnum
15144     \let\@cftasnum \cftparaaftersnum
15145     \let\@cftasnumb \cftparaaftersnumb
15146     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15147     {\cftparafont #1}\nobreak
15148     \cftparafillnum{#2}}
15149   \fi}
15150 \renewcommand*{\l@subparagraph}[2]{%
15151   \ifnum \c@tocdepth >4\relax
15152     \vskip \cftbeforesubparskip
15153     {\if@RTL\rightskip\else\leftskip\fi \cftsubparindent\relax
15154     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15155     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15156     \parindent \cftsubparindent\relax\@afterindenttrue
15157     \interlinepenalty\@M
15158     \leavevmode
15159     \@tempdima \cftsubparanumwidth\relax
15160     \let\@cftbsnum \cftsubparapresnum
15161     \let\@cftasnum \cftsubparaaftersnum
15162     \let\@cftasnumb \cftsubparaaftersnumb
15163     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15164     {\cftsubparafont #1}\nobreak
15165     \cftsubparafillnum{#2}}
15166   \fi}
15167 \renewcommand*{\l@figure}[2]{%
15168   \ifnum \c@lofdepth >\z@
15169     \vskip \cftbeforefigskip
15170     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
15171     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15172     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15173     \parindent \cftfigindent\relax\@afterindenttrue
15174     \interlinepenalty\@M
15175     \leavevmode
15176     \@tempdima \cftfignumwidth\relax
15177     \let\@cftbsnum \cftfigpresnum
15178     \let\@cftasnum \cftfigaftersnum
15179     \let\@cftasnumb \cftfigaftersnumb
15180     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15181     {\cftfigfont #1}\nobreak
15182     \cftfigfillnum{#2}}
15183   \fi
15184 }
15185 \renewcommand*{\l@table}[2]{%
15186   \ifnum\c@lotdepth >\z@
15187     \vskip \cftbeforetabskip

```

```

15188 { \if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
15189 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15190 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15191 \parindent \cfttabindent\relax\@afterindenttrue
15192 \interlinepenalty\@M
15193 \leavevmode
15194 \@tempdima \cfttabnumwidth\relax
15195 \let\@cftbsnum \cfttabpresnum
15196 \let\@cftasnum \cfttabaftersnum
15197 \let\@cftasnumb \cfttabaftersnumb
15198 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15199 {\cfttabfont #1}\nobreak
15200 \cfttabfillnum{#2}}
15201 \fi
15202 }
15203 \renewcommand{\@cftl@subfig}{
15204 \renewcommand*{\l@subfigure}[2]{%
15205 \ifnum \c@lofdepth > \toclevel@subfigure
15206 \vskip \cftbeforesubfigskip
15207 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
15208 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15209 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15210 \parindent \cftsubfigindent\relax\@afterindenttrue
15211 \interlinepenalty\@M
15212 \leavevmode
15213 \@tempdima \cftsubfignumwidth\relax
15214 \let\@cftbsnum \cftsubfigpresnum
15215 \let\@cftasnum \cftsubfigaftersnum
15216 \let\@cftasnumb \cftsubfigaftersnumb
15217 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
15218 {\cftsubfigfont ##1}\nobreak
15219 \cftsubfigfillnum{##2}}
15220 \fi
15221 }
15222 }
15223 \renewcommand{\@cftl@subtab}{
15224 \renewcommand*{\l@subtable}[2]{%
15225 \ifnum \c@lotdepth > \toclevel@subtable
15226 \vskip \cftbeforesubtabskip
15227 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
15228 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
15229 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15230 \parindent \cftsubtabindent\relax\@afterindenttrue
15231 \interlinepenalty\@M
15232 \leavevmode
15233 \@tempdima \cftsubtabnumwidth\relax
15234 \let\@cftbsnum \cftsubtabpresnum
15235 \let\@cftasnum \cftsubtabaftersnum
15236 \let\@cftasnumb \cftsubtabaftersnumb
15237 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right

```

```

15238     {\cftsubtabfont ##1}\nobreak
15239     \cftsubtabfillnum{##2}}
15240   \fi
15241 }
15242 }
15243 \renewcommand{\newlistentry}[4][\@empty]{%
15244   \@ifundefined{c@#2}{%      check & set the counter
15245     \ifx \@empty#1\relax
15246       \newcounter{#2}
15247     \else
15248       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
15249         {#1 has no counter for use as a 'within'}
15250         \newcounter{#2}}%
15251       {\newcounter{#2}[#1]%
15252         \expandafter\edef\csname the#2\endcsname{%
15253           \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
15254     \fi
15255     \setcounter{#2}{0}
15256   }
15257   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
15258 }
15259 \@namedef{l@#2}##1##2{%
15260   \ifnum \@nameuse{c@#3depth} > #4\relax
15261     \vskip \@nameuse{cftbefore#2skip}
15262     {\if@RTL\righskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
15263     \if@RTL\leftskip\else\righskip\fi \@tocrmarg
15264     \parfillskip -\if@RTL\leftskip\else\righskip\fi
15265     \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
15266     \interlinepenalty\@M
15267     \leavevmode
15268     \@tempdima \@nameuse{cft#2numwidth}\relax
15269     \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
15270     \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
15271     \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
15272     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\righ
15273     {\@nameuse{cft#2font}##1}\nobreak
15274     \@nameuse{cft#2fillnum}{##2}}
15275   \fi
15276 } % end of l@#2
15277
15278 \expandafter\newlength\csname cftbefore#2skip\endcsname
15279 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
15280 \expandafter\newlength\csname cft#2indent\endcsname
15281 \expandafter\newlength\csname cft#2numwidth\endcsname
15282 \ifcase #4\relax % 0
15283   \setlength{\@nameuse{cft#2indent}}{0em}
15284   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
15285 \or % 1
15286   \setlength{\@nameuse{cft#2indent}}{1.5em}
15287   \setlength{\@nameuse{cft#2numwidth}}{2.3em}

```

```

15288 \or % 2
15289 \setlength{\@nameuse{cft#2indent}}{3.8em}
15290 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
15291 \or % 3
15292 \setlength{\@nameuse{cft#2indent}}{7.0em}
15293 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
15294 \else % anything else
15295 \setlength{\@nameuse{cft#2indent}}{10.0em}
15296 \setlength{\@nameuse{cft#2numwidth}}{5.0em}
15297 \fi
15298 \@namedef{cft#2font}{\normalfont}
15299 \@namedef{cft#2presnum}{\}
15300 \@namedef{cft#2aftersnum}{\}
15301 \@namedef{cft#2aftersnumb}{\}
15302 \@namedef{cft#2dotsep}{\cftdotsep}
15303 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}\}
15304 \@namedef{cft#2pagefont}{\normalfont}
15305 \@namedef{cft#2afterpnum}{\}
15306 \@namedef{toclevel@#2}{#4}
15307 \@namedef{cft#2fillnum}##1{%
15308 {\@nameuse{cft#2leader}}\nobreak
15309 \hb@xt@{\@pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
15310 } % end \newlistentry
15311 \renewcommand{cftchapterprecistoc}[1]{\addtocontents{toc}{%
15312 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
15313 \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
15314 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
15315 \textit{#1}\protect\par}}\}

```

7.110 tocstyle-xetex-bidi.def

```

15316 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
15317 \renewcommand*{\tocstyle@dottedtocline}[5]{%
15318 \let\numberline\tocstyle@numberline
15319 \ifnum #1>\c@tocdepth \else
15320 \if@tocstyle@penalties
15321 \begingroup
15322 \@tempcnta 20010
15323 \advance \@tempcnta by -#1
15324 \ifnum \@tempcnta>\lastpenalty
15325 \aftergroup\penalty\aftergroup\@lowpenalty
15326 \fi
15327 \endgroup
15328 \fi
15329 \edef\tocstyledepth{#1}%
15330 \tocstyle@activate@features
15331 \ifx\tocstyle@feature@entryvskip\relax
15332 \vskip \z@ \@plus.2\p@
15333 \else
15334 \addvspace{\tocstyle@feature@entryvskip}%

```

```

15335 \fi
15336 {%
15337 \parskip \z@ \parindent \z@ \if@RTL\righskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
15338 \tocstyle@feature@raggedhook
15339 \@tempdima #3\relax
15340 \@tempdimb #2\relax
15341 \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15342 \ifnum #1>\z@\relax
15343 \@tempcnta #1\relax \advance\@tempcnta \m@ne
15344 \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15345 \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15346 \@tempdimb
15347 \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15348 \advance\@tempdimb
15349 \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
15350 \fi
15351 \fi
15352 \fi
15353 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15354 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
15355 \ifdim \@tempdimb>
15356 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
15357 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
15358 @#1\endcsname{\the\@tempdimb}%
15359 \fi
15360 \else
15361 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
15362 @#1\endcsname{\the\@tempdimb}%
15363 \fi
15364 \iftocstyle@autolength
15365 \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
15366 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
15367 \relax
15368 \fi
15369 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15370 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
15371 \relax
15372 \fi
15373 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15374 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15375 \else
15376 \@tempdimb #2\relax
15377 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15378 \fi
15379 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
15380 \ifdim \@tempdima>
15381 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
15382 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
15383 @\endcsname{\the\@tempdima}%
15384 \fi

```

```

15385 \else
15386 \expandafter\edef\csname tocstyle@unumwidth@\tocstyleTOC
15387 @\endcsname{\the\@tempdima}%
15388 \fi
15389 \ifcase\tocstyle@indentstyle\relax\else
15390 \@tempdimb \z@
15391 \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15392 \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
15393 \relax
15394 \fi
15395 \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
15396 \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
15397 \fi
15398 \advance\parindent \@tempdimb\@afterindenttrue
15399 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
15400 \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
15401 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
15402 \ifx\tocstyle@feature@parfillskip\relax\else
15403 \advance\parfillskip \tocstyle@feature@parfillskip\relax
15404 \fi
15405 \interlinepenalty\M
15406 \leavevmode
15407 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
15408 \null\nobreak
15409 \iftocstyle@indentnotnumbered\else
15410 \hskip -\if@RTL\rightskip\else\leftskip\fi
15411 \fi
15412 \tocstyle@feature@entryhook
15413 {#4}\nobreak
15414 \ifx\tocstyle@feature@leaders\relax
15415 \leaders\hbox{$\m@th
15416 \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
15417 \mkern \@dotsep mu$}\hfill
15418 \else
15419 \tocstyle@feature@leaders
15420 \fi
15421 \nobreak
15422 \ifx\tocstyle@feature@pagenumberbox\relax
15423 \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
15424 \else
15425 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
15426 \fi
15427 \par
15428 }%
15429 \iftocstyle@penalties
15430 \bgroup
15431 \@tempcnta 20009
15432 \advance\@tempcnta by -#1
15433 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
15434 \reserved@a

```

```

15435 \fi
15436 \fi}
15437 \renewcommand*{\tocstyle@numberline}[1]{%
15438 \beginngroup
15439 \ifx\tocstyle@feature@spaceafternumber\relax
15440 \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
15441 \else
15442 \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
15443 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
15444 \fi
15445 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
15446 \ifdim \@tempdima >
15447 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
15448 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15449 @\tocstyledepth\endcsname{\the\@tempdima}%
15450 \fi
15451 \else
15452 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
15453 @\tocstyledepth\endcsname{\the\@tempdima}%
15454 \fi
15455 \endgroup
15456 \iftocstyle@indentnotnumbered
15457 \hskip -\if@RTL\rightskip\else\leftskip\fi
15458 \fi
15459 \ifcase \tocstyle@indentstyle
15460 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
15461 \or
15462 \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
15463 \else
15464 \ifx\tocstyle@feature@spaceafternumber\relax
15465 \hbox{\tocstyle@@numberline{#1}\enskip}%
15466 \else
15467 \hbox{\tocstyle@@numberline{#1}\hskip
15468 \tocstyle@feature@spaceafternumber\relax}%
15469 \fi
15470 \fi
15471 }
15472 \AtBeginDocument{%
15473 \ifcsname l@part\endcsname
15474 \ifcsname l@chapter\endcsname
15475 \setbox\@tempboxa\vbox{\hsize\maxdimen
15476 \l@part{\tocstyle@l@define{part}{-1}}{}}%
15477 \else
15478 \setbox\@tempboxa\vbox{\hsize\maxdimen
15479 \l@part{\tocstyle@l@define{part}{0}}{}}%
15480 \fi
15481 \fi
15482 \ifcsname l@chapter\endcsname
15483 \setbox\@tempboxa\vbox{\hsize\maxdimen
15484 \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%

```



```

15485 \fi
15486 \ifcsname l@section\endcsname
15487   \setbox\@tempboxa\vbox{\hsize\maxdimen
15488     \l@section{\tocstyle@l@define{section}{1}}{}}%
15489 \fi
15490 \ifcsname l@subsection\endcsname
15491   \setbox\@tempboxa\vbox{\hsize\maxdimen
15492     \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
15493 \fi
15494 \ifcsname l@subsubsection\endcsname
15495   \setbox\@tempboxa\vbox{\hsize\maxdimen
15496     \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
15497 \fi
15498 \ifcsname l@paragraph\endcsname
15499   \setbox\@tempboxa\vbox{\hsize\maxdimen
15500     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
15501 \fi
15502 \ifcsname l@subparagraph\endcsname
15503   \setbox\@tempboxa\vbox{\hsize\maxdimen
15504     \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
15505 \fi
15506 \ifcsname l@table\endcsname
15507   \setbox\@tempboxa\vbox{\hsize\maxdimen
15508     \l@table{\tocstyle@l@define{table}{1}}{}}%
15509 \fi
15510 \ifcsname l@figure\endcsname
15511   \setbox\@tempboxa\vbox{\hsize\maxdimen
15512     \l@figure{\tocstyle@l@define{figure}{1}}{}}%
15513 \fi
15514 \def\@tempa#1#2#3#4#5{%
15515   \ifnum #1>\c@tocdepth \else
15516     \vskip \z@ \@plus.2\p@
15517     {\ifRTL\rightskip\else\leftskip\fi #2\relax \ifRTL\leftskip\else\rightskip\fi \@tocrm
15518     \parindent #2\relax\@afterindenttrue
15519     \interlinepenalty\@M
15520     \leavevmode
15521     \@tempdima #3\relax
15522     \advance\ifRTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\ifRTL\right
15523     {#4}\nobreak
15524     \leaders\hbox{$\m@th
15525       \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
15526       mu$}\hfill
15527     \nobreak
15528     \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
15529   \par}%
15530 \fi}%
15531 \ifx\@dottedtocline\@tempa\else
15532   \tocstyle@macrochangewarning\@dottedtocline
15533 \fi
15534 \let\tocstyle@saved@dottedtocline\@dottedtocline

```

```

15535 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
15536 \ifx\numberline\@tempa\else
15537   \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
15538   \ifx\numberline\@tempa\else
15539     \tocstyle@macrochangewarning\numberline
15540   \fi
15541 \fi
15542 \let\tocstyle@saved@numberline\numberline
15543 }
15544 \renewcommand*{\tocstyle@l@define}[2]{%
15545   \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
15546   \edef\@tempa{%
15547     \noexpand\global\noexpand\let
15548     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
15549     \expandafter\noexpand\csname l@#1\endcsname
15550     \noexpand\gdef
15551     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
15552       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
15553       \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
15554         \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
15555         \expandafter\noexpand\csname tocstyle@l@#1\endcsname
15556       }%
15557   }%
15558   \PackageInfo{tocstyle}{prepare \expandafter\string
15559     \csname l@#1\endcsname\space for redefinition}%
15560   \@tempa
15561 }

```

7.111 wrapfig-xetex-bidi.def

```

15562 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for xetex]
15563 \let\WF@everypar\bidi@n@everypar
15564 \def\WF@putfigmaybe{%
15565   \ifinner
15566     \vskip-\parskip \global\WF@floatfalse
15567     \let\pagetotal\maxdimen % kludge flag for "not top of page"
15568   \else % outer page
15569     \@tempdima\pagedepth % save page depth
15570     {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back u
15571     \penalty\interlinepenalty % update pg. parameters
15572     \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
15573     \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
15574       \global\WF@floatfalse
15575       \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
15576     \else
15577       \ifdim\WF@size>\@tempdimb
15578         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
15579         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
15580         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
15581         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi

```

```

15582      \advance\dimen@.5\baselineskip
15583      \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
15584      \global\WF@floatfalse \pagebreak
15585      \fi
15586      \else % \WF@info{Fits in \the\@tempdimb;}%
15587      \global\WF@floatfalse
15588      \fi\fi
15589      \vskip\@tempdima\relax % (return erased page depth)
15590 \fi
15591 \noindent
15592 \ifWF@float
15593   \WF@fltmes
15594 \else % putting here;
15595   \WF@info{Put \WF@wfname here:}%
15596   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
15597    \lccode'i'l\lccode'o'r\else \lccode'i'r\lccode'o'l\fi
15598    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
15599   \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
15600     \@tempdima\wd\WF@box \@tempdimb\WF@ovh
15601     \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
15602     \@tempdimb\hsize \advance\@tempdimb-\@tempdima
15603     \xdef\WF@adjlw{\the\@tempdima}%
15604     \ifnum 'l=\WF@place % fig on left
15605     \if@RTL%
15606     \kern\@tempdimb \kern\columnsep
15607     \def\@tempa{\hss}% position to left of the gap
15608     \else%
15609     \hss % figure overlaps space to the left
15610     \def\@tempa{\kern\columnsep}% position to left of the gap
15611     \fi%
15612   \else % fig on right
15613     \if@RTL%
15614     \hss
15615     \@tempdima\z@
15616     \def\@tempa{\kern\columnsep}
15617     \else%
15618     \@tempdima\z@ % no left indentation
15619     \kern\@tempdimb \kern\columnsep
15620     \def\@tempa{\hss}% figure overlaps space to the right
15621     \fi%
15622   \fi
15623   \ifdim\@tempdimb<\hsize
15624     \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
15625     \xdef\WF@adjtlm{\the\@tempdima}%
15626   \else
15627     \xdef\WF@wrapil{\z@ \the\hsize}%
15628     \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
15629   \fi
15630   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
15631   \global\advance\WF@size-\intextsep

```

```

15632 \else % \WF@info{Putting \WF@wfname in middle of page}%
15633 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
15634 \fi \dp\WF@box\z@ \box\WF@box \@tempa
15635 }% end \hbox to 0pt
15636 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
15637 \fi}

```

7.112 xcolor-xetex-bidi.def

```

15638 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
15639 \long\def\color@b@x#1#2#3%
15640 {\leavevmode\ifmmode\else\ifRTL\beginL\fi\fi
15641 \setbox\z@\hbox{\kern\fbboxsep\set@color\ifRTL\beginR\fi#3\ifRTL\endR\fi}\kern\fbboxsep}%
15642 \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
15643 \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
15644 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\ifRTL\endL\fi\fi}
15645 \def\normalcolor{\let\current@color\default@color\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi}
15646 \DeclareRobustCommand\color
15647 {\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]}
15648 \def\@undeclaredcolor[#1]#2%
15649 {\begingroup
15650 \let\@ccls\@empty
15651 \XC@getmodclr12{#1}{#2}{}%
15652 {\ifblendcolors
15653 \ifx\colorblend\@empty\else
15654 \edef\@mix{\expandafter\@gobble\colorblend}\@tempwafalse
15655 \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
15656 \fi
15657 \fi
15658 \ifconvertcolorsU
15659 \edef\@tmp{\XC@tgt@mod{\@mod}}%
15660 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
15661 \fi
15662 \ifmaskcolors
15663 \convertcolorspec\@mod\@clr\XC@mmod\@clr
15664 \let\@mod\XC@mmod
15665 \XC@inflate\@mod\XC@mclr\@clr\@tmp
15666 \expandafter\XC@mul\@tmp,\@clr
15667 \fi
15668 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
15669 \expandafter\endgroup\@tmp}}
15670 \def\@declaredcolor#1%
15671 {\XC@edef\XC@tmp{#1}\XC@tstfalse
15672 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
15673 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
15674 \ifconvertcolorsU\XC@tsttrue\fi
15675 \fi
15676 \ifXC@tst
15677 \expandafter\XC@declaredcolor\else
15678 \expandafter\XC@declaredc@lor\fi}

```

```

15679 \def\XC@undeclaredcolor#1#2%
15680 {\@ifundefinedmodel{#1}%
15681   {\c@lor@error{model ' #1' }}%
15682   {\@nameuse{color@#1}\current@color{#2}%
15683     \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
15684     \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
15685 \def\XC@declaredc@lor
15686 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
15687   \edef\current@color{\XC@current@color}%
15688   \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
15689 \DeclareRobustCommand\bidicolor
15690 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
15691 \def\@bidiundeclaredcolor[#1]#2%
15692 {\begingroup
15693   \let\@@cls@empty
15694   \XC@getmodclr12{#1}{#2}{}%
15695   {\ifblendcolors
15696     \ifx\colorblend@empty\else
15697       \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
15698       \XC@coremodel\@@mod\@@clr\xcolor@{}{\@@mod\@@clr
15699         \fi
15700       \fi
15701       \ifconvertcolorsU
15702         \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
15703         \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
15704       \fi
15705       \ifmaskcolors
15706         \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
15707         \let\@@mod\XC@mmod
15708         \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
15709         \expandafter\XC@mul\@@tmp,\@@clr
15710       \fi
15711       \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
15712       \expandafter\endgroup\@@tmp}}
15713 \def\XC@bidiundeclaredcolor#1#2%
15714 {\@ifundefinedmodel{#1}%
15715   {\c@lor@error{model ' #1' }}%
15716   {\@nameuse{color@#1}\current@color{#2}%
15717     \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
15718     \XC@display}}
15719 \def\@bidideclaredcolor#1%
15720 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
15721   \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
15722     \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
15723     \ifconvertcolorsU\XC@@tsttrue\fi
15724   \fi
15725   \ifXC@@tst
15726     \expandafter\XC@bidideclaredcolor\else
15727     \expandafter\XC@bidideclaredc@lor\fi}
15728 \def\XC@bidideclaredcolor

```

```

15729 {\XC@split\XC@tmp
15730 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}}%
15731 \expandafter\endgroup\@tmp}
15732 \def\XC@bidiundeclaredcolor
15733 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}}%
15734 \edef\current@color{\XC@current@color}%
15735 \XC@display}
15736 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
15737 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
15738 \def\color@fb@x#1#2#3#4%
15739 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
15740 {\ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
15741 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.113 latex-xetex-bidi.def

```

15742 \ProvidesFile{latex-xetex-bidi.def}[2013/10/10 v1.1.5 bidi adaptations for 'latex.ltx' for X
15743 \newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
15744 \newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
15745 \TeXXeTOn
15746 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@\lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
15747 \let\bidi@o@everypar=\everypar
15748 \newtoks\bidi@n@everypar
15749 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
15750 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
15751 \let\everypar=\bidi@n@everypar
15752 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15753 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15754 \protected\def\hboxR{\hbox\bgroup
15755 \everyhbox{%
15756 \aftergroup\egroup
15757 \everyhbox{}}%
15758 \beginR
15759 \bgroup
15760 \aftergroup\endR
15761 \aftergroup\egroup
15762 }\hbox}
15763 \protected\def\hboxL{\hbox\bgroup
15764 \everyhbox{%
15765 \aftergroup\egroup
15766 \everyhbox{}}%
15767 \beginL
15768 \bgroup
15769 \aftergroup\endL
15770 \aftergroup\egroup
15771 }\hbox}
15772 \protected\def\vboxR{\vbox\bgroup
15773 \everyvbox{%
15774 \aftergroup\egroup
15775 \everyvbox{}}%

```

```

15776 \@RTLtrue
15777 \bgroup
15778 \aftergroup\egroup
15779 }\vbox}
15780 \protected\def\vboxL{\vbox\bgroup
15781 \everyvbox{%
15782 \aftergroup\egroup
15783 \everyvbox{}}%
15784 \@RTLfalse
15785 \bgroup
15786 \aftergroup\egroup
15787 }\vbox}
15788 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab
15789 \def\endLTR{\par}
15790 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
15791 \def\endRTL{\par}
15792 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
15793 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab
15794 \let\unsetRTL=\setLTR
15795 \let\unsetLTR=\setRTL
15796 \let\LR=\LRE
15797 \let\RL=\RLE
15798 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
15799 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
15800 \let\@ensure@RL=\@ensure@RTL
15801 \let\@ensure@LR=\@ensure@LTR
15802 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15803 \let\@ensure@maindir=\@ensure@dir
15804 \def\@RTL{RTL}
15805 \def\@LTR{LTR}
15806 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
15807 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi\fi}
15808 \let\@TeX\TeX
15809 \def\TeX{\@ensure@LTR{\@TeX}}
15810 \let\@LaTeX\LaTeX
15811 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
15812 \let\@LaTeXe\LaTeXe
15813 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
15814 \long\def\ bidi@reflect@box#1{%
15815 \leavevmode
15816 \setbox\z@\hbox{#1}}%
15817 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
15818 \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
15819 }
15820 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
15821 \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
15822 \def\XeLaTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
15823 \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
15824 \let\setRL=\setRTL
15825 \let\setLR=\setLTR

```

```

15826 \let\unsetRL=\setLTR
15827 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
15828     \ialign{##\hfil$\quad{##}\hfil\crr#1\crr}}\right\}}
15829 \def\SepMark#1{\gdef\SepMark{\if@RTL\fi#1\if@RTL\fi}}
15830 \SepMark{.}
15831 \def\@thmcountersep{\@SepMark}
15832 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
15833 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
15834 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
15835 \def\list#1#2{%
15836     \ifnum \@listdepth >5\relax
15837         \@toodeep
15838     \else
15839         \global\advance\@listdepth\@ne
15840     \fi
15841     \rightmargin\z@
15842     \listparindent\z@
15843     \itemindent\z@
15844     \csname @list\romannumeral\the\@listdepth\endcsname
15845     \def\@itemlabel{#1}%
15846     \let\makelabel\@mklab
15847     \@nmbrrlistfalse
15848     #2\relax
15849     \@trivlist
15850     \parskip\parsep
15851     \parindent\listparindent
15852     \advance\linewidth -\rightmargin
15853     \advance\linewidth -\leftmargin
15854     \if@bidi@list@minipage@parbox
15855     \if@RTL
15856     \advance\@totalleftmargin \leftmargin
15857     \else
15858     \advance\@totalleftmargin \rightmargin
15859     \fi
15860     \else
15861     \if@RTLtab
15862     \if@bidi@list@minipage@parbox@not@nob
15863     \if@RTL
15864     \advance\@totalleftmargin \rightmargin
15865     \else
15866     \advance\@totalleftmargin \leftmargin
15867     \fi
15868     \else
15869     \if@RTL
15870     \advance\@totalleftmargin \leftmargin
15871     \else
15872     \advance\@totalleftmargin \rightmargin
15873     \fi\fi
15874     \else
15875     \if@RTL

```



```

15876     \advance\@totalleftmargin \rightmargin
15877 \else
15878     \advance\@totalleftmargin \leftmargin
15879 \fi\fi\fi
15880 \parshape \@ne \@totalleftmargin \linewidth
15881 \ignorespaces}
15882 \def\@item[#1]{%
15883 \if@noperitem
15884     \@donoperitem
15885 \else
15886     \if@inlabel
15887         \indent \par
15888     \fi
15889     \ifhmode
15890         \unskip\unskip \par
15891     \fi
15892     \if@newlist
15893         \if@nobreak
15894             \@nbitem
15895         \else
15896             \addpenalty\@beginparpenalty
15897             \addvspace\@topsep
15898             \addvspace{-\parskip}%
15899         \fi
15900     \else
15901         \addpenalty\@itempenalty
15902         \addvspace\itemsep
15903     \fi
15904     \global\@inlabeltrue
15905 \fi
15906 \everypar{\if@bidi@list@minipage@parbox\if@RTL\else\beginL\fi\else\if@RTLtab\if@RTL\else\beginR\fi\fi}%
15907 \global\@minipagefalse
15908 \global\@newlistfalse
15909 \if@inlabel
15910     \global\@inlabelfalse
15911     {\setbox\z@\lastbox
15912     \ifvoid\z@
15913         \kern-\itemindent
15914     \fi}%
15915     \box\@labels
15916     \penalty\z@
15917 \fi
15918 \if@nobreak
15919     \@nobreakfalse
15920 \clubpenalty \@M
15921 \else
15922     \clubpenalty \@clubpenalty
15923 \everypar{}}%
15924 \fi}%
15925 \if@noitemarg

```

```

15926 \noitemargfalse
15927 \if@nmbrrlist
15928 \refstepcounter\@listctr
15929 \fi
15930 \fi
15931 \sbox\@tempboxa{\makelabel{#1}}%
15932 \global\setbox\@labels\hbox{%
15933 \unhbox\@labels
15934 \hskip \itemindent
15935 \hskip -\labelwidth
15936 \hskip -\labelsep
15937 \ifdim \wd\@tempboxa >\labelwidth
15938 \box\@tempboxa
15939 \else
15940 \hbox to\labelwidth {\unhbox\@tempboxa}%
15941 \fi
15942 \hskip \labelsep}%
15943 \ignorespaces}
15944 \long\def\@iiiparbox#1#2[#3]#4#5{%
15945 \leavevmode
15946 \@pboxswfalse
15947 \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
15948 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
15949 \setlength\@tempdima{#4}%
15950 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
15951 \ifx\relax#2\else
15952 \setlength\@tempdimb{#2}%
15953 \edef\@parboxto{to\the\@tempdimb}%
15954 \fi
15955 \if#1b\vbox
15956 \else\if #1t\vtop
15957 \else\ifmmode\vcenter
15958 \else\@pboxswtrue $\vcenter
15959 \fi\fi\fi
15960 \@parboxto{\let\hss\vss\let\unhbox\unvbox
15961 \csname bm@#3\endcsname}%
15962 \if@pboxsw \m@th$\fi
15963 \@end@tempboxa}
15964 \newenvironment{LTRitems}
15965 {\par\@RTLfalse
15966 \if@bidi@list@minipage@parbox
15967 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
15968 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
15969 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
15970 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
15971 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
15972 \ignorespaces}{\vskip\z@}
15973 \newenvironment{RTLitems}
15974 {\par\@RTLtrue
15975 \if@bidi@list@minipage@parbox

```

```

15976         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
15977     \else \ifRTLtab\if@bidi@list@minipage@parbox@not@nob
15978         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
15979         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
15980     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
15981     \ignorespaces}{\vskip\z@}
15982 \newenvironment{LTRbibitems}
15983     {\par\@RTLfalse
15984     \if@bidi@list@minipage@parbox
15985         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
15986     \else \ifRTLtab\if@bidi@list@minipage@parbox@not@nob
15987         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
15988         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
15989     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
15990     \ignorespaces}{\vskip\z@}
15991 \newenvironment{RTLbibitems}
15992     {\par\@RTLtrue
15993     \if@bidi@list@minipage@parbox
15994         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
15995     \else \ifRTLtab\if@bidi@list@minipage@parbox@not@nob
15996         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
15997         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
15998     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
15999     \ignorespaces}{\vskip\z@}
16000 \def\raggedright{%
16001     \let\\\@centercr
16002     \rightskip\z@skip\rightskip\@flushglue
16003     \parindent\z@\parfillskip\z@skip}
16004 \let\bidiorig@raggedleft\raggedleft
16005 \let\bidiorig@raggedright\raggedright
16006 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidiorig@raggedright\else\ifRTLtab\bidiorig@raggedleft\fi}
16007 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidiorig@raggedleft\else\ifRTLtab\bidiorig@raggedright\fi}
16008 \newcommand{\bidioraggedright}{\ifRTL\raggedleft\else\raggedright\fi}
16009 \newcommand{\bidioraggedleft}{\ifRTL\raggedright\else\raggedleft\fi}
16010 \def\centerline#1{%
16011 \ifRTL\@@line{\hss\beginR#1\endR\hss}
16012 \else\@@line{\hss#1\hss}\fi}
16013 \def\leftline#1{%
16014 \ifRTL\@@line{\beginR#1\endR\hss}
16015 \else\@@line{#1\hss}\fi}
16016 \def\rightline#1{%
16017 \ifRTL\@@line{\hss\beginR#1\endR}
16018 \else\@@line{\hss#1}\fi}
16019 \let\bidiorig@leftline\leftline
16020 \let\bidiorig@rightline\rightline
16021 \def\leftline#1{\ifhmode\ifRTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\bidiorig@leftline{#1}\fi}
16022 \def\rightline#1{\ifhmode\ifRTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else\bidiorig@rightline{#1}\fi}
16023 \def\bidirlap#1{\hb@xt@0\z@{\ifRTL\hss\fi#1\ifRTL\else\hss\fi}}
16024 \def\bidillap#1{\hb@xt@0\z@{\ifRTL\else\hss\fi#1\ifRTL\hss\fi}}
16025 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%

```

```

16026      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
16027 \def\narrower{%
16028   \advance\if@RTL\rightskip\else\leftskip\fi\parindent
16029   \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
16030 \def\underline#1{%
16031   \relax
16032   \ifmmode\@@underline{#1}%
16033   \else
16034   \if@RTL $ \@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
16035   \else
16036   $\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
16037 \if@compatibility
16038   \let\undertext=\underline
16039 \fi
16040 \global\@RTLtabfalse
16041 \def\@tabular{\if@RTL\@RTLtabtrue\fi
16042   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
16043   $\let\@acol\@tabacol
16044   \let\@classz\@tabclassz
16045   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
16046 \def\endtabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
16047   \egroup $\if@RTLtab\endR\fi\egroup
16048   \@RTLtabfalse}
16049 \expandafter \let \csname endtabular*\endcsname = \endtabular
16050 \def\@array[#1]#2{%
16051   \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
16052   \bgroup
16053   \setbox\@arstrutbox\hbox{%
16054     \vrule \@height\arraystretch\ht\strutbox
16055     \@depth\arraystretch \dp\strutbox
16056     \@width\z@}%
16057   \@mkpream{#2}%
16058   \edef\@preamble{%
16059     \ialign \noexpand\@halignto
16060       \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
16061   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
16062   \let\@tabularnewline\\
16063   \let\par\@empty
16064   \let\@sharp##%
16065   \set@typeset@protect
16066   \lineskip\z@skip\baselineskip\z@skip
16067   \ifhmode \@preamerr\z@ \@@par\fi
16068   \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
16069   \@preamble}
16070 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
16071   \let\@classiv\@arrayclassiv
16072   \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
16073 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
16074   \ifnum \@lastchclass=3 5 \else
16075   \z@ \if #1c\@chnum \z@ \else

```

```

16076                                     \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
16077                                     \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
16078         \@chclass \if #1|\@ne \else
16079                 \if #1@\tw@ \else
16080                 \if #1p3 \else \z@ \@preamerr 0\fi
16081 \fi \fi \fi \fi \fi \fi
16082 \fi}
16083 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
16084 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
16085 \def\bm@t{\unhbox\@tempboxa\hss}
16086 \def\bm@b{\hss\unhbox\@tempboxa}
16087 \def\@dottedtocline#1#2#3#4#5{%
16088     \ifnum #1>\c@tocdepth \else
16089         \vskip \z@ \@plus.2\p@
16090         {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrm
16091         \parindent #2\relax\@afterindenttrue
16092         \interlinepenalty\@M
16093         \leavevmode
16094         \@tempdima #3\relax
16095         \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
16096         {#4}\nobreak
16097         \leaders\hbox{$\m@th
16098             \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
16099             mu$}\hfill
16100         \nobreak
16101         \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
16102         \par}%
16103 \fi}
16104 \def\RTL@outputdblcol{%
16105 \if@firstcolumn \global\@firstcolumnfalse
16106 \global\setbox\@leftcolumn \box\@outputbox
16107 \else \global\@firstcolumntrue
16108 \setbox\@outputbox \vbox {\hbox to\textwidth {%
16109 \hskip \columnwidth
16110 \hfil \vrule width\columnseprule \hfil
16111 \hbox to\columnwidth {\box\@leftcolumn \hss}%
16112 \hskip -\textwidth
16113 \hbox to\columnwidth{\box\@outputbox \hss}%
16114 \hskip \columnsep
16115 \hskip \columnwidth }}%
16116 \@combinedblfloats \@outputpage
16117 \begingroup \@dblfloatplacement \@startdblcolumn
16118 \@whiles\if@fcolmade \fi
16119 {\@outputpage \@startdblcolumn }\endgroup
16120 \fi}
16121 \def\LTR@outputdblcol{%
16122 \if@firstcolumn
16123     \global \@firstcolumnfalse
16124     \global \setbox\@leftcolumn \box\@outputbox
16125 \else

```

```

16126 \global \@firstcolumntrue
16127 \setbox\@outputbox \vbox {%
16128     \hb@xt@\textwidth {%
16129         \hb@xt@\columnwidth {%
16130             \box\@leftcolumn \hss}%
16131         \hfil
16132         {\normalcolor\vrule \@width\columnseprule}%
16133         \hfil
16134         \hb@xt@\columnwidth {%
16135             \box\@outputbox \hss}%
16136         }%
16137     }%
16138 \@combinedblfloats
16139 \@outputpage
16140 \begingroup
16141 \dblfloatplacement
16142 \@startdblcolumn
16143 \@whiles\if@colmade \fi
16144 {\@outputpage
16145 \startdblcolumn}%
16146 \endgroup
16147 \fi
16148 }
16149 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
16150 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
16151 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
16152 \def\LTRmarginpar{%
16153 \ifhmode
16154 \bsphack
16155 \@floatpenalty -\@Mii
16156 \else
16157 \@floatpenalty-\@Miii
16158 \fi
16159 \ifinner
16160 \@parmoderr
16161 \@floatpenalty\z@
16162 \else
16163 \@next\@currbox\@freelist{}\fi}%
16164 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
16165 {\@floatpenalty\z@
16166 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
16167 \fi
16168 \@ifnextchar [\@LTRxmpar\@LTRympar}
16169 \long\def\@LTRxmpar[#1]#2{%
16170 \LTRsavemarbox\@marbox{#1}%
16171 \LTRsavemarbox\@currbox{#2}%
16172 \xympar}
16173 \long\def\@LTRympar#1{%
16174 \LTRsavemarbox\@marbox{#1}%
16175 \global\setbox\@currbox\copy\@marbox

```

```

16176 \@xympar}
16177 \long\def \@LTRsavemarbox #1#2{%
16178   \global\setbox #1%
16179     \color@vbox
16180     \vtop{%
16181       \hsize\marginparwidth
16182       \@parboxrestore
16183       \@LTRmarginparreset
16184       #2%
16185       \@minipagefalse
16186       \outer@nobreak
16187     }%
16188   \color@endbox
16189 }
16190 \def \@LTRmarginparreset {%
16191   \reset@font
16192   \normalsize
16193   \@minipagetrue
16194   \everypar{\@minipagefalse\everypar{}\beginL}%
16195 }
16196 \def\RTLmarginpar{%
16197   \ifhmode
16198     \@bsphack
16199     \@floatpenalty -\@Mii
16200   \else
16201     \@floatpenalty-\@Miii
16202   \fi
16203   \ifinner
16204     \@parmoderr
16205     \@floatpenalty\z@
16206   \else
16207     \@next\@currbox\@freelist{}\{}%
16208     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
16209     {\@floatpenalty\z@
16210      \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
16211   \fi
16212   \@ifnextchar [\@RTLxmpar\@RTLympar}
16213 \long\def\@RTLxmpar[#1]#2{%
16214   \@RTLSavemarbox\@marbox{#1}%
16215   \@RTLSavemarbox\@currbox{#2}%
16216   \@xympar}
16217 \long\def\@RTLympar#1{%
16218   \@RTLSavemarbox\@marbox{#1}%
16219   \global\setbox\@currbox\copy\@marbox
16220   \@xympar}
16221 \long\def \@RTLSavemarbox #1#2{%
16222   \global\setbox #1%
16223     \color@vbox
16224     \vtop{%
16225       \hsize\marginparwidth

```

```

16226         \@parboxrestore
16227         \@RTLmarginparreset
16228         #2%
16229         \@minipagefalse
16230         \outer@nobreak
16231     }%
16232     \color@endbox
16233 }
16234 \def \@RTLmarginparreset {%
16235     \reset@font
16236     \normalsize
16237     \@minipagetrue
16238     \everypar{\@minipagefalse\everypar{}\beginR}%
16239 }
16240 \def \@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
16241     \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
16242     \if@twocolumn
16243         \if@firstcolumn \@tempcnta\m@ne \fi
16244     \else
16245         \if@mparswitch
16246             \ifodd\c@page \else\@tempcnta\m@ne \fi
16247         \fi
16248         \if@reversemargin \@tempcnta -\@tempcnta \fi
16249     \fi
16250     \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
16251     \@tempdima\@mparbottom
16252     \advance\@tempdima -\@pageht
16253     \advance\@tempdima\ht\@marbox
16254     \ifdim\@tempdima >\z@
16255         \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
16256     \else
16257         \@tempdima\z@
16258     \fi
16259     \global\@mparbottom\@pageht
16260     \global\advance\@mparbottom\@tempdima
16261     \global\advance\@mparbottom\dp\@marbox
16262     \global\advance\@mparbottom\marginparpush
16263     \advance\@tempdima -\ht\@marbox
16264     \global\setbox \@marbox
16265         \vbox {\vskip \@tempdima
16266             \box \@marbox}%
16267     \global \ht\@marbox \z@
16268     \global \dp\@marbox \z@
16269     \kern -\@pagedp
16270     \nointerlineskip
16271     \hb@xt@\columnwidth
16272     {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
16273         \hskip\columnwidth \hskip\marginparsep
16274     \else
16275         \hskip -\marginparsep \hskip -\marginparwidth

```



```

16276         \fi
16277         \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\
16278         \nointerlineskip
16279         \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
16280 \long\def\@ympar#1{%
16281   \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpa
16282   \global\setbox\@currbox\copy\@marbox
16283   \@xympar}
16284 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
16285 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
16286 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
16287 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
16288   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
16289   \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
16290     \box\@curline\hfil\box\@curfield\if@RTL\endR\fi\else\@addfield
16291     \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
16292     \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
16293 \fi}
16294 \def\@outputpage{%
16295 \begingroup          % the \endgroup is put in by \aftergroup
16296   \let \protect \noexpand
16297   \@resetactivechars
16298   \global\let\@@if@newlist\if@newlist
16299   \global\@newlistfalse
16300   \@parboxrestore
16301   \shipout \vbox{%
16302     \set@typeset@protect
16303     \aftergroup \endgroup
16304     \aftergroup \set@typeset@protect
16305                               % correct? or just restore by ending
16306                               % the group?
16307   \if@specialpage
16308     \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
16309   \fi
16310   \if@twoside
16311     \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
16312     \let\@themargin\oddsidemargin
16313   \else \let\@thehead\@evenhead
16314     \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
16315   \fi
16316   \ifx\@thehead\@empty \let\@thehead\hfil \fi
16317   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
16318   \else %% not @twoside
16319     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
16320     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
16321   \fi
16322   \reset@font
16323   \normalsize
16324   \normalsfcodes
16325   \let\label\@gobble

```

```

16326 \let\index\@gobble
16327 \let\glossary\@gobble
16328 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
16329 \@begindvi
16330 \vskip \topmargin
16331 \moveright\@themargin \vbox {%
16332   \setbox\@tempboxa \vbox to\headheight{%
16333     \vfil
16334     \color@hbox
16335     \normalcolor
16336     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTL
16337     \color@endbox
16338   }%
16339   \dp\@tempboxa \z@
16340   \box\@tempboxa
16341   \vskip \headsep
16342   \box\@outputbox
16343   \baselineskip \footskip
16344   \color@hbox
16345   \normalcolor
16346   \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
16347   \color@endbox
16348 }%
16349 }%
16350 \global\let\if@newlist\@if@newlist
16351 \global \@colht \textheight
16352 \stepcounter{page}%
16353 \let\firstmark\botmark
16354 }
16355 \long\def\@makecaption#1#2{%
16356   \vskip\abovecaptionskip
16357   \sbox\@tempboxa{#1: #2}%
16358   \ifdim \wd\@tempboxa >\hsize
16359     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
16360   \else
16361     \global \@minipagefalse
16362     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
16363   \fi
16364   \vskip\belowcaptionskip}
16365 \let\@bidi@saved@eqno=\eqno
16366 \let\@bidi@saved@leqno=\leqno
16367 \def\eqno{\ifnum\predisplaydirection<\z@ \@bidi@saved@leqno \else \@bidi@saved@eqno \fi}
16368 \def\leqno{\ifnum\predisplaydirection<\z@ \@bidi@saved@eqno \else \@bidi@saved@leqno \fi}
16369 \@ifpackageloaded{amsmath}{-}{
16370 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
16371 }
16372 \input{footnote-xetex-bidi.def}
16373 \if@twocolumn
16374 \let\autofooterule\relax
16375 \let\leftfootnoterule\relax

```

```

16376 \let\rightfootnoterule\relax
16377 \textwidthfootnoterule
16378 \fi
16379 \if@bidi@csundef{@idxitem}{}{%
16380 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
16381 }
16382 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{\input{article-xetex-bidi.def}}{}
16383 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
16384 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
16385 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
16386 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
16387 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
16388 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
16389 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
16390 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
16391 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
16392 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
16393 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
16394 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{\input{report-xetex-bidi.def}}{}
16395 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
16396 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
16397 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
16398 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
16399 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
16400 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
16401 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
16402 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
16403 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
16404 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{\input{book-xetex-bidi.def}}{}
16405 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
16406 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
16407 \@ifpackageloaded{amsmath}{}{%
16408 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
16409 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
16410 }
16411 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}
16412 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
16413 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
16414 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
16415 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
16416 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
16417 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
16418 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
16419 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
16420 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
16421 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
16422 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
16423 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}}{\input{crop-xetex-bidi.def}}{}
16424 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
16425 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}

```

```

16426 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
16427 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
16428 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
16429 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}{}
16430 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
16431 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
16432 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
16433 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
16434 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
16435 \@ifpackageloaded{hvfloater}{\input{hvfloater-xetex-bidi.def}}{}

16436 \@ifpackagewith{ntheorem}{amsmath}{%
16437 \if@thmmarks
16438 \gdef\SetTagPlusEndMark{%
16439     \iftagsleft@
16440     \gdef\maketag@@@##1{%
16441         \settowidth{\tagwidth}{$##1$}% % WM 17.10.2007
16442         \hbox to \tagwidth{%
16443             \hbox to \displaywidth{\m@th\normalfont\if@Latin\else\beginR\fi##1\if@Latin\else
16444                 \hss\PotEndMark{\hss}}\hss}%
16445     \else
16446     \gdef\maketag@@@##1{\hbox{\m@th\normalfont\if@Latin\else\beginR\fi##1\if@Latin\else
16447         \llap{\hss\PotEndMark{\raisebox{-1.3em}}}}}%
16448     \fi}
16449 \fi}{}
16450 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
16451 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
16452 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
16453 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
16454 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
16455 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
16456 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
16457 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
16458 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
16459 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
16460 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
16461 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
16462 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
16463 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
16464 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
16465 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
16466 \@ifpackageloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
16467 \@ifpackageloaded{pgf}{\input{pgf-xetex-bidi.def}}{}
16468 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
16469 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
16470 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
16471 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
16472 \@ifpackagewith{sidecap}{innercaption}{%
16473 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
16474     \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} \if@RTL\hspace{\sidecaptionsep}{#2}}

```

```

16475 \renewcommand*{\SC@justify@caption{%
16476   \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
16477   \renewcommand*{\SC@FLOAT}[2]{%
16478     \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
16479   \renewcommand*{\SC@justify@caption{%
16480     \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
16481 }{}
16482 \@ifpackagewith{sidecap}{rightcaption}{%
16483   \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
16484   \def\SC@justify@caption{\RaggedLeft}\else%
16485   \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
16486   \def\SC@justify@caption{\RaggedRight}\fi%
16487 }{}
16488 \@ifpackagewith{sidecap}{leftcaption}{%
16489   \if@RTL \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
16490   \def\SC@justify@caption{\RaggedRight}\else%
16491   \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
16492   \def\SC@justify@caption{\RaggedLeft}\fi%
16493 }{}
16494 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
16495 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
16496 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
16497 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
16498 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
16499 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
16500 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
16501 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
16502 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
16503 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
16504 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
16505 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
16506 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
16507 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
16508 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
16509 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
16510 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
16511 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
16512 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}
16513 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}

```

7.114 xltextra-xetex-bidi.def

```

16514 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
16515 \let\@XeTeX\XeTeX
16516 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
16517 \let\@XeLaTeX\XeLaTeX
16518 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

8 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# 2502, 2548, 2657, 2665, 10426	\@@date 4264, 4267, 4270	15666, 15668,
\\$ 10425	\@@end 2746, 2747	15669, 15702,
\% 9561	\@@endpbox . . 10900, 14754, 14793, 16061	15703, 15708,
\' 9681, 10966, 12063, 12077	\@@if@newlist . 9117, 9137, 16298, 16350	15709, 15711, 15712, 15730, 15731
\, 3662, 9758, 12647, 12690, 15828	\@@italiccorr 5325	\@@underline 16032, 16034, 16036
\- 9680, 10965, 12062, 12076	\@@line 7137, 7141, 13037, 13046, 13084, 13095, 16011, 16012, 16014, 16015, 16017, 16018	\@DEBUGfalse 2011
\. 89, 223, 507, 638, 906, 1158, 4775, 4968, 5281, 6619, 6894, 8807, 11627, 12213, 12606, 12807, 13011, 13482, 14006, 14597, 14949	\@@makecaption 13526, 13605, 14050, 14129, 14641, 14720	\@False 5304, 5306
\/. 1661	\@@makefnmark 13183, 13185, 13651, 13653, 14154, 14155, 14285, 14287	\@LTRbibitemfalse 15832, 15834
\= 9681, 10966, 12063, 12077	\@@math 5316	\@LTRbibitemstrue 15833
\@ 2572	\@@mix 15654, 15697	\@LTRbidityftesidenote@sidenote 3773, 3828, 3832
\@LTR 11962, 11964, 15805, 15807	\@@mod . 15655, 15659, 15660, 15663, 15664, 15665, 15668, 15698, 15702, 15703, 15706, 15707, 15708, 15711, 15730	\@LTRbidityftesidenotemarginparreset 3455, 3462
\@LaTeX . . 15810, 15811	\@@par . 10964, 12061, 12075, 12642, 12685, 13166, 13173, 13634, 13641, 14140, 14145, 14268, 14275, 14875, 14877, 15950, 16067	\@LTRbidityftesidenotesavemabox 3442, 3443, 3446, 3449
\@LaTeXe . 15812, 15813	\@@protect 2433	\@LTRbidityftesidenotexmpar 3440, 3441
\@RTL 11961, 11964, 15804, 15807	\@@startpbox . 10899, 14754, 14793, 16061	\@LTRbidityftesidenoteympar 3440, 3445
\@TeX 11965, 11966, 15808, 15809	\@@title 4262, 4265, 4268	\@LTRfootnotetext 62, 78, 195, 212, 1797, 1920, 3706, 3785, 3792, 4433, 4444, 4657, 4671, 6211, 6212, 6975, 7031, 7038, 7152, 7299, 7439, 7586, 7733, 7880, 8027, 8174, 8321, 8510, 9357, 9363, 9401, 9426, 9481, 9506, 9512, 10228, 10256, 10335, 10372,
\@XeLaTeX 16517, 16518	\@@tmp 15659, 15660, 15665,	
\@XeTeX . . 16515, 16516		
\@author 4263, 4266, 4269		
\@@clr . 15655, 15660, 15663, 15665, 15666, 15668, 15698, 15703, 15706, 15708, 15709, 15711, 15730		
\@@cls 15650, 15693		

10376, 10396,	14517, 14861,	\@RTLcolumnfootnotestru
10397, 10939,	14902, 15035, 7044
11022, 11519,	15066, 15089,	\@RTLfalse 36,
11520, 11521,	15106, 15123,	64, 84, 170, 197,
13148, 13154,	15140, 15157,	218, 494, 628,
13532, 13533,	15174, 15192,	896, 1148, 2237,
13543, 13616,	15211, 15231,	4765, 4958,
13622, 14056,	15266, 15405,	5268, 5286,
14057, 14067,	15519, 15920, 16092	5298, 5311,
14250, 14256,	\@MM . 40, 53, 68, 174,	6609, 6881,
14647, 14648, 14658	187, 201, 6209,	6945, 6977,
\@LTRmarginparfalse	6230, 6277,	6992, 7005,
.... 16284, 16286	6284, 6329,	7163, 7173,
\@LTRmarginparreset	6336, 7091,	7208, 7220,
.... 16183, 16190	9375, 9391, 9406	7310, 7319,
\@LTRmarginpartrue .	\@Mi 1982, 5316	7352, 7363,
..... 16285	\@Mii 1873, 3383, 3427,	7450, 7460,
\@LTRsavemarbox ...	3471, 5742,	7495, 7507,
..... 16170,	5751, 5761,	7597, 7607,
16171, 16174, 16177	5906, 5915,	7642, 7654,
\@LTRxmpar 16168, 16169	5925, 16155, 16199	7744, 7754,
\@LTRympar 16168, 16173	\@Miii 1875,	7788, 7800,
\@M 6, 88,	3385, 3429,	7891, 7901,
101, 132, 156,	3473, 16157, 16201	7935, 7947,
222, 480, 543,	\@RTL@footnotefalse	8038, 8048,
544, 568, 674, 9200,	8083, 8095,
797, 852, 853,	9367, 11945,	8185, 8195,
928, 1048, 1049,	11950, 15788, 15793	8230, 8242,
1055, 1180,	\@RTL@footnotetrue .	8332, 8342,
1724, 1729, 1496,	8377, 8389,
3994, 4697,	1497, 9200,	8485, 8496,
4698, 4704,	9366, 11947,	8526, 8537,
4820, 4876,	11949, 15790, 15792	8548, 8572,
4877, 4883,	\@RTLbibitemsfalse .	8585, 8598,
4999, 5049, 15833, 15834	8797, 9371,
5246, 5254,	\@RTLbibitemstrue 15832	9402, 9443,
5320, 6587,	\@RTLbidituftesidenote@sidenote	9456, 10577,
6600, 6858,	.. 3800, 3829, 3833	10955, 11179,
6867, 7137,	\@RTLbidituftesidenotemarginparreset	11619, 11722,
7141, 8772, 3499, 3506	11909, 11941,
8780, 9090,	\@RTLbidituftesidenotesavemarbox	11945, 11950,
11389, 11401, 3486,	12203, 12596,
11413, 12001,	3487, 3490, 3493	12794, 12998,
12109, 12110,	\@RTLbidituftesidenotexmpar	13461, 13985,
12134, 12246, 3484, 3485	14576, 14936,
12385, 12508,	\@RTLbidituftesidenoteympar	15752, 15784,
12561, 12562, 3484, 3489	15788, 15793,
12625, 12626,	\@RTLcolumnfootnotesfalse	15965, 15983,
12983, 12991, 7045	16281, 16336, 16346
13420, 13910,	\@RTLfootnotetext .	

..... 47, 77,	\@RTLtrue 36,	469, 470, 471,
181, 211, 1798,	49, 84, 170, 183,	621, 622, 623,
1921, 3723,	218, 494, 628,	624, 877, 878,
3812, 3819,	896, 1148, 1496,	879, 880, 1141,
4434, 4445,	1497, 2237,	1142, 1143,
4658, 4672,	4765, 4958,	1144, 4793,
6232, 6233,	5268, 5325,	4794, 4795,
6959, 7032,	5327, 6609,	4796, 4797,
7039, 7153,	6881, 6945,	4799, 4801,
7300, 7440,	6961, 6992,	4803, 4972,
7587, 7734,	7018, 7163,	4973, 4974,
7881, 8028,	7183, 7208,	4975, 4976,
8175, 8322,	7233, 7310,	4978, 4980,
8511, 9348,	7328, 7352,	4982, 5225,
9354, 9386,	7375, 7450,	5227, 5229,
9425, 9482,	7470, 7495,	5231, 5232,
9521, 9527,	7520, 7597,	5233, 5234,
10227, 10245,	7617, 7642,	5235, 6721,
10320, 10371,	7667, 7744,	6722, 6723,
10375, 10393,	7764, 7788,	6724, 6837,
10394, 10940,	7813, 7891,	6839, 6841,
11023, 11523,	7911, 7935,	6843, 6844,
11524, 11525,	7960, 8038,	6845, 6846,
13149, 13158,	8058, 8083,	6847, 8899,
13534, 13535,	8108, 8185,	8900, 8901,
13545, 13617,	8205, 8230,	8902, 8903,
13626, 14058,	8255, 8332,	8905, 8907,
14059, 14069,	8352, 8377,	8909, 9057,
14251, 14260,	8402, 8485,	9063, 9170,
14649, 14650, 14660	8496, 8797,	9172, 9174,
\@RTLmainfalse 1479,	9371, 9387,	9176, 9177,
1483, 1541, 1545	9430, 9456,	9178, 9179,
\@RTLmaintrue 1482, 1544	10577, 10958,	9180, 9183,
\@RTLmarginparfalse	11179, 11619,	9185, 9187,
.... 16285, 16286	11910, 11933,	9189, 9190,
\@RTLmarginparreset	11947, 11949,	9191, 9192,
.... 16227, 16234	12203, 12596,	9193, 10602,
\@RTLmarginpartrue .	12794, 12998,	11066, 11068,
..... 16284	13461, 13985,	11070, 11072,
\@RTLsavemarbox ...	14576, 14936,	11074, 11075,
..... 16214,	15753, 15776,	11077, 11078,
16215, 16218, 16221	15790, 15792,	11079, 11661,
\@RTLtabfalse . 302,	15974, 15992,	11669, 11671,
329, 1295, 1813,	16281, 16336, 16346	12217, 12218,
1980, 5365,	\@RTLxmpar 16212, 16213	12219, 12220,
14742, 14768,	\@RTLympar 16212, 16217	12221, 12223,
16040, 16048, 16072	\@SepMark 19,	12225, 12227,
\@RTLtabtrue	20, 21, 22, 145,	12582, 12583,
297, 1794, 1941,	146, 147, 148,	12584, 12585,
5342, 14735, 16041	261, 270, 468,	12586, 12588,

12590,	12592,	11659, 11665, 11667	6839,	6841,
12781,	12783,	\@addviper 5689	6842,	6843,
12785,	12786,	\@afterheading	6844,	6845,
12787,	12788,	490, 1707, 1717,	6846,	6847,
12789,	12790,	6597, 6605, 10978	6882,	6889,
12964,	12966,	\@afterindentfalse .	8798,	8805,
12968,	12970,	. 1707, 1717, 10977	8899,	8900,
12971,	12972,	\@afterindenttrue .	8901,	8902,
12973,	12974,	568, 797, 1055,	8903,	8905,
13435,	13436,	3993, 4704,	8907,	8909,
13438,	13440,	4883, 11388,	9170,	9172,
13442,	13927,	11400, 11412,	9174,	9175,
13930,	13932,	12134, 12508,	9176,	9177,
13936,	13938,	15034, 15065,	9178,	9179,
13940,	13942,	15088, 15105,	9180,	9183,
13946,	13948,	15122, 15139,	9185,	9187,
13954,	13956,	15156, 15173,	9188,	9189,
13962,	13964,	15191, 15210,	9190,	9191,
14534,	14536,	15230, 15265,	9192,	9193,
14539,	14541,	15398, 15518, 16091	10602,	10604,
14543,	14545,	\@ampacol . . 1362, 1370	11066,	11068,
14548,	14552,	\@arabic 468,	11070,	11072,
14556,	15009,	469, 470, 471,	11074,	11077,
15253, 15829, 15831		495, 502, 621,	11078,	11079,
\@True . 5299, 5305, 5337		622, 623, 624,	12204,	12211,
\@Undottedtocline 11396		629, 636, 877,	12217,	12218,
\@Undottedtoclinep .		878, 879, 880,	12219,	12220,
. 11408		897, 904, 1141,	12221,	12223,
\@acci 9681,		1142, 1143,	12225,	12227,
10966, 12063, 12077		1144, 1149,	12582,	12583,
\@accii 9681,		1156, 2248,	12584,	12585,
10966, 12063, 12077		4766, 4773,	12586,	12588,
\@acciii 9681,		4793, 4794,	12590,	12592,
10966, 12063, 12077		4795, 4796,	12597,	12604,
\@acol . . 1364, 1372,		4797, 4799,	12781,	12783,
1806, 10896,		4801, 4803,	12785,	12786,
14737, 16043, 16070		4959, 4966,	12787,	12788,
\@acolampacol . 1362,		4972, 4973,	12789,	12790,
1364, 1370, 1372		4974, 4975,	12795,	12802,
\@addamp . . . 1363, 1371		4976, 4978,	12964,	12966,
\@addfield 16290		4980, 4982,	12968,	12969,
\@addmarginpar . . 16240		5225, 5227,	12970,	12971,
\@address 2129, 6066,		5229, 5230,	12972,	12973,
6067, 6164, 6166		5231, 5232,	12974,	12999,
\@addresscolour 2098,		5233, 5234,	13006,	13436,
2115, 6065, 6163		5235, 5269,	13438,	13440,
\@addtopreamble . . .		5276, 6610,	13442,	13463,
. . 1335, 1398, 5390		6617, 6721,	13479,	13934,
\@addtoreset		6722, 6723,	13936,	13938,
. 259, 9060,		6724, 6837,	13940,	13942,

13950, 13958,	6694, 6713,	1456, 1458,
13966, 13987,	6743, 6757,	1509, 1532, 1534
14003, 14537,	6793, 6814,	\@bidi@list@minipage@parbox@not@nobtrue
14539, 14541,	8826, 8838, 9470, 15947
14543, 14545,	8872, 8891,	\@bidi@list@minipage@parboxtrue
14549, 14553,	11035, 12257, 9471, 15948
14557, 14578,	12259, 12277,	\@bidi@lst@makecaption
14594, 14937, 14944	12322, 12341,	. 10575, 10590,
\@argdef 2393	12396, 12398,	10591, 10594, 10596
\@array 304, 325, 1297,	12418, 12465,	\@bidi@mdf@RTLtrue .
1298, 14776, 16050	12487, 12498, 10954
\@arrayacol 16070	12656, 12670,	\@bidi@saveprimitive
\@arrayclassiv .. 16071	12711, 12732, 2259
\@arrayclassz	12844, 12858,	\@bidideclaredcolor
1362, 14780, 16070	12894, 12915, 5442,
\@arraycr	13242, 13305,	5449, 15690, 15719
. 324, 10905, 16072	13356, 13710,	\@bidi@tuftefloat@caption
\@arrayleft 317	13773, 13824, 2994, 3027
\@arrayparboxrestore	14344, 14407, 14458	\@bidi@tuftefloat@caption@box
10942, 12058, 12072	\@auxout ... 1964, 4604	... 2986, 3045,
\@arrayright 326	\@badmath .. 9022, 9036	3056, 3057,
\@arrayrule ... 1317,	\@begin@tempboxa ..	3080, 3315, 3320
1318, 1319,	. 9854, 9861, 15950	\@bidi@tuftefloat@caption@fill
1355, 1356, 1357	\@begin@dv . 9088, 16329 2935,
\@arstdepth	\@begin@parpenalty .	2944, 2945, 3320
14773, 14778, 14796	... 1720, 1729,	\@bidi@tuftefloat@caption@font
\@arstheight	9025, 9039, 15896	... 2900, 2901,
.... 14778, 14796	\@bib@break	2955, 3146,
\@arstrut 314,	13456, 13980, 14571	3317, 3323, 3336
10919, 14753, 16060	\@biblabel 85,	\@bidi@tuftefloat@caption@justification
\@arstrutbox .. 307,	219, 495, 496,	.. 2833, 2958, 3146
10907, 10943,	629, 630, 897,	\@bidi@tuftefloat@caption@vertical@offset
14746, 14788,	898, 1149, 1150, 2989,
14792, 14796, 16053	4766, 4767,	2990, 2998,
\@author .. 348, 362,	4959, 4960,	3056, 3057, 3084
398, 419, 685,	5269, 5270,	\@bidi@tuftefloat@checkoddpages
687, 705, 750,	6610, 6611, 2917, 3014
769, 939, 941,	6882, 6883,	\@bidi@tuftefloat@figure@box
959, 1004, 1023,	8798, 8799,	... 2985, 3038,
1191, 1193,	11620, 12204,	3056, 3057, 3079
1211, 1256,	12205, 12597,	\@bidi@tuftefloat@float@contents@width
1276, 1287,	12598, 12795, 3006,
1606, 4195,	12796, 12999,	3036, 3037, 3039
4197, 4266,	13000, 13463,	\@bidi@tuftefloat@float@debug
4831, 4833,	13465, 13987,	... 2975, 2981,
4851, 5010,	13989, 14578,	2983, 2984,
5012, 5030,	14580, 14937, 14938	3016, 3017,
5105, 5119,	\@bibsetup 11620	3020, 3022,
5155, 5176,	\@bibtitlestyle 81, 215	3023, 3094,
6648, 6660,	\@bidi@info ... 1433,	

3101, 3108, 3109, 3112, 3113	\@biditytfloat@stored@shortcap	3658, 3768, 3795, 3822,
\@biditytfloat@float@debug@info	2991, 2996, 3997, 3047, 3081	3842, 3849, 3856
..... 2974,	\@biditytfloat@generalstructure@credit@par	\@biditytfloat@sidenote@print@ Citations
2976, 2977, 4039, 4045	... 3622, 3767,
2978, 3069, 3076	\@biditytfloat@heading@newlinetospace	3794, 3821,
\@biditytfloat@float@fullwidth 3152, 3161	3841, 3848, 3855
..... 3056, 3104	\@biditytfloat@heading@newline@space@off	\@biditytfloat@sidenote@sidenote
\@biditytfloat@float@textwidth 3153, 3155	.. 3746, 3827, 3831
..... 3057, 3086	\@biditytfloat@heading@orig@cr	\@biditytfloat@sidenote@sidenote@ Citations
\@biditytfloat@fps 3160, 3164 3647
..... 3004, 3019	\@biditytfloat@sidenote@add@citation	\@biditytfloat@sidenote@sidenote@font
\@biditytfloat@fullwidth 3616, 3649	... 3513, 3516,
... 2934, 2940,	\@biditytfloat@sidenote@check@multiple@notes	3662
2941, 2942, 3036 3672, 3680	\@biditytfloat@sidenote@sidenote@justification
\@biditytfloat@justification	\@biditytfloat@sidenote@citation@font	3519, 3658, 3659
..... 2902 3515,	\@biditytfloat@sidenote@sidenote@vertical@offset
\@biditytfloat@justification@autodetect	3518, 3600, 3628 3743,
..... 2833, 2972	\@biditytfloat@sidenote@citation@justification	3750,
\@biditytfloat@label 3521, 3629	3752, 3758,
..... 3001, 3028	\@biditytfloat@sidenote@ Citations	3765, 3777,
\@biditytfloat@margin@floatbox 3615,	3779, 3785,
.. 2950, 2953, 2964	3617, 3618,	3792, 3804,
\@biditytfloat@margin@par	3620, 3625,	3806, 3812, 3819
..... 2872, 2959	3634, 3748,	\@biditytfloat@sidenote@trim@b
\@biditytfloat@margin@font	3775, 3802, 3564, 3571
..... 2899, 2900	3839, 3846, 3853	\@biditytfloat@sidenote@trim@c
\@biditytfloat@orig@caption	\@biditytfloat@sidenote@infootnote@cite	3568, 3571, 3576
.. 3025, 3047, 3077	... 3648, 3747,	\@biditytfloat@sidenote@trim@spaces
\@biditytfloat@orig@endfloat	3774, 3801, 3553,
.. 2988, 3060, 3311	3838, 3845, 3852	3556, 3605,
\@biditytfloat@orig@float	\@biditytfloat@sidenote@justification@autodetect	3639
.. 2987, 3034, 3310 3519,	\@biditytfloat@sidenote@margin@parreset
\@biditytfloat@orig@label	3520, 3521, 3522 3411, 3418
..... 3026,	\@biditytfloat@sidenote@margin@par	\@biditytfloat@sidenotes@save@marbox
3032, 3048, 3078 3523, 3398,
\@biditytfloat@overhang	3630, 3694,	3399, 3402, 3405
... 2933, 2937,	3711, 3728,	\@biditytfloat@sidenote@xmpar
2938, 3130,	3840, 3847, 3854 3396, 3397
3131, 3170, 3171	\@biditytfloat@sidenote@margin@font	\@biditytfloat@sidenote@ympar
\@biditytfloat@pkgname 3512, 3396, 3401
.. 2807, 2808, 2810	3513, 3514, 3515	\@biditytfloat@toc@lof@line
\@biditytfloat@stored@caption	\@biditytfloat@sidenote@margin@note@font	... 3986, 4002
..... 2992,	... 3514, 3517,	\@biditytfloat@toc@pkgname
2999, 3047, 3082	3840, 3847, 3854 3862, 3863
\@biditytfloat@stored@label	\@biditytfloat@sidenote@margin@note@justified@color	... 5442, 5443,
..... 2993, 3520,	15690, 15691, 15730
3002, 3048,	3840, 3847, 3854	\@biditytfloat@sidenote@normal@cite@ontmark
3064, 3066, 3083 3594,	... 11058
		\@biditytfloat@series .. 11039

<code>\@bsmttitleempty</code> .. 11027	<code>\@chclass</code> 272,	11281, 11282,
<code>\@bsphack</code> 1872,	284, 295, 1304,	11301, 11302,
3382, 3426,	1316, 1329,	11303, 11307, 16351
3470, 16154, 16198	1349, 1354,	<code>\@colourfalse</code> 2041
<code>\@bsthanksheadpost</code> .	14802, 14818,	<code>\@colourgreenfalse</code> .
..... 11041	14829, 16073, 16078 5984, 6082
<code>\@bsthanksheadpre</code> 11041	<code>\@chnum</code> ... 273, 280,	<code>\@colourgreentru</code> .
<code>\@caption</code>	291, 1305, 1312, 5985, 6083
3137, 11161, 11164	1325, 1335,	<code>\@colourgreyfalse</code> .
<code>\@captype</code> 1811, 1860,	1351, 1352, 5988, 6086
1908, 2956,	1353, 1366,	<code>\@colourgreytrue</code> ..
11154, 11158,	1374, 1400, 5989, 6087
11161, 13021, 13064	5392, 14803,	<code>\@colouroorangefalse</code>
<code>\@cclv</code> 1986,	14810, 14825, 5982, 6080
1991, 2003,	16075, 16076, 16077	<code>\@colouroorangetru</code> .
6244, 6301,	<code>\@circlefnt</code> 8928 5983, 6081
8704, 8705, 8722	<code>\@classiv</code> 1808, 10897,	<code>\@colouredfalse</code> ..
<code>\@centercr</code>	14739, 16045, 16071 5986, 6084
.. 4067, 12009,	<code>\@classx</code> 1332, 1391, 5386	<code>\@colouredtrue</code> ...
12022, 12035,	<code>\@classz</code> 1332, 1391, 5987, 6085
14854, 14883, 16001	1425, 1426,	<code>\@colourtrue</code> 2040
<code>\@cftasnum</code> .. 15039,	1807, 5386,	<code>\@colroom</code> 1997, 2006,
15070, 15093,	10897, 14738,	5755, 5778,
15110, 15127,	14780, 16044, 16070	5781, 5783,
15144, 15161,	<code>\@cleartopmattertags</code>	5784, 5943,
15178, 15196, 125	5946, 5948,
15215, 15235, 15270	<code>\@cliptoboxdim</code> .. 14832	5949, 6244, 6301
<code>\@cftasnumb</code> .. 15040,	<code>\@clubpenalty</code>	<code>\@combinedblfloats</code> .
15071, 15094, 505, 5279,	... 5631, 5670,
15111, 15128,	6892, 12805,	8979, 9011,
15145, 15162,	13009, 14947, 15922	9092, 9720,
15179, 15197,	<code>\@colht</code> . 1997, 1998,	9744, 11248,
15216, 15236, 15271	5766, 5767,	11327, 16116, 16138
<code>\@cftbsnum</code> .. 15038,	5777, 5778,	<code>\@combinefloats</code> .. 8689
15069, 15092,	5785, 5800,	<code>\@compactenum@</code> ... 4049
15109, 15126,	5834, 5837,	<code>\@cons</code> 16240, 16241
15143, 15160,	5859, 5860,	<code>\@contcshortstyle</code> 11109
15177, 15195,	5919, 5931,	<code>\@contcstyle</code>
15214, 15234, 15269	5932, 5942,	11114, 11120, 11125
<code>\@cftdopartfalse</code> 15012	5943, 5950,	<code>\@contcwidth</code>
<code>\@cftdoparttrue</code> ...	5967, 5971, 11103, 11104
.... 15015, 15019	8694, 9111,	<code>\@contdelim</code>
<code>\@cftl@subfig</code> ... 15203	11186, 11189,	. 11097, 11108,
<code>\@cftl@subtab</code> ... 15223	11191, 11193,	11112, 11119, 11124
<code>\@chapapp</code> 5044, 5241,	11198, 11199,	<code>\@contfield</code>
6853, 8768, 12979	11200, 11219,	.. 4621, 4636, 4668
<code>\@chapterlistsgap@off</code>	11220, 11221,	<code>\@contfinal</code>
..... 11653	11225, 11268,	. 11097, 11109,
<code>\@chapterlistsgap@on</code>	11271, 11273,	11115, 11121, 11125
.... 11660, 11668	11275, 11280,	<code>\@contfmark</code> 11096, 11099

\@contfnote	11095, 11098	7380,	7406,	1258,	1279,
\@contindw 11120	7418,	7454,	1288,	1607,
\@contnfont	7464,	7474,	4213,	4267,
	. 11097, 11108,	7500,	7513,	4839,	4841,
	11112, 11119, 11124	7525,	7552,	4853,	5018,
\@contpost 11129	7565,	7601,	5020,	5032,
\@contpre	... 11107,	7611,	7621,	5108,	5120,
	11113, 11118, 11123	7647,	7660,	5156,	5179,
\@conttfont	7672,	7699,	6651,	6661,
	. 11097, 11109,	7712,	7748,	6695,	6716,
	11115, 11121, 11125	7758,	7768,	6746,	6758,
\@curfield	... 4620,	7794,	7807,	6794,	6817,
	4635, 4655,	7819,	7846,	6901,	6906,
	4669, 4679, 16290	7859,	7895,	8829,	8839,
\@curline 4618,	7905,	7915,	8873,	8894,
	4633, 16290, 16292	7941,	7954,	10448,	10453,
\@currbox 1880,	7966,	7993,	11036,	12265,
	1911, 1915,	8006,	8042,	12267,	12279,
	3347, 3350,	8052,	8062,	12324,	12344,
	3391, 3394,	8088,	8101,	12404,	12406,
	3399, 3403,	8113,	8140,	12420,	12467,
	3435, 3438,	8153,	8189,	12490,	12499,
	3443, 3447,	8199,	8209,	12659,	12671,
	3479, 3482,	8235,	8248,	12712,	12734,
	3487, 3491,	8260,	8287,	12847,	12859,
	16163, 16166,	8300,	8336,	12895,	12918,
	16171, 16175,	8346,	8356,	13246,	13306,
	16207, 16210,	8382,	8395,	13360,	13714,
	16215, 16219,	8407,	8434,	13774,	13828,
	16241, 16250, 16282	8447,	8530,	14228,	14229,
\@currentHlabel	...	8541,	8552,	14232,	14237,
 10313,	8577,	8590,	14348, 14408, 14462	
	10328, 10343,	8603,	8637,	\@datefield 14168
	10354, 10357, 10359	8651,	9377,	\@dblarg 11161
\@currentHref	10314,	9393,	9408,	\@dblfloatplacement	
	10329, 10344,	9435, 9448, 9461		... 5632, 5673,	
	10355, 10358, 10360	\@currentlabelname	.	8980,	9015,
\@currentlabel	. 42,	10315, 10330, 10345		9099,	9722,
	55, 70, 176, 189,	\@currlist 16240	9746,	11251,
	203, 3696, 3713,	\@curtabmar	16289, 16292	11330, 16117, 16141	
	3730, 6951,	\@cvtheme	.. 2121, 2124	\@declaredcolor	5427,
	6967, 6983,	\@cvthemeoptions	..	5428, 15647, 15670	
	6996, 7009, 2122, 2124		\@dedication
	7022, 7167,	\@date 351,	. 13262, 13264,	
	7177, 7187,	363, 399, 422,		13315, 13363,	
	7213, 7226,	693, 695, 707,		13365, 13730,	
	7238, 7265,	752, 772, 947,		13732, 13783,	
	7278, 7314,	949, 961, 1006,		13831, 13833,	
	7323, 7332,	1026, 1199,		14364, 14366,	
	7357, 7369,	1201, 1213,		14417, 14465, 14467	

\@dedicatory	250	3276,	3277,	6616,	6659,
\@definitionfileextension		3278,	3279,	6660,	6661,
.	2272, 2274	3280,	3281,	6662,	6693,
\@depth	309,	3282,	3283,	6694,	6695,
10909, 14748,		3284,	3285,	6696,	6756,
14789, 16055, 16279		3286,	3287,	6757,	6758,
\@dgroup	5298	3288,	3289,	6759,	6792,
\@dischyph . . .	9680,	3290,	3291,	6793,	6794,
10965, 12062, 12076		3292,	3293,	6795,	6888,
\@displaypagenumbersfalse		5337,	6210,	6899,	6915,
.	2220	6231,	6237,	6919,	8688,
\@displaypagenumberstrue		6272,	6274,	8804,	8837,
.	2219	6276,	6282,	8838,	8839,
\@dmath	5286, 5315	6294,	6324,	8840,	8871,
\@docolbox	9150	6326,	6328, 6334	8872,	8873,
\@dodynamicthefoot	9089	\@email	2133, 6072, 6170	8874,	8963,
\@dodynamicthehead	9089	\@empty	83,	8995,	9517,
\@donoparitem . . .	15884	111, 217, 324,		9532,	9751,
\@dotsep	15416,	361, 362, 363,		9752,	9753,
15417, 15525, 16098		364, 397, 398,		9754,	9755,
\@dottedtocline . . .		399, 400, 501,		10315,	10330,
. 15531, 15532,		635, 704, 705,		10345,	10446,
15534, 15552, 16087		706, 707, 749,		10594,	10596,
\@dseries	5311	750, 751, 752,		10923,	11033,
\@eha	2267, 15257	903, 958, 959,		11034,	11035,
\@ehc 1950, 1984, 2409,		960, 961, 1003,		11036,	11647,
2844, 2846,		1004, 1005,		12210,	12276,
3543, 3545,		1006, 1155,		12277,	12278,
10564, 11371, 11377		1210, 1211,		12279,	12321,
\@ehd	11155	1212, 1213,		12322,	12323,
\@eightcol@footgroupv@r		1255, 1256,		12324,	12417,
.	8032	1257, 1258,		12418,	12419,
\@eightcolLTRfootfmt		1605, 1606,		12420,	12464,
. . 8055, 8076, 8104		1607, 1608,		12465,	12466,
\@eightcolLTRfootnotetext		1867, 2247,		12467,	12603,
.	8027, 8048	2256, 3596,		12669,	12670,
\@eightcolRTLfootfmt		3617, 3624,		12671,	12672,
. . 8065, 8079, 8116		4195, 4262,		12710,	12711,
\@eightcolRTLfootnotetext		4263, 4264,		12712,	12713,
.	8028, 8058	4772, 4850,		12801,	12857,
\@eightcolfootfmt .		4851, 4852,		12858,	12859,
. . 8045, 8073, 8091		4853, 4965,		12860,	12893,
\@eightcolfootnotetext		5029, 5030,		12894,	12895,
.	8026, 8038	5031, 5032,		12896,	13005,
\@elt . . . 3235, 3236,		5118, 5119,		13165,	13220,
3237, 3238,		5120, 5121,		13225,	13232,
3239, 3240,		5154, 5155,		13238,	13262,
3241, 3242,		5156, 5157,		13304,	13305,
3243, 3244,		5275, 5301,		13306,	13307,
3245, 3246,		6271, 6323,		13308,	13309,

13310,	13311,	15653,	15693,	\@extratitle
13312,	13313,	15696,	16063,	. 13220, 13221,
13314,	13315,	16072,	16316,	13309, 13333,
13333,	13337,	16317, 16319, 16320		13334, 13688,
13345,	13351,	\@emptycol . . . 5770,		13689, 13777,
13363,	13377,	5773, 5789,		13801, 13802,
13412,	13449,	5792, 5935,		14322, 14323,
13478,	13503,	5938, 5954, 5957		14411, 14435, 14436
13504,	13633,	\@emptytoks 5300		\@familyname
13688,	13693,	\@end@tempboxa 2066, 2068,
13700,	13706,	. 9859, 9876, 15963		2069, 2127,
13730,	13772,	\@endfloatbox 1932		6047, 6137, 6158
13773,	13774,	\@endmodernpoem . . .		\@familynamecolour .
13775,	13776, 4631, 4651	 2096, 2113
13777,	13778,	\@endparenv . . . 4535,		\@fancyfoot 8946
13779,	13780,	4648, 11694, 11714		\@fancyhead 8941
13781,	13782,	\@endparpenalty 1724,		\@fancyvbox . 8942, 8947
13783,	13801,	1733, 9026, 9040		\@fax . . 2132, 6071, 6169
13805,	13813,	\@endpbox 1342,		\@ff@do@allframes .
13819,	13831,	1343, 1384,	 9091, 9096
13845,	13872,	1408, 1409,		\@ff@fbox 9159
13902,	13972,	1410, 5400,		\@ff@setoffset . . . 9156
14002,	14027,	5401, 5402,		\@ff@background . . . 9146
14028,	14139,	10894, 10900,		\@finalstrut . . 6956,
14169,	14170,	14754, 14793, 16061		6972, 6988,
14171,	14172,	\@endtraditionalpoem		7002, 7015,
14173,	14174, 4515, 4587		7028, 9382,
14175,	14176,	\@ensure@LR 11958, 15801		9398, 9413,
14180,	14186,	\@ensure@LTR . 11956,		9439, 9452, 9465
14192,	14198,	11958, 11966,		\@firstampfalse . . .
14204,	14210,	15799, 15801,	 1364, 1372
14216,	14222,	15809, 15811,		\@firstcolfirstmark
14228,	14237,	15813, 16516, 16518	 8962,
14267,	14322,	\@ensure@RL 11957, 15800		8963, 8967,
14327,	14334,	\@ensure@RTL . 11955,		8994, 8995, 8999
14340,	14364,	11957, 15798, 15800		\@firstcoltopmark .
14406,	14407,	\@ensure@dir . 11959,	 8960,
14408,	14409,	11960, 15802, 15803		8968, 8992, 9000
14410,	14411,	\@ensure@maindir . .		\@firstcolumnfalse .
14412,	14413, 11960, 15803	 5611,
14414,	14415,	\@enumctr . . 4050, 4051		5647, 5975,
14416,	14417,	\@eqnnum		8954, 8986,
14435,	14439,	9047, 10442, 16370		9106, 9708,
14447,	14453,	\@evenfoot		9728, 11184,
14465,	14479,	. 1569, 9082, 16314		11266, 16105, 16123
14509,	14563,	\@evenhead . 9081, 16313		\@firstcolumntrue .
14593,	14618,	\@extrafootnotefeaturetrue	 5614,
14619,	14795, 1498		5650, 5929,
14943,	15243,	\@extrainfo		8970, 9003,
15245,	15650,	. . 2134, 6073, 6171		9070, 9713,

9733, 11228, 11310, 16107, 16126	\@floatboxreset .. 1930	\@footnotetext 34, 76, 168, 210, 1796,
\@firstdetailselementfalse 6152	\@floatpenalty 1873, 1875, 1878, 3383,	1919, 3689, 3758, 3765,
\@firstdetailselementtrue 6149	3385, 3389, 3393, 3427,	4432, 4443, 4656, 4670,
\@firstfooterelementfalse 6068, 6069, 6070, 6071, 6072, 6073	3429, 3433, 3437, 3471, 3473, 3477, 3481, 16155,	6190, 6191, 6943, 7030, 7037, 7151, 7298, 7438,
\@firstfooterelementtrue 6053	16157, 16161, 16165, 16199, 16201, 16205, 16209	7585, 7732, 7879, 8026, 8173, 8320,
\@firstname 2066, 2068, 2069, 2126, 6047, 6137, 6158	\@fltovf 1913, 3394, 3438, 3482, 16166, 16210	8509, 9370, 9424, 9480, 10226, 10234,
\@firstnamecolour 2095, 2112	\@flushglue ... 4417, 4418, 10971, 12069, 12768, 16002	10305, 10370, 10374, 10390, 10391, 10938,
\@firstofone 2716, 2723, 2729, 2742, 2748, 10434, 10435, 10436, 10437, 11159, 13605, 14129, 14720	\@fnsymbol 373, 668, 727, 922, 981, 1174, 1233, 1593, 4814, 4993, 5130, 6671, 6768, 8849, 12240, 12299, 12379, 12440, 12638, 12681, 12869, 13217, 13281, 13685, 13749, 14319, 14383	11021, 11515, 11516, 11517, 13147, 13150, 13530, 13531, 13541, 13615, 13618, 14054, 14055, 14065, 14249, 14252, 14645, 14646, 14656
\@firstoftwo 2293, 2301, 2307, 2311, 2319, 2325, 2328, 2331, 2345, 2352, 2518, 2536, 2542, 2566, 2593, 2623, 2683, 2693, 11628	\@footgroupv@r 7081, 7130, 7157, 7304, 7444, 7591, 7738, 7885, 8032, 8179, 8326, 8515	\@footstartv@r ... 7081 \@for ... 3597, 3602, 3625, 3634, 5591
\@fivecol@footgroupv@r 7591	\@footnote 4144	\@fourcol@footgroupv@r 7444
\@fivecolLTRfootfmt .. 7614, 7635, 7663	\@footnotemark 1840, 1848, 1856, 3668, 3758, 3765, 3785, 3792, 3812, 3819, 4569, 4576, 4583, 9348, 9354, 9357, 9363, 10350, 10369, 10373, 10387, 10388	\@fourcolLTRfootnotetext 7439, 7460
\@fivecolLTRfootnotetext 7586, 7607		\@fourcolRTLfootfmt .. 7477, 7491, 7528
\@fivecolRTLfootfmt .. 7624, 7638, 7675		\@fourcolRTLfootnotetext 7440, 7470
\@fivecolRTLfootnotetext 7587, 7617		\@fourcolfootfmt 7457, 7485, 7503
\@fivecolfootfmt 7604, 7632, 7650		\@fourcolfootnotetext 7438, 7450
\@fivecolfootnotetext 7585, 7597		\@fps ... 1861, 1862, 1864, 1867, 1884
\@float 2987, 3310		\@fpsaddddefault 1865, 1868

\@freelist . . . 1880,	14096, 14673,	7043, 9168,
3235, 3276,	14685, 14687, 16025	9181, 16382,
3391, 3392,	\@height . 308, 1422,	16383, 16384,
3435, 3436,	5414, 9661,	16385, 16386,
3479, 3480,	10908, 10943,	16387, 16388,
8687, 16163,	10991, 13193,	16389, 16390,
16164, 16207,	13202, 13661,	16391, 16392,
16208, 16240, 16241	13670, 14295,	16393, 16394,
\@fs@capt	14304, 14747,	16395, 16396,
. . 3324, 3337, 3345	14789, 16054, 16279	16397, 16398,
\@fs@cfont 3317, 3323,	\@highpenalty . 4718,	16399, 16400,
3333, 3336,	4734, 4741,	16401, 16402,
3344, 9051, 9052	4751, 4897,	16403, 16404,
\@fs@iftopcapt	4913, 4920,	16405, 16406,
. . 3328, 3341, 3354	4930, 5186,	16423, 16511, 16512
\@fs@mid 3327, 3340, 3352	5201, 5211,	\@ifdefinable
\@fs@post	6824, 8736,	. . . 2357, 2360,
. . 3326, 3339, 3353	8751, 8761,	2363, 2372,
\@fs@pre 3325, 3338, 3346	12148, 12164,	2396, 2411, 9271
\@g@tnextcol 9068	12171, 12181,	\@ifdefinitionfileloaded
\@getcirc 8924	12522, 12538, 2274, 16513
\@gnewline . . 12011,	12545, 12555,	\@ifempty 7, 133
12024, 12037, 12048	12740, 12754,	\@ifl@aded . 2273, 2274
\@gobble 1776,	12764, 12925,	\@ifnextchar
2646, 2647,	12940, 12950, 325, 1744,
2648, 2649,	13398, 13841,	1774, 1789,
2650, 2718,	13862, 13868,	1953, 2386,
2731, 2735,	13889, 13897,	3396, 3440,
2762, 2776,	13921, 14475,	3484, 5427,
2788, 2802,	14496, 14504,	5442, 9346,
2810, 4317,	14528, 15025, 15060	9355, 9504,
4382, 9125,	\@hintcolour 2103, 2119	9519, 9831,
9126, 9127,	\@holdpg 5700, 5706,	10377, 10401,
11156, 13531,	5713, 5724,	11527, 11698,
13533, 13535,	5734, 5834,	11718, 15647,
14055, 14057,	5835, 5837,	15690, 16168, 16212
14059, 14646,	5840, 5844,	\@ifpackagelater . 9217
14648, 14650,	5849, 5854,	\@ifpackageloaded .
15654, 15697,	5858, 5866, 1381,
16325, 16326, 16327	5878, 5891, 5898	2579, 3303,
\@gobbletwo	\@idxitem 98, 103, 153,	3308, 3361,
. . . 2283, 2284,	158, 524, 539,	6522, 6523,
2287, 2288, 10489	790, 1044, 4108,	7134, 8483,
\@gtempa . . . 2369, 2370	4115, 4693,	10697, 11135,
\@halignto	4872, 5085,	14930, 16369,
313, 328, 14752,	12105, 12362,	16394, 16404,
14791, 16059, 16072	12825, 15005, 16380	16407, 16411,
\@hangfrom . . 13558,	\@ifclassloaded . . .	16412, 16413,
13570, 13572,	. . . 2831, 4157,	16414, 16415,
14082, 14094,	4159, 5087,	16416, 16417,

16418, 16419,	\@ifundefinedmodel .	\@latex@warning@no@line
16420, 16421, 15680, 15714	... 5768, 5786,
16422, 16423,	\@ifxempty 15740	5933, 5951, 16255
16424, 16425,	\@ignoretrue 5322	\@latexbug 16241
16426, 16427,	\@iiiminipage 9467	\@leftcolumn .. 5612,
16428, 16429,	\@iiiparbox	5618, 5648,
16430, 16431,	. 7118, 9498, 15944	5654, 5807,
16432, 16433,	\@indextitlestyle .	5835, 5841,
16434, 16435, 96, 151	5850, 8955,
16450, 16451,	\@inlabelfalse	8974, 8987,
16452, 16453, 5289, 15910	9006, 9709,
16454, 16455,	\@inlabeltrue ... 15904	9716, 9729,
16456, 16457,	\@insertfalse 5691, 5799	9738, 11185,
16458, 16459,	\@inserttrue 5764, 5928	11229, 11241,
16460, 16461,	\@iprintcites ... 12003	11267, 11311,
16462, 16463,	\@item 15882	11319, 16106,
16464, 16465,	\@itemfudge 16289, 16291	16111, 16124, 16130
16466, 16467,	\@itemlabel 15845	\@lettrine 10470
16468, 16469,	\@itempenalty ... 15901	\@listI 2857
16470, 16471,	\@ixpt 4008	\@listctr 15928
16494, 16495,	\@keywords 251	\@listdepth
16496, 16497,	\@kludgeins 8691	... 9330, 9483,
16498, 16499,	\@labels	9685, 9689,
16500, 16501,	15915, 15932, 15933	15836, 15839, 15844
16502, 16503,	\@lastchclass	\@listi 2857, 2865, 4012
16504, 16505,	. 273, 274, 275,	\@lowertitleback ..
16506, 16507,	276, 278, 1305, 13259,
16508, 16509,	1306, 1307,	13314, 13727,
16510, 16511, 16512	1308, 1310,	13782, 14361, 14416
\@ifpackagewith 5568,	1349, 1350,	\@lowpenalty 1720, 15325
14954, 16436,	1362, 1370,	\@m ... 89, 223, 507,
16472, 16482, 16488	14803, 14804,	638, 906, 1158,
\@ifstar 2503,	14805, 14806,	4775, 4968,
3153, 6526, 9834	14808, 16073, 16074	5281, 6619,
\@iftagsloaded	\@lastvipetrue 5775,	6894, 8807,
2273, 16408, 16409	5794, 5940, 5959	9710, 9730,
\@ifundefined . 257,	\@latex@error . 2266,	11627, 12213,
258, 2223, 2843,	11155, 11371, 11377	12606, 12807,
2845, 3531,	\@latex@warning 91,	13011, 13482,
3539, 3542,	225, 509, 640,	14006, 14597, 14949
3544, 3971,	908, 1160, 2252,	\@mainmatterfalse .
3979, 4094,	4777, 4970, 4344,
4096, 4101,	5283, 6621,	4374, 5264, 6877
4191, 4208,	6896, 8809,	\@mainmattertrue ..
5429, 5436,	12215, 12608, 4341, 4357
5444, 5450,	12809, 13013,	\@makecaption
9054, 9264,	13486, 13493,	... 3148, 5375,
10566, 10593,	14010, 14017,	11092, 11142,
10595, 10599,	14601, 14608, 14951	11174, 13599,
11741, 15244, 15248		14123, 14714, 16355

<code>\@makechapterhead .</code>	8776, 12101,	3446, 3447,
228, 5039, 5236,	12358, 12820,	3480, 3482,
6848, 8764,	12987, 14976, 14981	3486, 3490,
11994, 12975, 14970	<code>\@makespecialcolbox</code>	3491, 16164,
<code>\@makecol</code> 8692	16166, 16170,
. . 1992, 2004, 8731	<code>\@maketitle . . .</code> 116,	16174, 16175,
<code>\@makefnmark . .</code> 374,	243, 247, 380,	16208, 16210,
728, 1234, 1594,	382, 387, 396,	16214, 16218,
3664, 3675,	406, 734, 736,	16219, 16240,
5131, 6195,	741, 748, 758,	16250, 16253,
6216, 6672,	988, 990, 995,	16261, 16263,
6769, 8850,	1002, 1012,	16264, 16266,
10362, 11040,	1240, 1242,	16267, 16268,
12300, 12441,	1247, 1254,	16277, 16281, 16282
12639, 12682,	1264, 1598,	<code>\@mathmargin . .</code> 6478,
12870, 13218,	1604, 5137,	6485, 6493, 6500
13219, 13282,	5139, 5144,	<code>\@maxdepth</code>
13283, 13686,	5153, 5163,	. . 7079, 8703, 8730
13687, 13750,	6678, 6680,	<code>\@memtempa . .</code> 11092,
13751, 14320,	6685, 6692,	11094, 11108,
14321, 14384, 14385	6702, 6775,	11115, 11119, 11124
<code>\@makefnstext</code>	6777, 6782,	<code>\@midlist . .</code> 8687, 8688
. . . 44, 57, 72,	6791, 6801,	<code>\@minipagefalse</code> 1934,
178, 191, 205,	8856, 8858,	3413, 3422,
375, 665, 730,	8863, 8870,	3457, 3466,
919, 982, 1171,	8880, 11045,	3501, 3510,
1236, 1595,	11047, 11054,	7115, 9495,
3662, 3700,	12306, 12308,	10586, 11148,
3717, 3734,	12313, 12320,	13589, 14113,
4811, 4990,	12330, 12447,	14704, 15907,
5132, 6673,	12449, 12454,	16185, 16194,
6770, 6954,	12463, 12473,	16229, 16238, 16361
6970, 6986,	12693, 12695,	<code>\@minipagerestore</code> 9484
7000, 7013,	12700, 12709,	<code>\@minipagetrue</code>
7026, 8851,	12719, 12876,	. . . 3421, 3465,
9381, 9397,	12878, 12883,	3509, 16193, 16237
9412, 9438,	12892, 12902,	<code>\@minus .</code> 2170, 2255,
9451, 9464,	13286, 13288,	2853, 2855,
9756, 11042,	13293, 13303,	2862, 2864,
12237, 12302,	13328, 13754,	2866, 2867,
12376, 12443,	13756, 13761,	4009, 4011,
12641, 12684,	13771, 13796,	4013, 4014,
12871, 13163,	14388, 14390,	9599, 9637, 11624
13631, 14138, 14265	14395, 14405, 14430	<code>\@mkboth</code> 493,
<code>\@makeother . . .</code> 2502,	<code>\@maketitle@hook . .</code> 114	520, 536, 627,
2548, 2657, 2665	<code>\@makewincaption</code> 11773	787, 895, 1041,
<code>\@makeschapterhead .</code>	<code>\@marbox</code> 3392, 3394,	1147, 4690,
. . . 4689, 4868,	3398, 3402,	4764, 4869,
5059, 5080,	3403, 3436,	4957, 5081,
5250, 6863,	3438, 3442,	5267, 6608,

6880, 8796,	\@mpfivecolfootnotetext	8109, 8230,
12102, 12202, 7592, 7641	8231, 8242,
12359, 12595,	\@mpfn 1815,	8243, 8255,
12793, 12821, 12997	1818, 1821,	8256, 8377,
\@mklab 15846	1837, 1845,	8378, 8389,
\@mkpream 312, 10913,	1853, 3756,	8390, 8402,
14750, 14783, 16057	3762, 3783,	8403, 8572,
\@mobile 2130, 6069, 6167	3789, 3810,	8573, 8585,
\@modernpoem 4607, 4651	3816, 4546,	8586, 8598, 8599
\@mpLTRfootnotetext	4549, 4552,	\@mpfootnotetext ..
... 7004, 7034,	4566, 4573,	... 6991, 7033,
7041, 7159,	4580, 9346,	7040, 7158,
7306, 7446,	9351, 9355,	7305, 7445,
7593, 7740,	9360, 9479,	7592, 7739,
7887, 8034,	9509, 9524,	7886, 8033,
8181, 8328,	10231, 10242,	8180, 8327,
8517, 9441,	10253, 10402, 11018	8516, 9454,
9481, 10256,	\@mpfootins 6992, 6993,	9480, 10234,
10271, 10294, 11022	7005, 7006,	10269, 10272, 11021
\@mpRTLfootnotetext	7018, 7019,	\@mpfourcol@footgroupv@r
... 7017, 7035,	7099, 7108, 7449
7042, 7160,	7109, 7112,	\@mpfourcolLTRfootnotetext
7307, 7447,	9430, 9431, 7446, 7506
7594, 7741,	9443, 9444,	\@mpfourcolRTLfootnotetext
7888, 8035,	9456, 9457, 7447, 7519
8182, 8329,	9489, 9490,	\@mpfourcolfootnotetext
8518, 9428,	9493, 11007, 11012 7445, 7494
9482, 10245,	\@mpfootinsv@r 7098,	\@mplistdepth 9330, 9483
10270, 10283, 11023	7131, 7208,	\@mpninecol@footgroupv@r
\@mparbottom .. 1977,	7209, 7220, 8184
16251, 16259,	7221, 7233,	\@mpninecolLTRfootnotetext
16260, 16261, 16262	7234, 7352, 8181, 8241
\@mpargs 7118, 9473, 9498	7353, 7363,	\@mpninecolRTLfootnotetext
\@mparswitchfalse 2827	7364, 7375, 8182, 8254
\@mparswitchtrue . 2822	7376, 7495,	\@mpninecolfootnotetext
\@mpeightcol@footgroupv@r	7496, 7507, 8180, 8229
..... 8037	7508, 7520,	\@mppara@footgroupv@r
\@mpeightcolLTRfootnotetext	7521, 7642, 8520
..... 8034, 8094	7643, 7654,	\@mpparaLTRfootnotetext
\@mpeightcolRTLfootnotetext	7655, 7667, 8517, 8584
..... 8035, 8107	7668, 7789,	\@mpparaRTLfootnotetext
\@mpeightcolfootnotetext	7790, 7801, 8518, 8597
..... 8033, 8082	7802, 7814,	\@mpparafootnotetext
\@mpfivecol@footgroupv@r	7815, 7936, 8516, 8571
..... 7596	7937, 7948,	\@mpsevendcol@footgroupv@r
\@mpfivecolLTRfootnotetext	7949, 7961, 7890
..... 7593, 7653	7962, 8083,	\@mpsevendcolLTRfootnotetext
\@mpfivecolRTLfootnotetext	8084, 8095, 7887, 7947
..... 7594, 7666	8096, 8108,	\@mpsevendcolRTLfootnotetext
	 7888, 7960

\@mpsevenscolfootnotetext	7983,	7984,	7581,	7582,
..... 7886, 7935	8012,	8017,	7686,	7688,
\@mpsixcol@footgroupv@r	8021,	8025,	7689,	7690,
..... 7743	8130,	8131,	7695,	7697,
\@mpsixcollTRfootnotetext	8159,	8164,	7700,	7702,
..... 7740, 7800	8168,	8172,	7707,	7708,
\@mpsixcolRTLfootnotetext	8277,	8278,	7710,	7713,
..... 7741, 7813	8306,	8311,	7715,	7720,
\@mpsixcolfootnotetext	8315,	8319,	7721,	7724,
..... 7739, 7788	8424,	8425,	7725,	7728,
\@mptencol@footgroupv@r	8453,	8458,	7729,	7833,
..... 8331	8462,	8508,	7835,	7836,
\@mptencollTRfootnotetext	8621,	8622,	7837,	7842,
..... 8328, 8388	8623,	8665,	7844,	7847,
\@mptencolRTLfootnotetext	8672,	8679,	7849,	7854,
..... 8329, 8401	15259,	15298,	7855,	7857,
\@mptencolfootnotetext	15299,	15300,	7860,	7862,
..... 8327, 8376	15301,	15302,	7867,	7868,
\@mptthreecol@footgroupv@r	15303,	15304,	7871,	7872,
..... 7309	15305, 15306, 15307		7875,	7876,
\@mptthreecollTRfootnotetext	\@nameuse 4602, 6408,		7980,	7982,
..... 7306, 7362	6458,	6461,	7983,	7984,
\@mptthreecolRTLfootnotetext	6507,	7252,	7989,	7991,
..... 7307, 7374	7254,	7255,	7994,	7996,
\@mptthreecolfootnotetext	7256,	7261,	8001,	8002,
..... 7305, 7351	7263,	7266,	8004,	8007,
\@mptwocol@footgroupv@r	7268,	7273,	8009,	8014,
..... 7162	7274,	7276,	8015,	8018,
\@mptwocollTRfootnotetext	7279,	7281,	8019,	8022,
..... 7159, 7219	7286,	7287,	8023,	8127,
\@mptwocolRTLfootnotetext	7290,	7291,	8129,	8130,
..... 7160, 7232	7294,	7295,	8131,	8136,
\@mptwocolfootnotetext	7393,	7395,	8138,	8141,
..... 7158, 7207	7396,	7397,	8143,	8148,
\@namedef 4604, 7120,	7402,	7404,	8149,	8151,
7150,	7255,	7407,	7409,	8154,
7256,	7284,	7413,	7414,	8156,
7289,	7293,	7416,	7419,	8161,
7297,	7396,	7421,	7426,	8162,
7397,	7429,	7427,	7430,	8165,
7433,	7437,	7431,	7434,	8166,
7542,	7543,	7435,	7539,	8169,
7571,	7576,	7541,	7542,	8170,
7580,	7584,	7543,	7548,	8274,
7689,	7690,	7550,	7553,	8276,
7718,	7723,	7555,	7560,	8277,
7727,	7731,	7561,	7563,	8278,
7836,	7837,	7566,	7568,	8283,
7865,	7870,	7573,	7574,	8285,
7874,	7878,	7577,	7578,	8288,
				8290,
				8295,
				8298,
				8303,
				8308,
				8309,
				8312,
				8313,
				8316,
				8317,
				8421,
				8423,
				8424,

8425,	8430,	9699,	10551,	14815,	14816,
8432,	8435,	10562,	10570,	14817,	14819,
8437,	8442,	10915,	11044,	14820,	14821,
8443,	8445,	11121,	11347,	14822,	14823,
8448,	8450,	11697,	11717,	14826,	14827, 14828
8455,	8456,	12305,	12446,	\@nil	1393, 1394, 1396,
8459,	8460,	12645,	12688,		1397, 5389,
8463,	8464,	12692,	12875,		6238, 6295, 14904
8618,	8620,	13169,	13285,	\@ninecol@footgroupv@r	
8621,	8622,	13637,	13753,	 8179
8623,	8626,	14143,	14271,	\@ninecolLTRfootfmt	
8633,	8635,	14387,	14803,		.. 8202, 8223, 8251
8638,	8641,	14812,	14819,	\@ninecolLTRfootnotetext	
8646,	8647,	15100,	15596,	 8174, 8195
8649,	8652,	15839,	15880,	\@ninecolRTLfootfmt	
8655,	8662,	15967,	15969,		.. 8212, 8226, 8263
8663,	8666,	15970,	15971,	\@ninecolRTLfootnotetext	
8669,	8673,	15976,	15978,	 8175, 8205
8676,	8684,	15979,	15980,	\@ninecolfootfmt	..
9074,	13390,	15985,	15987,		.. 8192, 8220, 8238
13428,	13858,	15988,	15989,	\@ninecolfootnotetext	
13885,	13917,	15994,	15996,	 8173, 8185
13929,	13945,	15997,	15998,	\@nmbulistfalse	. 15847
13953,	13961,	16076, 16078, 16241		\@nobreakfalse	440,
14492,	14524,	\@newlistfalse		593, 839, 1080,
14988,	15260,		9118, 15908, 16299		4728, 4907,
15261,	15262,	\@next 1880,		5196, 6833,
15265,	15268,		3391, 3392,		8746, 12158,
15273,	15274,		3435, 3436,		12532, 12749,
15279,	15283,		3479, 3480,		12935, 13396,
15284,	15286,		16163, 16164,		15047, 15051, 15919
15287,	15289,		16207, 16208, 16240	\@nobreaktrue
15290,	15292,	\@nextchar	279, 281,	 439, 592,
15293,	15295,		282, 283, 285,		838, 1079, 4727,
15296,	15303,		286, 287, 288,		4906, 5195,
15308,	15309,		289, 292, 293,		6832, 8745,
15682, 15716, 16308			294, 1311, 1313,		12157, 12531,
\@nbitem 15894		1314, 1315,		12748, 12934,
\@ne 273, 282,		1317, 1318,		13395, 15046, 15050
	285, 379, 733,		1319, 1320,	\@nocnterr 258
	987, 1239, 1305,		1321, 1322,	\@nocounterr 257
	1314, 1317,		1323, 1326,	\@nodocument 1859
	1318, 1319,		1327, 1328,	\@noitemargfalse	15926
	1352, 1355,		1340, 1342,	\@noitemerr
	1356, 1357,		1343, 1408,		.. 91, 225, 508,
	1890, 1945,		1409, 1410,		639, 907, 1159,
	5136, 5579,		5400, 5401,		2252, 4776,
	6677, 6774,		5402, 14809,		4969, 5282,
	8855, 9429,		14811, 14812,		6620, 6895,
	9442, 9455,		14813, 14814,		8808, 11634,

12214, 12607,	9010, 9091,	\@para@footgroupv@r
12808, 13012,	9096, 9135, 8515
13485, 13492,	9709, 9714,	\@paraLTRfootfmt ..
14009, 14016,	9719, 9729,	.. 8545, 8563, 8594
14600, 14607, 14950	9734, 9741,	\@paraLTRfootnotetext
\@normalcr 10974	11185, 11204, 8510, 8537
\@notprerr . 2718, 2731	11229, 11232,	\@paraRTLfootfmt ..
\@nx 120, 121, 261	11234, 11244,	.. 8556, 8567, 8607
\@nxocol 9066, 9068, 9109	11267, 11286,	\@paraRTLfootnotetext
\@oddfoot 1564, 9079,	11311, 11314, 8511, 8548
9086, 16311, 16320	11316, 11324,	\@parafootRTLfalse 6942
\@oddhead 9078,	16106, 16108,	\@parafootRTLtrue 6941
9085, 16311, 16319	16113, 16124,	\@parafootfmt
\@oldmakefnmark ...	16127, 16135, 16342	.. 8534, 8559, 8581
..... 13218,	\@outputdblcol 9065,	\@parafootnotetext .
13219, 13282,	16149, 16150, 16151 8509, 8526
13283, 13686,	\@outputpage	\@parboxrestore 41,
13687, 13750,	... 1993, 2005,	54, 69, 175,
13751, 14320,	5631, 5634,	188, 202, 1929,
14321, 14384, 14385	5671, 5676,	3142, 3410,
\@onelevel@sanitize	8979, 8982,	3454, 3498,
..... 1862	9013, 9017,	5327, 6995,
\@openbib@code	9093, 9097,	7008, 7021,
.... 499, 633,	9102, 9113,	7094, 7212,
901, 1153, 2245,	9720, 9724,	7224, 7237,
2256, 4770,	9744, 9748,	7277, 7356,
4963, 5273,	11249, 11254,	7367, 7379,
6614, 6886,	11328, 11333,	7417, 7499,
8802, 12208,	16116, 16119,	7511, 7524,
12601, 12799,	16139, 16144, 16294	7564, 7646,
13003, 13468,	\@ovbtrue 8913	7658, 7671,
13992, 14583, 14941	\@ovdx 8926, 8934	7711, 7793,
\@otarlinesep	\@ovdy 8927, 8935	7805, 7818,
.... 14773, 14779	\@ovhorz ... 8932, 8933	7858, 7940,
\@outerparskip	\@ovltrue 8913	7952, 7965,
..... 4532, 4645	\@ovri 8925	8005, 8087,
\@outputbox	\@ovro . 8925, 8934, 8935	8099, 8112,
... 5612, 5615,	\@ovrtrue 8913	8152, 8234,
5620, 5625,	\@ovttrue 8913	8246, 8259,
5627, 5648,	\@ovvert ... 8930, 8931	8299, 8381,
5651, 5659,	\@ovxx 8915,	8393, 8406,
5664, 5666,	8916, 8919,	8446, 8576,
7078, 7080,	8926, 8931,	8589, 8602,
8694, 8696,	8932, 8936, 8937	8650, 9118,
8697, 8702,	\@ovyy .. 8917, 8918,	9376, 9392,
8715, 8717,	8919, 8927, 8933	9407, 9434,
8722, 8955,	\@pagedp .. 16269, 16279	9447, 9460,
8958, 8971,	\@pageht 5692,	9478, 11169,
8976, 8987,	5801, 16252, 16259	11346, 15950,
8990, 9004,		16182, 16226, 16300

\@parboxto	15953, 15960	12546, 12741,	8743, 8755,
\@parmoderr	... 1878,	12755, 12824,	8756, 8760,
	3388, 3432,	12926, 12941,	11418, 12152,
	3476, 16160, 16204	13191, 13200,	12153, 12155,
\@part 472, 6579	13224, 13247,	12175, 12176,
\@pboxswfalse	13265, 13336,	12180, 12526,
 9469, 15946	13361, 13374,	12527, 12529,
\@pboxswtrue 15958	13409, 13510,	12549, 12550,
\@phone	2131, 6070, 6168	13517, 13659,	12554, 12743,
\@photo	. 2136, 6043,	13668, 13692,	12744, 12746,
	6045, 6174, 6176	13715, 13733,	12758, 12759,
\@photowidth	.. 2135,	13804, 13829,	12763, 12929,
	2136, 6045, 6141	13842, 13869,	12930, 12932,
\@plus 24, 99,	13899, 14034,	12944, 12945,
	154, 430, 447,	14041, 14293,	12949, 13382,
	523, 538, 567,	14302, 14326,	13383, 13389,
	570, 583, 601,	14349, 14367,	13418, 13419,
	608, 789, 796,	14438, 14463,	13426, 13850,
	799, 812, 829,	14476, 14506,	13851, 13857,
	847, 1043, 1054,	14625, 14632,	13877, 13878,
	1057, 1070,	14855, 14884,	13884, 13908,
	1088, 1096,	15004, 15279,	13909, 13916,
	2170, 2255,	15332, 15516, 16089	14484, 14485,
	2853, 2854,	\@pnumwidth 13,
	2855, 2862,		15, 139, 141,
	2863, 2864,		433, 434, 436,
	2866, 2867,		450, 451, 455,
	4009, 4010,		586, 587, 589,
	4011, 4013,		611, 612, 616,
	4014, 4080,		815, 816, 820,
	4692, 4703,		832, 833, 835,
	4706, 4719,		1073, 1074,
	4735, 4742,		1076, 1099,
	4871, 4882,		1100, 1104,
	4885, 4898,		4722, 4723,
	4914, 4921,		4725, 4745,
	5084, 5187,		4746, 4750,
	5202, 6555,		4901, 4902,
	6569, 6825,		4904, 4924,
	8561, 8565,		4925, 4929,
	8569, 8661,		5190, 5191,
	8737, 8752,		5193, 5205,
	9599, 9637,		5206, 5210,
	11398, 11410,		5464, 5469,
	11624, 12104,		5470, 6558,
	12133, 12136,		6559, 6563,
	12149, 12165,		6572, 6573,
	12172, 12361,		6575, 6827,
	12507, 12510,		6828, 6830,
	12523, 12539,		8740, 8741,
			8743, 8755,
			8756, 8760,
			11418, 12152,
			12153, 12155,
			12175, 12176,
			12180, 12526,
			12527, 12529,
			12549, 12550,
			12554, 12743,
			12744, 12746,
			12758, 12759,
			12763, 12929,
			12930, 12932,
			12944, 12945,
			12949, 13382,
			13383, 13389,
			13418, 13419,
			13426, 13850,
			13851, 13857,
			13877, 13878,
			13884, 13908,
			13909, 13916,
			14484, 14485,
			14491, 14515,
			14516, 14523,
			14911, 14920,
			14922, 15309,
			15423, 15528, 16101
		\@preamble	313, 314,
			324, 326, 1365,
			1373, 10919,
			14751, 14753,
			14760, 14791,
			14792, 14800,
			16058, 16060, 16069
		\@preameightfmt	...
			... 8068, 8074,
			8077, 8080, 8160
		\@preamerr
			295, 1329, 1359,
			14829, 16067, 16080
		\@preamfivefmt
			... 7627, 7633,
			7636, 7639, 7719
		\@preamfntext	. 6949,
			6965, 6981,
			7089, 7166,
			7176, 7186,
			7264, 7313,
			7322, 7331,

7405,	7453,	\@quotecolour	529, 780, 1034,
7463,	7473,	.. 2099, 2116, 2226	4683, 4862,
7551,	7600,	\@rc@m@msize 14786	5074, 12095,
7610,	7620,	\@raggedtwoe@everyselectfont	12352, 12814, 14962
7698,	7747, 12018,	\@restonecoltrue ..
7757,	7767,	12031, 12044, 12055	.. 94, 149, 515,
7845,	7894,	\@raggedtwoe@gnewline	531, 782, 1036,
7904,	7914,	12011, 12024, 12037	4685, 4864,
7992,	8041,	\@raggedtwoe@raggedrightboxes@opt	5076, 12097,
8051,	8061, 12057, 12086	12354, 12816, 14964
8139,	8188,	\@raggedtwoe@samed@gnewline	\@resumename 2069, 2125
8198,	8208, 12048	\@revlabeltrue 666,
8286,	8335,	\@raggedtwoe@samedcr	920, 1172, 4812,
8345,	8355, 12008,	4991, 12238, 12377
8433,	8529,	12021, 12034, 12047	\@rightcolumn 11196,
8540, 8551, 8636		\@raggedtwoe@spaceskipfalse	11201, 11202,
\@preamfourfmt 12054	11211, 11212,
... 7480, 7486,		\@raggedtwoe@spaceskiptrue	11220, 11224,
7489, 7492, 7572		12017, 12030, 12043	11230, 11278,
\@preamninefmt		\@rc@ifdefinable ..	11283, 11284,
... 8215, 8221,	 2372, 2411	11293, 11294,
8224, 8227, 8307		\@reffalse 14168	11302, 11306, 11312
\@preamsevenfmt		\@reftrue . . . 14169,	\@rightskip .. 10970,
... 7921, 7927,		14170, 14171,	12013, 12014,
7930, 7933, 8013		14172, 14173,	12026, 12027,
\@preamsixfmt		14174, 14175, 14176	12039, 12040,
... 7774, 7780,		\@regtocline 564, 602,	12050, 12051, 12068
7783, 7786, 7866		619, 793, 823,	\@rjfieldfalse .. 16287
\@preamtenfmt		848, 1051, 1089,	\@s@size 14786
... 8362, 8368,		1107, 4700,	\@sarray 14744
8371, 8374, 8454		4736, 4754,	\@savemarbox 16281
\@preamthreelfmt		4879, 4915,	\@secondoftwo . 2295,
... 7337, 7343,		4933, 12130,	2304, 2313,
7346, 7349, 7425		12166, 12184,	2322, 2328,
\@preamtwofmt		12504, 12540, 12558	2331, 2342,
... 7193, 7199,		\@rememsize 14783, 14786	2347, 2354,
7202, 7205, 7285		\@removefromreset .	2509, 2519,
\@printcites 12005	 11643, 11645	2520, 2521,
\@ptsize 2034, 2035,		\@reqcolroom .. 5692,	2522, 2528,
2036, 2037, 2044		5693, 5694,	2537, 2543,
\@publisher . 4172, 4225		5695, 5755,	2567, 2595,
\@publishers		5800, 5801,	2623, 2672,
. 13248, 13312,		5802, 5803,	2684, 2685, 2694
13362, 13716,		5804, 5805, 5919	\@secpenalty . 5, 131,
13780, 13830,		\@resetactivechars .	429, 446, 582,
14350, 14414, 14464	 9116, 16297	600, 607, 811,
\@quote . 2137, 6049,		\@resetdyn@pics .. 9104	828, 846, 1069,
6051, 6178, 6180		\@resetst@tics . . . 9103	1087, 1095,
\@quotebox 12004		\@restonecolfalse .	6554, 6568,
		.. 94, 149, 513,	

13373, 13407, 14896, 15027, 15082	\@sixcolLTRfootnotetext 7733, 7754	13311, 13345, 13346, 13700,
\@sectiontitlecolour 2100, 2117	\@sixcolRTLfootfmt . .. 7771, 7785, 7822	13701, 13779, 13813, 13814,
\@seesize . 14783, 14786	\@sixcolRTLfootnotetext 7734, 7764	14334, 14335, 14413, 14447, 14448
\@setcol 9110	\@sixcolfootfmt 7751, 7779, 7797	\@subsectioncolour 2102, 2118
\@setcolbox . 9071, 9107	\@sixcolfootnotetext 7732, 7744	\@subtitle 13238, 13308,
\@setcopyright 108	\@skip@bove 14777, 14779	13351, 13706, 13776, 13819,
\@setfontsize . 2852, 2861, 4008, 4018, 4019, 4020, 4021, 4022, 4023, 4024	\@spart 6598	14340, 14410, 14453
\@setfpsbit 1894, 1897, 1900	\@specialpagefalse 9073, 16308	\@tabacol 1806, 10896, 14737, 16043
\@setmarks ... 8964, 8966, 8979, 8996, 8998, 9012	\@specialstyle 9074, 16308	\@tabarray 301, 325, 329,
\@setminipage . 3144, 9485, 9693, 11171	\@stabarray 14739	1808, 10883, 10885, 16045, 16072
\@setpar 12642, 12685, 13166, 13173, 13634, 13641, 14140, 14145, 14268, 14275	\@stabular 14735	\@tabclassiv .. 1808, 10897, 14739, 16045
\@settab 4612	\@star@or@long 2367, 2381, 2405, 2416	\@tabclassz 1370, 1807, 10897, 14738, 16044
\@sevenscol@footgroupv@r 7885	\@startdblcolumn 5632, 5634, 5674, 5677, 8980, 8982, 9016, 9017, 9100, 9102, 9722, 9724, 9746, 9748, 11252, 11255, 11331, 11334, 16117, 16119, 16142, 16145	\@tabcr 4615, 4625 \@tabminus 4613 \@tabplus 4612 \@tabular 297, 1794, 16041
\@sevenscolLTRfootfmt .. 7908, 7929, 7957	\@startfield 4654	\@tabularcr ... 1808, 10901, 14739, 16045
\@sevenscolLTRfootnotetext 7880, 7901	\@startpbox ... 1342, 1343, 1408, 1409, 1410, 5400, 5401, 5402, 10898, 10899, 10905, 14754, 14793, 16061	\@tagsextension 2271, 2273
\@sevenscolRTLfootfmt .. 7918, 7932, 7969	\@stopline . 4638, 16287	\@tarlinesep . 14779, 14780, 14781, 14782, 14785, 14787
\@sevenscolRTLfootnotetext 7881, 7911	\@starttoc . 3975, 3983	\@temp@bibkey 3597, 3625 \@temp@bibkeyx 3602, 3603, 3605, 3606, 3607, 3608, 3634, 3635, 3637, 3638, 3639, 3640
\@sevenscolfootfmt . .. 7898, 7926, 7944	\@stopfield 4619, 4634, 4638, 4666, 16287	\@temp@last@bibkey 3596, 3597, 3603, 3624, 3625, 3635
\@sevenscolfootnotetext 7879, 7891	\@strip 11343	\@tempa 119, 122, 713, 715, 717, 721, 967, 969, 971,
\@sharp 320, 1367, 1368, 1369, 1375, 1376, 1377, 10911, 14756, 14792, 14798, 16064	\@subjclass 251	
\@sixcol@footgroupv@r 7738	\@subject 13232, 13233,	
\@sixcolLTRfootfmt . .. 7761, 7782, 7810		

975, 1219, 1221,	5715,	5739,	14710,	15475,
1223,	5748,	5807,	15478,	15483,
2260,	5851,	5892,	15487,	15491,
2264,	5903,	5912,	15495,	15499,
2843,	6261,	6262,	15503,	15507,
2847,	6263,	6264,	15511,	15931,
3542,	6266,	6315,	15937,	15938,
3546,	6316,	6317,	15940,	16025,
9796,	6318,	6320,	16026,	16083,
9798,	7118,	8925,	16084,	16085,
9836,	8929,	8937,	16086,	16166,
9840,	8938,	9051,	16210,	16332,
9857,	9052,	9053,	16339,	16340,
9864,	9474,	9498,	16357, 16358, 16362	
9870,	9536,	9581,	\@tempc . 9838, 9840,	
9875,	9588,	9598,	9846, 10499, 10504	
9913,	9601,	9605,	\@tempcnta . . . 1333,	
9915,	9607,	9613,	1392,	1393,
10946,	9647,	9649,	1394,	1396,
10949,	9655,	9668,	1397,	1882,
11647,	9672,	9673,	1888,	1890,
11651,	9858,	9875,	1903,	1904,
11664,	10004,	10185,	1910,	1911,
12287,	10187,	10522,	5387,	5389,
12293,	10523,	10578,	6236,	6293,
12428,	10583,	10587,	10546,	10547,
12434,	10928,	10929,	10551,	11739,
13022,	10932,	11097,	11741,	11745,
13065,	11100,	11104,	11748,	11750,
13470,	11106,	11112,	13271,	13273,
13633,	11114,	11115,	13529,	13548,
13997,	11144,	11145,	13739,	13741,
14267,	11149,	11774,	14053,	14072,
14588,	11775,	11778,	14373,	14375,
15531,	13536,	13550,	14644,	14663,
15536,	13554,	13556,	15322,	15323,
15546,	13579,	13580,	15324,	15343,
15607,	13582,	13583,	15344,	15345,
15616, 15620, 15634	13585,	13590,	15347,	15349,
\@tempb . 2260, 2261,	13595,	14060,	15431,	15432,
2263,	14074,	14078,	15433,	16241,
9796,	14080,	14103,	16243,	16246,
9837,	14104,	14106,	16248, 16250, 16272	
9867,	14107,	14109,	\@tempcntb 1908, 1909,	
9870,	14114,	14119,	1910,	13529,
9875,	14651,	14665,	13547,	14053,
11651,	14669,	14671,	14071, 14644, 14662	
11658, 11663, 11664	14694,	14695,	\@tempdima . . 8, 10,	
\@tempboxa . . . 3394,	14697,	14698,	12, 14, 134, 136,	
3438,	14700,	14705,	138, 140, 305,	

306,	308,	431,	6384,	6408,	13846,	13853,
448,	453,	572,	6409,	6414,	13870,	13873,
585,	609,	614,	6415,	6416,	13880,	13900,
801,	802,	813,	6417,	6418,	13903,	13912,
818,	831,	1059,	6533,	6535,	14077,	14078,
1072,		1097,	6537,	6556,	14103,	14104,
1102,		1387,	6561,	6571,	14105,	14107,
1388,		1420,	8704,	8706,	14141,	14142,
1421,		1422,	8739,	8753,	14143,	14146,
2031,		2033,	8758,	8926,	14147,	14150,
3996,		3997,	8927,	8930,	14269,	14270,
4708,		4721,	8931,	9472,	14271,	14276,
4743,		4748,	9476,	9855,	14277,	14280,
4887,		4900,	9857,	9862,	14477,	14480,
4922,		4927,	9864,	9865,	14487,	14507,
5188,		5203,	9867,	9880,	14510,	14519,
5208,		5412,	9885,	9890,	14668,	14669,
5413,		5414,	9894,	10514,	14694,	14695,
5462,		5467,	10520,	10521,	14696,	14698,
5696,		5765,	10527,	10528,	14784,	14787,
5766,		5780,	10893,	10903,	14789,	14836,
5781,		5785,	10908,	11199,	14837,	14838,
5862,		5930,	11203,	11281,	15037,	15041,
5931,		5945,	11285,	11343,	15068,	15072,
5946,		5950,	11368,	11391,	15091,	15095,
5966,		5967,	11403,	11404,	15108,	15112,
6207,		6208,	11415,	11416,	15125,	15129,
6209,		6210,	12138,	12151,	15142,	15146,
6228,		6229,	12173,	12178,	15159,	15163,
6230,		6231,	12512,	12525,	15176,	15180,
6237,		6239,	12547,	12552,	15194,	15198,
6240,		6244,	12643,	12644,	15213,	15217,
6245,		6246,	12645,	12686,	15233,	15237,
6247,		6248,	12687,	12688,	15268,	15272,
6256,		6260,	12756,	12761,	15339,	15341,
6263,		6264,	12927,	12942,	15370,	15373,
6265,		6279,	12947,	13066,	15380,	15383,
6280,		6281,	13067,	13167,	15387,	15392,
6294,		6296,	13168,	13169,	15395,	15407,
6297,		6301,	13174,	13175,	15440,	15442,
6302,		6303,	13178,	13375,	15443,	15446,
6304,		6305,	13378,	13385,	15449,	15453,
6311,		6314,	13410,	13413,	15460,	15462,
6317,		6318,	13422,	13553,	15521,	15522,
6319,		6331,	13554,	13579,	15535,	15537,
6332,		6333,	13580,	13581,	15545,	15552,
6358,		6360,	13583,	13635,	15569,	15570,
6361,		6362,	13636,	13637,	15589,	15600,
6366,		6373,	13642,	13643,	15601,	15602,
6375,		6377,	13646,	13843,	15603,	15615,

15618, 15624,	15396, 15398,	\@textbottom
15625, 15949,	15572, 15573,	. . . 8699, 13191,
15950, 16094,	15575, 15577,	13200, 13510,
16095, 16251,	15580, 15581,	13517, 13659,
16252, 16253,	15583, 15586,	13668, 14034,
16254, 16257,	15600, 15601,	14041, 14293,
16260, 16263,	15602, 15606,	14302, 14625, 14632
16265, 16288, 16289	15619, 15623,	\@textsuperscript .
\@tempdimb . . . 5381,	15624, 15952, 15953 374, 377,
5698, 5701,	\@tempdimc	667, 729, 731,
5702, 5703,	. . . 5382, 13164,	921, 985, 1173,
5704, 5707,	13171, 13172,	1235, 1237,
5708, 5709,	13182, 13632,	1594, 1597,
5710, 5711,	13639, 13640,	3662, 3664,
5712, 5713,	13650, 14266,	4813, 4992,
5864, 5867,	14273, 14274, 14284	5131, 5134,
5868, 5870,	\@tempskipa . . . 4531,	6672, 6675,
5872, 5875,	4532, 4533,	6769, 6772,
5879, 5882,	4644, 4645, 4646	8850, 8853,
5885, 5889,	\@tempswafalse	11040, 12239,
5891, 6207,	. . . 6248, 6305,	12301, 12303,
6208, 6228,	9803, 15654, 15697	12378, 12442,
6229, 6280,	\@tempswatrue 6242, 6299	12444, 12640,
6282, 6285,	\@temptokena	12647, 12683,
6332, 6334,	. . . 117, 121, 11725	12690, 12870, 12873
6337, 6364,	\@tempx 4546, 4547	\@texttop 8695
6366, 6379,	\@tempxi . . . 4549, 4550	\@tfor 1883, 8914
6380, 6381,	\@tempxii . . 4552, 4553	\@thanks 353,
6382, 6384,	\@tempy 1815, 1816	361, 389, 397,
6411, 6414,	\@tempyi . . . 1818, 1819	698, 704, 743,
8919, 8920,	\@tempyii . . 1821, 1822	749, 952, 958,
8921, 8922,	\@tencol@footgroupv@r	997, 1003, 1204,
8924, 9856, 8326	1210, 1249,
9857, 9863,	\@tencolLTRfootfmt .	1255, 1599,
9864, 9866,	. . . 8349, 8370, 8398	1605, 4844,
9867, 11343,	\@tencolLTRfootnotetext	4850, 5023,
11368, 13176, 8321, 8342	5029, 5110,
13177, 13178,	\@tencolRTLfootfmt .	5118, 5146,
13644, 13645,	. . . 8359, 8373, 8410	5154, 6653,
13646, 14148,	\@tencolRTLfootnotetext	6659, 6687,
14149, 14150, 8322, 8352	6693, 6748,
14278, 14279,	\@tencolfootfmt . . .	6756, 6784,
14280, 14784,	. . . 8339, 8367, 8385	6792, 8831,
14787, 14789,	\@tencolfootnotetext	8837, 8865,
15340, 15346, 8320, 8332	8871, 9500,
15348, 15353,	\@testopt 2383,	9514, 9517,
15355, 15358,	2401, 10890, 10891	11033, 11056,
15362, 15366,	\@testpach 272, 1304,	12270, 12276,
15374, 15376,	1349, 14802, 16073	12315, 12321,
15377, 15390,		12409, 12417,

12456,	12464,	7967,	8043,	\@threecolRTLfootnotetext
12661,	12669,	8053,	8063, 7300, 7328
12702,	12710,	8089,	8102,	\@threecolfootfmt .
12849,	12857,	8114,	8190,	.. 7317, 7342, 7360
12885,	12893,	8200,	8210,	\@threecolfootnotetext
13251,	13295,	8236,	8249, 7298, 7310
13304,	13719,	8261,	8337,	\@title 247, 343, 364,
13763,	13772,	8347,	8357,	400, 414, 676,
14353, 14397, 14406		8383,	8396,	678, 706, 751,
\@thefnmark 43, 56, 71,		8408,	8531,	764, 930, 932,
177, 190, 204,		8542,	8553,	960, 1005, 1018,
374, 377, 667,		8578,	8591,	1182, 1184,
729, 731, 921,		8604,	8850,	1212, 1257,
985, 1173, 1235,		8853,	9347,	1271, 1282,
1237,	1594,	9352,	9356,	1608, 2067,
1597,	1838,	9361,	9378,	2128, 4180,
1846,	1854,	9394,	9409,	4265, 4822,
3662,	3664,	9436,	9449,	4824, 4852,
3697,	3714,	9462,	9505,	5001, 5003,
3731,	3757,	9510,	9520,	5031, 5100,
3763,	3784,	9525,	9758,	5121, 5157,
3790,	3811,	10232,	10243,	5171, 6159,
3817,	4567,	10254,	10265,	6643, 6662,
4574,	4581,	10403,	12239,	6696, 6708,
4813,	4992,	12301,	12303,	6738, 6759,
5131,	5134,	12378,	12442,	6795, 6809,
6672,	6675,	12444,	12640,	8821, 8840,
6769,	6772,	12647,	12683,	8874, 8886,
6952,	6968,	12690, 12870, 12873		11034, 12248,
6984,	6997,	\@thefoot 9079,		12250, 12278,
7010,	7023,	9082,	9086,	12323, 12336,
7064,	7068,	16311,	16314,	12387, 12389,
7070,	7168,	16317, 16320, 16346		12419, 12466,
7178,	7188,	\@thehead 9078,		12482, 12493,
7214,	7227,	9081,	9085,	12651, 12672,
7239,	7315,	16311,	16313,	12713, 12727,
7324,	7333,	16316, 16319, 16336		12839, 12860,
7358,	7370,	\@themargin ... 9131,		12896, 12910,
7381,	7455,	16312, 16314, 16331		13236, 13307,
7465,	7475,	\@thm 11679, 11700		13349, 13704,
7501,	7514,	\@thmcountersep ...		13775, 13817,
7526,	7602, 270, 15831		14338, 14409, 14451
7612,	7622,	\@threecol@footgroupv@r		\@titlecolour 2097, 2114
7648,	7661, 7304		\@titlehead
7673,	7749,	\@threecolLTRfootfmt		. 13225, 13227,
7759,	7769,	.. 7326, 7345, 7372		13310, 13337,
7795,	7808,	\@threecolLTRfootnotetext		13339, 13693,
7820,	7896, 7299, 7319		13695, 13778,
7906,	7916,	\@threecolRTLfootfmt		13805, 13807,
7942,	7955,	.. 7335, 7348, 7383		14327, 14329,

14412, 14439, 14441	\@trivlist	9101, 9723,
\@tocextra	11690, 11710, 15849	9747, 11253,
. 14988, 14989,	\@twocol@footgroupv@r	11332, 16118, 16143
14993, 14995, 14998 7157	\@wholewidth
\@tocline 2, 128	\@twocolLTRfootfmt .	. . 8916, 8918, 8936
\@tocpagenum . . . 15, 141	. . 7180, 7201, 7229	\@width 29,
\@tocrmarg	\@twocolLTRfootnotetext	31, 164, 166,
. 11387, 11399, 7152, 7173	310, 460, 466,
11411, 15032,	\@twocolRTLfootfmt .	645, 653, 883,
15063, 15086,	. . 7190, 7204, 7241	890, 1130, 1138,
15103, 15120,	\@twocolRTLfootnotetext	1422, 1971,
15137, 15154, 7153, 7183	4782, 4790,
15171, 15189,	\@twocolfootfmt . . .	4938, 4946,
15208, 15228,	. . 7170, 7198, 7216	5216, 5222,
15263, 15314,	\@twocolfootnotetext	5414, 5656,
15400, 15517, 16090 7151, 7163	5731, 5896,
\@toodeep 15837	\@twocolumntrue . . 1946	6189, 6625,
\@topnum 107, 241, 386,	\@twosidefalse . . . 2827	6631, 6925,
740, 994, 1246,	\@twosidetrue 2822	6931, 6940,
4258, 5143,	\@typeset@protect .	8786, 8792,
6684, 6781, 1753,	9008, 9296,
8862, 11053,	1759, 1765, 1780	9661, 9717,
12312, 12453,	\@undeclaredcolor .	10461, 10467,
12699, 12882, 5427,	10910, 10943,
13292, 13760, 14394	5435, 15647, 15648	10991, 11238,
\@topsep	\@undefined . . . 1811,	11321, 11461,
11693, 11713, 15897	1943, 10895, 11154	11472, 11545,
\@topsepadd	\@undottedtocline 11384	12189, 12197,
1725, 11694, 11714	\@unexpandable@protect	12613, 12621,
\@totalleftmargin 2434	12772, 12778,
. . . 9683, 9687,	\@unrecurse 14774, 14777	12955, 12961,
9690, 9699,	\@uppertitleback . .	13193, 13202,
10969, 11696, 13255,	13511, 13518,
11697, 11716,	13313, 13723,	13661, 13670,
11717, 12067,	13781, 14357, 14415	14035, 14042,
12081, 15856,	\@viipt . . . 2861, 4018	14295, 14304,
15858, 15864,	\@viipt 4018	14626, 14633,
15866, 15870,	\@viper . 5635, 5637,	14749, 14789,
15872, 15876,	5639, 5678,	16056, 16132, 16279
15878, 15880,	5680, 5682,	\@x 4604, 4605
15967, 15969,	5694, 5758,	\@x@sf 3671,
15970, 15971,	5804, 5922,	3676, 3682,
15976, 15978,	5971, 11344,	3685, 10352, 10364
15979, 15980,	11359, 11361, 11366	\@xLTRfootnote 1802,
15985, 15987,	\@viperoutput 5641, 5684	1925, 4438,
15988, 15989,	\@vipt 4019	4449, 4662,
15994, 15996,	\@vpt 4019	4676, 9355, 9358
15997, 15998, 16288	\@whilenum 10547	\@xLTRfootnotenext .
\@traditionalpoem .	\@whilesw 5633, 5675,	. . . 1801, 1924,
. 4488, 4587	8981, 9017,	4437, 4448,

4661, 4675,	1808, 2175,	14127, 14131,
9504, 9507, 10251	2181, 2259,	14718, 14722, 16356
\@xRTLfootnote 1804,	3160, 3161,	\abovedisplayshortskip
1927, 4440,	3162, 3164,	... 2854, 2863, 4010
4451, 4664,	4067, 4509,	\abovedisplayskip .
4678, 9346, 9349	4820, 4999,	... 2853, 2856,
\@xRTLfootnotenext .	6047, 6048,	2862, 2869,
... 1803, 1926,	6051, 6067,	2903, 4009, 4016
4439, 4450,	6154, 6159,	\abstractname
4663, 4677,	6166, 6176,	... 550, 556,
9519, 9522, 10240	6180, 6905,	559, 859, 865,
\@xaddress 248	6909, 6918,	867, 1113, 1119,
\@xauthor 248	10084, 10087,	1122, 4759,
\@xcolor@ . 15655, 15698	10100, 10103,	4952, 12116,
\@xcurraddr 249	10203, 10427,	12122, 12125,
\@xemail 249	10428, 10452,	12568, 12574, 12577
\@xfloat 1858	10456, 10561,	\active 4388,
\@xfootnote	10562, 10888,	4389, 4391, 4392
... 1800, 1923,	10974, 11743,	\add@strip 11368
4436, 4447,	11755, 12008,	\addcontentsline ..
4660, 4674, 10401	12009, 12021,	475, 477, 2172,
\@xfootnotemark . 10262	12022, 12034,	3139, 6582,
\@xfootnotenext ...	12035, 12047,	6584, 11166,
... 1799, 1922,	12246, 12291,	14971, 14978, 14995
4435, 4446,	12385, 12432,	\addfontfeature 2095,
4659, 4673, 10229	14243, 14739,	2096, 2097,
\@xiipt 4021	14755, 14772,	2098, 2099,
\@xipt 4020	14773, 14854,	2100, 2102, 2103
\@xivpt 230, 4022	14883, 16001,	\addpenalty 5,
\@xmakefntext . 730,	16045, 16062, 16072	131, 429, 446,
1236, 12302, 12443	\{ 1670	582, 600, 607,
\@xp 117,	\} 1671, 15828	811, 828, 846,
235, 260, 261, 5336	\] 4613, 9031	1069, 1087,
\@xpt 2852	\^ 1508, 4388,	1095, 4718,
\@xthm 11698, 11718	4389, 4391, 4392	4734, 4741,
\@xtitle 247	\‘ 9681,	4897, 4913,
\@xxpt 4023	10966, 12063, 12077	4920, 5186,
\@xxxii 1909	\ 9560, 9561, 9676	5201, 6554,
\@xympar 3400, 3404,		6568, 6824,
3444, 3448,		8736, 8751,
3488, 3492,	_ 1487, 1549,	12148, 12164,
16172, 16176,	3604, 3608,	12171, 12522,
16216, 16220, 16283	3636, 3640,	12538, 12545,
\@yargdef 2403	9553, 9555, 14237	12740, 12754,
\@ympar 16280		12925, 12940,
\@ythm 11698, 11718		13373, 13407,
\[..... 4612, 9021		13841, 13868,
\\ 118, 324,		13897, 14475,
674, 719, 928,		14504, 14896,
973, 1180, 1225,		14898, 15025,

15027, 15060,	430, 447, 583,	\adl@org@activate 1383
15082, 15896, 15901	601, 608, 812,	\adl@org@classz .. 1426
\address 248, 2129	829, 847, 1070,	\adl@org@endpbox . 1384
\addresscolour	1088, 1096,	\adl@org@inactivate
... 2098, 5999,	1979, 4061, 1382
6097, 6103,	4118, 4719,	\adl@putlrc
6109, 6115, 6121	4735, 4898,	... 1337, 1338,
\addressfont	4914, 5187,	1339, 1367,
... 2107, 2115,	6555, 6569,	1368, 1369,
2226, 6037,	6825, 8737,	1375, 1376, 1377
6065, 6129, 6163	12149, 12165,	\adl@startmbox ... 1340
\addresssymbol	12523, 12539,	\advance 12, 86, 138,
.. 2089, 6067, 6166	12741, 12926,	220, 238, 306,
\addresstyle	13374, 13409,	453, 498, 614,
\addtocontents .. 15311	13842, 13869,	632, 802, 818,
\addtocounter ... 10544	14476, 15029,	900, 1102, 1152,
\addtolength .. 2049,	15083, 15334,	1387, 1421,
2050, 2051,	15897, 15898, 15902	1567, 1572,
2052, 2053,	\adl@act@classz .. 1425	1890, 1904,
2054, 2152,	\adl@act@CT@setup .	1910, 1989,
2153, 2155, 1383, 1390	2244, 3348,
2157, 2158,	\adl@activate 1300, 1383	3997, 4072,
2161, 2938,	\adl@argarraydashrule	4532, 4645,
2941, 2942, 1319, 1357	4748, 4769,
2945, 4033,	\adl@array . 1297, 1302	4927, 4962,
6145, 6146,	\adl@arraydashrule .	5208, 5272,
6147, 6417, 1318, 1356	5413, 5421,
9937, 9938,	\adl@arrayinit ... 1299	5422, 5462,
10517, 10521,	\adl@arrayrestore 1294	5574, 5694,
10523, 10525,	\adl@arrayrule	5695, 5704,
10526, 10527, 1317, 1355	5765, 5766,
10528, 10533,	\adl@box 1340, 1342, 1343	5781, 5801,
10535, 10536,	\adl@class@iiiorvii	5804, 5805,
10538, 10539, 1346, 1379	5814, 5816,
10541, 10542,	\adl@class@start ..	5822, 5823,
10543, 10549, 1345, 1378	5826, 5829,
10550, 13168,	\adl@CT@setup	5832, 5875,
13171, 13172,	.. 1382, 1385, 1386	5930, 5931,
13175, 13177,	\adl@depth	5946, 5966,
13580, 13581,	\adl@endarray 1294	5967, 6197,
13636, 13639,	\adl@endmbox 1341	6207, 6208,
13640, 13643,	\adl@everyvbox	6218, 6228,
13645, 14104, 1298, 1299	6229, 6245,
14105, 14142,	\adl@extract@arc . 1394	6246, 6247,
14147, 14149,	\adl@extract@dgc . 1397	6264, 6273,
14270, 14273,	\adl@extract@drsc 1395	6280, 6302,
14274, 14277,	\adl@height	6303, 6304,
14279, 14695,	\adl@inactivate ...	6318, 6325,
14696, 14915, 14916 1300, 1382	6332, 6361,
\addvspace .. 5, 131,	\adl@noalign	6362, 6375,
		1301

6377,	6380,	14884,	14888,	15688,	15741,
6381,	6382,	14920,	14921,	15752,	15753,
6561,	6613,	14940,	15041,	15756,	15760,
6885,	7144,	15072,	15095,	15761,	15765,
7146,	8758,	15112,	15129,	15769,	15770,
8801,	8916,	15146,	15163,	15774,	15778,
8918,	8920,	15180,	15198,	15782,	15786,
8926,	8927,	15217,	15237,	16295, 16303, 16304	
8934,	8935,	15272,	15313,	\ALG@floatstyle ...	
8936,	9094,	15323,	15343,	.. 3363, 3364, 3365	
9095,	9556,	15348,	15398,	\alignL 5367	
9570,	9583,	15399,	15400,	\alignR 5371	
9584,	9616,	15403,	15407,	\allowbreak ... 6203,	
9621,	9622,	15432,	15443,	6224, 7200,	
9625,	9634,	15522,	15545,	7203, 7206,	
9698,	10551,	15570,	15572,	7287, 7344,	
10903,	10915,	15582,	15601,	7347, 7350,	
11191,	11193,	15602,	15631,	7427, 7487,	
11220,	11221,	15642,	15643,	7490, 7493,	
11224,	11273,	15839,	15852,	7574, 7634,	
11275,	11302,	15853,	15856,	7637, 7640,	
11303,	11306,	15858,	15864,	7721, 7781,	
11357,	11358,	15866,	15870,	7784, 7787,	
11359,	11360,	15872,	15876,	7868, 7928,	
11369,	11391,	15878,	16028,	7931, 7934,	
11404,	11416,	16029,	16095,	8015, 8075,	
11429,	11691,	16252,	16253,	8078, 8081,	
11695,	11696,	16260,	16261,	8162, 8222,	
11711,	11715,	16262, 16263, 16288		8225, 8228,	
11716,	11750,	\afterassignment ..		8309, 8369,	
11790,	11795, 1489,		8372, 8375, 8456	
11796,	11797,	1491, 1551,		\Alph 11075	
11826,	11827,	1553, 2435, 3576		\AM@CheckAtEnd .. 11763	
11853,	11864,	\AfterEndPreamble .		\AM@ClearShipoutPicture	
12001,	12178, 4255, 4278	 11765	
12207,	12552,	\aftergroup ... 1707,		\AM@currentdocname .	
12600,	12644,	1717, 3560,	 11728, 11734	
12687,	12761,	3575, 5425,		\AM@findfile 11732	
12798,	12947,	5427, 5434,		\AM@output 11761	
13002,	13067,	5440, 5459,		\AM@pagecount ... 11730	
13385,	13418,	9120, 9122,		\AM@pageref 11745, 11748	
13422,	13467,	11909, 11910,		\AM@pagetemp	
13853,	13880,	11913, 11917,		. 11738, 11743,	
13908,	13912,	11918, 11922,		11744, 11747,	
13991,	14241,	11926, 11927,		11755, 11756, 11760	
14487,	14515,	11931, 11935,		\AM@readlist 11760	
14519,	14582,	11939, 11943,		\AM@split@options 11724	
14773,	14787,	14889, 15325,		\AM@temp .. 11725, 11726	
14797,	14837,	15636, 15645,		\AM@threadname	
14855,	14871,	15647, 15684,		11723, 11733, 11734	

7235,	7262,	1178,	1189,	8884,	8890,
7275,	7311,	1269,	1275,	9024,	9952,
7320,	7329,	1284,	1286,	9957,	9975,
7354,	7365,	1287,	1700,	10078,	10080,
7377,	7403,	1702,	1711,	10094,	10096,
7415,	7451,	1713,	1716,	10451,	11180,
7461,	7471,	2179,	2183,	12231,	12244,
7497,	7509,	2185,	2187,	12255,	12334,
7522,	7549,	2189,	2193,	12340,	12368,
7562,	7598,	2201,	2204,	12383,	12394,
7608,	7618,	2238,	2755,	12478,	12486,
7644,	7656,	2761,	2783,	12495,	12497,
7669,	7696,	2787,	2953,	12498,	12630,
7709,	7745,	2954,	2967,	12650,	12655,
7755,	7765,	2970,	3038,	12731,	12828,
7791,	7803,	3039,	3045,	12838,	12843,
7816,	7843,	3046,	3053,	12906,	12914,
7856,	7892,	3054,	3079,	13206,	13226,
7902,	7912,	3080,	3117,	13231,	13241,
7938,	7950,	3120,	3123,	13254,	13258,
7963,	7990,	3126,	3130,	13338,	13344,
8003,	8039,	3131,	3315,	13355,	13459,
8049,	8059,	3316,	3877,	13674,	13694,
8085,	8097,	3933,	3940,	13699,	13709,
8110,	8137,	3947,	3954,	13722,	13726,
8150,	8186,	3961,	3974,	13806,	13812,
8196,	8206,	3982,	4104,	13823,	13983,
8232,	8244,	4109,	4242,	14308,	14328,
8257,	8284,	4289,	4312,	14333,	14343,
8297,	8333,	4629,	4805,	14356,	14360,
8343,	8353,	4818,	4829,	14440,	14446,
8379,	8391,	4984,	4997,	14457,	14574, 14934
8404,	8431,	5008,	5052,	\beginingroup . . 6, 115,	
8444,	8527,	5064,	5089,	132,	229, 242,
8538,	8549,	5099,	5104,	299,	311, 372,
8574,	8587,	5167,	5175,	432,	449, 584,
8600,	8634, 8648	5478,	5488,	610,	726, 814,
\BCmd	1706	5501,	5511,	830, 980,	1071,
\BDefaboveskip		5524,	5534,	1098,	1232,
.. 1721, 1736, 1739		5547,	5557,	1413,	1592,
\BDefbelowskip		6051,	6157,	1836,	1844,
.. 1725, 1737, 1740		6162,	6180,	1852,	1952,
\BDefinlineskip		6440,	6506,	2259,	2350,
.. 1730, 1738, 1741		6634,	6642,	2369,	2501,
\begin 332, 342,		6647,	6706,	2547,	2554,
347, 410, 418,		6712,	6727,	2584,	2600,
659, 672, 683,		6737,	6742,	2616,	2656,
762, 768, 913,		6805,	6813,	2664,	2697,
926, 937, 1016,		6904,	8812,	2720,	3141,
1022,	1165,	8820,	8825,	3558,	3761,

3788,	3815,	15692,	15741,	5220,	5325,
4181,	4198,	16117,	16140, 16295	5391,	5420,
4214,	4226,	\beginL . 1398,	2226,	5425,	5434,
4259,	4498,	3422,	3466,	5440,	5459,
4565,	4572,	5390,	5419,	6349,	6629,
4579,	4609,	5425,	5427,	6929,	7137,
4720,	4744,	5459,	7173,	7141,	8534,
4899,	4923,	7225,	7319,	8556,	8581,
5129,	5189,	7368,	7460,	8607,	8790,
5204,	5294,	7512,	7607,	8941,	8943,
5405,	5459,	7659,	7754,	8944,	8945,
5468,	5632,	7806,	7901,	8946,	8948,
5672,	6356,	7953,	8048,	8949,	8950,
6372,	6557,	8100,	8195,	9053,	9291,
6570,	6670,	8247,	8342,	9762,	9815,
6767,	6826,	8394,	8534,	9854,	9861,
8738,	8754,	8545,	8581,	10210,	10218,
8848,	8980,	8594,	8929,	10409,	10414,
9014,	9098,	8941,	8943,	10421,	10429,
9114,	9350,	8944,	8945,	10444,	10465,
9359,	9508,	8946,	8948,	10579,	10928,
9523,	9530,	8949,	8950,	11144,	11146,
9582,	9615,	9028,	9043,	11542,	11778,
9721,	9745,	9195,	9760,	11903,	11910,
9785,	9801,	9766,	9786,	11915,	11982,
9951,	10230,	9802,	9812,	11983,	11984,
10241,	10252,	10210,	10214,	12194,	12618,
10263,	10424,	10218,	10220,	12776,	12959,
10482,	10912,	10361,	10409,	13108,	13118,
11038,	11168,	10411,	10414,	13129,	13136,
11250,	11329,	10421,	10429,	13197,	13515,
11528,	11532,	10579,	11770,	13595,	13665,
11536,	11721,	11909,	11924,	14039,	14119,
12150,	12174,	11988,	13114,	14164,	14299,
12298,	12439,	13125,	13132,	14630,	14710,
12524,	12548,	13142,	14839,	14736,	14759,
12680,	12742,	15640,	15645,	14799,	14846,
12757,	12868,	15647,	15741,	15641,	15645,
12928,	12943,	15752,	15767,	15684,	15688,
13280,	13381,	15788,	15793,	15741,	15746,
13416,	13458,	15906,	16194,	15753,	15758,
13552,	13748,	16272, 16336, 16346		16011,	16014,
13849,	13876,	\beginR 28,		16017,	16034,
13906,	13982,	163, 263, 268,		16042,	16068,
14076,	14382,	299, 324, 464,		16238,	16272,
14483,	14513,	650, 888, 1135,		16289,	16291,
14573,	14667,	1399, 1805,		16336,	16346,
14868,	14892,	2000, 2003,		16359,	16362,
15030,	15321,	3422, 3510,		16370, 16443, 16446	
15438,	15649,	4787, 4943,		\belowcaptionskip .	

..... 10589,	11934, 11937,	13450, 13972,
11134, 11151,	11942, 12124,	13973, 14563, 14564
13601, 13609,	12576, 14736,	\bibsection ... 4092,
14125, 14133,	14745, 14753,	4095, 4097,
14716, 14724, 16364	14759, 14791,	4098, 11178,
\belowdisplayshortskip	14795, 14799,	11615, 14931, 14933
.. 2855, 2864, 4011	15430, 15754,	\bidi@end . 2746, 2750
\belowdisplayskip .	15759, 15763,	\bidi@patchcmd ...
..... 2856,	15768, 15772, 2549, 2551
2869, 2904, 4016	15777, 15780,	\bidi@AfterEndDocument
\bf 11774, 11776	15785, 16042,	.. 2737, 2742, 2748
\bfseries .. 25, 230,	16052, 16060, 16068	\bidi@afterenddocumenthook
436, 452, 483,	\bib@after@hook 2737,
486, 589, 613, 13502,	2738, 2743, 2749
817, 835, 1076,	13504, 14026,	\bidi@AfterEndEnvironment
1101, 1656,	14028, 14617, 14619 2792, 2802
2196, 4241,	\bib@before@hook ..	\bidi@AfterEndPreamble
4725, 4747, 13453, 2725,
4904, 4926,	13503, 13977,	2729, 2731, 2735
5053, 5065,	14027, 14568, 14618	\bidi@afterendpreamblehook
5193, 5207,	\bib@beginhook 13446, 2725,
5241, 5247,	13452, 13970,	2726, 2730, 2732
5255, 6560,	13976, 14561, 14567	\bidi@AfterPreamble
6575, 6590,	\bib@endhook 2722, 2723
6593, 6602,	13506, 14030, 14621	\bidi@append 2658, 2708
6830, 6853,	\bib@heading	\bidi@appto
6859, 6868,	13448, 13975, 14566	.. 2437, 2481, 2728
8743, 8757,	\bibcleanup 11638	\bidi@apptocmd
8768, 8773,	\bibentry 3606, 2654, 2655
8781, 12155,	3608, 3638, 3640	\bidi@AtBeginEnvironment
12177, 12529,	\bibfont 11618 2752, 2762
12551, 12727,	\bibindent . 2230, 2231	\bidi@AtEndEnvironment
12746, 12760,	\bibitem@fin 11632 2766, 2776
12932, 12946,	\bibliofont 82, 216	\bidi@AtEndPreamble
12979, 12984, 12992	\bibliographyitemlabel 2711,
\bgroup 299, 2232, 2238	2716, 2718, 2723
314, 319, 324,	\bibname 4097,	\bidi@autofootnoterulefalse
558, 1121, 1399,	4098, 4763,	.. 9298, 9302, 9305
1493, 1555,	4764, 4956,	\bidi@autofootnoteruletrue
1795, 1918,	4957, 5266, 9320
4430, 4655,	5267, 6879,	\bidi@BeforeBeginEnvironment
4669, 5327,	6880, 8795, 2780, 2788
5391, 9028,	8796, 12201,	\bidi@csappto 2481
9029, 9043,	12202, 12594,	\bidi@csdefcs 2356
9474, 9635,	12595, 12792,	\bidi@cseappto
10916, 10918,	12793, 12996, 12997 2482, 2485
10937, 10956,	\bibpostamble ... 11633	\bidi@csepreto
11344, 11911,	\bibpreamble 2491, 2494
11916, 11920,	. 11617, 13449,	
11925, 11929,		

\bidi@csgappto	7045,	7046,	7788,	7800,
... 2483, 2753,	7053,	7054,	7813,	7825,
2767, 2781, 2793	7060,	7061,	7840,	7852,
\bidi@csgpreto ... 2492	7076,	7077,	7864,	7869,
\bidi@cslet 2362	7083,	7084,	7873,	7877,
\bidi@csletcs 2359	7085,	7086,	7891,	7901,
\bidi@cspreto 2490	7089,	7095,	7911,	7921,
\bidi@csuse	7097,	7103,	7926,	7929,
... 2424, 2757,	7104,	7119,	7932,	7935,
2771, 2784, 2797	7130,	7132,	7947,	7960,
\bidi@csxappto	7135,	7140,	7972,	7987,
... 2484, 2486	7143,	7145,	7999,	8011,
\bidi@csxpreto	7149,	7163,	8016,	8020,
... 2493, 2495	7173,	7183,	8024,	8038,
\bidi@dbg@fail	7193,	7198,	8048,	8058,
... 2509, 2519,	7201,	7204,	8068,	8073,
2520, 2521,	7207,	7219,	8076,	8079,
2522, 2528,	7232,	7244,	8082,	8094,
2537, 2543,	7259,	7271,	8107,	8119,
2650, 2672,	7283,	7288,	8134,	8146,
2684, 2685, 2694	7292,	7296,	8158,	8163,
\bidi@dbg@info 2510,	7310,	7319,	8167,	8171,
2512, 2515,	7328,	7337,	8185,	8195,
2517, 2518,	7342,	7345,	8205,	8215,
2529, 2531,	7348,	7351,	8220,	8223,
2533, 2535,	7362,	7374,	8226,	8229,
2536, 2538,	7385,	7400,	8241,	8254,
2540, 2542,	7411,	7423,	8266,	8281,
2648, 2673,	7428,	7432,	8293,	8305,
2675, 2677,	7436,	7450,	8310,	8314,
2680, 2686, 2688	7460,	7470,	8318,	8332,
\bidi@dbg@init 2507,	7480,	7485,	8342,	8352,
2526, 2647, 2670	7488,	7491,	8362,	8367,
\bidi@dbg@succ	7494,	7506,	8370,	8373,
... 2553, 2649,	7519,	7531,	8376,	8388,
2681, 2689, 2691	7546,	7558,	8401,	8413,
\bidi@dbg@trce	7570,	7575,	8428,	8440,
... 2500, 2546,	7579,	7583,	8452,	8457,
2646, 2655, 2663	7597,	7607,	8461,	8465,
\bidi@eappto	7617,	7627,	8473,	8480,
.. 2441, 2454, 2482	7632,	7635,	8484,	8495,
\bidi@endpreamblehook	7638,	7641,	8504,	8506,
... 2711,	7653,	7666,	8507,	8526,
2712, 2717, 2719	7678,	7693,	8537,	8548,
\bidi@ensure@new@command	7705,	7717,	8559,	8563,
... 2367, 2368	7722,	7726,	8567,	8571,
\bidi@ensure@newcommand	7730,	7744,	8584,	8597,
... 2367,	7754,	7764,	8610,	8631,
6941, 6942,	7774,	7779,	8644,	8658,
7036, 7044,	7782,	7785,	8664,	8671,

8678, 8686,	\bidi@ifpatchable@i	10719, 10722,
8690, 8701, 2503, 2524	10725, 10728,
8702, 8713, 8731	\bidi@ifpattern ...	10731, 10734,
\bidi@ensure@newlength 2516, 2615	10737, 10740,
... 2374, 7057,	\bidi@ifscanable ..	10743, 10746,
7058, 7059, 7087 2513,	10749, 10752,
\bidi@epreto	2534, 2583, 2678	10755, 10758,
.. 2463, 2476, 2491	\bidi@info	10761, 10764,
\bidi@error . 2376, 2409	\bidi@isloaded	10767, 10770,
\bidi@everyjob 1457,	.. 2575, 10607,	10773, 10776,
1458, 1533, 1534	10608, 10609,	10779, 10782,
\bidi@expandonce ..	10610, 10611,	10785, 10788,
..... 2429,	10612, 10613,	10791, 10794,
2440, 2444,	10614, 10615,	10797, 10800,
2448, 2452,	10616, 10617,	10803, 10806,
2462, 2466,	10618, 10619,	10809, 10812,
2470, 2474, 2692	10620, 10621,	10815, 10818,
\bidi@ff@box 9146, 9164	10622, 10623,	10821, 10824,
\bidi@footdir@footnote	10624, 10625,	10827, 10830,
..... 76, 210,	10626, 10627,	10833, 10836,
9418, 9420, 9424	10628, 10629,	10839, 10842,
\bidi@gappto	10630, 10631,	10845, 10848,
... 2445, 2483,	10632, 10633,	10851, 10854,
2711, 2725, 2737	10634, 10635,	10857, 10860,
\bidi@gpreto 2467, 2492	10636, 10637,	10863, 10866, 10869
\bidi@hooktocmd ...	10638, 10639,	\bidi@lst@caption@direction
.. 2658, 2666, 2668	10640, 10641, 10562,
\bidi@hooktocmd@i .	10642, 10643,	10563, 10567, 10570
..... 2682, 2696	10644, 10645,	\bidi@lst@ensure@caption@direction
\bidi@ifblank@i ...	10646, 10647, 10565,
.. 2328, 2329, 2331	10648, 10649,	10577, 10579, 10581
\bidi@ifdefmacro ..	10650, 10651,	\bidi@mpfootnoterule
..... 2334,	10652, 10653, 9202,
2336, 2337, 2338	10654, 10655,	9429, 9442,
\bidi@ifdefparam ..	10656, 10657,	9455, 9492, 11011
..... 2628,	10658, 10659,	\bidi@multicol@align@columns
2630, 2631, 2632	10660, 10661, 11444,
\bidi@ifdefprotected	10662, 10663,	11493, 11496, 11498
..... 2637,	10664, 10665,	\bidi@n@everypar ..
2639, 2640, 2641	10666, 10667,	. 11905, 11906,
\bidi@ifhashcheck .	10668, 10669,	11907, 11908,
.. 2514, 2599, 2679	10670, 10671,	15563, 15748,
\bidi@ifhashcheck@i	10672, 10673,	15749, 15750, 15751
..... 2603, 2605	10676, 10679,	\bidi@namelongdef .
\bidi@ifhashcheck@ii	10682, 10685,	... 2365, 7251,
..... 2607,	10688, 10691,	7253, 7260,
2610, 2611, 2612	10694, 10698,	7272, 7392,
\bidi@ifpatchable .	10701, 10704,	7394, 7401,
.. 2503, 2505, 2552	10707, 10710,	7412, 7424,
	10713, 10716,	7538, 7540,

7547,	7559,	\bidi@orig@raggedleft	\bidi@protected@cssepreto
7685,	7687,	16004, 16006, 16007 2494
7694,	7706,	\bidi@orig@raggedright	\bidi@protected@csxappto
7832,	7834,	16005, 16006, 16007 2486
7841,	7853,	\bidi@orig@rightline	\bidi@protected@csxpreto
7979,	7981,	16020, 16021, 16022 2495
7988,	8000,	\bidi@p@ftn ... 1749,	\bidi@protected@eappto
8126,	8128,	1812, 1815, 2454
8135,	8147,	1816, 1818,	\bidi@protected@epreto
8273,	8275,	1819, 1821, 2476
8282,	8294,	1822, 1826,	\bidi@protected@xappto
8420,	8422,	1829, 1832, 1937 2455
8429,	8441,	\bidi@p@ftntext ...	\bidi@protected@xpreto
8617,	8619,	.. 1796, 1814, 1919 2477
8632, 8645, 8659		\bidi@p@LTrftntext .	\bidi@provide@command
\bidi@new@command .		.. 1797, 1817, 1920 2416, 2418
..... 2381,		\bidi@p@RTLftntext .	\bidi@providerobustcmd
2383, 2412, 2420		.. 1798, 1820, 1921 2416
\bidi@newcommand ..		\bidi@p@xfootnote .	\bidi@raggedleft ..
..... 2383, 2385		.. 1800, 1835, 1923 2173,
\bidi@newrobustcmd .		\bidi@p@xftntext ..	2180, 2185,
... 1488, 1490,	 1799,	2204, 6047,
2380, 2381,		1825, 1840, 1922	6163, 8945,
2405, 2416,		\bidi@p@xLTrfootnote	8950, 9994, 16009
2437, 2441,		.. 1802, 1843, 1925	\bidi@raggedright .
2445, 2449,		\bidi@p@xLTrftntext	... 8943, 8948,
2454, 2455,	 1801,	11549, 11552,
2459, 2463,		1828, 1848, 1924	11554, 11557,
2467, 2471,		\bidi@p@xRTLfootnote	11559, 11561,
2476, 2477,		.. 1804, 1851, 1927	11564, 11566,
2481, 2482,		\bidi@p@xRTLftntext	11568, 11570,
2483, 2484,	 1803,	11573, 11575,
2485, 2486,		1831, 1856, 1926	11577, 11579,
2490, 2491,		\bidi@patchcmd 2545,	11581, 11584,
2492, 2493,		2546, 2740,	11586, 11589,
2494, 2495,		2755, 2769, 2795	11591, 11594,
2499, 2545,		\bidi@patchcmd@scantoks	11596, 11598,
2644, 2654,		.. 2563, 2569, 2704	11601, 11603,
2662, 2711,		\bidi@prepend 2666, 2709	11605, 11608,
2722, 2725,		\bidi@preto	11610, 11612, 16008
2737, 2752,		.. 2459, 2490, 2714	\bidi@reflect@box .
2766, 2780, 2792		\bidi@pretocmd 11967, 11974,
\bidi@notblank 2330,		.. 2662, 2663, 2783	15814, 15821, 15823
2338, 2632, 2641		\bidi@protected ...	\bidi@renew@command
\bidi@o@everypar 2432, 2454,	.. 2405, 2407, 2421
..... 11904,		2455, 2476,	\bidi@renewrobustcmd
11906, 11907,		2477, 2485, 2405
15747, 15749, 15750		2486, 2494, 2495	\bidi@resrvda . 2555,
\bidi@orig@leftline		\bidi@protected@csxappto	2556, 2557,
16019, 16021, 16022	 2485	2560, 2561,

2562,	2563,	\bidiGscale@box@dd .	\biditytfloatInfoNL
2564,	2565,	... 9843, 9847, 9853	... 2809, 2810, 3364
2570,	2573,	\bidiGscale@box@dddd	\biditytfloatRecalculate
2585,	2586, 9849, 9860 2936, 2947
2587,	2588,	\bidillap 16024	\biditytfloatHyperrefLoadHyperref
2589,	2591,	\bidipoem@openbox 4132, 4143
2592,	2601, 4398, 4403	\biditytfloatSidenotemarginpar
2603,	2617,	\bidipoem@p@ftn 4405,	... 3380, 3690, 3840
2618,	2620,	4415, 4546,	\biditytfloatError .
2622,	2623,	4547, 4549,	... 3863, 3910, 3919
2698,	2699,	4550, 4552,	\bidiversion
2700,	2701,	4553, 4556,	... 1430, 1431,
2702,	2703,	4559, 4562, 4667	1445, 1505, 1521
2704, 2705, 2706		\bidipoem@p@ftntext	\bigskip 11993
\bidi@resrvdb 2557, 2558		... 4432, 4443,	\bigskipamount
\bidi@RTL@everypar .		4545, 4656, 4670	... 7121, 7126, 8680
..... 11903,		\bidipoem@p@LTRftntext	\bl ... 11809, 11810,
11907, 15746, 15750		... 4433, 4444,	11813, 11814,
\bidi@stfftextcol .		4548, 4657, 4671	11815, 11819,
..... 9143, 9147		\bidipoem@p@RTLftntext	11874, 11881, 11885
\bidi@samed@eqno 4434, 4445,	\blacktriangleleft .
..... 11978,		4551, 4658, 4672 9551, 9553
11980, 11981,		\bidipoem@p@xfootnote	\blacktriangleright
16365, 16367, 16368		... 4436, 4447, 9551, 9553
\bidi@samed@leqno .		4564, 4660, 4674	\bm@b 16086
..... 11979,		\bidipoem@p@xftntext	\bm@l 16083
11980, 11981,	 4435,	\bm@r 16084
16366, 16367, 16368		4446, 4555,	\bm@t 16085
\bidi@undef		4569, 4659, 4673	\boolean 2809, 2879,
... 2565, 2644,		\bidipoem@p@xLTRfootnote	2881, 2884,
2706, 2719, 2732		... 4438, 4449,	2888, 2891,
\bidi@undefined .. 2644		4571, 4662, 4676	2894, 2919,
\bidi@warning		\bidipoem@p@xLTRftntext	3015, 3030,
... 2377, 2760,	 4437,	3035, 3055,
2774, 2786, 2800		4448, 4558,	3062, 3070,
\bidi@xappto		4576, 4661, 4675	3087, 3107,
... 2449, 2455, 2484		\bidipoem@p@xRTLfootnote	3111, 3129,
\bidi@xargdef 2387, 2395		... 4440, 4451,	3130, 3133,
\bidi@xpreto		4578, 4664, 4678	3134, 3169,
... 2471, 2477, 2493		\bidipoem@p@xRTLftntext	3178, 3189,
\bidicolor 5385, 5441,	 4439,	3877, 3881,
5456, 5458,		4450, 4561,	3929, 4142,
9144, 15689,		4583, 4663, 4677	4279, 4348,
15736, 15739, 15740		\bidirlap 16023	4359, 9158, 11727
\bididate 1429, 1431,		\biditytfloatDebugInfoNL	\bookmark ... 9140, 16353
1445, 1504, 1521		... 2809, 2907,	\box 1994, 2000, 3350,
\bidiGscale@box ..		2911, 3200, 3249	5300, 5424,
..... 9834, 9835		\biditytfloatError	5581, 5584,
\bidiGscale@box 2808, 3295	5601, 5605,
... 9811, 9812, 9831			5612, 5618,

5620,	5626,	15633,	15634,	\bx@c . . 3211, 3241, 3282
5627,	5648,	15644,	15818,	\bx@CC 3252, 3288
5654,	5659,	15915,	15938,	\bx@D 3235, 3276
5665,	5666,	16026,	16106,	\bx@d . . 3212, 3241, 3282
5721,	5724,	16111,	16113,	\bx@DD 3253, 3288
5729,	5734,	16124,	16130,	\bx@E 3235, 3276
5758,	5894,	16135,	16250,	\bx@e . . 3213, 3241, 3282
5898,	5922,	16266,	16277,	\bx@EE 3254, 3288
6204,	6225,	16290,	16292,	\bx@F 3236, 3277
6241,	6298,	16340, 16342, 16362		\bx@f . . 3214, 3242, 3283
7135,	7140,	\boxdef . 1698, 1700,		\bx@FF 3255, 3289
8477,	8492,	1706, 1711, 1716		\bx@G 3236, 3277
8502,	8722,	\boxmaxdepth		\bx@g . . 3215, 3242, 3283
8974,	8976,	. . . 6196, 6201,		\bx@GG 3256, 3289
9006,	9010,	6217, 6222,		\bx@H 3236, 3277
9053,	9135,	6249, 6306,		\bx@h . . 3216, 3242, 3283
9161,	9166,	7079, 8703,		\bx@HH 3257, 3289
9649,	9656,	8912, 9602, 9604		\bx@I 3236, 3277
9659,	9673,	\br . . . 11809, 11811,		\bx@i . . 3217, 3242, 3283
9709,	9716,	11813, 11814,		\bx@II 3258, 3289
9719,	9729,	11815, 11819,		\bx@J 3236, 3277
9738,	9741,	11875, 11881, 11889		\bx@j . . 3218, 3242, 3283
9779,	9782,	\BR@b@bibitem 3583, 3584		\bx@JJ 3259, 3289
9825,	9828,	\BR@bibitem . 3586, 3587		\bx@K 3237, 3278
9858,	9875,	\BR@c@bibitem 3588		\bx@k . . 3219, 3243, 3284
10587,	10932,	\bracetext . . . 1492,		\bx@KK 3260, 3290
11115,	11149,	1554, 11909,		\bx@L 3237, 3278
11185,	11241,	11910, 15752, 15753		\bx@l . . 3220, 3243, 3284
11244,	11267,	\break 10889		\bx@LL 3261, 3290
11319,	11324,	\BreakBibliography .		\bx@M 3237, 3278
11459,	11465, 13455,		\bx@m . . 3221, 3243, 3284
11480,	11488,	13487, 13489,		\bx@MM 3262, 3290
11778,	11782,	13495, 13979,		\bx@N 3237, 3278
11798,	11832,	14011, 14013,		\bx@n . . 3222, 3243, 3284
11836,	11841,	14019, 14570,		\bx@NN 3263, 3290
11845,	11857,	14602, 14604, 14610		\bx@O 3238, 3279
11868,	11882,	\bs . . . 1666, 1667, 1669		\bx@o . . 3223, 3244, 3285
11885,	11889,	\bslice 11829,		\bx@OO 3264, 3291
11894,	11971,	11830, 11832,		\bx@P 3238, 3279
13039,	13048,	11842, 11843,		\bx@p . . 3224, 3244, 3285
13086,	13097,	11845, 11865,		\bx@PP 3265, 3291
13585,	13595,	11866, 11868,		\bx@Q 3238, 3279
14109,	14119,	11892, 11893, 11894		\bx@q . . 3225, 3244, 3285
14184,	14190,	\bx@A 3235, 3276		\bx@QQ 3266, 3291
14196,	14202,	\bx@a . . 3209, 3241, 3282		\bx@R 3238, 3279
14208,	14214,	\bx@AA . 3248, 3250, 3288		\bx@r . . 3226, 3244, 3285
14220,	14226,	\bx@B 3235, 3276		\bx@RR 3267, 3291
14232,	14700,	\bx@b . . 3210, 3241, 3282		\bx@S 3199,
14710,	14846,	\bx@BB 3251, 3288		3201, 3239, 3280
14872,	14890,	\bx@C 3235, 3276		\bx@s . . 3227, 3245, 3286

\bx@SS	3268, 3292	\c@colht	11186,	10945, 10948,
\bx@T . .	3202, 3239, 3280		11198, 11224,	12240, 12299,
\bx@t . .	3228, 3245, 3286		11225, 11268,	12379, 12440,
\bx@TT	3269, 3292		11280, 11306, 11307	12638, 12681,
\bx@U . .	3203, 3239, 3280	\c@curpg	9067, 9094, 9095	12869, 13217,
\bx@u . .	3229, 3245, 3286	\c@DFNsloppiness . .		13281, 13685,
\bx@UU	3270, 3292		6194, 6215	13749, 14319, 14383
\bx@V . .	3204, 3239, 3280	\c@enumiv	495,	\c@L@lines 10545, 10547
\bx@v . .	3230, 3245, 3286		502, 629, 636,	\c@ll@chapseci . . . 5466
\bx@VV	3271, 3292		897, 904, 1149,	\c@ll@chapsecii . . 5461
\bx@W . .	3205, 3240, 3281		1156, 2248,	\c@lofdepth 15168, 15205
\bx@w . .	3231, 3246, 3287		4766, 4773,	\c@lor@error . . 5430,
\bx@WW	3272, 3293		4959, 4966,	5437, 5445,
\bx@X . .	3206, 3240, 3281		5269, 5276,	5451, 15681, 15715
\bx@x . .	3232, 3246, 3287		6610, 6617,	\c@lotdepth 15186, 15225
\bx@XX	3273, 3293		6882, 6889,	\c@lstlisting
\bx@Y . .	3207, 3240, 3281		8798, 8805, 10602, 10604
\bx@y . .	3233, 3246, 3287		12204, 12211,	\c@LT@chunks 10915
\bx@YY	3274, 3293		12597, 12604,	\c@LT@tables 1966
\bx@Z . .	3208, 3240, 3281		12795, 12802,	\c@mpfootnote
\bx@z . .	3234, 3246, 3287		12999, 13006,	. . . 9429, 9442,
\bx@ZZ	3275, 3293		13463, 13472,	9455, 9479, 11020
			13479, 13987,	\c@NAT@ctr 11620
			13996, 14003,	\c@page . 4286, 6357,
			14578, 14587,	6374, 9067,
			14594, 14937, 14944	9094, 15596, 16246
		\c@equation . . .	4799,	\c@paragraph 470, 623,
			4978, 5225,	879, 1143, 4796,
			6450, 6519,	4975, 5234,
			6837, 8905,	6723, 6846,
			9170, 9183,	8902, 9179,
			11077, 12223,	9192, 11072,
			12592, 12781,	12220, 12585,
			12964, 13966, 14557	12789, 12973,
		\c@figure	4801,	13440, 13940, 14543
			4980, 5227,	\c@poem@no . . . 4490,
			6839, 8907,	4540, 4591, 4602
			9172, 9185,	\c@secnumdepth 231,
			11078, 12225,	473, 482, 5042,
			12588, 12783,	5239, 6580,
			12966, 13950, 14549	6589, 6851,
		\c@footnote . . .	124,	8767, 11997, 12978
			245, 373, 668,	\c@section 4793, 4972,
			727, 922, 981,	5231, 6843,
			1174, 1233,	8899, 9176,
			1593, 4814,	9189, 11066,
			4993, 5130,	11671, 12217,
			6671, 6768,	12582, 12786,
			8849, 9501,	12970, 13934, 14537
			9515, 10264,	

C

\c@abspage	9233
\c@addvipersep	11186,
	11204, 11209,
	11231, 11258,
	11268, 11286,
	11291, 11313, 11337
\c@chapter	4799, 4801,
	4803, 4978,
	4980, 4982,
	5225, 5227,
	5229, 5230,
	6837, 6839,
	6841, 6842,
	8905, 8907,
	8909, 9170,
	9172, 9174,
	9175, 9183,
	9185, 9187,
	9188, 10602,
	11077, 11661,
	12223, 12225,
	12227, 12588,
	12590, 12592,
	12781, 12783,
	12785, 12964,
	12966, 12968, 12969

\c@subparagraph . . .	6567, 6823,	\cals@paddingL
. . . . 471, 624,	8735, 8750, 5368, 5372
880, 1144, 4797,	11385, 11397,	\cals@paddingR
4976, 5235,	11409, 12131, 5369, 5373
6724, 6847,	12147, 12163,	\cals@set@tohsize 5357
8903, 9180,	12505, 12521,	\cals@setcellprevdepth
9193, 11074,	12537, 12739, 5357
12221, 12586,	12753, 12924,	\cals@setpadding . 5357
12790, 12974,	12939, 13372,	\cals@tbreak@tokens
13442, 13942, 14545	13405, 13840, 5352
\c@subsection	13867, 13895,	\cals@tfoot@height 5353
. . . . 468, 621,	14474, 14502,	\cals@tfoot@tokens .
877, 1141, 4794,	15013, 15017, 5351, 5365
4973, 5232,	15059, 15078,	\cals@thead@tokens 5350
6721, 6844,	15100, 15117,	\CAny 1687
8900, 9177,	15134, 15151,	\cAny 1695
9190, 11068,	15319, 15515, 16088	\cap@indent
12218, 12583,	\c@twb 5591	. 13562, 13565,
12787, 12971,	\c@twcompctr 5572	13570, 13572,
13436, 13936, 14539	\c@twcompoddctr . . 5588	13573, 14086,
\c@subsubsection . .	\c@twfirst . . . 5573,	14089, 14094,
. . . . 469, 622,	5579, 5586,	14096, 14097,
878, 1142, 4795,	5590, 5599, 5602	14677, 14680,
4974, 5233,	\c@twlftside 5577	14685, 14687, 14688
6722, 6845,	\c@twlspec	\cap@left . . . 13584,
8901, 9178,	. . 5591, 5594, 5598	13595, 14108,
9191, 11070,	\c@twprune . . . 5577,	14119, 14699, 14710
12219, 12584,	5578, 5594, 5598	\cap@margin
12788, 12972,	\c@twrounds . . . 5589,	13527, 14051, 14642
13438, 13938, 14541	5592, 5595, 5607	\cap@right . . 13586,
\c@table 4803,	\c@twrtside 5578	13595, 14110,
4982, 5229,	\c@twslicea . . . 5575,	14119, 14701, 14710
6841, 8909,	5577, 5581,	\cap@width
9174, 9187,	5584, 5593,	. 13550, 13553,
11079, 12227,	5594, 5601, 5605	13556, 14074,
12590, 12785,	\c@twsliceb . . . 5576,	14077, 14080,
12968, 13958, 14553	5578, 5581,	14665, 14668, 14671
\c@thisframe	5584, 5597,	\capfont 13537, 13558,
. . . 9066, 9071,	5598, 5601, 5605	13563, 13568,
9107, 9109, 9110	\c@twwinlines 5574, 5587	13572, 13591,
\c@tocdepth 3,	\c@zabspage 9233	13595, 14061,
129, 428, 445,	\cals@activate@rtl 5342	14082, 14087,
565, 581, 599,	\cals@borderB 5363	14092, 14096,
794, 827, 845,	\cals@borderL 5360	14115, 14119,
1052, 1068,	\cals@borderR 5361	14652, 14673,
1086, 4701,	\cals@borderT 5362	14678, 14683,
4717, 4733,	\cals@current@context	14687, 14706, 14710
4880, 4896, 5355	\caplabelfont 13538,
4912, 5185,	\cals@last@context 5354	13559, 13564,
5200, 6553,		13569, 13574,

13592, 14062,	\CenteringRightskip	\cftparafillnum . 15148
14083, 14088, 12013	\cftparafont 15147
14093, 14098,	\centerline 234, 9656,	\cftparaindent
14116, 14653,	9673, 11982, 16010 15136, 15139
14674, 14679,	\cftbeforechapskip .	\cftparanumwidth 15142
14684, 14689, 14707 15061	\cftparapresnum . 15143
\caption 3024, 3025,	\cftbeforefigskip 15169	\cftpartaftersnum 15039
3027, 3077,	\cftbeforeparaskip .	\cftpartaftersnumb .
9967, 9985, 15135 15040
10892, 11153, 11155	\cftbeforepartskip .	\cftpartfillnum . 15043
\caption@par 5377 15029	\cftpartfont 15042
\caption@hangindent	\cftbeforesecskip .	\cftpartindent
..... 5378 15080, 15083 15031, 15034
\caption@makecaption	\cftbeforesubfigskip	\cftpartnumwidth 15037
..... 5375 15206	\cftpartpresnum ...
\caption@parindent 5378	\cftbeforesubparaskip 15038, 15042
\caption@startrue 10596 15152	\cftsecaftersnum 15093
\captionformat 13538,	\cftbeforesubsecskip	\cftsecaftersnumb 15094
13559, 13564, 15101	\cftsecfillnum .. 15097
13569, 13574,	\cftbeforesubsubsecskip	\cftsecfont 15096
13592, 14062, 15118	\cftsecindent
14083, 14088,	\cftbeforesubtabskip 15085, 15088
14093, 14098, 15226	\cftsecnumwidth . 15091
14116, 14653,	\cftbeforetabskip 15187	\cftsecpresnum .. 15092
14674, 14679,	\cftchapaftersnum 15070	\cftsubfigaftersnum
14684, 14689, 14707	\cftchapaftersnumb 15215
\captionlabelfalse 15071	\cftsubfigaftersnumb
..... 10594	\cftchapfillnum . 15074 15216
\catcode 1506,	\cftchapfont 15073	\cftsubfigfillnum 15219
1557, 2572,	\cftchapindent	\cftsubfigfont .. 15218
3555, 3577,	15062, 15065, 15312	\cftsubfigindent ..
4388, 4389,	\cftchapnumwidth 15207, 15210
4391, 4392, 15068, 15313	\cftsubfignumwidth .
9560, 9561,	\cftchappresnum . 15069 15213
9676, 10425, 10426	\cftchapterprecistoc	\cftsubfigpresnum 15214
\Centering 12007 15311	\cftsubparaaftersnum
\centering 230, 6051,	\cftdot 15009 15161
6064, 6180,	\cftdotfill 15303	\cftsubparaaftersnumb
8944, 8949,	\cftdotsep 15302 15162
9997, 10082,	\cftfigaftersnum 15178	\cftsubparafillnum .
10098, 11100,	\cftfigaftersnumb 15179 15165
11102, 11104,	\cftfigfillnum .. 15182	\cftsubparafont . 15164
13264, 13732, 14366	\cftfigfont 15181	\cftsubparaindent .
\CenteringLeftskip .	\cftfigindent 15153, 15156
..... 12012 15170, 15173	\cftsubparanumwidth
\CenteringParfillskip	\cftfignumwidth . 15176 15159
..... 12015	\cftfigpresnum .. 15177	\cftsubparapresnum .
\CenteringParindent	\cftparaaftersnum 15144 15160
..... 12016	\cftparaaftersnumb .	\cftsubsecaftersnum
 15145 15110

\cftsubsecaftersnumb	\chapterheadendvskip	\clearpage
..... 15111 12002	525, 541,
\cftsubsecfillnum 15114	\chapterheadstartvskip	792, 1046, 3296,
\cftsubsecfont .. 15113 11994	4251, 4286,
\cftsubsecindent ..	\chaptermark 4360, 14972	4372, 4695,
.... 15102, 15105	\chaptername 235, 11086	4874, 5086,
\cftsubsecnumwidth .	\chapterstyle ... 11081	5262, 6875,
..... 15108	\char 1670, 1671	12107, 12364,
\cftsubsecpresnum 15109	\chardef	12826, 13329,
\cftsubsubsecaftersnum	9560, 10562, 10563	13797, 14431, 15006
..... 15127	\check@floats 5779, 5944	\closing ... 6912, 14240
\cftsubsubsecaftersnumb	\CheckCommand ... 12058	\clubpenalty 88, 222,
..... 15128	\checkoddpages ... 2918	504, 505, 637,
\cftsubsubsecfillnum	\CIIIIAny 1688	905, 1157, 2249,
..... 15131	\ciiiiAny 1696	4506, 4774,
\cftsubsubsecfont 15130	\circle 5480,	4967, 5278,
\cftsubsubsecindent	5483, 5490,	5279, 6618,
.... 15119, 15122	5493, 5503,	6891, 6892,
\cftsubsubsecnumwidth	5506, 5513,	8806, 11626,
..... 15125	5516, 5526,	12212, 12605,
\cftsubsubsecpresnum	5529, 5536,	12804, 12805,
..... 15126	5539, 5549,	13008, 13009,
\cftsubtabaftersnum	5552, 5559, 5562	13481, 14005,
..... 15235	\cite ... 3592, 3646,	14596, 14946,
\cftsubtabaftersnumb	3652, 3653,	14947, 15920, 15922
..... 15236	3742, 3747,	\coffee@font 11405
\cftsubtabfillnum 15239	3768, 3774,	\col@number 379, 733,
\cftsubtabfont .. 15238	3795, 3801,	987, 1239, 1945,
\cftsubtabindent ..	3822, 3838,	5136, 6677,
.... 15227, 15230	3842, 3845,	6774, 8855,
\cftsubtabnumwidth .	3849, 3852,	11044, 11347,
..... 15233	3856, 11629, 11630	11429, 11434,
\cftsubtabpresnum 15234	\citeasnoun 11630	11500, 11501,
\cfttabaftersnum 15196	\citeN 11629	11503, 11506,
\cfttabaftersnumb 15197	\cites 3647	11507, 11514,
\cfttabfillnum .. 15200	\ClassInfo . 4317, 4382	12305, 12446,
\cfttabfont 15199	\ClassWarning	12692, 12875,
\cfttabindent	13274, 13742, 14376	13285, 13753, 14387
.... 15188, 15191	\ClassWarningNoLine	\col@sep .. 299, 327,
\cfttabnumwidth . 15194 11137	5381, 5382, 10904
\cfttabpresnum .. 15195	\cleardoubleemptypage	\color .. 1627, 1628,
\chapnumfont 11996 13221,	1629, 1630,
\chapter 3875, 3903,	13266, 13689,	2173, 5426,
3973, 3981,	13734, 14323, 14368	5429, 5432,
4097, 4103,	\cleardoublepage ..	5450, 5453,
4763, 4956, 4239,	6045, 6048,
5266, 6879,	4284, 4286,	6058, 6176,
8795, 12201,	4343, 4356,	10488, 10983, 15646
12594, 12792, 12996	4370, 5260, 6873	\color@ ... 15686, 15733
		\color@b@x ... 5418,
		5456, 5458,

15639, 15736, 15739	9437, 9450,	8386, 8399,
\color@begingroup .	9463, 9475, 10957	8411, 8438,
..... 3699,	\color@block 5423, 15644	8451, 8535,
3716, 3733,	\color@box . 5456, 15736	8546, 8557,
4665, 4679,	\color@endbox	8582, 8595,
6953, 6969,	... 1938, 3416,	8608, 8642,
6985, 6998,	3460, 3504,	8656, 8712,
7011, 7024,	13111, 13121,	9383, 9399,
7169, 7179,	13139, 16188,	9414, 9440,
7189, 7215,	16232, 16337, 16347	9453, 9466, 9496
7228, 7240,	\color@endgroup ...	\color@fbx 15737, 15738
7267, 7280,	... 3703, 3720,	\color@fbx . 5457, 15737
7316, 7325,	3737, 4667,	\color@hbox
7334, 7359,	6957, 6973,	. 13108, 13118,
7371, 7382,	6989, 7003,	13136, 16334, 16344
7408, 7420,	7016, 7029,	\color@setgroup ...
7456, 7466,	7116, 7171, 5459, 15741
7476, 7502,	7181, 7191,	\color@vbox ... 1916,
7515, 7527,	7217, 7230,	3407, 3451,
7554, 7567,	7242, 7269,	3495, 16179, 16223
7603, 7613,	7282, 7318,	\colorA 5044, 5053, 5065
7623, 7649,	7327, 7336,	\colorB 5050,
7662, 7674,	7361, 7373,	5056, 5062, 5068
7701, 7714,	7384, 7410,	\colorblend .. 15653,
7750, 7760,	7422, 7458,	15654, 15696, 15697
7770, 7796,	7468, 7478,	\colorbox
7809, 7821,	7504, 7517,	.. 1743, 1745, 1746
7848, 7861,	7529, 7556,	\columncolor 1393, 5389
7897, 7907,	7569, 7605,	\columnsep 95,
7917, 7943,	7615, 7625,	150, 518, 534,
7956, 7968,	7651, 7664,	785, 1039, 1576,
7995, 8008,	7676, 7703,	2082, 4688,
8044, 8054,	7716, 7752,	4867, 5079,
8064, 8090,	7762, 7772,	5621, 5725,
8103, 8115,	7798, 7811,	8977, 9742,
8142, 8155,	7823, 7850,	11246, 11344,
8191, 8201,	7863, 7899,	11437, 11482,
8211, 8237,	7909, 7919,	12100, 12357,
8250, 8262,	7945, 7958,	12819, 15601,
8289, 8302,	7970, 7997,	15606, 15610,
8338, 8348,	8010, 8046,	15616, 15619, 16114
8358, 8384,	8056, 8066,	\columnseprule
8397, 8409,	8092, 8105,	.. 95, 150, 517,
8436, 8449,	8117, 8144,	533, 784, 1038,
8533, 8544,	8157, 8193,	1577, 2083,
8555, 8580,	8203, 8213,	4687, 4866,
8593, 8606,	8239, 8252,	5078, 5617,
8640, 8654,	8264, 8291,	5656, 5719,
8708, 9380,	8304, 8340,	5731, 5896,
9396, 9411,	8350, 8360,	8973, 9008,

9717,	9736,	8789,	8792,	\coordiii	1691
11238,	11321,	8972,	8974,	\Coordn	1685
11461,	11472,	8976,	8978,	\coordn	1690
12099,	12356,	9006,	9010,	\Coordx . 1681, 1684,	
12818, 16110, 16132		9290,	9292,	1685,	1686,
\columnseprulecolor		9294,	9296,	1687,	1688,
. . . . 11460, 11471		9376,	9392,	1689,	1690,
\columnwidth . 27, 40,		9407,	9433,	1691,	1695, 1696
53, 68, 162, 174,		9446,	9459,	\coordx	1692
187, 201, 460,		9477,	9691,	\Coordy . 1682, 1684,	
463, 466, 649,		9698,	9715,	1685,	1686,
887, 1134, 1928,		9718,	9735,	1687,	1688,
4786,	4942,	9737,	9740,	1689,	1690,
5216,	5219,	9743,	9939,	1691,	1695, 1696
5222,	5329,	9940,	10461,	\coordy	1693
5616,	5618,	10464,	10467,	\Coordz . 1683, 1686,	
5620,	5622,	10960,	11236,	1688,	1691, 1696
5653,	5658,	11240,	11243,	\coordz	1694
5718,	5720,	11245,	11318,	\copy 1991, 2003, 2007,	
5723,	5726,	11323,	11344,	3403,	3447,
5728,	5733,	11373,	11379,	3491,	5333,
5894,	5898,	11530,	11534,	5700,	5706,
6194,	6215,	11538,	11543,	5866,	5878,
6625,	6628,	12193,	12617,	6205,	6226,
6631,	6925,	12772,	12775,	8955,	8987,
6928,	6931,	12778,	12955,	9770,	9816,
6940,	6950,	12958,	12961,	11902,	11970,
6966,	6982,	13196,	13511,	12004,	15817,
6995,	7008,	13514,	13518,	16175, 16219, 16282	
7021,	7212,	13664,	14035,	\cor@height . . 11193,	
7224,	7237,	14038,	14042,	11194,	11221,
7277,	7356,	14160,	14163,	11222,	11258,
7367,	7379,	14166,	14298,	11275,	11276,
7417,	7499,	14626,	14629,	11303, 11304, 11337	
7511,	7524,	14633,	16109,	\count . . 1911, 3392,	
7564,	7646,	16111,	16113,	3436,	3480,
7658,	7671,	16115,	16129,	7127,	7155,
7711,	7793,	16134, 16271, 16273		7258,	7302,
7805,	7818,	\contentslabel		7399,	7442,
7858,	7940,	. . . 3934, 3941,		7545,	7589,
7952,	7965,	3948, 3955, 3962		7692,	7736,
8005,	8087,	\contentsline . . . 10202		7839,	7883,
8099,	8112,	\contentsmargin . 14912		7986,	8030,
8152,	8234,	\contentspush . . . 14886		8133,	8177,
8246,	8259,	\convertcolorspec .		8280,	8324,
8299,	8381, 15660,		8427,	8513,
8393,	8406,	15663, 15703, 15706		8625,	9077,
8446,	8576,	\Coord 1684		9710,	9730,
8589,	8602,	\coord 1689		16164, 16208, 16311	
8650,	8786,	\CoordIII 1686			

\count@ 1333,	3139,	3140,	8114,	8132,
1392, 2276,	3147,	3148,	8133,	8141,
2281, 5387,	3546,	3697,	8154,	8190,
11424, 11425,	3714,	3731,	8200,	8210,
11427, 11429,	3762,	3789,	8236,	8249,
11436, 11456,	3816,	4050,	8261,	8279,
11457, 11459,	4511,	4546,	8280,	8288,
11476, 11477, 11480	4549,	4552,	8301,	8337,
\counterwithout . . .	4566,	4573,	8347,	8357,
. 11082,	4580,	4588,	8383,	8396,
11083, 11084, 11085	4589,	4627,	8408,	8426,
\cr 315, 4453,	4652,	4653,	8427,	8435,
4460, 4516,	5432,	5438,	8448,	8531,
7138, 7142,	5446,	5453,	8542,	8553,
7144, 10919,	5970,	6952,	8578,	8591,
14753, 14792, 16060	6968,	6984,	8604,	8624,
\crrcr 326, 1809, 1955,	6997,	7010,	8625,	8638,
4456, 14740,	7023,	7168,	8652,	8914,
14772, 15828, 16046	7178,	7188,	9055,	9056,
\CROP@llc 5522	7214,	7227,	9061,	9062,
\CROP@lrc 5545	7239,	7257,	9152,	9153,
\CROP@ulc 5476	7258,	7266,	9154,	9155,
\CROP@urc 5499	7279,	7315,	9157,	9159,
\CROP@excopt 5569	7324,	7333,	9160,	9161,
\csname 8, 43,	7358,	7370,	9162,	9164,
56, 71, 134, 177,	7381,	7398,	9165,	9166,
190, 204, 260,	7399,	7407,	9223,	9247,
261, 303, 1296,	7419,	7455,	9265,	9351,
1772, 1773,	7465,	7475,	9360,	9378,
1787, 1788,	7501,	7514,	9394,	9409,
1815, 1818,	7526,	7544,	9436,	9449,
1821, 1837,	7545,	7553,	9462,	9509,
1845, 1853,	7566,	7602,	9524,	10204,
1908, 1966,	7612,	7622,	10207,	10209,
2283, 2287,	7648,	7661,	10213,	10217,
2299, 2341,	7673,	7691,	10231,	10242,
2351, 2357,	7692,	7700,	10253,	10492,
2358, 2360,	7713,	7749,	10495,	10841,
2361, 2363,	7759,	7769,	11166,	11167,
2364, 2366,	7795,	7808,	11174,	13152,
2402, 2403,	7820,	7838,	13156,	13160,
2426, 2481,	7839,	7847,	13620,	13624,
2482, 2483,	7860,	7896,	13628,	14254,
2484, 2490,	7906,	7916,	14258,	14262,
2491, 2492,	7942,	7955,	14743,	14770,
2493, 2576,	7967,	7985,	14772,	14989,
2577, 2580,	7986,	7994,	15252,	15253,
2581, 2756,	8007,	8043,	15269,	15270,
2758, 2770,	8053,	8063,	15271,	15278,
2772, 2847,	8089,	8102,	15280,	15281,

15347, 15349,	\cvlistdoubleitem 2188	4299, 4300,
15356, 15357,	\cvlistitem 2186	4301, 4302,
15361, 15366,	\cvtheme . . . 2120, 2123	4322, 4323,
15370, 15381,		4324, 4325,
15382, 15386,	D	4326, 5981,
15392, 15447,	\dollarbegin . . 299,	5983, 5985,
15448, 15452,	328, 1337, 1338,	5987, 5989,
15548, 15549,	1339, 1402,	5990, 6079,
15551, 15554,	1405, 1406,	6081, 6083,
15555, 15559,	5394, 5397, 5398	6085, 6087, 6088
15844, 15961, 16049	\dollarend . . . 300,	\DeclareRobustCommand
\CT@do@color 5384	328, 1337, 1338,	. . . 1669, 1670,
\CT@cell@color	1339, 1404,	1671, 1672,
. 1417, 5409	1405, 1406,	1673, 1674,
\CT@color 5383	5396, 5397, 5398	1675, 3152,
\CT@column@color . .	\dashgapcolor 1397	3159, 5426,
. 1415, 5407	\date 367,	5441, 15646, 15689
\CT@do@color	403, 710, 755,	\dedication
. . 1418, 5384, 5410	964, 1009, 1216,	13324, 13792, 14426
\CT@extract . 1393, 5389	1261, 1611,	\dedicatory 250
\CT@row@color 1416, 5408	4164, 4212,	\def 2, 23, 26,
\CT@setup 1382,	4856, 5035,	30, 34, 47, 62,
1383, 1385,	5124, 5160,	91, 94, 103, 104,
1386, 1390,	6665, 6699,	105, 106, 118,
1414, 5380, 5406	6762, 6798,	128, 149, 158,
\cumpartcl 11806	8843, 8877,	159, 160, 161,
\cumtcl 11806	12282, 12327,	165, 168, 181,
\curraddr 249	12423, 12470,	195, 225, 228,
\current@color 5425,	12675, 12716,	240, 246, 263,
5431, 5438,	12863, 12899,	265, 270, 272,
5446, 5452,	13325, 13793, 14427	297, 302, 304,
9538, 9543,	\datename 14230	325, 326, 327,
15645, 15682,	\deadcycles . 2741, 2744	328, 374, 375,
15683, 15687,	\debugfootnotedirection	406, 472, 508,
15716, 15717, 15734 9210	639, 665, 666,
\CurrentOption 4298,	\DeclareOption 1496,	674, 713, 714,
4299, 4300,	1497, 1498,	716, 721, 723,
4301, 4302,	2012, 2015,	728, 730, 758,
4322, 4323,	2018, 2021,	907, 919, 920,
4324, 4325,	2024, 2027,	928, 967, 968,
4326, 5991, 6089	2030, 2035,	970, 975, 977,
\customername . . . 14200	2036, 2037,	982, 983, 1012,
\CustomFBox 9540	2038, 2039,	1159, 1171,
\cvcomputer 2205	2041, 2813,	1172, 1180,
\cvdoubleitem 2182, 2206	2814, 2816,	1219, 1220,
\cventry 2194	2818, 2821,	1222, 1227,
\cvlanguage 2203	2826, 3869,	1229, 1234,
\cvline . 2177, 2178,	3870, 4128,	1236, 1264,
2183, 2187,	4129, 4154,	1284, 1294,
2189, 2195, 2204	4155, 4298,	1295, 1298,

1304,	1332,	2133,	2134,	3541,	3556,
1345,	1346,	2135,	2136,	3571,	3576,
1349,	1362,	2137,	2252,	3662,	3664,
1370,	1378,	2271,	2272,	3692,	3709,
1379,	1382,	2273,	2274,	3726,	3746,
1383,	1386,	2275,	2282,	3773,	3800,
1391,	1429,	2283,	2287,	4012,	4049,
1430,	1489,	2329,	2337,	4057,	4286,
1491,	1492,	2358,	2366,	4394,	4395,
1504,	1505,	2367,	2368,	4396,	4397,
1542,	1550,	2374,	2376,	4403,	4406,
1551,	1552,	2377,	2378,	4417,	4418,
1553,	1554,	2381,	2383,	4419,	4429,
1564,	1569,	2385,	2391,	4455,	4459,
1594,	1595,	2395,	2398,	4466,	4488,
1677,	1678,	2407,	2418,	4507,	4508,
1679,	1681,	2420,	2421,	4509,	4515,
1682,	1683,	2432,	2505,	4545,	4548,
1684,	1685,	2524,	2556,	4551,	4555,
1686,	1687,	2557,	2558,	4558,	4561,
1688,	1689,	2569,	2583,	4564,	4571,
1690,	1691,	2586,	2587,	4578,	4588,
1692,	1693,	2599,	2611,	4589,	4590,
1694,	1695,	2615,	2618,	4600,	4604,
1696,	1701,	2631,	2640,	4607,	4612,
1712,	1743,	2668,	2696,	4613,	4614,
1744,	1745,	2699,	2700,	4616,	4625,
1746,	1753,	2708,	2709,	4631,	4652,
1759,	1765,	2718,	2731,	4653,	4776,
1773,	1778,	2747,	2842,	4811,	4812,
1780,	1788,	2865,	2956,	4820,	4969,
1793,	1794,	2977,	2981,	4990,	4991,
1809,	1814,	2994,	3068,	4999,	5039,
1817,	1820,	3137,	3155,	5059,	5131,
1825,	1828,	3161,	3198,	5132,	5163,
1831,	1835,	3323,	3325,	5236,	5250,
1843,	1851,	3326,	3327,	5282,	5286,
1858,	1860,	3336,	3338,	5298,	5311,
1861,	1863,	3339,	3340,	5318,	5322,
1932,	1941,	3344,	3346,	5325,	5380,
1954,	1981,	3352,	3353,	5383,	5386,
2095,	2096,	3380,	3394,	5418,	5425,
2097,	2098,	3397,	3401,	5428,	5435,
2099,	2100,	3405,	3418,	5443,	5449,
2102,	2103,	3424,	3438,	5456,	5457,
2121,	2122,	3441,	3445,	5459,	5573,
2125,	2126,	3449,	3462,	5586,	5589,
2127,	2128,	3468,	3482,	5590,	5595,
2129,	2130,	3485,	3489,	5602,	5607,
2131,	2132,	3493,	3506,	5610,	5645,

5689,	6188,	8244,	8257,	9900,	9901,
6192,	6195,	8284,	8297,	9902,	9903,
6213,	6216,	8333,	8343,	9912,	9914,
6234,	6291,	8353,	8379,	9950,	10202,
6349,	6391,	8391,	8404,	10229,	10240,
6418,	6420,	8431,	8444,	10251,	10262,
6425,	6456,	8527,	8538,	10272,	10283,
6457,	6530,	8549,	8574,	10294,	10305,
6579,	6598,	8587,	8600,	10320,	10335,
6620,	6672,	8634,	8648,	10350,	10368,
6673,	6702,	8764,	8776,	10382,	10386,
6769,	6770,	8808,	8850,	10400,	10408,
6801,	6848,	8851,	8880,	10411,	10412,
6863,	6895,	8911,	8941,	10415,	10417,
6939,	6946,	8946,	8952,	10420,	10438,
6962,	6978,	8984,	9054,	10439,	10470,
6994,	7007,	9065,	9113,	10488,	10490,
7020,	7047,	9202,	9289,	10491,	10498,
7048,	7049,	9293,	9295,	10503,	10545,
7060,	7105,	9297,	9299,	10575,	10590,
7164,	7174,	9301,	9303,	10591,	10594,
7184,	7210,	9304,	9306,	10596,	10873,
7222,	7235,	9310,	9319,	10885,	10889,
7262,	7275,	9321,	9328,	10890,	10891,
7311,	7320,	9329,	9346,	10898,	10926,
7329,	7354,	9349,	9355,	10936,	10944,
7365,	7377,	9358,	9366,	10947,	10952,
7403,	7415,	9367,	9368,	11018,	11019,
7451,	7461,	9370,	9386,	11040,	11042,
7471,	7497,	9401,	9428,	11092,	11094,
7509,	7522,	9441,	9454,	11142,	11153,
7549,	7562,	9467,	9473,	11164,	11182,
7598,	7608,	9479,	9486,	11264,	11343,
7618,	7644,	9499,	9503,	11351,	11384,
7656,	7669,	9507,	9513,	11396,	11408,
7696,	7709,	9518,	9522,	11422,	11454,
7745,	7755,	9534,	9548,	11468,	11500,
7765,	7791,	9550,	9552,	11528,	11532,
7803,	7816,	9554,	9562,	11536,	11540,
7843,	7856,	9667,	9677,	11544,	11634,
7892,	7902,	9707,	9727,	11648,	11650,
7912,	7938,	9756,	9760,	11657,	11663,
7950,	7963,	9766,	9768,	11730,	11734,
7990,	8003,	9784,	9795,	11738,	11740,
8039,	8049,	9796,	9798,	11756,	11770,
8059,	8085,	9811,	9812,	11771,	11773,
8097,	8110,	9814,	9830,	11780,	11899,
8137,	8150,	9832,	9835,	11900,	11902,
8186,	8196,	9837,	9838,	11903,	11909,
8206,	8232,	9853,	9860,	11910,	11911,

11920,	11929,	14740,	14744,	16169,	16173,
11937,	11945,	14767,	14772,	16177,	16190,
11946,	11947,	14776,	14786,	16196,	16210,
11948,	11949,	14802,	14832,	16213,	16217,
11950,	11955,	14857,	14891,	16221,	16234,
11956,	11959,	14913,	14919,	16240,	16280,
11961,	11962,	14922,	14924,	16284,	16285,
11963,	11964,	14927,	14950,	16286,	16287,
11966,	11967,	15514,	15535,	16294,	16355,
11973,	11980,	15537,	15564,	16367,	16368,
11981,	11982,	15607,	15610,	16370,	16484,
11983,	11984,	15616,	15620,	16486,	16490,
11988,	11989,	15639,	15645,	16492,	16516, 16518
12090,	12091,	15648,	15670,	\defaultcolor	
12214,	12237,	15679,	15685, 5425, 15645	
12238,	12246,	15691,	15713,	\DefaultFindent . 10476	
12285,	12286,	15719,	15728,	\DefaultLhang ... 10472	
12288,	12293,	15732,	15736,	\DefaultLoversize 10473	
12295,	12300,	15737,	15738,	\DefaultLraise .. 10474	
12302,	12330,	15741,	15746,	\DefaultNindent . 10477	
12376,	12377,	15752,	15753,	\DefaultOptionsFile	
12385,	12426,	15754,	15763,	10480, 10483, 10486	
12427,	12429,	15772,	15780,	\DefaultSlope ... 10478	
12434,	12436,	15788,	15789,	\deffootnote . 13162,	
12441,	12443,	15790,	15791,	13187, 13630,	
12473,	12495,	15792,	15793,	13655, 14137,	
12607,	12639,	15798,	15799,	14157, 14264, 14289	
12641,	12682,	15802,	15804,	\definecolor	
12684,	12719,	15805,	15806,	... 1618, 1619,	
12808,	12870,	15807,	15809,	1620, 1621,	
12871,	12902,	15811,	15813,	1622, 2094,	
12975,	12987,	15814,	15820,	2101, 5995,	
13012,	13016,	15822,	15827,	6000, 6003,	
13059,	13106,	15829,	15831,	6004, 6005,	
13109,	13116,	15832,	15833,	6007, 6008,	
13119,	13127,	15834,	15835,	6011, 6012,	
13134,	13137,	15845,	15882,	6014, 6015,	
13163,	13165,	15944,	16000,	6018, 6019,	
13185,	13433,	16010,	16013,	6021, 6022,	
13434,	13485,	16016,	16021,	6025, 6026,	
13492,	13631,	16022,	16023,	6028, 6029,	
13633,	13653,	16024,	16025,	6032, 6033,	
13926,	14009,	16027,	16030,	6098, 6099,	
14016,	14138,	16041,	16046,	6104, 6105,	
14155,	14159,	16050,	16070,	6110, 6111,	
14162,	14168,	16073,	16083,	6116, 6117,	
14240,	14265,	16084,	16085,	6122, 6123, 6523	
14267,	14287,	16086,	16087,	\delimiter 9531	
14533,	14600,	16104,	16121,	\DEPTH 14835, 14842	
14607,	14735,	16152,	16166,		

<code>\depthof</code>	6398, 6403, 6412, 6413, 6417, 6422	6273, 6279, 6280, 6281, 6322, 6325, 6331, 6332, 6333	<code>\DFNcolumnsep</code>	6255, 6268, 6312
<code>\descriptionlabel</code>	4090		<code>\DFNcolumnwidth</code> . . .	6189, 6194, 6215, 6254, 6256, 6259, 6269, 6311, 6313
<code>\detokenize</code>	2335, 2337, 2556, 2558, 2559, 2586, 2601, 2618, 2621, 2629, 2631, 2699, 2700	<code>\dfn@fnmaxdp</code> . .	<code>\dimen</code>	5368, 5369, 5372, 5373, 7088, 7128, 7145, 7146, 7147, 7154, 7257, 7301, 7398, 7441, 7544, 7588, 7691, 7735, 7838, 7882, 7985, 8029, 8132, 8176, 8279, 8323, 8426, 8512, 8522, 8523, 8524, 8525, 8624, 8627, 8628, 8629, 8630, 11441, 11447, 11448, 11456, 11457, 11462, 11463, 11476, 11477, 11484, 11485, 16289, 16292
<code>\dfn@afteroutput</code> . .	6283, 6286, 6335, 6338	<code>\dfn@footnoterule</code> .	<code>\dimen@</code> .	1988, 1989, 1990, 5421, 5422, 8696, 8698, 9570, 9571, 9572, 9582, 9583, 9584, 9587, 9588, 9589, 9595, 9605, 9607, 9616, 9618, 9625, 9626, 9627, 9628, 15578, 15579, 15580, 15581, 15582, 15583, 15642, 15643
<code>\dfn@boxa</code>	6192, 6197, 6200, 6204, 6205, 6206, 6213, 6218, 6221, 6225, 6226, 6227, 6240, 6247, 6250, 6252, 6259, 6267, 6297, 6304, 6307, 6309, 6313, 6321	<code>\dfn@ins</code>	<code>\dimen@ii</code>	9620, 9621, 9622,
<code>\dfn@boxb</code>	6206, 6227, 6244, 6245, 6252, 6257, 6301, 6302, 6309, 6312	6201, 6202, 6203, 6205, 6222, 6223, 6224, 6226, 6240, 6241, 6297, 6298		
<code>\dfn@countins</code>	6236, 6293	<code>\dfn@latex@footnotetext</code>		
<code>\dfn@dima</code>	6197, 6198, 6199, 6210, 6218, 6219, 6220, 6231, 6235, 6252, 6272, 6292, 6309, 6324	6190		
<code>\dfn@dimb</code>	6272, 6273, 6275, 6276, 6278, 6324, 6325, 6327, 6328, 6330	<code>\dfn@latex@LTRfootnotetext</code>		
<code>\dfn@elt@adjust</code> . . .	6272, 6324	6196, 6211		
<code>\dfn@elt@getht</code>	6237, 6294	<code>\dfn@latex@makecol</code> .		
<code>\dfn@fnht</code>	6208, 6229, 6270,	6289, 6341		
		<code>\dfn@latex@RTLfootnotetext</code>		
		6217, 6232		
		<code>\dfn@list</code>		
		6210, 6231, 6238, 6271, 6273, 6276, 6282, 6295, 6323, 6325, 6328, 6334		
		<code>\dfn@LTRfootnotetext</code>		
		6192, 6212		
		<code>\dfn@LTRmakecol</code> . . .		
		6291, 6343, 6345		
		<code>\dfn@makecol</code>		
		6343, 6344, 6345		
		<code>\dfn@makefnmark</code> . . .		
		6195, 6216		
		<code>\dfn@RTLfootnotetext</code>		
		6213, 6233		
		<code>\dfn@RTLMakecol</code> . . .		
		6234, 6343, 6344		
		<code>\dfn@split</code> . . .		
		6206, 6227, 6240, 6252, 6297, 6309		
		<code>\DFNalwaysdouble</code> .		
		6346		

9628,	9630,	6544,	6547,	2630,	2636,
9633,	9634,	7093,	8475,	2639,	2692,
\dimexpr	10989, 10998,	8696,	8704,	2698,	2701,
11344,	13190,	8925,	8938,	3566,	3671,
13199,	13658,	9375,	9391,	3682,	4546,
13667,	14292,	9406,	9772,	4549,	4552,
14301,	15967,	9773,	9776,	6447,	6450,
15969,	15970,	9818,	9819,	9055,	9061,
15971,	15976,	9822,	10909,	9151,	9153,
15978,	15979,	10997,	11000,	9154,	9155,
15980,	15985,	11441,	11456,	9240,	9261,
15987,	15988,	11457,	11462,	9602,	10352,
15989,	15994,	11463,	11476,	10548,	10552,
15996, 15997, 15998		11477,	11484,	10945,	10948,
\display@setup	11485,	11794,	11646,	11725,
.....	5287, 5312	11795,	11796,	11744,	11747,
\displayindent	... 5328	13025,	13067,	13021,	13064,
\displaystyle	9028, 9044	13070,	13124,	13470,	13994,
\displaywidth	13131,	13580,	14139,	14585,
... 5328, 6394,		13583,	14104,	14751,	14777,
6396,	6401,	14107,	14695,	14791,	14809,
9047, 10444, 16443		14698,	14748,	15252,	15329,
\divide 7146,	14784,	14796,	15433,	15546,
8524,	8629,	14835,	14837,	15654,	15659,
8926,	8927,	15634,	15643,	15668,	15683,
11814, 11815, 14782		15644,	16055,	15687,	15697,
\do	246, 247, 248, 249,	16261, 16268, 16339		15702,	15711,
250, 251, 1885,		\dquad 5320, 5322	15717,	15730,
3597,	3602,	\dseries@display@setup		15734, 15953, 16058	
3625,	3634,	5312	\egroup	... 302, 326,
5591, 8914, 10547				562, 1125, 1294,	
\do@hvFloat 9900	E		1295,	1412,
\document	.. 2714, 2728	\edef	. 119, 279, 1311,	1809,	1810,
\doubleitemmaincolumnwidth		1365,	1373,	1936,	4456,
... 2143, 2156,		1433,	1457,	4667,	5331,
2157,	2158,	1509,	1533,	5404,	7117,
2159, 2183, 2185		1771,	1786,	9033,	9034,
\doublerulesepcolor		1815,	1818,	9048,	9497,
.....	1396	1821,	2260,	9642,	9646,
\dp 39, 52, 67,	2263,	2333,	11352,	11782,
173, 186, 200,		2336,	2439,	11913,	11918,
309, 1389, 5422,		2440,	2443,	11922,	11927,
5423,	5826,	2444,	2461,	11931,	11935,
6197,	6218,	2462,	2465,	11939,	11943,
6245,	6264,	2466,	2555,	12128,	12580,
6266,	6302,	2560,	2570,	14740,	14741,
6318,	6320,	2585,	2588,	14767,	14774,
6397,	6402,	2601,	2605,	15433,	15756,
6415,	6421,	2610,	2617,	15761,	15765,
6535,	6540,	2620,	2627,	15770,	15774,

	15778, 15782,	1200,	1224,	4617,	4618,
	15786, 16046, 16047	1228,	1230,	4633,	4638,
\eightcolumnfootnotes		1241,	1244,	4642,	4684,
..... 8024		1281,	1286,	4695,	4699,
\eightcolumnfootstyle		1287,	1300,	4702,	4705,
..... 8119		1305,	1306,	4706,	4711,
\eject	5836,	1307,	1309,	4722,	4731,
9573, 9642, 9662		1310,	1313,	4745,	4748,
\else	4, 12, 13,	1314,	1315,	4749,	4753,
25, 36, 84, 100,		1317,	1318,	4765,	4823,
112, 130, 138,		1319,	1320,	4832,	4840,
139, 155, 170,		1321,	1322,	4863,	4874,
218, 232, 236,		1323,	1326,	4878,	4881,
263, 268, 273,		1327,	1328,	4884,	4885,
274, 275, 277,		1348,	1349,	4890,	4901,
278, 281, 282,		1350,	1351,	4910,	4924,
283, 285, 286,		1352,	1353,	4927,	4928,
287, 288, 289,		1355,	1356,	4932,	4958,
292, 293, 294,		1357,	1358,	5002,	5011,
318, 370, 381,		1359,	1481,	5019,	5041,
384, 433, 450,		1483,	1492,	5052,	5054,
453, 454, 476,		1543,	1545,	5075,	5086,
479, 494, 514,		1554,	1755,	5127,	5138,
525, 530, 541,		1761,	1767,	5141,	5190,
545, 553, 557,		1782,	1866,	5205,	5208,
558, 562, 566,		1874,	1879,	5209,	5238,
569, 570, 575,		1889,	1944,	5252,	5261,
586, 597, 611,		1970,	1980,	5268,	5290,
614, 615, 618,		1985,	2000,	5320,	5325,
628, 677, 686,		2002,	2197,	5327,	5344,
694, 718, 722,		2198,	2199,	5345,	5346,
724, 735, 738,		2201,	2237,	5347,	5368,
781, 792, 795,		2262,	2265,	5372,	5419,
798, 799, 805,		2294,	2302,	5424,	5462,
815, 818, 819,		2306,	2312,	5463,	5469,
822, 832, 843,		2320,	2324,	5487,	5510,
854, 862, 866,		2346,	2353,	5533,	5556,
875, 896, 931,		2390,	2594,	5581,	5582,
940, 948, 972,		2922,	2928,	5584,	5596,
976, 978, 989,		3117,	3120,	5601,	5603,
992, 1035, 1046,		3123,	3126,	5605,	5613,
1050, 1053,		3156,	3384,	5624,	5636,
1056, 1057,		3390,	3422,	5649,	5663,
1062, 1073,		3428,	3434,	5679,	5696,
1084, 1099,		3472,	3478,	5704,	5727,
1102, 1103,		3617,	3997,	5745,	5772,
1106, 1116,		3998,	4286,	5776,	5791,
1120, 1121,		4371,	4471,	5798,	5817,
1125, 1148,		4492,	4517,	5827,	5839,
1183, 1192,		4529,	4597,	5848,	5862,

5874,	5909,	8377,	8485,	9963,	9964,
5937,	5941,	8496,	8534,	9967,	9972,
5956,	5965,	8581,	8693,	9978,	9980,
6057,	6139,	8714,	8723,	9981,	9982,
6153,	6198,	8740,	8755,	9985,	9995,
6202,	6204,	8758,	8759,	9997,	10010,
6219,	6223,	8766,	8778,	10016,	10019,
6225,	6234,	8797,	8846,	10023,	10029,
6239,	6248,	8857,	8860,	10032,	10035,
6259,	6263,	8919,	8941,	10041,	10046,
6271,	6291,	8943,	8944,	10049,	10053,
6296,	6305,	8945,	8946,	10055,	10058,
6313,	6317,	8948,	8949,	10062,	10064,
6323,	6343,	8950,	8965,	10066,	10070,
6352,	6359,	8970,	8997,	10075,	10079,
6376,	6400,	9002,	9023,	10086,	10091,
6405,	6419,	9036,	9053,	10095,	10102,
6436,	6476,	9080,	9084,	10107,	10111,
6477,	6482,	9105,	9196,	10115,	10117,
6483,	6484,	9200,	9226,	10120,	10124,
6491,	6492,	9250,	9332,	10126,	10128,
6497,	6498,	9335,	9371,	10132,	10136,
6499,	6512,	9419,	9455,	10140,	10146,
6513,	6514,	9456,	9471,	10149,	10153,
6515,	6542,	9489,	9533,	10159,	10162,
6558,	6561,	9551,	9553,	10165,	10171,
6562,	6572,	9569,	9574,	10186,	10196,
6583,	6586,	9594,	9623,	10205,	10216,
6599,	6609,	9629,	9645,	10236,	10247,
6668,	6679,	9652,	9657,	10258,	10276,
6682,	6765,	9670,	9700,	10287,	10298,
6776,	6779,	9712,	9732,	10309,	10324,
6827,	6850,	9760,	9762,	10339,	10409,
6865,	6874,	9765,	9766,	10448,	10449,
6881,	6901,	9774,	9780,	10451,	10456,
6902,	6904,	9783,	9786,	10479,	10481,
6909,	6915,	9793,	9800,	10494,	10510,
6917,	6921,	9802,	9808,	10519,	10545,
6945,	6992,	9812,	9815,	10548,	10552,
7066,	7069,	9820,	9826,	10569,	10585,
7081,	7098,	9829,	9842,	10603,	10675,
7108,	7163,	9845,	9848,	10678,	10681,
7208,	7310,	9854,	9861,	10684,	10687,
7352,	7450,	9871,	9884,	10690,	10693,
7495,	7597,	9893,	9913,	10696,	10700,
7642,	7744,	9916,	9922,	10703,	10706,
7788,	7891,	9923,	9926,	10709,	10712,
7935,	8038,	9933,	9935,	10715,	10718,
8083,	8185,	9941,	9952,	10721,	10724,
8230,	8332,	9960,	9962,	10727,	10730,

10733,	10736,	11673,	11697,	12768,	12794,
10739,	10742,	11717,	11746,	12815,	12826,
10745,	10748,	11770,	11771,	12866,	12877,
10751,	10754,	11777,	11811,	12880,	12929,
10757,	10760,	11837,	11875,	12944,	12947,
10763,	10766,	11876,	11877,	12948,	12977,
10769,	10772,	11903,	11955,	12989,	12998,
10775,	10778,	11956,	11959,	13029,	13074,
10781,	10784,	11963,	11964,	13108,	13110,
10787,	10790,	11980,	11981,	13114,	13118,
10793,	10796,	11988,	11989,	13120,	13125,
10799,	10802,	11993,	11995,	13129,	13132,
10805,	10808,	12001,	12012,	13136,	13138,
10811,	10814,	12014,	12025,	13142,	13169,
10817,	10820,	12027,	12038,	13170,	13178,
10823,	10826,	12040,	12049,	13191,	13200,
10829,	10832,	12051,	12068,	13220,	13225,
10835,	10838,	12090,	12091,	13232,	13238,
10841,	10844,	12096,	12107,	13262,	13269,
10847,	10850,	12111,	12119,	13273,	13287,
10853,	10856,	12123,	12124,	13290,	13333,
10859,	10862,	12128,	12132,	13337,	13345,
10865,	10868,	12135,	12136,	13351,	13363,
10876,	10877,	12141,	12152,	13377,	13382,
10878,	10879,	12161,	12175,	13385,	13386,
10902,	10931,	12178,	12179,	13393,	13397,
11007,	11046,	12183,	12203,	13412,	13418,
11049,	11060,	12249,	12258,	13422,	13433,
11061,	11062,	12266,	12290,	13434,	13447,
11063,	11064,	12294,	12296,	13449,	13461,
11065,	11094,	12307,	12310,	13475,	13491,
11110,	11116,	12353,	12364,	13501,	13510,
11122,	11147,	12388,	12397,	13517,	13520,
11157,	11179,	12405,	12431,	13521,	13522,
11197,	11210,	12435,	12437,	13524,	13549,
11223,	11227,	12448,	12451,	13561,	13566,
11279,	11292,	12492,	12497,	13571,	13588,
11305,	11309,	12498,	12506,	13602,	13608,
11362,	11370,	12509,	12510,	13637,	13638,
11376,	11385,	12515,	12526,	13646,	13659,
11387,	11391,	12535,	12549,	13668,	13688,
11392,	11397,	12552,	12553,	13693,	13700,
11399,	11404,	12557,	12563,	13706,	13730,
11409,	11411,	12571,	12575,	13737,	13741,
11416,	11426,	12576,	12580,	13755,	13758,
11439,	11499,	12596,	12627,	13801,	13805,
11515,	11519,	12678,	12694,	13813,	13819,
11523,	11619,	12697,	12743,	13831,	13845,
11623,	11656,	12758,	12761,	13850,	13853,
11662,	11670,	12762,	12767,	13854,	13861,

13872,	13877,	14625,	14632,	15209,	15217,
13880,	13881,	14635,	14636,	15227,	15228,
13888,	13902,	14637,	14639,	15229,	15237,
13908,	13912,	14664,	14676,	15247,	15262,
13920,	13926,	14681,	14686,	15263,	15264,
13931,	13947,	14703,	14717,	15272,	15294,
13955,	13963,	14723,	14729,	15312,	15313,
13971,	13972,	14732,	14773,	15314,	15319,
13985,	13999,	14781,	14794,	15333,	15337,
14015,	14025,	14803,	14804,	15360,	15375,
14034,	14041,	14805,	14807,	15385,	15389,
14044,	14045,	14808,	14811,	15399,	15400,
14046,	14048,	14812,	14813,	15401,	15402,
14073,	14085,	14814,	14815,	15407,	15409,
14090,	14095,	14816,	14817,	15410,	15418,
14112,	14126,	14819,	14820,	15424,	15441,
14132,	14143,	14821,	14822,	15451,	15457,
14144,	14150,	14823,	14826,	15463,	15466,
14169,	14170,	14827,	14828,	15477,	15515,
14171,	14172,	14871,	14888,	15517,	15522,
14173,	14174,	14895,	14897,	15531,	15536,
14175,	14176,	14902,	14907,	15538,	15545,
14180,	14183,	14908,	14911,	15552,	15568,
14186,	14189,	14916,	14920,	15575,	15576,
14192,	14195,	14921,	14936,	15578,	15586,
14198,	14201,	14959,	14963,	15594,	15596,
14204,	14207,	14973,	14979,	15597,	15608,
14210,	14213,	14985,	14990,	15612,	15617,
14216,	14219,	14996,	15006,	15626,	15632,
14222,	14225,	15018,	15026,	15640,	15644,
14228,	14231,	15031,	15032,	15653,	15672,
14236,	14237,	15033,	15041,	15677,	15696,
14243,	14271,	15048,	15062,	15721,	15726,
14272,	14280,	15063,	15064,	15746,	15788,
14293,	14302,	15072,	15081,	15793,	15798,
14322,	14327,	15085,	15086,	15799,	15802,
14334,	14340,	15087,	15095,	15806,	15807,
14364,	14371,	15102,	15103,	15838,	15857,
14375,	14389,	15104,	15112,	15860,	15865,
14392,	14435,	15119,	15120,	15868,	15871,
14439,	14447,	15121,	15129,	15874,	15877,
14453,	14465,	15136,	15137,	15885,	15895,
14479,	14484,	15138,	15146,	15900,	15906,
14487,	14488,	15153,	15154,	15921,	15939,
14495,	14509,	15155,	15163,	15948,	15951,
14515,	14519,	15170,	15171,	15956,	15957,
14527,	14533,	15172,	15180,	15958,	15968,
14562,	14563,	15188,	15189,	15969,	15971,
14576,	14590,	15190,	15198,	15977,	15978,
14606,	14616,	15207,	15208,	15980,	15986,

15987,	15989,	2185,	2187,	12345,	12400,
15995,	15996,	2189,	2193,	12408,	12411,
15998,	16006,	2201,	2204,	12488,	12491,
16007,	16008,	2253,	2769,	12496,	12497,
16009,	16012,	2775,	2795,	12498,	12657,
16015,	16018,	2801,	2962,	12660,	12663,
16021,	16022,	2963,	2968,	12735,	12845,
16023,	16024,	2971,	3042,	12848,	12851,
16026,	16028,	3043,	3050,	12916,	12919,
16029,	16033,	3051,	3058,	13017,	13060,
16035,	16051,	3059,	3079,	13228,	13243,
16073,	16074,	3080,	3118,	13250,	13256,
16075,	16076,	3121,	3124,	13260,	13268,
16077,	16078,	3127,	3134,	13340,	13357,
16079,	16080,	3135,	3318,	13367,	13457,
16083,	16084,	3319,	3881,	13696,	13711,
16088,	16090,	3937,	3944,	13718,	13724,
16095,	16107,	3951,	3958,	13728,	13736,
16125,	16149,	3965,	3976,	13808,	13825,
16156,	16162,	3984,	4111,	13835,	13981,
16200,	16206,	4112,	4248,	14330,	14345,
16244,	16246,	4291,	4313,	14352,	14358,
16256,	16272,	4639,	4835,	14362,	14370,
16274,	16277,	4843,	4846,	14442,	14459,
16281,	16290,	5014,	5022,	14469, 14572, 14934	
16313,	16318,	5025,	5054,	\end@dblfloat ... 13104	
16336,	16346,	5066,	5106,	\end@float	
16360,	16367,	5109,	5112,	. 2988, 3311, 13055	
16368,	16443,	5177,	5180,	\end@rot@dblfloat 13059	
16445,	16446,	5486,	5496,	\end@rotfloat	
16476, 16484, 16490		5509,	5519,	13016, 13057, 13058	
\em 4090		5532,	5542,	\endarray	
\email 249, 2133		5555,	5565,	302, 326, 1294,	
\emailink		6051,	6160,	1295, 14767, 14772	
.. 2215, 6072, 6170		6172,	6180,	\endBCmd 1706	
\emailsymbol		6444,	6518,	\endcsname .. 8, 43,	
.. 2093, 6072, 6170		6649,	6652,	56, 71, 134, 177,	
\empty 9913		6655,	6714,	190, 204, 260,	
\end 349, 352,		6717,	6744,	261, 303, 1296,	
355, 420, 423,		6747,	6750,	1772, 1773,	
689, 697, 700,		6815,	6818,	1787, 1788,	
770, 773, 943,		6906,	8827,	1815, 1818,	
951, 954, 1024,		8830,	8833,	1821, 1837,	
1027, 1195,		8892,	8895,	1845, 1853,	
1203, 1206,		9035,	9970,	1908, 1966,	
1277, 1280,		9988,	10090,	2284, 2288,	
1285, 1286,		10106,	10197,	2292, 2298,	
1287, 1704,		10453,	11180,	2299, 2341,	
1715, 1716,		12261,	12269,	2351, 2357,	
2181, 2183,		12272,	12342,	2358, 2360,	

2361,	2363,	7749,	7759,	10841,	11166,
2364,	2366,	7769,	7795,	11167,	11174,
2402,	2403,	7808,	7820,	11642,	11652,
2425,	2426,	7838,	7839,	11666,	13152,
2481,	2482,	7847,	7860,	13156,	13160,
2483,	2484,	7896,	7906,	13620,	13624,
2490,	2491,	7916,	7942,	13628,	14254,
2492,	2493,	7955,	7967,	14258,	14262,
2576,	2577,	7985,	7986,	14743,	14770,
2580,	2581,	7994,	8007,	14772,	14989,
2756,	2758,	8043,	8053,	15252,	15253,
2770,	2772,	8063,	8089,	15269,	15270,
2847,	3139,	8102,	8114,	15271,	15278,
3140,	3147,	8132,	8133,	15280,	15281,
3148,	3546,	8141,	8154,	15344,	15345,
3697,	3714,	8190,	8200,	15347,	15349,
3731,	3762,	8210,	8236,	15354,	15356,
3789,	3816,	8249,	8261,	15358,	15362,
4050,	4511,	8279,	8280,	15365,	15366,
4546,	4549,	8288,	8301,	15369,	15370,
4552,	4566,	8337,	8347,	15379,	15381,
4573,	4580,	8357,	8383,	15383,	15387,
4588,	4589,	8396,	8408,	15391,	15392,
4627,	4652,	8426,	8427,	15445,	15447,
4653,	5432,	8435,	8448,	15449,	15453,
5438,	5446,	8531,	8542,	15473,	15474,
5453,	5970,	8553,	8578,	15482,	15486,
6952,	6968,	8591,	8604,	15490,	15494,
6984,	6997,	8624,	8625,	15498,	15502,
7010,	7023,	8638,	8652,	15506,	15510,
7168,	7178,	8914,	9055,	15548,	15549,
7188,	7214,	9057,	9061,	15551,	15554,
7227,	7239,	9063,	9152,	15555,	15559,
7257,	7258,	9153,	9154,	15844,	15961, 16049
7266,	7279,	9155,	9157,	\enddocument 2740	
7315,	7324,	9159,	9160,	\endflushleft 1726, 1734	
7333,	7358,	9161,	9162,	\endgraf	
7370,	7381,	9164,	9165,	. 1975, 1979, 10934	
7398,	7399,	9166,	9223,	\endgroup . . 17, 123,	
7407,	7419,	9247,	9265,	143, 237, 244,	
7455,	7465,	9351,	9360,	300, 316, 390,	
7475,	7501,	9378,	9394,	442, 456, 595,	
7514,	7526,	9409,	9436,	617, 744, 821,	
7544,	7545,	9449,	9462,	841, 998, 1082,	
7553,	7566,	9509,	9524,	1105, 1250,	
7602,	7612,	10204,	10207,	1419, 1600,	
7622,	7648,	10209,	10213,	1839, 1847,	
7661,	7673,	10217,	10231,	1855, 1976,	
7691,	7692,	10242,	10253,	2270, 2350,	
7700,	7713,	10492,	10495,	2369, 2506,	

2525,	2570,	13982,	14121,	\endlongtable 1954
2592,	2602,	14398,	14493,	\endLTR 11771,
2619,	2669,	14497,	14525,	11946, 11989, 15789
2715,	3149,	14529,	14573,	\endMakeFramed . . . 9559
3574,	3576,	14712,	14876,	\endmath 5317
3764,	3791,	15054,	15327,	\endmdf@lrbox . . . 10992
3818,	4187,	15455,	15636,	\endminipage 7105, 9486
4204,	4220,	15669,	15712,	\endmodernpoem . . . 4653
4231,	4271,	15731,	16119,	\endpgfpicture
4525,	4568,	16146, 16295, 16303	 11769, 11771
4575,	4582,	\endL . . . 1423, 2226,		\endpspicture
4640,	4729,	5415,	5424, 11987, 11989
4752,	4908,	5425,	5434,	\endR 29, 164,
4931,	5147,	5440,	5459,	263, 268, 302,
5197,	5212,	8534,	8545,	326, 467, 654,
5411,	5643,	8581,	8594,	891, 1139, 1294,
5686,	6368,	8933,	8941,	1295, 1412,
6386,	6564,	8943,	8944,	1809, 1810,
6577,	6688,	8945,	8946,	2000, 2003,
6785,	6834,	8948,	8949,	4791, 4947,
8747,	8762,	8950,	9034,	5223, 5325,
8866,	8982,	9048,	9195,	5404, 5420,
9018,	9102,	9765,	9783,	5425, 5427,
9121,	9353,	9793,	9808,	5459, 6349,
9362,	9511,	9829,	10210,	6632, 6932,
9526,	9545,	10214,	10218,	7138, 7142,
9586,	9617,	10220,	10363,	8534, 8556,
9725,	9749,	10409,	10411,	8581, 8607,
9794,	9809,	10418,	10421,	8793, 8941,
10195,	10233,	10429,	10581,	8943, 8944,
10244,	10255,	11771,	11909,	8945, 8946,
10266,	10430,	11926,	11989,	8948, 8949,
10432,	10497,	13114,	13125,	8950, 9053,
10920,	11057,	13132,	13142,	9292, 9762,
11175,	11256,	14847,	15644,	9815, 9854,
11335,	11531,	15645,	15684,	9861, 10210,
11535,	11539,	15688,	15741,	10218, 10409,
11764,	12159,	15752,	15769,	10418, 10421,
12182,	12316,	16277, 16336, 16346		10429, 10444,
12457,	12533,	\endlist . . . 92, 226,		10468, 10581,
12556,	12703,	510, 641, 875,		10928, 11144,
12750,	12765,	909, 1161, 4075,		11146, 11543,
12886,	12936,	4083, 4088,		11778, 11910,
12951,	13296,	4778, 4971,		11917, 11982,
13391,	13400,	5284, 6622,		11983, 11984,
13427,	13458,	6897, 8810,		12198, 12622,
13597,	13764,	11637, 12216,		12779, 12962,
13859,	13863,	12609, 12810,		13110, 13120,
13886,	13890,	13014, 13499,		13129, 13138,
13918,	13922,	14023, 14614, 14952		13203, 13519,

13595,	13671,	6439,	6442,	1568,	1569,
14043,	14119,	6444,	6446,	1570,	1571, 1573
14167,	14305,	6447,	6449,	\evensidemargin . . .	
14634,	14710,	6452,	6454,	. 1585, 6377, 16314	
14740,	14741,	6456,	6457,	\everycr 10924	
14767,	14774,	6459,	6460,	\everydisplay 5287	
14846,	15641,	6462,	6465,	\everyhbox . . 11912,	
15645,	15647,	6466,	6467,	11914, 11921,	
15741,	15753,	6470,	6473,	11923, 15755,	
15760,	16011,	6481,	6488,	15757, 15764, 15766	
16014,	16017,	6496,	6503,	\everyjob 1457,	
16034,	16046,	6505,	6508,	1458, 1533, 1534	
16047,	16277,	6512,	6513,	\everymath 266	
16290,	16292,	6514,	6515,	\everypar . 440, 593,	
16336,	16346,	6527, 6529, 6530		839, 1080, 3422,	
16359,	16362,	\eq@addpunct 5322		3466, 3510,	
16370, 16443, 16446		\EQ@box 5327, 5333		4728, 4907,	
\endrotate 13119		\eq@group . . 5290, 5299		5196, 6833,	
\endRTL . . . 11948, 15791		\eq@GRP@first@dmath		8746, 8940,	
\ends@math 5317	 5299		11904, 11908,	
\endsideways 13137		\eq@if . 2279, 2280, 2282		12065, 12079,	
\endsidewaysfigure .		\eq@isIntertext . . 5337		12158, 12532,	
. 13057		\eq@prelim . 5290, 5307		12749, 12935,	
\endsidewaystable 13058		\eq@setnumber 5293		13396, 15047,	
\endstabular		\eq@setup@a 5295		15051, 15747,	
. . . . 14740, 14743		\eq@startup 5296		15751, 15906,	
\endstrip 11351		\eq@wdCond 5314		15923, 16194, 16238	
\endtabular . . . 302,		\eqnewif 1465, 1466,		\everyvbox . . . 1298,	
303, 1295, 1296,		1468, 1476, 2275		1299, 11930,	
1809, 14767,		\eqno . . . 254, 11978,		11932, 11938,	
14770, 16046, 16049		11980, 16365, 16367		11940, 15773,	
\endtitlepage . 552,		\eqnumform 5325		15775, 15781, 15783	
861, 1115, 4761,		\eqstyle 5292		\ExecuteOptions 2042,	
4954, 12118, 12570		\equal 2191,		2831, 4158,	
\endtraditionalpoem		2208, 2212,		4160, 5992, 6090	
. 4589		2216, 2976,		\exhyphenpenalty . .	
\endtrivlist 9049		3010, 3021,		544, 853, 1049,	
\endturn 13109		3047, 3048,		4698, 4877,	
\endwindow 11780		3064, 3105,		12110, 12562, 12626	
\enskip . . . 15440, 15465		3363, 3603,		\expandafter 279, 303,	
\enspace		3604, 3635,		676, 685, 693,	
. 235, 11774, 11776		3636, 6159, 9143		719, 722, 930,	
\EQ 6391, 6397, 6398,		\errmessage		939, 947, 973,	
6402, 6403,		. 1493, 1555, 11439		976, 1182, 1191,	
6412, 6413,		\escapechar . . . 2259,		1199, 1225,	
6415, 6417,		2276, 2281, 2369		1228, 1296,	
6418, 6420,		\ESO@isMEMOIR 6354		1311, 1393,	
6421, 6422,		\evenpage 1561, 1564,		1394, 1395,	
6423, 6425,		1565, 1566,		1397, 1754,	
6426, 6427,				1756, 1760,	

\fancyhf	2075,	9536,	9548,	1056,	1057,
	3177,		9550,	1062,	1065,
	3186,		9554,	1073,	1081,
	3196, 4347, 4358		15641,	1083,	1090,
\fancyhfoffset		15642, 15643, 15739		1091,	1099,
 3170, 3171	\fcolorbox	1656	1102,	1103,
\fancypagestyle		\feetabovelfloat	8731, 8732	1108,	1121,
	. . . 2072, 2225,	\ff@backcol	9155	1124,	1125,
	3185, 3195, 6061	\ff@col	9153	1126,	1148,
\FAX	2092	\ff@frametype	9151, 9162	1175,	1185,
\fax	2132	\ff@txtcol		1194,	1202,
\faxesymbol 9143, 9144, 9154		1226,	1228,
	. . 2092, 6071, 6169	\fi 12, 13, 18, 25,		1243,	1248,
\fb@adjheight		36, 84, 94, 100,		1286,	1287,
	. . 9573, 9643, 9663	103, 104, 105,		1289,	1292,
\fb@afterframe		113, 138, 139,		1294,	1295,
	. . 9568, 9593, 9651	144, 149, 155,		1300,	1314,
\FB@captype		158, 159, 160,		1315,	1329,
	. . 9060, 9061, 9063	170, 218, 232,		1330,	1344,
\fb@frh	9580, 9584,	236, 255, 263,		1352,	1353,
	9599, 9634, 9637	268, 282, 283,		1359,	1360,
\fb@put@frame	9562,	295, 296, 297,		1364,	1369,
	9573, 9644, 9664	299, 302, 318,		1372,	1377,
\fb@putboxa	9567,	324, 326, 383,		1380,	1388,
	9592, 9650, 9667	388, 426, 433,		1389,	1398,
\fb@resto@set		441, 443, 450,		1399,	1411,
	. . 9602, 9642, 9646	453, 454, 457,		1412,	1423,
\fb@sizeofframe		478, 479, 485,		1484,	1485,
 9575, 9597	494, 516, 525,		1492,	1493,
\fbox 1706, 1716, 5458,		532, 541, 545,		1503,	1546,
	6531, 10009,	558, 561, 562,		1547,	1554,
	10015, 10022,	563, 569, 570,		1555,	1757,
	10028, 10034,	575, 578, 586,		1763,	1769,
	10040, 10048,	594, 596, 603,		1784,	1794,
	10052, 10057,	604, 611, 614,		1805,	1809,
	10061, 10065,	615, 620, 628,		1810,	1812,
	10069, 10084,	669, 679, 688,		1869,	1870,
	10085, 10100,	696, 720, 722,		1876,	1891,
	10101, 10110,	737, 742, 776,		1892,	1895,
	10114, 10119,	783, 792, 798,		1898,	1901,
	10123, 10127,	799, 805, 808,		1905,	1906,
	10131, 10139,	815, 818, 819,		1914,	1941,
	10145, 10152,	824, 832, 840,		1947,	1948,
	10158, 10164, 10170	842, 849, 850,		1951,	1968,
\fboxrule 1654, 9536,		854, 874, 875,		1974,	1980,
	9542, 9548,	876, 896, 923,		1995,	1996,
	9550, 9552, 9554	933, 942, 950,		2000,	2001,
\fboxsep	1655,	974, 976, 991,		2003,	2008,
	1722, 1731,	996, 1030, 1037,		2197,	2198,
	5420, 5421,	1046, 1050,		2199,	2201,
	5422, 5458,				

2229,	2237,	4917,	4924,	5793,	5795,
2268,	2269,	4927,	4928,	5796,	5797,
2296,	2305,	4934,	4958,	5830,	5831,
2308,	2314,	4978,	4980,	5847,	5856,
2323,	2326,	4982,	4994,	5861,	5862,
2348,	2355,	5004,	5013,	5906,	5915,
2392,	2427,	5021,	5041,	5918,	5925,
2578,	2596,	5047,	5048,	5939,	5947,
2924,	2930,	5052,	5054,	5953,	5958,
3117,	3120,	5077,	5086,	5960,	5961,
3123,	3126,	5140,	5145,	5962,	5963,
3145,	3156,	5183,	5190,	5977,	6012,
3386,	3395,	5198,	5205,	6019,	6026,
3422,	3430,	5208,	5209,	6033,	6058,
3439,	3474,	5213,	5225,	6107,	6113,
3483,	3619,	5227,	5229,	6119,	6125,
3674,	3676,	5238,	5244,	6139,	6154,
3686,	3997,	5245,	5252,	6200,	6203,
3998,	4115,	5263,	5268,	6204,	6221,
4116,	4117,	5286,	5288,	6224,	6225,
4295,	4373,	5289,	5290,	6250,	6266,
4412,	4413,	5298,	5309,	6267,	6269,
4468,	4469,	5311,	5320,	6278,	6287,
4473,	4480,	5325,	5327,	6288,	6307,
4485,	4494,	5342,	5344,	6320,	6321,
4523,	4534,	5346,	5349,	6330,	6339,
4536,	4539,	5368,	5372,	6340,	6343,
4541,	4595,	5378,	5390,	6349,	6352,
4597,	4601,	5391,	5403,	6363,	6366,
4620,	4622,	5404,	5415,	6378,	6384,
4623,	4624,	5419,	5420,	6404,	6423,
4635,	4637,	5424,	5425,	6424,	6438,
4638,	4647,	5427,	5434,	6479,	6480,
4649,	4686,	5440,	5459,	6486,	6487,
4695,	4699,	5462,	5463,	6488,	6494,
4705,	4706,	5469,	5474,	6495,	6501,
4711,	4714,	5497,	5520,	6502,	6503,
4722,	4730,	5543,	5566,	6504,	6512,
4737,	4738,	5581,	5584,	6513,	6514,
4745,	4748,	5585,	5601,	6515,	6516,
4749,	4755,	5605,	5606,	6517,	6545,
4765,	4799,	5608,	5630,	6558,	6561,
4801,	4803,	5633,	5642,	6562,	6565,
4815,	4825,	5644,	5669,	6572,	6578,
4834,	4842,	5675,	5685,	6585,	6586,
4865,	4874,	5687,	5696,	6592,	6599,
4878,	4884,	5735,	5742,	6609,	6681,
4885,	4890,	5751,	5754,	6686,	6720,
4893,	4901,	5761,	5774,	6778,	6783,
4909,	4916,	5782,	5788,	6821,	6827,

6835,	6837,	8948,	8949,	9983,	9984,
6839,	6841,	8950,	8969,	9985,	9986,
6850,	6856,	8981,	8983,	9991,	9997,
6857,	6865,	9001,	9017,	9998,	9999,
6876,	6881,	9019,	9030,	10012,	10018,
6901,	6904,	9037,	9053,	10025,	10031,
6907,	6909,	9075,	9083,	10037,	10043,
6916,	6917,	9087,	9101,	10044,	10045,
6921,	6945,	9108,	9170,	10050,	10054,
6992,	7071,	9172,	9174,	10059,	10063,
7072,	7081,	9183,	9185,	10067,	10071,
7101,	7113,	9187,	9195,	10072,	10073,
7137,	7138,	9198,	9200,	10074,	10081,
7141,	7142,	9215,	9229,	10089,	10097,
7144,	7163,	9253,	9337,	10105,	10112,
7173,	7208,	9339,	9371,	10116,	10121,
7225,	7310,	9421,	9429,	10125,	10129,
7319,	7352,	9442,	9455,	10133,	10134,
7368,	7450,	9456,	9470,	10135,	10142,
7460,	7495,	9471,	9494,	10148,	10155,
7512,	7597,	9537,	9551,	10161,	10167,
7607,	7642,	9553,	9563,	10173,	10174,
7659,	7744,	9631,	9632,	10175,	10176,
7754,	7788,	9660,	9665,	10177,	10178,
7806,	7891,	9674,	9687,	10179,	10188,
7901,	7935,	9688,	9689,	10193,	10194,
7953,	8038,	9703,	9723,	10198,	10210,
8048,	8083,	9726,	9747,	10218,	10222,
8100,	8185,	9750,	9760,	10223,	10238,
8195,	8230,	9762,	9765,	10249,	10260,
8247,	8332,	9766,	9777,	10280,	10291,
8342,	8377,	9783,	9786,	10302,	10317,
8394,	8485,	9793,	9802,	10332,	10347,
8496,	8505,	9808,	9810,	10352,	10364,
8534,	8581,	9812,	9815,	10389,	10392,
8700,	8718,	9823,	9829,	10395,	10398,
8725,	8740,	9844,	9850,	10407,	10409,
8748,	8755,	9851,	9854,	10414,	10418,
8758,	8759,	9861,	9873,	10421,	10429,
8763,	8766,	9874,	9887,	10444,	10448,
8771,	8778,	9897,	9913,	10451,	10454,
8797,	8859,	9917,	9922,	10456,	10479,
8864,	8898,	9926,	9927,	10496,	10506,
8905,	8907,	9937,	9938,	10512,	10529,
8909,	8919,	9943,	9944,	10531,	10545,
8923,	8930,	9945,	9953,	10548,	10552,
8931,	8932,	9962,	9964,	10572,	10573,
8933,	8941,	9965,	9966,	10588,	10602,
8943,	8944,	9967,	9968,	10605,	10677,
8945,	8946,	9980,	9982,	10680,	10683,

10686,	10689,	11195,	11216,	11989,	11993,
10692,	10695,	11226,	11253,	11995,	11999,
10699,	10702,	11259,	11260,	12001,	12010,
10705,	10708,	11274,	11277,	12012,	12014,
10711,	10714,	11298,	11308,	12023,	12025,
10717,	10720,	11332,	11338,	12027,	12036,
10723,	10726,	11339,	11344,	12038,	12040,
10729,	10732,	11364,	11374,	12049,	12051,
10735,	10738,	11375,	11380,	12068,	12090,
10741,	10744,	11381,	11387,	12091,	12098,
10747,	10750,	11391,	11392,	12107,	12111,
10753,	10756,	11395,	11399,	12124,	12127,
10759,	10762,	11404,	11407,	12128,	12129,
10765,	10768,	11411,	11416,	12135,	12136,
10771,	10774,	11420,	11428,	12141,	12144,
10777,	10780,	11439,	11452,	12152,	12160,
10783,	10786,	11457,	11463,	12167,	12168,
10789,	10792,	11477,	11485,	12175,	12178,
10795,	10798,	11499,	11506,	12179,	12185,
10801,	10804,	11514,	11518,	12203,	12223,
10807,	10810,	11522,	11526,	12225,	12227,
10813,	10816,	11619,	11625,	12241,	12251,
10819,	10822,	11644,	11649,	12260,	12268,
10825,	10828,	11654,	11661,	12292,	12294,
10831,	10834,	11671,	11672,	12309,	12314,
10837,	10840,	11675,	11676,	12348,	12355,
10843,	10846,	11677,	11682,	12364,	12380,
10849,	10852,	11687,	11691,	12390,	12399,
10855,	10858,	11697,	11703,	12407,	12433,
10861,	10864,	11708,	11711,	12435,	12450,
10867,	10870,	11717,	11735,	12455,	12497,
10876,	10878,	11749,	11757,	12498,	12500,
10881,	10890,	11758,	11762,	12503,	12509,
10891,	10906,	11770,	11771,	12510,	12515,
10928,	10933,	11778,	11779,	12518,	12526,
10954,	10958,	11797,	11801,	12534,	12541,
10991,	11013,	11808,	11809,	12542,	12549,
11048,	11052,	11811,	11813,	12552,	12553,
11055,	11060,	11814,	11815,	12559,	12563,
11061,	11062,	11821,	11846,	12576,	12579,
11063,	11064,	11848,	11859,	12580,	12581,
11065,	11077,	11870,	11877,	12588,	12590,
11091,	11094,	11883,	11885,	12592,	12596,
11100,	11104,	11888,	11889,	12627,	12696,
11105,	11126,	11903,	11955,	12701,	12737,
11127,	11128,	11956,	11959,	12743,	12751,
11133,	11144,	11963,	11964,	12758,	12761,
11146,	11150,	11980,	11981,	12762,	12766,
11160,	11172,	11982,	11983,	12767,	12768,
11179,	11192,	11984,	11988,	12781,	12783,

12785,	12794,	13646,	13648,	14233,	14237,
12817,	12826,	13659,	13668,	14239,	14243,
12879,	12884,	13691,	13697,	14271,	14280,
12922,	12929,	13703,	13706,	14282,	14293,
12937,	12944,	13729,	13734,	14302,	14325,
12947,	12948,	13735,	13747,	14331,	14337,
12952,	12964,	13757,	13762,	14340,	14363,
12966,	12968,	13765,	13802,	14368,	14369,
12977,	12982,	13803,	13809,	14381,	14391,
12989,	12998,	13816,	13819,	14396,	14399,
13031,	13035,	13834,	13847,	14436,	14437,
13045,	13076,	13848,	13850,	14443,	14450,
13081,	13082,	13853,	13854,	14453,	14468,
13093,	13094,	13864,	13865,	14481,	14482,
13108,	13110,	13874,	13875,	14484,	14487,
13114,	13118,	13877,	13880,	14488,	14498,
13120,	13125,	13881,	13891,	14499,	14505,
13129,	13132,	13892,	13898,	14511,	14512,
13136,	13138,	13904,	13905,	14515,	14519,
13142,	13169,	13908,	13912,	14530,	14531,
13178,	13180,	13923,	13924,	14533,	14534,
13191,	13200,	13926,	13927,	14565,	14569,
13223,	13229,	13930,	13933,	14576,	14592,
13235,	13238,	13946,	13949,	14613,	14620,
13261,	13266,	13954,	13957,	14625,	14632,
13267,	13279,	13962,	13965,	14635,	14636,
13289,	13294,	13974,	13978,	14637,	14639,
13297,	13334,	13985,	14001,	14666,	14690,
13335,	13341,	14022,	14029,	14691,	14692,
13348,	13351,	14034,	14041,	14710,	14711,
13366,	13379,	14044,	14045,	14719,	14725,
13380,	13382,	14046,	14048,	14730,	14733,
13385,	13386,	14075,	14099,	14735,	14736,
13399,	13401,	14100,	14101,	14740,	14741,
13402,	13408,	14119,	14120,	14759,	14767,
13414,	13415,	14128,	14134,	14774,	14781,
13418,	13422,	14143,	14150,	14788,	14794,
13430,	13431,	14151,	14169,	14799,	14812,
13433,	13434,	14170,	14171,	14813,	14829,
13435,	13451,	14172,	14173,	14830,	14846,
13454,	13461,	14174,	14175,	14864,	14871,
13477,	13498,	14176,	14183,	14873,	14888,
13505,	13510,	14185,	14189,	14899,	14902,
13517,	13520,	14191,	14195,	14909,	14910,
13521,	13522,	14197,	14201,	14911,	14916,
13524,	13551,	14203,	14207,	14920,	14921,
13575,	13576,	14209,	14213,	14936,	14958,
13577,	13595,	14215,	14219,	14965,	14983,
13596,	13604,	14221,	14225,	14984,	15000,
13610,	13637,	14227,	14231,	15001,	15002,

15006,	15007,	15420,	15426,	15962,	15970,
15016,	15020,	15435,	15436,	15971,	15979,
15021,	15022,	15444,	15450,	15980,	15988,
15028,	15031,	15454,	15457,	15989,	15997,
15032,	15033,	15458,	15469,	15998,	16006,
15041,	15052,	15470,	15480,	16007,	16008,
15053,	15055,	15481,	15485,	16009,	16012,
15056,	15062,	15489,	15493,	16015,	16018,
15063,	15064,	15497,	15501,	16021,	16022,
15072,	15075,	15505,	15509,	16023,	16024,
15076,	15084,	15513,	15517,	16026,	16028,
15085,	15086,	15522,	15530,	16029,	16036,
15087,	15095,	15533,	15540,	16039,	16041,
15098,	15102,	15541,	15545,	16042,	16046,
15103,	15104,	15552,	15570,	16047,	16051,
15112,	15115,	15575,	15578,	16067,	16068,
15119,	15120,	15579,	15580,	16076,	16077,
15121,	15129,	15581,	15585,	16080,	16081,
15132,	15136,	15588,	15590,	16082,	16083,
15137,	15138,	15596,	15597,	16084,	16090,
15146,	15149,	15611,	15621,	16095,	16103,
15153,	15154,	15622,	15629,	16118,	16120,
15155,	15163,	15634,	15637,	16143,	16147,
15166,	15170,	15640,	15641,	16149,	16158,
15171,	15172,	15644,	15645,	16167,	16202,
15180,	15183,	15647,	15656,	16211,	16243,
15188,	15189,	15657,	15661,	16246,	16247,
15190,	15198,	15667,	15673,	16248,	16249,
15201,	15207,	15674,	15675,	16250,	16258,
15208,	15209,	15678,	15684,	16272,	16276,
15217,	15220,	15688,	15699,	16277,	16281,
15227,	15228,	15700,	15704,	16289,	16290,
15229,	15237,	15710,	15722,	16291,	16292,
15240,	15254,	15723,	15724,	16293,	16309,
15262,	15263,	15727,	15741,	16315,	16316,
15264,	15272,	15746,	15788,	16317,	16319,
15275,	15297,	15793,	15798,	16320,	16321,
15312,	15313,	15799,	15802,	16336,	16346,
15314,	15326,	15806,	15807,	16359,	16362,
15328,	15335,	15829,	15840,	16363,	16367,
15337,	15350,	15859,	15867,	16368,	16370,
15351,	15352,	15873,	15879,	16378,	16380,
15359,	15363,	15888,	15891,	16443,	16446,
15368,	15372,	15899,	15903,	16448,	16449,
15378,	15384,	15905,	15906,	16480,	16486, 16492
15388,	15394,	15914,	15917,	\figcaption . 9962, 9980	
15397,	15399,	15924,	15929,	\fill 4288, 4292, 5344,	
15400,	15401,	15930,	15941,	5346,	5348,
15404,	15407,	15947,	15948,	9997,	10192,
15410,	15411,	15954,	15959,	10876,	10878, 10880

\filright . 14851, 14880	\FN@sf@gobble@bracket	211, 212, 9270,
\FirstFrameCommand 1790, 1793	9424, 9425, 9426
..... 9550, 9596	\FN@sf@gobble@opt .	\footdir@toks
\firstmark ... 8967, 1756,	... 9211, 9278,
8999, 9140, 16353	1762, 1768, 1771	9279, 9280, 9284
\firstname 2126	\FN@sf@gobble@optonly	\footdir@write
\firstnamecolour 1783, 1786	.. 9205, 9235, 9274
.. 2095, 5997, 6093	\FN@sf@gobble@twobracket	\footersymbol . 6054,
\firstnamefont 2104, 1775, 1778	6055, 6070,
2112, 6035,	\fnch@everypar ... 8940	6071, 6072, 6073
6036, 6127, 6130	\fontsize	\footfootmark
\firstnamestyle 2112,	230, 4243, 4245,	... 7061, 7200,
6047, 6137, 6158	4247, 6035, 6127	7203, 7206,
\fivecolumnfootnotes	\foo 11740,	7344, 7347,
..... 7583	11742, 11752, 11754	7350, 7487,
\fivecolumnfootstyle	\footdir@abspage ..	7490, 7493,
..... 7678 9240,	7634, 7637,
\flnew@within 9060	9243, 9244,	7640, 7781,
\float@newx 9054	9247, 9248, 9251	7784, 7787,
\floatalignment ...	\footdir@debug 9212,	7928, 7931,
... 2980, 2981,	9220, 9224,	7934, 8075,
3022, 3023,	9227, 9237,	8078, 8081,
3039, 3046,	9244, 9248, 9251	8222, 8225,
3054, 3105, 3316	\footdir@debugtrue 9210	8228, 8369,
\FloatBarrier 2952, 3296	\footdir@fntext ...	8372, 8375,
\floatc@biditytffloatplain	.. 9258, 9275, 9277	8562, 8566, 8570
... 3314, 3324,	\footdir@LeftRightElse	\footfudgefactor ..
3331, 3337, 3345	.. 9218, 9234, 9311	.. 8476, 8525, 8630
\floatc@biditytffloatplain	\footdir@name	\footfudgefiddle ..
..... 3331	.. 9261, 9264, 9265 8506, 8524
\floatc@biditytffloatrule	\footdir@ORC@bidi@amsart@footnotetext	... 35,
..... 3332 76	48, 63, 169, 182,
\floatc@plain 9051	\footdir@ORC@bidi@amsart@LTRfootnotetext	6209,
\floatingpenalty 40, 78	6230, 6234,
53, 68, 174,	\footdir@ORC@bidi@amsart@RTLfootnotetext	6246,
187, 201, 6209, 77	6249, 6253,
6230, 6277,	\footdir@ORC@bidi@amsbook@footnotetext	6283,
6284, 6329, 210	6291, 6292,
6336, 7091,	\footdir@ORC@bidi@amsbook@LTRfootnotetext	6306,
9375, 9391, 9406 212	6310, 6329,
\floatstyle 3365	\footdir@ORC@bidi@amsbook@RTLfootnotetext	6335,
\flushleft . 1723, 1732 211	6960, 6976,
\FN@sf@@footnote ..	\footdir@ORC@bidi@footnotetext	7088, 8707,
..... 1750, 1754 9424	8711, 8721,
\FN@sf@@footnotemark	\footdir@ORC@bidi@LTRfootnotetext	9370, 9386,
..... 1779, 1781 9426	9401, 9710,
\FN@sf@@LTRfootnote	\footdir@ORC@bidi@RTLfootnotetext	9711, 9730, 9731
..... 1751, 1760 9425	\footinsdim
\FN@sf@@RTLfootnote	\footdir@temp 7087, 7088,
..... 1752, 1766	76, 77, 78, 210,	7128, 7154,

7257,	7301,	4175,	4810,	198,	333,	660,
7398,	7441,	4989,	5094,	914,	1166,	2204,
7544,	7588,	5168,	6639,	2226,		2860,
7691,	7735,	6707,	6732,	2861,		2899,
7838,	7882,	6806,	8817,	3512,		3664,
7985,	8029,	8885,	11095,	3693,		3710,
8132,	8176,	11098,	12236,	3727,		4806,
8279,	8323,	12335,	12373,	4985,		5090,
8426,	8512,	12479,	12635,	6635,		6728,
8624		12723,	12833,	7084,		7085,
\footinsv	Er	12907,	13214,	7086,		8813,
	. . . 7081, 7125,	13330,	13682,	9372,		9388,
	7126,			9403,		9432,
	7128,		13798, 14316, 14432	9445,		9458,
	7155,	\footnotelayout . . .		11774,		11776,
	7173,	. . 3658, 3659, 3662		12232,		12369,
	7301,	\footnotemark . 1779,		12631,		12829,
	7310,	1780,		13210,		13678, 14312
	7328,	9513, 11096, 11099		\footnotetext . 1815,		
	7442,	\footnoterule . 6188,		1826,		4546, 4556
	7460,	6250,		6256,		
	7588,	6261,		6289,	\footparindent	
	7597,	6290,		6307, 7059, 7075	
	7617,	6311,		6315,	\footrule 8947	
	7736,	6341,		6342,	\footrulewidth	
	7754,	6939,		7100, 2074, 3175	
	7882,	7111,		7124,	\footscript . . . 7060,	
	7891,	8685,		8710,	7064,	7068, 7070
	7911,	9202,		9299,	\footskip . . 8947, 16343	
	8030,	9303,		9306,	\foottextfont	
	8048,	9321,		9326,	. . . 6948, 6955,	
	8176,	9327,		9329, 9755	6995,	7001,
	8185,	\footnotes 3655			7084,	7150,
	8205,	\footnotesep . . . 29,			7165,	7200,
	8324,	31, 39, 45, 52,			7211,	7297,
	8342,	58, 67, 73,			7312,	7344,
	8512,	164, 166, 173,			7355,	7437,
	8526,	179, 186, 192,			7452,	7487,
	8537,	200, 206, 6206,			7498,	7584,
\footmarksep 7058		6227,			7599,	7634,
\footmarkstyle		6309,			7645,	7731,
. 7060, 7073		6971,			7746,	7781,
\footmarkwidth		7001,			7792,	7878,
. . . 7057, 7062,		7027,			7893,	7928,
7063,	7065,	9374,			7939,	8025,
7067,	7070, 7074	9390,			8040,	8075,
\footnote		9405,			8086,	8172,
. 337, 411, 664,		9439, 9452, 9465			8187,	8222,
763, 918, 1017,		\footnotesize . . 37,			8233,	8319,
1170,	1270,	50, 65, 102,			8334,	8369,
1750,	1753,	157, 171, 184,			8380,	8481,
3831,	4144,					

8508, 8521,	\ftnm@font	\Gin@bboxtrue 9787
8528, 8562, 8575	13185, 13653, 14287	\Gin@defaultbp
\forcerectofloat . 2983	\full@width 9788, 9789,
\forceversofloat . 2984	11431, 11443, 11490	9790, 9791,
\fourcolumnfootnotes	\futurelet 713, 715,	14834, 14835, 14838
..... 7436	967, 969, 1219,	\Gin@esetsize 9806
\fourcolumnfootstyle	1221, 12285,	\Gin@exclamation . 9836
..... 7531	12287, 12426, 12428	\Gin@ii 9795
\fps@figure 9950		\Gin@iii ... 9784, 9798
\framebox 6045,	G	\Gin@llx 9788
6176, 11373, 11379	\g 6410, 6412, 6416, 6509	\Gin@lly 9789
\FrameCommand 9548	\g@addto@macro	\Gin@urx 9790
\FrameHeightAdjust 9622	... 2978, 3618,	\Gin@ury 9791
\FrameRestore . 9556,	3620, 6439,	\Gin@include@graphics .
9560, 9676, 9677	6442, 6444, 15553 9792, 9804
\fromaddress	\gdef . 326, 328, 1653,	\global ... 228, 357,
... 6899, 6905,	1965, 2095,	358, 359, 360,
6915, 10446, 10452	2096, 2097,	361, 362, 363,
\fromname 6920	2098, 2099,	364, 365, 366,
\fromplace 14237	2100, 2102,	367, 368, 386,
\fromsig	2103, 2996,	392, 393, 394,
. 6919, 6921, 14244	2997, 2999,	395, 396, 397,
\frontmatter 4342	3002, 3076,	398, 399, 400,
\fs@biditytfloatboxed	3081, 3082,	401, 402, 403,
..... 3343	3083, 3235,	404, 439, 440,
\fs@biditytfloatplain	3276, 3615,	592, 593, 702,
..... 3322, 3330	3748, 3775,	703, 704, 705,
\fs@biditytfloatplaintop	3802, 3839,	706, 707, 708,
..... 3330	3846, 3853,	709, 710, 711,
\fs@biditytfloatruled	4180, 4197,	740, 746, 747,
..... 3335	4213, 4225,	748, 749, 750,
\fslice 11791, 11792,	4265, 4266,	751, 752, 753,
11794, 11795, 11798	4267, 4389,	754, 755, 756,
\ftn@font	4392, 4654,	838, 839, 956,
13183, 13651, 14285	4666, 4668,	957, 958, 959,
\ftn@rule@height ..	6393, 6406,	960, 961, 962,
..... 13190,	8719, 8731,	963, 964, 965,
13193, 13199,	8966, 8998,	994, 1000, 1001,
13202, 13658,	9265, 9325,	1002, 1003,
13661, 13667,	10427, 10428,	1004, 1005,
13670, 14292,	10493, 10601,	1006, 1007,
14295, 14301, 14304	10604, 11679,	1008, 1009,
\ftn@rule@test@values	11700, 11963,	1010, 1079,
..... 13189,	14852, 14853,	1080, 1208,
13198, 13657,	14858, 14881,	1209, 1210,
13666, 14291, 14300	14882, 15550,	1211, 1212,
\ftn@rule@width ...	15806, 15829,	1213, 1214,
..... 13193,	16438, 16440, 16446	1215, 1216,
13202, 13661,	\geometry 2882, 2885,	1217, 1246,
13670, 14295, 14304	2889, 2892, 2896	1252, 1253,

1254,	1255,	4907,	5027,	5975,	6201,
1256,	1257,	5028,	5029,	6208,	6222,
1258,	1259,	5030,	5031,	6229,	6241,
1260,	1261,	5032,	5033,	6249,	6253,
1262,	1388,	5034,	5035,	6270,	6273,
1389,	1602,	5036,	5114,	6281,	6286,
1603,	1604,	5115,	5116,	6298,	6306,
1605,	1606,	5117,	5118,	6310,	6322,
1607,	1608,	5119,	5120,	6325,	6333,
1609,	1610,	5121,	5122,	6338,	6519,
1611,	1612,	5123,	5124,	6657,	6658,
1794,	1812,	5125,	5143,	6659,	6660,
1813,	1816,	5149,	5150,	6661,	6662,
1819,	1822,	5151,	5152,	6663,	6664,
1826,	1829,	5153,	5154,	6665,	6666,
1832,	1911,	5155,	5156,	6684,	6690,
1915,	1937,	5157,	5158,	6691,	6692,
1977,	1997,	5159,	5160,	6693,	6694,
1998,	2006,	5161,	5195,	6695,	6696,
2261,	2838,	5196,	5289,	6697,	6698,
2847,	2981,	5299,	5300,	6699,	6700,
3025,	3026,	5301,	5302,	6752,	6753,
3032,	3392,	5303,	5304,	6754,	6755,
3403,	3406,	5305,	5306,	6756,	6757,
3436,	3447,	5314,	5327,	6758,	6759,
3450,	3480,	5332,	5336,	6760,	6761,
3491,	3494,	5384,	5611,	6762,	6763,
3534,	3546,	5612,	5614,	6781,	6787,
4258,	4390,	5637,	5647,	6788,	6789,
4393,	4411,	5648,	5650,	6790,	6791,
4415,	4431,	5680,	5738,	6792,	6793,
4442,	4468,	5746,	5756,	6794,	6795,
4469,	4496,	5766,	5775,	6796,	6797,
4509,	4510,	5777,	5778,	6798,	6799,
4538,	4547,	5781,	5784,	6832,	6833,
4550,	4553,	5794,	5808,	6992,	7005,
4556,	4559,	5809,	5811,	7018,	7144,
4562,	4594,	5813,	5814,	7208,	7220,
4604,	4618,	5816,	5822,	7233,	7273,
4620,	4625,	5823,	5826,	7352,	7363,
4626,	4632,	5828,	5829,	7375,	7413,
4633,	4635,	5832,	5835,	7495,	7507,
4655,	4667,	5840,	5849,	7520,	7560,
4669,	4727,	5857,	5902,	7642,	7654,
4728,	4848,	5910,	5920,	7667,	7707,
4849,	4850,	5929,	5931,	7789,	7801,
4851,	4852,	5940,	5942,	7814,	7854,
4853,	4854,	5943,	5946,	7936,	7948,
4855,	4856,	5949,	5959,	7961,	8001,
4857,	4906,	5967,	5968,	8083,	8095,

8108,	8148,	11191,	11193,	12463,	12464,
8230,	8242,	11194,	11196,	12465,	12466,
8255,	8295,	11201,	11209,	12467,	12468,
8377,	8389,	11211,	11219,	12469,	12470,
8402,	8442,	11220,	11221,	12471,	12531,
8467,	8481,	11222,	11224,	12532,	12665,
8572,	8585,	11225,	11228,	12666,	12667,
8598,	8646,	11229,	11257,	12668,	12669,
8688,	8730,	11258,	11266,	12670,	12671,
8745,	8746,	11267,	11268,	12672,	12673,
8835,	8836,	11271,	11273,	12674,	12675,
8837,	8838,	11275,	11276,	12676,	12699,
8839,	8840,	11278,	11283,	12705,	12706,
8841,	8842,	11291,	11293,	12707,	12708,
8843,	8844,	11301,	11302,	12709,	12710,
8862,	8868,	11303,	11304,	12711,	12712,
8869,	8870,	11306,	11307,	12713,	12714,
8871,	8872,	11310,	11311,	12715,	12716,
8873,	8874,	11336,	11337,	12717,	12748,
8875,	8876,	11343,	11344,	12749,	12853,
8877,	8878,	11356,	11357,	12854,	12855,
8954,	8955,	11358,	11359,	12856,	12857,
8964,	8970,	11360,	11361,	12858,	12859,
8986,	8987,	11363,	11369,	12860,	12861,
8996,	9003,	11441,	11457,	12862,	12863,
9070,	9073,	11463,	11477,	12864,	12882,
9106,	9109,	11485,	11620,	12888,	12889,
9111,	9117,	11781,	11805,	12890,	12891,
9118,	9137,	11806,	11807,	12892,	12893,
9429,	9430,	12005,	12157,	12894,	12895,
9442,	9443,	12158,	12274,	12896,	12897,
9455,	9456,	12275,	12276,	12898,	12899,
9708,	9709,	12277,	12278,	12900,	12934,
9710,	9711,	12279,	12280,	12935,	13292,
9713,	9728,	12281,	12282,	13304,	13305,
9729,	9730,	12283,	12312,	13306,	13307,
9731,	9733,	12318,	12319,	13308,	13309,
10354,	10355,	12320,	12321,	13310,	13311,
10357,	10358,	12322,	12323,	13312,	13313,
10359,	10360,	12324,	12325,	13314,	13315,
10586,	10915,	12326,	12327,	13316,	13317,
10916,	10946,	12328,	12413,	13318,	13319,
10949,	11028,	12414,	12415,	13320,	13321,
11029,	11030,	12416,	12417,	13322,	13323,
11031,	11032,	12418,	12419,	13324,	13325,
11033,	11034,	12420,	12421,	13326,	13395,
11035,	11036,	12422,	12423,	13396,	13589,
11053,	11148,	12424,	12453,	13760,	13772,
11184,	11185,	12459,	12460,	13773,	13774,
11186,	11189,	12461,	12462,	13775,	13776,

13777, 13778,	9887, 9890,	10373, 10387, 10404
13779, 13780,	9891, 9892,	\H@@footnotetext ..
13781, 13782,	9895, 9896, 9897 10226,
13783, 13784,	\Gm@vrules@mpi ... 9878	10237, 10306,
13785, 13786,	\Gm@vrules@mpii .. 9888	10374, 10390, 10404
13787, 13788,	\Grot@box 9765, 13114,	\H@mpfootnotetext .
13789, 13790,	13125, 13132, 13142	10235, 10269, 10273
13791, 13792,	\Grot@box@std 9760	\halign 4430, 10918
13793, 13794,	\Grot@setangle	\hangafter . 5474, 11121
14113, 14394,	.. 9761, 13107,	\hangindent
14406, 14407,	13117, 13128, 13135	. 103, 104, 105,
14408, 14409,	\Grot@x 9763, 13112,	158, 159, 160,
14410, 14411,	13122, 13130, 13140	568, 797, 1055,
14412, 14413,	\Grot@y 9764, 13113,	4115, 4116,
14414, 14415,	13123, 13130, 13141	4117, 4704,
14416, 14417,	\grp@aligned 5305	4883, 5378,
14418, 14419,	\GRP@box 5300, 5332, 5334	5474, 11114,
14420, 14421,	\grp@eqs@numbered 5304	11120, 12134,
14422, 14423,	\grp@hasNumber ... 5309	12508, 16026, 16380
14424, 14425,	\GRP@label 5301	\hb@xt@ 376,
14426, 14427,	\grp@linewidth ... 5303	436, 455, 589,
14428, 14704,	\GRP@queue . 5300, 5336	616, 820, 835,
14773, 14777,	\grp@setnumber ... 5309	984, 1076, 1104,
14778, 14779,	\grp@shiftnumber . 5306	1596, 4725,
14796, 15046,	\grp@wdL 5302	4750, 4904,
15047, 15050,	\grp@wdNum 5303	4929, 5133,
15051, 15547,	\grp@wdR 5302	5193, 5210,
15566, 15574,	\grp@wdT 5302	5464, 5652,
15584, 15587,	\Gscale@box	5653, 5658,
15631, 15839,	.. 9766, 9858, 9875	5716, 5720,
15904, 15908,	\Gscale@div	5723, 5728,
15910, 15932,	.. 9857, 9864, 9867	5733, 5893,
16040, 16105,	\Gscale@end . 9770, 9816	5894, 5898,
16106, 16107,	\Gscale@start 9770, 9816	6563, 6575,
16123, 16124,	\Gscale@x .. 9768, 9814	6674, 6771,
16126, 16164,	\Gscale@y .. 9768, 9814	6830, 7063,
16175, 16178,	\gsetboolean .. 2841,	7070, 8743,
16208, 16219,	2983, 2984,	8760, 8852,
16222, 16250,	3011, 3012,	9005, 9006,
16259, 16260,	3016, 3017,	9010, 9028,
16261, 16262,	3304, 3305, 3540	9043, 9147,
16264, 16267,	\gsetlength ... 2836,	9779, 9825,
16268, 16282,	2998, 3084,	9880, 9885,
16287, 16298,	3532, 3750,	9890, 9894,
16299, 16308,	3752, 3777,	10442, 10587,
16350, 16351, 16361	3779, 3804, 3806	11149, 11235,
\glossary .. 9127, 16327		11240, 11243,
\Gm@vrule 9881,	H	11317, 11318,
9882, 9883,	\H@@footnotemark ..	11323, 11418,
9885, 9886, 10267,	12155, 12180,

12529,	12554,	6256,	6259,	14206,	14212,
12647,	12690,	6310,	6311,	14218,	14224,
12763,	12872,	6313,	6396,	14230,	14285,
12932,	12949,	6401,	6407,	14287,	14298,
13389,	13426,	6628,	6928,	14629,	14746,
13555,	13595,	8474,	8487,	14759,	14788,
13857,	13884,	8492,	8497,	14799,	14833,
13916,	14079,	8502,	8668,	15415,	15416,
14119,	14491,	8675,	8789,	15465,	15467,
14523,	14670,	8929,	8941,	15524,	15525,
14710,	15309,	8942,	8946,	15599,	15633,
15423,	15460,	8948,	8971,	15635,	15641,
15462,	15528,	8974,	8976,	15754,	15762,
15535,	15537,	9047,	9051,	15763,	15771,
15818,	16023,	9053,	9091,	15816,	15817,
16024,	16101,	9096,	9290,	15820,	15821,
16128,	16129,	9714,	9715,	15822,	15823,
16134,	16271,	9718,	9734,	15932,	15940,
16336, 16346, 16362		9737,	9740,	16025,	16034,
\hbadness	9757,	9758,	16036,	16042,
.. 3347, 6194, 6215		9762,	9769,	16053,	16068,
\hbox	15, 27, 141, 162,	9770,	9815,	16097,	16098,
	263, 265, 299,	9816,	9854,	16108,	16111,
	307, 324, 463,	9861,	10464,	16113,	16279,
	575, 649, 805,	10907,	10927,	16289,	16291,
	887, 1062, 1134,	10932,	11391,	16442, 16443, 16446	
	1340,	11425,	11441,	\hboxL 9656,
	1795,	11443,	11541,		9673, 11920, 15763
	2003,	11774,	11778,	\hboxR 11911, 15754
	3039,	11798,	11831,	\head@style
	3046,	11835,	11840,		542, 851, 1047,
	3080,	11844,	11856,		1282, 4696,
	3096,	11867,	11884,		4875, 12108,
	3349,	11894,	11911,		12493, 12560, 12624
	3664,	11919,	11920,	\headheight
	3708,	11928,	11969,		... 1578, 6381,
	3840,	11970,	11971,		8942, 9133, 16332
	3854,	11973,	11974,	\headrule 8945
	4295,	11993,	12141,	\headrulewidth
	4403,	12193,	12515,	 2073, 3174
	4431,	12617,	12746,	\headsep	1586, 1589,
	4655,	12775,	12958,		6382, 9134, 16341
	4711,	13129,	13183,	\headwidth	2163, 8941,
	4890,	13185,	13196,		8943, 8944,
	5219,	13514,	13651,		8945, 8946,
	5391,	13653,	13664,		8948, 8949, 8950
	5580,	14038,	14154,	\height	9834, 10022,
	5600,	14155,	14163,		10024, 10028,
	5615,	14182,	14188,		10030, 10057,
	5620,	14194,	14200,		10058, 10061,

	10062,	10119,		12622,	12746,		11611,	11885,
	10120,	10123,		12763,	12779,		11889,	13425,
	10124,	10152,		12932,	12949,		13915,	14184,
	10154, 10158, 10160			12962,	13203,		14190,	14196,
\hfil	... 15, 29, 141,			13388,	13519,		14202,	14208,
	164, 436, 455,			13671,	13856,		14214,	14220,
	467, 589, 616,			13883,	14043,		14226,	14522,
	654, 820, 835,			14167,	14305,		14853,	14882,
	891, 985, 1076,			14490,	14634,		15417, 15526, 16099	
	1104,	1139,		15309,	15423,	\hfilneg	... 7137, 7141	
	1336,	1337,		15460,	15462,	\hfuzz 6394	
	1338,	1339,		15528,	15535,	\hintcolour 2103	
	1367,	1368,		15537,	15828,	\hintfont	2111, 2119,	
	1369,	1375,		16101,	16110,		2173, 2180, 2185	
	1376,	1377,		16131,	16133,	\hintscolumnwidth	.	
	1568,	1573,		16290,	16292,	 2139,	
	4400,	4402,		16316,	16317,		2153, 2157,	
	4507,	4725,		16319, 16320, 16362			2165, 2173,	
	4750,	4791,	\hfill 1405,			2179, 2185, 2241	
	4904,	4929,		1406,	2184,	\hintstyle 2119	
	4947,	5193,		2190,	2204,	\hline	10884, 10886, 10892	
	5210,	5223,		3108,	3109,	\HLOFF 1658	
	5464,	5581,		3112,	3113,	\HLON 1652	
	5584,	5601,		5397,	5398,	\HLTR@@LTrfootnotetext	.	
	5605,	5617,		6046,	8943,		10228, 10259,	
	5655,	5657,		8944,	8948,		10336, 10376, 10396	
	5719,	5730,		8949,	11393,	\HLTR@@mpLTrfootnotetext		
	5732,	5895,		11417,	11548,		10257, 10271, 10295	
	5897,	6563,		11551,	11552,	\hoffset 1582	
	6575,	6632,		11553,	11556,	\hold@viper	
	6830,	6932,		11557,	11558,		... 5623, 5626,	
	7143,	8743,		11559,	11560,		5662, 5665,	
	8760,	8793,		11563,	11564,		5696, 5737,	
	8973,	9007,		11565,	11566,		5738, 5746,	
	9009,	9033,		11567,	11568,		5747, 5756,	
	9046,	9053,		11569,	11572,		5757, 5765,	
	9292,	9717,		11573,	11574,		5862, 5901,	
	9736,	9887,		11575,	11576,		5902, 5910,	
	9892,	10468,		11577,	11578,		5911, 5920,	
	10587,	10932,		11579,	11580,		5921, 5930,	
	11149,	11237,		11583,	11584,		5966, 5968, 5969	
	11239,	11320,		11585,	11588,	\holder	11788, 11791,	
	11322,	11418,		11589,	11590,		11800, 11810,	
	11543,	11778,		11593,	11594,		11811, 11829,	
	11832,	11836,		11595,	11596,		11833, 11838,	
	11841,	11845,		11597,	11600,		11842, 11854,	
	11857,	11868,		11601,	11602,		11858, 11865, 11869	
	11894,	12155,		11603,	11604,	\hopatch@AfterPackage		
	12180,	12198,		11607,	11608,	 3662,	
	12529,	12554,		11609,	11610,		3664, 3667,	

	3688, 3830,	4878, 5329,	11145, 11149,
	3874, 3930, 4174	5581, 5584,	11345, 11425,
\href	2209, 2210, 2213,	5601, 5605,	11427, 11435,
	2214, 2217, 2218	6950, 6966,	11470, 11474,
\href@ 10427	6982, 6995,	11478, 11481,
\href@split	10427, 10428	7008, 7021,	11486, 11489,
\HRTL@mpRTLfootnotetext		7136, 7194,	11529, 11533,
	10246, 10270, 10284	7212, 7224,	11537, 11945,
\HRTL@RTLfootnotetext		7237, 7277,	11947, 12066,
.	10227, 10248,	7338, 7356,	12080, 12111,
	10321, 10375, 10393	7367, 7379,	12563, 12627,
\hrule 29, 31,	7417, 7481,	12643, 12686,
	164, 166, 460,	7499, 7511,	13167, 13174,
	466, 645, 653,	7524, 7564,	13176, 13555,
	883, 890, 1130,	7628, 7646,	13556, 13595,
	1138, 3338,	7658, 7671,	13635, 13642,
	3339, 3349,	7711, 7775,	13644, 14079,
	3350, 4401,	7793, 7805,	14080, 14119,
	4782, 4790,	7818, 7858,	14141, 14146,
	4938, 4946,	7922, 7940,	14148, 14269,
	5050, 5056,	7952, 7965,	14276, 14278,
	5062, 5068,	8005, 8069,	14670, 14671,
	5216, 5222,	8087, 8099,	14710, 15475,
	6189, 6625,	8112, 8152,	15478, 15483,
	6631, 6925,	8216, 8234,	15487, 15491,
	6931, 6940,	8246, 8259,	15495, 15499,
	8786, 8792,	8299, 8363,	15503, 15507,
	9292, 9294,	8381, 8393,	15511, 15602,
	9296, 9328,	8406, 8446,	15623, 15627,
	9661, 10461,	8486, 8524,	15788, 15790,
	10467, 10991,	8532, 8543,	15950, 16181,
	11543, 11545,	8554, 8576,	16225, 16358, 16362
	11886, 12189,	8579, 8589,	\hskip 14, 140,
	12197, 12613,	8592, 8602,	232, 236, 454,
	12621, 12772,	8605, 8629,	575, 576, 615,
	12778, 12955,	8639, 8650,	805, 806, 819,
	12961, 13193,	8653, 9052,	867, 1062, 1063,
	13202, 13511,	9053, 9376,	1103, 1285,
	13518, 13661,	9392, 9407,	1338, 1339,
	13670, 14035,	9433, 9446,	1377, 1401,
	14042, 14160,	9459, 9476,	1404, 2255,
	14166, 14295,	9477, 9556,	3998, 4417,
	14304, 14626, 14633	9661, 9691,	4418, 4421,
\hsize	... 40, 53, 68,	9694, 9698,	4423, 4424,
	174, 187, 201,	9701, 9702,	4427, 4711,
	545, 854, 1050,	10583, 10587,	4712, 4749,
	1928, 3348,	10918, 10929,	4890, 4891,
	3349, 3409,	10932, 10941,	4928, 5209,
	3453, 3497,	10960, 10961,	5393, 5396,
	4037, 4699,	10968, 10991,	5463, 5616,

5619,	5621,	13881,	13912,	589,	616,	820,
5622,	5718,	14488,	14519,	835,	1076,	1104,
5722,	5725,	14852,	14881,	1597,		4057,
5726,	6254,	15041,	15072,	4725,		4750,
6255,	6258,	15095,	15112,	4904,		4929,
6268,	6269,	15129,	15146,	5134,		5193,
6312,	6562,	15163,	15180,	5210,		5464,
8472,	8759,	15198,	15217,	5618,		5620,
8972,	8975,	15237,	15272,	5654,		5659,
8977,	8978,	15410,	15457,	5721,		5724,
9029,	9045,	15467,	15522,	5729,		5734,
9735,	9739,	15934,	15935,	5894,		5898,
9742,	9743,	15936,	15942,	6257,		6267,
9880,	9882,	16095,	16109,	6312,		6321,
9883,	9886,	16112,	16114,	6396,		6399,
9891,	9894,	16115,	16273,	6401,		6404,
9896,	9897,	16275, 16289, 16292		6407,		6563,
10444,	10556,	\hspace{.5cm}104,		6575,		6675,
11236,	11242,	105, 159, 160,		6772,		6830,
11245,	11246,	475, 2174, 2179,		7064,		7070,
11392,	11404,	2185, 3091,		8743,		8760,
11416,	11470,	3098, 3320,		8853,		8974,
11474,	11478,	3941, 3942,		8976,		9006,
11481,	11482,	3948, 3949,		9010,		9147,
11486,	11489,	3955, 3956,		9716,		9719,
11490,	11548,	3962, 3963,		9738,		9741,
11551,	11553,	4090, 4116,		9779,		9825,
11556,	11558,	4117, 6176,		9883,		9897,
11560,	11563,	6582, 6916,		10927,		10935,
11565,	11567,	7065, 9997,		11241,		11244,
11569,	11572,	10013, 10026,		11319,		11324,
11574,	11576,	10038, 10051,		11460,		11461,
11578,	11580,	10060, 10068,		11471,		11472,
11583,	11585,	10113, 10122,		11971,		11982,
11588,	11590,	10130, 10143,		11983,		11984,
11593,	11595,	10156, 10168,		12155,		12180,
11597,	11600,	10192, 13550,		12529,		12554,
11602,	11604,	13565, 13570,		12647,		12690,
11607,	11609,	13572, 13573,		12746,		12763,
11611,	11624,	14074, 14089,		12873,		12932,
12141,	12142,	14094, 14096,		12949,		13183,
12179,	12496,	14097, 14242,		13389,		13426,
12515,	12516,	14665, 14680,		13651,		13857,
12553,	12762,	14685, 14687,		13884,		13916,
12948,	13038,	14688, 14729,		14154,		14285,
13040,	13047,	14730, 14858,		14491,		14523,
13049,	13085,	14870, 16474,		15607,		15609,
13087,	13096,	16478, 16483,		15614,		15620,
13098,	13386,	16485, 16489, 16491		15818,		15960,
13422,	13854,	\hss . . 377, 436, 455,		16011,		16012,

	16014,	16015,	10943,	10989,	10007,	10047,
	16017,	16018,	10996,	10999,	10109,	10137, 10190
	16023,	16024,	11220,	11224,	\hv@figure .	9961, 9979
	16083,	16084,	11229,	11302,	\hv@floatObject . . .	
	16085,	16086,	11306,	11311,	9922, 9926
	16111,	16113,	11359,	11361,	\hv@floatType .	9952,
	16130,	16135,	11800,	11858,	9961, 9979, 10197	
	16277, 16444, 16447		11869,	11874,	\hv@Height	9934
\ht	305, 1387,		11875,	11876,	\hv@label	9903
	1420,	1987,	11877,	11881,	\hv@Left . . .	9937, 10005
	1989,	1990,	11896,	13024,	\hv@longCap	9902
	5412,	5421,	13066,	13069,	\hv@Right . .	9938, 9994
	5423,	5694,	13124,	13131,	\hv@shortCap	
	5696,	5703,	13579,	13581,	..	9901, 9967, 9985
	5709,	5710,	13582,	14103,	\hv@Top	10020, 10056,
	5711,	5765,	14105,	14106,	10076, 10118, 10150	
	5804,	5822,	14694,	14696,	\hv@Width . .	9932, 9955
	5834,	5858,	14697,	14747,	\hv@Zero . . .	9921, 10184
	5862,	5872,	14784,	14796,	\hvAboveCaptionSkip	
	5880,	5881,	14836,	15642,	10100, 10103
	5884,	5885,	15644,	16054,	\hvBelowCaptionSkip	
	5887,	5888,	16253, 16263, 16267		10084, 10087
	5930,	5966,	\ht@strip		\hvCaptionBox .	9956,
	6197,	6206,	. 11356, 11357,		9973,	10015,
	6218,	6227,	11358, 11359,		10017,	10028,
	6235,	6245,	11360, 11363, 11365		10030,	10040,
	6247,	6263,	\ht@viper	5693,	10042,	10048,
	6292,	6302,	5698,	5721,	10049,	10057,
	6304,	6317,	5724,	5729,	10058,	10065,
	6547,	7145,	5734,	5802,	10066,	10077,
	7290,	7294,	5803,	5858,	10078,	10084,
	7430,	7434,	5859,	5860,	10087,	10093,
	7577,	7581,	5864,	5894, 5898	10094,	10101,
	7724,	7728,	\httplink	2211	10104,	10110,
	7871,	7875,	\Huge . . .	4024, 5053,	10111,	10119,
	8018,	8022,	5065,	5247,	10120,	10127,
	8165,	8169,	5255,	6859,	10128,	10145,
	8312,	8316,	6868,	8773,	10147,	10158,
	8459,	8463,	8781, 12984, 12992		10160, 10170, 10172	
	8476,	8925,	\huge	486, 3878,	\hvCapWidth . . .	9930,
	9581,	9588,	3880,	4023,	9932,	9934,
	9605,	9612,	5044,	5241,	9936,	9940,
	9613,	9626,	6593,	6602,	9942, 9957, 9975	
	9630,	9653,	6853,	8768,	\hvFloat	9904
	9772,	9773,	12979,	13236,	\hvMaxCapWidth	9915,
	9775,	9818,	13349,	13704,	9916,	9937,
	9819,	9821,	13817, 14338, 14451		9938, 9939, 9942	
	9934,	10516,	\Hurl	10411	\hvObjectBox	
	10517,	10523,	\hv@Bottom	10092	... 9919, 9922,	
	10526,	10893,	\hv@Center . . .	9996,	9924,	9928,

9934, 10009,	\Hy@footnote@currentHref	\hyper@makecurrent .
10011, 10022,	. 10275, 10278, 10356
10024, 10034,	10286, 10289,	\hyper@nat@current .
10036, 10052,	10297, 10300, 10415
10053, 10061,	10308, 10311,	\hyper@natlinkbreak
10062, 10069,	10314, 10323, 10420
10070, 10077,	10326, 10329,	\hyper@natlinkend 10417
10080, 10085,	10338, 10341,	\hyper@natlinkstart
10088, 10093,	10344, 10358, 10361 10412
10096, 10100,	\Hy@linkcounter . . .	\hypersetup
10103, 10114, 6447, 6452	. . . 2057, 2065,
10115, 10123,	\Hy@linktoc 10206	4134, 4193, 4210
10124, 10131,	\Hy@maketitle@end .	\hyphenpenalty 6, 101,
10132, 10139,	10379, 10384, 10386	132, 156, 544,
10141, 10152,	\Hy@maketitle@optarg	853, 1049, 4698,
10154, 10164, 10166 10377, 10382	4877, 12110,
\hvObjectWidth	\Hy@raisedlink 10277,	12562, 12626, 12769
. . . 9928, 9932,	10288, 10299,	\HyRTL@saved@RTLfootnotetext
9936, 9937, 9938	10310, 10325, 10340 10371, 10394
\hvOBox 9922, 9926	\Hy@saved@currentHlabel	
\hvSet@capAngle 10354, 10359	I
. 9955, 9974	\Hy@saved@currentHref	\ialign . 313, 14752,
\hvSet@capPos 10355, 10360	14791, 15828, 16059
. . . 9937, 9938,	\Hy@saved@footnotemark	\if 281, 282,
10005, 10076, 10092 10369, 10388	283, 285, 286,
\hvSet@capVPos 10007,	\Hy@saved@footnotetext	287, 288, 289,
10020, 10047, 10370, 10391	292, 293, 294,
10056, 10109,	\HyLTR@saved@LTRfootnotetext	318, 1313, 1314,
10118, 10137, 10150 10372, 10397	1315, 1317,
\hvSet@capWidth 9932,	\HyOrg@maketitle . .	1318, 1319,
9934, 9939, 9940	10367, 10378, 10383	1320, 1321,
\hvSet@floatCapSep .	\hyper@@anchor 10275,	1322, 1323,
. 10013,	10278, 10286,	1326, 1327,
10026, 10038,	10289, 10297,	1328, 1351,
10051, 10060,	10300, 10308,	1352, 1353,
10068, 10113,	10311, 10323,	1355, 1356,
10122, 10130,	10326, 10338, 10341	1357, 1358,
10143, 10156, 10168	\hyper@@link 10429	1359, 1887,
\hvSet@floatPos . . 9950	\hyper@link 10408	1893, 1896,
\hvSet@objectAngle .	\hyper@linkend 10210,	1899, 1902,
. 9921, 9925	10214, 10218,	5290, 5309,
\hvSet@objectPos . .	10220, 10363,	5343, 5345,
. 9994, 9996, 10190	10409, 10418, 10421	5347, 6414,
\hvSet@rotAngle . . .	\hyper@linkstart . .	6468, 6476,
9915, 10184, 10187 10210,	6477, 6483,
\Hy@backout 10413	10214, 10218,	6484, 6491,
\Hy@footnote@currentHlabel	10220, 10361,	6492, 6498,
. 10313,	10409, 10414, 10421	6499, 6509,
10328, 10343, 10357	\hyper@linkurl . . 10411	6511, 9223,
		9247, 9471,

10480, 10875,	\if@bidi@calsloaded@	\if@bidi@flowframloaded@
10877, 10879, 10687 10721
11733, 14794,	\if@bidi@captionloaded@	\if@bidi@fontspecloaded@
14811, 14812, 10690 10859
14813, 14814,	\if@bidi@colorloaded@	\if@bidi@framedloaded@
14815, 14816, 10696 10724
14817, 14819,	\if@bidi@colortblloaded@	\if@bidi@ftnrightloaded@
14820, 14821, 10712 10727
14822, 14823,	\if@bidi@croploaded@	\if@bidi@geometryloaded@
14826, 14827, 10693 10742
14828, 15948,	\if@bidi@csdef	\if@bidi@graphicxloaded@
15955, 15956, 2291, 2340 10739
16051, 16075,	\if@bidi@csmacro . 2339	\if@bidi@hvfloatloaded@
16076, 16077,	\if@bidi@csprimitive 10745
16078, 16079, 16080 2349	\if@bidi@hyperrefloaded@
\if@allcaps 675, 684,	\if@bidi@csundef 10757
692, 929, 938,	. 2297, 2370, 16379	\if@bidi@lettrineloaded@
946, 1181, 1190,	\if@bidi@cutedloaded@ 10775
1198, 4821, 10703	\if@bidi@list@minipage@parbox
4830, 4838,	\if@bidi@cutwinloaded@	.. 1477, 15788,
5000, 5009, 10700	15793, 15854,
5017, 12247,	\if@bidi@dblfnotloaded@	15906, 15966,
12256, 12264, 10706	15975, 15984,
12386, 12395, 12403	\if@bidi@def 2309	15993, 16006,
\if@altsecnumformat	\if@bidi@defmacro .	16007, 16021, 16022
13435, 13927, 14534 2332,	\if@bidi@list@minipage@parbox@not@nob
\if@bib@break@ 13445,	2333, 2341, 1478,
13469, 13484,	2511, 2530, 2674	15862, 15968,
13500, 13969,	\if@bidi@defparam .	15977, 15986, 15995
13993, 14008, 2532,	\if@bidi@listingsloaded@
14024, 14560,	2626, 2627, 2676 10778
14584, 14599, 14615	\if@bidi@defprimitive	\if@bidi@longtableloaded@
\if@bibchapter .. 14966 2343 10820
\if@bidi@amsmathloaded@	\if@bidi@defprotected	\if@bidi@mdf@RTL ..
..... 10675 2539, 10951, 10958
\if@bidi@amstextloaded@	2635, 2636, 2687	\if@bidi@mdframedloaded@
..... 10678	\if@bidi@draftwatermarkloaded@ 10748
\if@bidi@amsthmloaded@ 10766	\if@bidi@midfloatloaded@
..... 10681	\if@bidi@empheqlloaded@ 10751
\if@bidi@arabxetexloaded@ 10769	\if@bidi@minitocloaded@
..... 10862	\if@bidi@fancyboxloaded@ 10832
\if@bidi@arrayloaded@ 10760	\if@bidi@multicolloaded@
..... 10802	\if@bidi@fancyhdrloaded@ 10826
\if@bidi@arydshlnloaded@ 10763	\if@bidi@multienumloaded@
..... 10823	\if@bidi@fancyvrbloaded@ 10829
\if@bidi@blank 10868	\if@bidi@natbibloaded@
.. 2327, 2612, 2619	\if@bidi@floatloaded@ 10835
\if@bidi@breqnloaded@ 10715	\if@bidi@newfloatloaded@
..... 10684	\if@bidi@floatrowloaded@ 10838
 10718	

\if@bidi@theoremloaded@	\if@bidi@xcolorloaded@	\if@fcolmade
..... 10754 10709	... 5633, 5675,
\if@bidi@patchable .	\if@bidi@xltextraloaded@	8981, 9017,
..... 2499, 2500 10730	9101, 9723,
\if@bidi@pdfpagesloaded@	\if@bidi@xtabloaded@	9747, 11253,
..... 10772 10817	11332, 16118, 16143
\if@bidi@pgfloaded@	\if@bidi@xunicodeloaded@	\if@ff@nwpg 9069
..... 10784 10733	\if@filesw 1963
\if@bidi@picinparloaded@	\if@capbreak	\if@firstcolumn ...
..... 10787	13567, 14091, 14682	... 5611, 5646,
\if@bidi@polyglossialloaded@	\if@captionabove ..	5690, 5771,
..... 10865 13600,	5790, 5936,
\if@bidi@pstricksloaded@	13606, 14124,	5955, 8953,
..... 10781	14130, 14715, 14721	8985, 9707,
\if@bidi@quotchaploaded@	\if@cftdopart ... 15023	9727, 11183,
..... 10790	\if@cfthaschapter .	11265, 11353,
\if@bidi@rotatingloaded@ 15014,	16105, 16122, 16243
..... 10844	15018, 15024,	\if@firstdetailselement
\if@bidi@stabularloaded@	15045, 15057, 15079 6149, 6151
..... 10805	\if@cfthaspart .. 15010	\if@firstfooterelement
\if@bidi@subfigloaded@	\if@colour 2040 6053, 6056
..... 10808	\if@colourgreen 5984,	\if@flushend@auto@baselineskip
\if@bidi@subfigureloaded@	6013, 6082, 6108 5806
..... 10811	\if@colourgrey 5988,	\if@ignore . 2796, 2798
\if@bidi@supertabularloaded@	6027, 6086, 6120	\if@inlabel
..... 10814	\if@colourorange ..	5289, 15886, 15909
\if@bidi@tablsloaded@ 5982,	\if@inltxdoc 14959
..... 10847	6006, 6080, 6102	\if@insert 5964
\if@bidi@tabularyloaded@	\if@colourred . 5986,	\if@Latin 263,
..... 10850	6020, 6084, 6114	268, 1467, 5325,
\if@bidi@tikzloaded@	\if@compatibility .	5327, 16443, 16446
..... 10793 438,	\if@LTRbibitems 84,
\if@bidi@titlesecloaded@	591, 669, 837,	218, 494, 628,
..... 10796	923, 1078, 1175,	896, 1148, 1471,
\if@bidi@titletocloaded@	4815, 4994,	2237, 4765,
..... 10799	12241, 12380,	4958, 5268,
\if@bidi@tocbibbindloaded@	13394, 15049, 16037	6609, 6881,
..... 10856	\if@contcw 11101, 11130	8797, 11179,
\if@bidi@tocstyleloaded@	\if@conthang 11111	11619, 12203,
..... 10853	\if@contindent .. 11117	12596, 12794,
\if@bidi@undef	\if@DEBUG 2011	12998, 13461,
... 2315, 2374,	\if@displaypagenumbers	13985, 14576, 14936
2408, 2419, 2219, 2222	\if@LTRmarginpar ..
2438, 2442,	\if@donumindex 1470,
2446, 2450, 14967, 14986	16272, 16277, 16281
2460, 2464,	\if@dotocbib 14929	\if@mainmatter
2468, 2472,	\if@dotocind 4341, 5043,
2508, 2527, 2671 14974, 14991	5240, 6852,
\if@bidi@wrapfigloaded@	\if@extrafootnotefeatures	11998, 13930,
..... 10736 1473, 1501	13946, 13954, 13962

\if@minipage	3143, 11170	218, 232, 236,	6513, 6514,
\if@mparswitch	.. 16245	297, 433, 450,	6515, 6538,
\if@newlist	453, 454, 479,	6558, 6561,
...	9117, 9137,	494, 545, 558,	6562, 6572,
	15892, 16298, 16350	569, 570, 575,	6586, 6599,
\if@nmbrrlist 15927	586, 611, 614,	6609, 6827,
\if@nobreak	... 9678,	615, 628, 798,	6850, 6865,
	10962, 12059,	799, 805, 815,	6881, 6901,
	12073, 15893, 15918	818, 819, 832,	6904, 6909,
\if@noitemarg	... 15925	854, 896, 1050,	6917, 8740,
\if@noparitem	... 15883	1056, 1057,	8755, 8758,
\if@noparlist	4529, 4642	1062, 1073,	8759, 8766,
\if@noskipsec	1099, 1102,	8778, 8797,
...	5288, 9679,	1103, 1121,	9053, 9195,
	10963, 12060, 12074	1148, 1286,	9471, 9551,
\if@oldtoc	579, 605,	1287, 1398,	9553, 9760,
	809, 825, 1066,	1399, 1412,	9762, 9765,
	1093, 4715,	1423, 1466,	9766, 9783,
	4739, 4894,	1482, 1538,	9786, 9793,
	4918, 12145,	1544, 1794,	9802, 9808,
	12169, 12519, 12543	1941, 2237,	9812, 9815,
\if@openright	3997, 3998,	9829, 9854,
..	4369, 5259, 6872	4115, 4116,	9861, 10006,
\if@ovb 8933	4117, 4699,	10108, 10210,
\if@ovl 8931	4705, 4706,	10218, 10409,
\if@ovr 8930	4711, 4722,	10414, 10418,
\if@ovt 8932	4745, 4748,	10421, 10429,
\if@parafootRTL	...	4749, 4765,	10444, 10448,
..	1474, 8485, 8496	4878, 4884,	10451, 10456,
\if@pboxsw 15962	4885, 4890,	10545, 10548,
\if@ref 14179	4901, 4924,	10552, 10928,
\if@restonecol	525,	4927, 4928,	10954, 11060,
	541, 792, 1046,	4958, 5041,	11061, 11062,
	4695, 4874,	5052, 5054,	11063, 11064,
	5086, 12107,	5190, 5205,	11065, 11144,
	12364, 12826, 15006	5208, 5209,	11146, 11179,
\if@reversemargin	16248	5238, 5252,	11387, 11391,
\if@rjfield 16287	5268, 5286,	11392, 11399,
\if@rll 1466	5298, 5311,	11404, 11411,
\if@rll@footnote	.. 1476	5342, 5378,	11416, 11619,
\if@rllmain 1465	5419, 5420,	11697, 11717,
\if@rot@twoside	...	5424, 5425,	11778, 11828,
.....	13028,	5427, 5434,	11903, 11955,
	13033, 13043,	5440, 5459,	11956, 11959,
	13073, 13079, 13091	5462, 5463,	11963, 11982,
\if@RTL 12,	5469, 5474,	11983, 11984,
	13, 25, 84, 100,	5581, 5584,	11993, 11995,
	103, 104, 105,	5601, 5605,	12001, 12012,
	138, 139, 155,	6395, 6475,	12014, 12025,
	158, 159, 160,	6490, 6512,	12027, 12038,

12040,	12049,	14636,	14637,	15948,	16008,
12051,	12068,	14639,	14710,	16009,	16011,
12090,	12091,	14728,	14731,	16014,	16017,
12111,	12124,	14735,	14846,	16021,	16022,
12135,	12136,	14871,	14888,	16023,	16024,
12141,	12152,	14908,	14911,	16026,	16028,
12175,	12178,	14916,	14920,	16029,	16034,
12179,	12203,	14921,	14936,	16041,	16083,
12497,	12498,	15031,	15032,	16084,	16090,
12509,	12510,	15033,	15041,	16095,	16272,
12515,	12526,	15062,	15063,	16277,	16281,
12549,	12552,	15064,	15072,	16289,	16290,
12553,	12563,	15085,	15086,	16291,	16292,
12576,	12596,	15087,	15095,	16359,	16362,
12627,	12743,	15102,	15103,	16370,	16380,
12758,	12761,	15104,	15112,	16473, 16483, 16489	
12762,	12767,	15119,	15120,	\if@RTL@footnote 36,	
12768,	12794,	15121,	15129,	170, 1476, 1540,	
12929,	12944,	15136,	15137,	3422,	6945,
12947,	12948,	15138,	15146,	6992,	7163,
12977,	12989,	15153,	15154,	7208,	7310,
12998,	13108,	15155,	15163,	7352,	7450,
13110,	13114,	15170,	15171,	7495,	7597,
13118,	13120,	15172,	15180,	7642,	7744,
13125,	13129,	15188,	15189,	7788,	7891,
13132,	13136,	15190,	15198,	7935,	8038,
13138,	13142,	15207,	15208,	8083,	8185,
13169,	13178,	15209,	15217,	8230,	8332,
13382,	13385,	15227,	15228,	8377,	8534,
13386,	13418,	15229,	15237,	8581,	9371,
13422,	13433,	15262,	15263,	9417, 9455, 9456	
13434,	13461,	15264,	15272,	\if@RTL@bibitems 84,	
13520,	13521,	15312,	15313,	218, 494, 628,	
13522,	13524,	15314,	15337,	896, 1148, 1472,	
13595,	13637,	15399,	15400,	2237,	4765,
13646,	13850,	15401,	15407,	4958,	5268,
13853,	13854,	15410,	15457,	6609,	6881,
13877,	13880,	15517,	15522,	8797,	11179,
13881,	13908,	15545,	15552,	11619,	12203,
13912,	13926,	15570,	15605,	12596,	12794,
13985,	14044,	15613,	15640,	12998,	13461,
14045,	14046,	15641,	15644,	13985, 14576, 14936	
14048,	14119,	15645,	15647,	\if@RTL@columnfootnotes	
14143,	14150,	15684,	15688,	... 1475, 7137,	
14237,	14243,	15741,	15746,	7138,	7141,
14271,	14280,	15798,	15799,	7142,	7173,
14484,	14487,	15802,	15806,	7225,	7319,
14488,	14515,	15829,	15855,	7368,	7460,
14519,	14533,	15863,	15869,	7512,	7607,
14576,	14635,	15875,	15906,	7659,	7754,

7806,	7901,	\if@specialpage ...	14436, 15596, 16310
7953,	8048, 9072, 16307	\if@vihproof
8100,	8195,	\if@tab@rl 1468 11372, 11378
8247,	8342, 8394	\if@tempwa . 6251, 6308	\ifadl@inactive .. 1300
\if@RTLmain ... 1465,		\if@thmarks	\ifadl@usingarypkg 1303
1481,	1537,	. 11680, 11684,	\ifAM@output 11759
1543,	5477,	11701, 11705, 16437	\ifAM@survey 11737
5500,	5523,	\if@titlecentered .	\ifartopt 11080
5546,	5717, 1268, 12477	\ifbidi@autofootnoterule
6343,	6349,	\if@titlepage . 331, 9201,
6352,	6366,	546, 656, 855,	9429, 9442, 9455
6384,	8941,	910, 1109, 1162,	\ifblendcolors 15652,
8943,	8944,	5088, 6633,	15673, 15695, 15722
8945,	8946,	6726, 8811,	\ifbool ... 10976, 10985
8948,	8949,	12112, 12228,	\ifcase 1335,
8950,	9200,	12365, 12564,	1362, 1366,
9879,	9889,	12629, 12827,	1370, 1374,
11344,	11499,	13205, 13673, 14307	1400, 5392,
16149, 16336, 16346		\if@tocleft	10206, 14902,
\if@RTLmarginpar ..		. 13376, 13411,	15282, 15389,
..... 1469,		13844, 13871,	15459, 15672, 15721
16272, 16277, 16281		13901, 14478, 14508	\ifcat 1492, 1554
\if@RTLtab 282, 283,		\if@tocstyle@penalties	\ifconvertcolorsU .
299, 302, 324,	 15320, 15429 15658,
326, 1294, 1295,		\if@ttb@rotate ... 9194	15674, 15701, 15723
1314,	1315,	\if@twocolumn 94, 149,	\ifcoddpage 2926
1352,	1353,	378, 512, 528,	\ifcsname 2292,
1468,	1805,	555, 562, 732,	2298, 2425,
1809,	1810,	779, 864, 875,	11642, 11652,
2000,	2003,	986, 1033, 1118,	11666, 15344,
5344,	5346,	1125, 1238,	15345, 15354,
5368,	5372,	1949, 4295,	15365, 15369,
5390,	5391,	4682, 4861,	15379, 15391,
5404,	5415,	5073, 5135,	15445, 15473,
9470,	10876,	6676, 6773,	15474, 15482,
10878,	14736,	8854, 11043,	15486, 15490,
14740,	14741,	12094, 12121,	15494, 15498,
14759,	14767,	12128, 12304,	15502, 15506, 15510
14774,	14799,	12351, 12445,	\ifdefined . 2310, 2316
14812,	14813,	12573, 12580,	\ifdfn@allowcbreak .
15788,	15793,	12691, 12813, 6204, 6225
15861,	15906,	12874, 13284,	\ifdfn@ruleboth ...
15947,	15968,	13752, 14386, 6262, 6316
15977,	15986,	14961, 16242, 16373	\ifdfn@trysingle ..
15995,	16006,	\if@twoside 6243, 6300
16007,	16021,	... 4286, 9076,	\ifdim .. 1388, 1389,
16022,	16042,	13253, 13266,	1987, 1990,
16046,	16047,	13334, 13721,	3156, 3681,
16068, 16076, 16077		13734, 13802,	4407, 4409,
\if@sentedir 1539		14355, 14368,	4468, 4469,

4471,	4477,	14219,	14225,	9958,	9976,
4517,	4530,	14231,	14669,	9997,	10189, 10191
4537,	4618,	14677,	14785,	\ifhv@onlyText
4620,	4633,	15355,	15380,	9959, 9977
4635,	4643,	15446,	15573,	\ifhv@useOBox	9922, 9926
5319,	5710,	15575,	15577,	\ifHy@hyperfootnotes	
5755,	5767,	15579,	15580,	10225
5780,	5783,	15581,	15583,	\ifHy@nesting	10274,
5785,	5815,	15623,	15630,	10285,	10296,
5819,	5820,	15937, 16254, 16358		10307,	10322, 10337
5834,	5859,	\ifdofullc@p	\ifinner 1877,
5884,	5919,	13557, 14081, 14672		3387,	3431,
5932,	5945,	\iffalse 2277,	3475,	9566,
5948,	5950,	2278,	2280,	15565,	16159, 16203
6198,	6219,	9678,	9679,	\ifL@image 10508
6239,	6248,	10599,	10962,	\ifLettrineImage	10479
6275,	6279,	10963,	12059,	\ifmaskcolors	15662,
6296,	6305,	12060, 12073, 12074		15673,	15705, 15722
6327,	6331,	\IfFileExists	\ifmmode 5419,
7062,	7067,	..	2906, 4315, 4380	5424,	9022,
8919,	8921,	\iffootdir@debug	..	9032,	9760,
9052,	9563,	9209, 9213	9762,	9765,
9571,	9587,	\ifGin@iso 9868	9766,	9783,
9588,	9618,	\ifhbox	8491, 8501, 8505	9786,	9793,
9626,	9639,	\ifhmode	1871, 3381,	9802,	9808,
9654,	9687,	3425,	3469,	9812,	9815,
9688,	9771,	3670,	3676,	9829,	9854,
9778,	9817,	5425,	5427,	9861,	10409,
9824,	9869,	5434,	5440,	11770,	11771,
9939,	10077,	5459,	10352,	11988,	11989,
10093,	10531,	10364,	14864,	13108,	13110,
10583,	10929,	15645,	15647,	13114,	13118,
11050,	11093,	15684,	15688,	13120,	13125,
11100,	11104,	15741,	15889,	13129,	13132,
11106,	11145,	16021,	16022,	13136,	13138,
11190,	11198,	16067, 16153, 16197		13142,	15640,
11200,	11272,	\ifhv@fbox	.. 10008,	15644,	15957, 16032
11280,	11282,	10014,	10021,	\ifNAT@openbib	.. 11621
11354,	11365,	10027,	10033,	\ifnum 3,
11448,	11456,	10039,	10048,	129,	231, 273,
11462,	11476,	10052,	10057,	274,	275, 276,
11484,	11775,	10061,	10065,	278,	379, 428,
11800,	11858,	10069,	10083,	445,	473, 482,
11869,	11876,	10099,	10110,	565,	581, 599,
11881,	11896,	10114,	10119,	733,	794, 827,
13554,	13562,	10123,	10127,	845,	987, 1052,
14078,	14086,	10131,	10138,	1068,	1086,
14183,	14189,	10144,	10151,	1239,	1305,
14195,	14201,	10157, 10163, 10169		1306,	1307,
14207,	14213,	\ifhv@nonFloat	9951,	1308,	1310,

1349,	1350,	11847,	11852,	6357,	6374,
1903,	1945,	11863,	11874,	6434,	9077,
1982,	1983,	11875,	11881,	15596, 16246, 16311	
4490,	4701,	11885,	11888,	\ifoddpage	2920
4717,	4733,	11889,	11980,	\ifonelinecaptions .	
4799,	4801,	11981,	11997,	13528, 14052, 14643	
4803,	4880,	12131,	12147,	\ifpoem@started . . .	
4896,	4912,	12163,	12223,	. . . 4464, 4470,	
4978,	4980,	12225,	12227,	4617, 4624, 4638	
4982,	5042,	12305,	12446,	\ifprimitive 2344, 2351	
5136,	5185,	12505,	12521,	\ifrot@messages . . .	
5200,	5225,	12537,	12588, 13078, 13090	
5227,	5229,	12590,	12592,	\iftagsleft@	
5239,	5320,	12692,	12739,	. . . 255, 6392, 16439	
5579,	5587,	12753,	12781,	\ifthenelse	
5592,	5599,	12783,	12785,	. . . 2191, 2208,	
5742,	5751,	12875,	12924,	2212, 2216,	
5761,	5906,	12939,	12964,	2224, 2809,	
5915,	5925,	12966,	12968,	2879, 2881,	
6139,	6553,	12978,	13273,	2884, 2888,	
6567,	6580,	13285,	13372,	2891, 2894,	
6589,	6677,	13390,	13405,	2919, 2976,	
6774,	6823,	13406,	13428,	2995, 3010,	
6837,	6839,	13741,	13753,	3015, 3021,	
6841,	6851,	13840,	13858,	3030, 3035,	
7143,	8735,	13867,	13885,	3041, 3047,	
8750,	8767,	13895,	13896,	3048, 3055,	
8855,	8905,	13917,	13929,	3062, 3064,	
8907,	8909,	13945,	13953,	3070, 3087,	
9170,	9172,	13961,	14375,	3105, 3107,	
9174,	9183,	14387,	14474,	3111, 3129,	
9185,	9187,	14492,	14502,	3130, 3133,	
9333,	9429,	14503,	14524,	3134, 3169,	
9442,	9455,	14803,	14804,	3178, 3189,	
9687,	9689,	14805,	14806,	3199, 3248,	
10515,	10567,	14808,	14893,	3363, 3585,	
10570,	10602,	14895,	15013,	3603, 3604,	
10890,	10891,	15017,	15059,	3635, 3636,	
11044,	11077,	15078,	15100,	3749, 3754,	
11187,	11217,	15117,	15134,	3776, 3781,	
11269,	11299,	15151,	15168,	3803, 3808,	
11385,	11397,	15186,	15205,	3877, 3881,	
11409,	11501,	15225,	15260,	3929, 4142,	
11507,	11661,	15319,	15324,	4188, 4197,	
11671,	11788,	15342,	15515,	4205, 4232,	
11794,	11806,	15604,	15836,	4279, 4348,	
11809,	11810,	16073,	16074,	4359, 6043,	
11811,	11813,	16088,	16250,	6049, 6066,	
11814,	11815,	16272, 16367, 16368		6069, 6070,	
11816,	11825,	\ifodd . . 1888, 4286,		6071, 6072,	

6073,	6159,	6271,	6323,	13805,	13813,
6164,	6167,	6899,	6915,	13819,	13831,
6168,	6169,	6919,	8963,	13845,	13872,
6170,	6171,	8995,	9330,	13902,	13972,
6174,	6178,	9531,	9797,	14034,	14041,
9143,	9158,	9839,	9840,	14139,	14169,
11727, 13032, 13077		9846,	9913,	14170,	14171,
\iftocstyle@autolength		9915,	9921,	14172,	14173,
..... 15364		9932,	9934,	14174,	14175,
\iftocstyle@indentnotnumbered		9937,	9938,	14176,	14180,
.... 15409, 15456		9955,	9961,	14186,	14192,
\iftrue 2279,		9962,	9964,	14198,	14204,
3328, 3341, 3354		9967,	9979,	14210,	14216,
\ifttl@label 14869		9980,	9982,	14222,	14228,
\ifvbox 8691		9985,	9994,	14237,	14267,
\ifvmode 3117, 3120,		9996,	10005,	14293,	14302,
3123, 3126,		10007,	10020,	14322,	14327,
10991, 11439,		10047,	10056,	14334,	14340,
11691, 11711, 14772		10076,	10092,	14364,	14435,
\ifvoid . 1980, 2000,		10109,	10118,	14439,	14447,
5623, 5635,		10137,	10150,	14453,	14465,
5662, 5678,		10184,	10190,	14479,	14509,
5696, 5704,		10203,	10234,	14563,	14625,
5737, 5862,		10245,	10256,	14632,	14780,
5873, 5901,		10387,	10390,	14904,	15245,
6202, 6223,		10393,	10396,	15331,	15402,
6234, 6259,		10446,	10492,	15414,	15422,
6291, 6313,		10895,	11154,	15439,	15464,
7081, 7098,		11515,	11519,	15531,	15536,
7108, 8714,		11523,	11647,	15538,	15653,
8721, 9489,		11651,	11658,	15696,	15807,
9647, 9668,		11664,	11743,	15951,	16316,
11007, 11424,		11755,	11964,	16317, 16319, 16320	
11903, 15746, 15912		12008,	12021,	\ifXC@@tst 15676, 15725	
\ifWF@float 15578, 15592		12034,	12289,	\ignorespaces .. 45,	
\ifx .. 111, 717, 721,		12293,	12430,	58, 73, 118,	
971, 975, 1223,		12434,	13165,	179, 192, 206,	
1227, 1753,		13191,	13200,	551, 560, 860,	
1759, 1765,		13220,	13225,	1114, 1123,	
1780, 1811,		13232,	13238,	2733, 3140,	
1864, 1867,		13262,	13333,	3147, 3148,	
1943, 1969,		13337,	13345,	3157, 3701,	
2197, 2198,		13351,	13363,	3718, 3735,	
2199, 2201,		13377,	13412,	3769, 3796,	
2261, 2264,		13449,	13510,	3823, 4082,	
2299, 2317,		13517,	13633,	4441, 4452,	
2388, 2576,		13659,	13668,	4612, 4613,	
2592, 3617,		13688,	13693,	4760, 4953,	
4541, 4592,		13700,	13706,	5323, 5329,	
4597, 4599,		13730,	13801,	5434, 5440,	

5448,	5455,	14972,	14976,	16501,	16502,
6904,	6918,	14977,	14978,	16503,	16504,
6955,	6971,	14981,	14982,	16505,	16506,
6987,	7001,	14988,	14989,	16507,	16508,
7014,	7027,	14993,	14994,	16509,	16510,
9382,	9398,	14995, 14998, 14999		16511, 16512, 16513	
9413,	9439,	\indexspace 4118		\InputIfFileExists .	
9452,	9465,	\input .. 1494, 1495,	 10483	
9881,	9885,	1502,	1535,	\insert 35,	
9890,	9895,	1556,	2044,	48, 63, 169, 182,	
10451,	11167,	4316,	4381,	196, 1980, 6193,	
11174,	12117,	16372,	16382,	6209,	6214,
12126,	12569,	16383,	16384,	6230,	6277,
12578,	13108,	16385,	16386,	6283,	6329,
13118,	13136,	16387,	16388,	6335,	6944,
13537,	13558,	16389,	16390,	6960,	6976,
13563,	13568,	16391,	16392,	7163,	7173,
13573,	13591,	16393,	16394,	7183,	7261,
14061,	14082,	16395,	16396,	7310,	7319,
14087,	14092,	16397,	16398,	7328,	7402,
14097,	14115,	16399,	16400,	7450,	7460,
14243,	14652,	16401,	16402,	7470,	7548,
14673,	14678,	16403,	16404,	7597,	7607,
14683,	14688,	16405,	16406,	7617,	7695,
14706,	15684,	16408,	16409,	7744,	7754,
15688,	15881,	16415,	16416,	7764,	7842,
15943,	15972,	16417,	16418,	7891,	7901,
15981, 15990, 15999		16419,	16420,	7911,	7989,
\ilg 11797, 11820		16421,	16422,	8038,	8048,
\immediate . 1964, 4604		16423,	16424,	8058,	8136,
\includegraphics ..		16425,	16426,	8185,	8195,
. 2232,		16427,	16428,	8205,	8283,
6045, 6176, 11729		16429,	16430,	8332,	8342,
\includepdf 11720		16431,	16432,	8352,	8430,
\indent 15887		16433,	16434,	8526,	8537,
\indentedwidth ... 6917		16435,	16450,	8548,	8633,
\index 9126, 16326		16451,	16452,	9370, 9386, 9401	
\indexname ... 519,		16453,	16454,	\insert@column 1337,	
520, 521, 535,		16455,	16456,	1338,	1339,
536, 786, 787,		16457,	16458,	1340,	1342,
1040,	1041,	16459,	16460,	1343,	1403,
4102,	4103,	16461,	16462,	1405,	1406,
4689,	4690,	16463,	16464,	1408,	1409,
4868,	4869,	16465,	16466,	1410,	5395,
5080,	5081,	16467,	16468,	5397,	5398,
5082,	12101,	16469,	16470,	5400, 5401, 5402	
12102,	12358,	16471,	16494,	\insertpenalties . 9338	
12359,	12820,	16495,	16496,	\interfootnotelinepenalty	
12821,	12822,	16497,	16498,	38, 51, 66, 172,	
14970,	14971,	16499,	16500,	185, 199, 7090,	

9373, 9389, 9404	16476, 16478, 16480	11270, 11300, 11336
\interlinepenalty .	\isundefined .. 3199,	\jua@sk 11187, 11217,
... 38, 51, 66,	3248, 6043,	11257, 11269,
172, 185, 199,	6049, 6066,	11299, 11336, 11369
480, 543, 568,	6069, 6070,	\justifying ... 2902,
797, 852, 1048,	6071, 6072,	2972, 3522, 12046
1055, 3994,	6073, 6164,	\JustifyingParfillskip
4697, 4704,	6167, 6168, 12052
4876, 4883,	6169, 6170,	\JustifyingParindent
5049, 5246,	6171, 6174, 6178 2874,
5254, 5740,	\item 98,	3525, 4041, 12053
5749, 5759,	153, 524, 539,	
5904, 5913,	790, 873, 1044,	K
5923, 6587,	4074, 4082,	\keepthetitle ... 11026
6600, 6858,	4087, 4108,	\kern . 28, 29, 30, 31,
6867, 7090,	4693, 4872,	163, 164, 165,
8772, 8780,	5085, 9027,	166, 459, 461,
9373, 9389,	9042, 12105,	465, 467, 643,
9404, 11389,	12362, 12825, 15005	644, 646, 651,
11401, 11413,	\itemindent ... 4069,	652, 654, 667,
12001, 12109,	4070, 4078,	882, 884, 889,
12134, 12508,	15843, 15913, 15934	891, 921, 1128,
12561, 12625,	\itemsep 2868, 4015,	1129, 1131,
12983, 12991,	4054, 4068, 15902	1136, 1137,
13420, 13910,	\itemx 11547	1139, 1173,
14517, 14861,	\itemxox 11582	1401, 1406,
14902, 15035,	\itemxoxx 11592	1684, 1685,
15066, 15089,	\itemxx 11550	1686, 1687,
15106, 15123,	\itemxxo 11587	1688, 1689,
15140, 15157,	\itemxxox 11599	1690, 1691,
15174, 15192,	\itemxxx 11555	1695, 1696,
15211, 15231,	\itemxxxo 11606	1743, 1745,
15266, 15405,	\itemxxxx 11562	1746, 3338,
15519, 15571, 16092	\itemxxxxx 11571	3339, 3349,
\intermath@penalty 5322	\itshape 1661, 2204,	3350, 3352,
\intextsep 15631, 15633	3878, 3880,	3770, 3771,
\InTheoType	3884, 3891,	3797, 3798,
.. 6408, 11681,	3898, 3933,	3824, 3825,
11683, 11702, 11704	3940, 3947,	4780, 4781,
\invoice name 14206	3954, 3961,	4783, 4788,
\isempty 2995,	4265, 4266, 4267	4789, 4791,
3585, 3749,		4813, 4936,
3754, 3776,	J	4937, 4939,
3781, 3803,	\jua@ht 11206,	4944, 4945,
3808, 4188,	11213, 11288,	4947, 4992,
4197, 4205, 4232	11295, 11361, 11368	5215, 5217,
\isodd 13032, 13077	\jua@pr 11189,	5221, 5223,
\isSC@ODD ... 14729,	11219, 11271, 11301	5393, 5398,
14730, 14732,	\jua@sar 11188,	5420, 6188,
14733, 16474,	11218, 11257,	6189, 6478,

<code>\l@subparagraph</code> . . .	11578, 11580,	1663, 1664, 1665
. . . . 15150, 15504	11583, 11585,	<code>\Larga</code> 1662
<code>\l@subsection</code>	11588, 11590,	<code>\Largb</code> 1663
. . . . 15099, 15492	11593, 11595,	<code>\LARGE</code> 343,
<code>\l@subsubsection</code> . .	11597, 11600,	414, 674, 764,
. . . . 15116, 15496	11602, 11604,	928, 1018, 1180,
<code>\l@subtable</code> 15224	11607, 11609,	1271, 1282,
<code>\l@table</code>	11611, 12207,	3933, 3940,
4003, 15185, 15508	12600, 12798,	4022, 4265,
<code>\L@tbox</code>	13002, 13467,	4820, 4999,
10513, 10517, 10557	13991, 14582,	5100, 5171,
<code>\l@textcolor</code>	14940, 15936, 15942	6128, 6643,
. . . . 10490, 10491	<code>\labelwidth</code> . . 85, 86,	6708, 6738,
<code>\label</code> 2228,	219, 220, 496,	6809, 8821,
3024, 3026,	497, 630, 631,	8886, 12246,
3028, 3032,	898, 899, 1150,	12336, 12385,
3078, 9125,	1151, 2241,	12482, 12493,
9969, 9987, 16325	2243, 4032,	12651, 12839, 12910
<code>\labelitemi</code> 666, 920,	4033, 4767,	<code>\Large</code> 483, 3884, 3947,
983, 1172, 4812,	4768, 4960,	4021, 4266,
4991, 12238, 12377	4961, 5270,	4267, 6039,
<code>\labelname</code> . . 11548,	5271, 6611,	6132, 6590,
11551, 11553,	6612, 6883,	12727, 13240,
11556, 11558,	6884, 8799,	13246, 13248,
11560, 11563,	8800, 9692,	13264, 13353,
11565, 11567,	11548, 11551,	13360, 13362,
11569, 11572,	11553, 11556,	13365, 13708,
11574, 11576,	11558, 11560,	13714, 13716,
11578, 11580,	11563, 11565,	13732, 13821,
11583, 11585,	11567, 11569,	13828, 13830,
11588, 11590,	11572, 11574,	13833, 14342,
11593, 11595,	11576, 11578,	14348, 14350,
11597, 11600,	11580, 11583,	14366, 14455,
11602, 11604,	11585, 11588,	14462, 14464, 14467
11607, 11609, 11611	11590, 11593,	<code>\large</code> 345, 351,
<code>\labelsep</code> . . . 82, 86,	11595, 11597,	416, 422, 436,
216, 220, 498,	11600, 11602,	589, 681, 691,
632, 900, 1152,	11604, 11607,	766, 772, 835,
2242, 2244,	11609, 11611,	935, 945, 1020,
4031, 4033,	12205, 12206,	1026, 1076,
4090, 4769,	12598, 12599,	1187, 1197,
4962, 5272,	12796, 12797,	1273, 1279,
6613, 6885,	13000, 13001,	1283, 1288,
8801, 11548,	13465, 13466,	3891, 3954,
11551, 11553,	13989, 13990,	4020, 4725,
11556, 11558,	14580, 14581,	4827, 4837,
11560, 11563,	14938, 14939,	4904, 5006,
11565, 11567,	15935, 15937, 15940	5016, 5102,
11569, 11572,	<code>\langle</code> 1662	5108, 5173,
11574, 11576,	<code>\Larg</code> . . . 1661, 1662,	5179, 5193,

6038,	6040,	5826,	5828,	13384,	13421,
6131,	6133,	5829,	5832, 5842	13852,	13879,
6575,	6645,	\LaTeX	10439,	13911,	14486,
6651,	6710,	15810,	15811, 15823	14518,	14736,
6716,	6740,	\LaTeXe . . .	15812, 15813	14867,	14890,
6746,	6811,	\LBEG	1666	15036,	15067,
6817,	6830,	\lcb 1663,	1666, 1667, 1670	15090,	15107,
8743,	8823,	\lccode . . .	15597, 15598	15124,	15141,
8829,	8888,	\Lcs	1677	15158,	15175,
8894,	12155,	\LcsStar	1678	15193,	15212,
12253,	12263,	\leaders	14917,	15232,	15267,
12338,	12344,	15415,	15524, 16097	15406,	15520,
12392,	12402,	\leavevmode	14,	15640,	15815,
12484,	12490,	140,	232, 298,	15820,	15822,
12494,	12499,	435,	452, 574,	15945,	16042, 16093
12529,	12653,	588,	613, 667,	\left	15827
12659,	12746,	804,	817, 834,	\left@footnoterule .	
12841,	12847,	921,	984, 1061,	30,
12912,	12918, 12932	1075,	1101,	165,	335, 458,
\Largr	1665	1173,	1795,	642,	662, 881,
\Largs	1664	2173,	3669,	916,	1127, 1168,
\lastbox 5821,	5825,	3995,	4398,	4779,	4808,
5851,	8467,	4474,	4710,	4935,	4987,
8490,	8500,	4724,	4747,	5092,	5214,
8504,	10988,	4813,	4889,	6623,	6637,
11903,	15746, 15911	4903,	4926,	6730,	6923,
\lastbox@a . . .	5821,	4992,	5192,	8784,	8815,
5822,	5825, 5826	5207,	5288,	9293,	9299,
\LastFrameCommand .		5289,	5419,	9312,	9314,
.	9554, 9664	5471,	6560,	9442,	9455,
\lastkern . .	3681, 9639	6574,	6829,	10459,	12186,
\lastpenalty		7197,	7341,	12234,	12371,
. .	5320, 13406,	7484,	7631,	12610,	12633,
13896,	14503, 15324	7778,	7925,	12770,	12831,
\lastrule	5365	8072,	8219,	12953,	13188,
\lastskip 3156,	4530,	8366,	8742,	13212,	13508,
4531,	4643,	8757,	9027,	13656,	13680,
4644,	5319,	9042,	9468,	14032,	14159,
5808,	5809,	9767,	9813,	14290,	14314, 14623
5813,	5814,	9833,	10351,	\leftfootnoterule .	
5816,	5823, 5828	10983,	11390,	. . .	6185, 6936,
\lastskip@a		11402,	11414,	9297,	9300,
. .	5811, 5815, 5819	11902,	11968,	9528,	9751, 16375
\lastskip@b . . .	5809,	11973,	12004,	\leftline . . .	11983,
5811,	5813,	12140,	12154,	16013,	16019, 16021
5815,	5819, 5820	12177,	12239,	\leftmargin	86,
\lastskip@d . . .	5808,	12378,	12514,	220,	497, 498,
5814,	5816,	12528,	12551,	631,	632, 870,
5822,	5823,	12745,	12760,	899,	900, 1151,
		12931,	12946,	1152,	2243,

2244,	2865,	1103,	1121,	13880,	13881,
4012,	4071,	3989,	3997,	13908,	13912,
4072,	4079,	3998,	4504,	14484,	14487,
4085,	4768,	4699,	4705,	14488,	14515,
4769,	4961,	4706,	4711,	14519,	14859,
4962,	5271,	4722,	4745,	14871,	14888,
5272,	6612,	4748,	4749,	14909,	14911,
6613,	6884,	4878,	4884,	14916,	14920,
6885,	8800,	4885,	4890,	14921,	15031,
8801,	12001,	4901,	4924,	15032,	15033,
12206,	12207,	4927,	4928,	15041,	15062,
12599,	12600,	5190,	5205,	15063,	15064,
12797,	12798,	5208,	5209,	15072,	15085,
13001,	13002,	5344,	5346,	15086,	15087,
13466,	13467,	5348,	5462,	15095,	15102,
13990,	13991,	5463,	5469,	15103,	15104,
14581,	14582,	6558,	6561,	15112,	15119,
14939,	14940,	6562,	6572,	15120,	15121,
15853,	15856,	6827,	7122,	15129,	15136,
15866,	15870,	8681,	8740,	15137,	15138,
15878,	15967,	8755,	8758,	15146,	15153,
15969,	15970,	8759,	10970,	15154,	15155,
15971,	15976,	11060,	11061,	15163,	15170,
15978,	15979,	11387,	11391,	15171,	15172,
15980,	15985,	11392,	11399,	15180,	15188,
15987,	15988,	11404,	11411,	15189,	15190,
15989,	15994,	11416,	12012,	15198,	15207,
15996, 15997, 15998		12014,	12025,	15208,	15209,
\leftmargini .. 2865,		12027,	12038,	15217,	15227,
4012, 4025, 4032		12040,	12049,	15228,	15229,
\leftmarginii 4026		12051,	12068,	15237,	15262,
\leftmarginiii ... 4027		12111,	12124,	15263,	15264,
\leftmarginiv 4028		12135,	12136,	15272,	15312,
\leftmarginv 4029		12141,	12152,	15313,	15314,
\leftmarginvi 4030		12175,	12178,	15337,	15399,
\leftmarginwidth 12767		12179,	12509,	15400,	15401,
\leftmark 4362		12510,	12515,	15407,	15410,
\leftskip 12,		12526,	12549,	15457,	15517,
13, 138, 139,		12552,	12553,	15522,	15545,
232, 236, 433,		12563,	12576,	15552,	16028,
450, 453, 454,		12627,	12743,	16029, 16090, 16095	
545, 558, 569,		12758,	12761,	\LEND	1667
570, 575, 586,		12762,	12767,	\LenToUnit	
611, 614, 615,		12768,	12929,	.. 6352, 6366, 6384	
798, 799, 805,		12944,	12947,	\leqno .. 255, 11979,	
815, 818, 819,		12948,	13382,	11981, 16366, 16368	
832, 854, 1050,		13385,	13386,	\let 83, 98, 111,	
1056, 1057,		13418,	13422,	153, 217, 246,	
1062, 1073,		13850,	13853,	254, 255, 267,	
1099, 1102,		13854,	13877,	299, 300, 303,	

320,	324,	328,	1301,	1317,	3164,	3310,
333,	334,	335,	1318,	1319,	3311,	3324,
336,	337,	338,	1355,	1356,	3328,	3330,
339,	357,	358,	1357,	1382,	3331,	3337,
359,	360,	361,	1383,	1384,	3341,	3345,
362,	363,	364,	1385,	1390,	3354,	3596,
365,	366,	367,	1425,	1426,	3597,	3624,
368,	392,	393,	1487,	1489,	3625,	3653,
394,	395,	396,	1491,	1507,	3747,	3768,
397,	398,	399,	1549,	1551,	3774,	3795,
400,	401,	402,	1553,	1602,	3801,	3822,
403,	404,	411,	1603,	1604,	3838,	3842,
412,	413,	501,	1605,	1606,	3845,	3849,
524,	539,	635,	1607,	1608,	3852,	3856,
660,	661,	662,	1609,	1610,	4003,	4067,
663,	664,	702,	1611,	1612,	4108,	4195,
703,	704,	705,	1750,	1751,	4262,	4263,
706,	707,	708,	1752,	1779,	4264,	4389,
709,	710,	711,	1796,	1797,	4390,	4392,
746,	747,	748,	1798,	1799,	4393,	4411,
749,	750,	751,	1800,	1801,	4432,	4433,
752,	753,	754,	1802,	1803,	4434,	4435,
755,	756,	763,	1804,	1806,	4436,	4437,
790,	903,	914,	1807,	1808,	4438,	4439,
915,	916,	917,	1919,	1920,	4440,	4443,
918,	956,	957,	1921,	1922,	4444,	4445,
958,	959,	960,	1923,	1924,	4446,	4447,
961,	962,	963,	1925,	1926,	4448,	4449,
964,	965,	1000,	1927,	1957,	4450,	4451,
1001,		1002,	1964,	2247,	4512,	4538,
1003,		1004,	2256,	2261,	4588,	4594,
1005,		1006,	2277,	2278,	4615,	4628,
1007,		1008,	2285,	2286,	4638,	4652,
1009,		1010,	2289,	2290,	4656,	4657,
1017,		1044,	2361,	2364,	4658,	4659,
1155,		1166,	2372,	2389,	4660,	4661,
1167,		1168,	2411,	2433,	4662,	4663,
1169,		1170,	2434,	2564,	4664,	4670,
1208,		1209,	2644,	2646,	4671,	4672,
1210,		1211,	2647,	2648,	4673,	4674,
1212,		1213,	2649,	2650,	4675,	4676,
1214,		1215,	2705,	2716,	4677,	4678,
1216,		1217,	2723,	2729,	4693,	4772,
1252,		1253,	2735,	2742,	4806,	4807,
1254,		1255,	2746,	2748,	4808,	4809,
1256,		1257,	2857,	2987,	4810,	4848,
1258,		1259,	2988,	3025,	4849,	4850,
1260,		1261,	3026,	3032,	4851,	4852,
1262,		1270,	3077,	3078,	4853,	4854,
1296,		1297,	3160,	3162,	4855,	4856,

4857,	4872,	6341,	6342,	7438,	7439,
4965,	4985,	6616,	6635,	7440,	7444,
4986,	4987,	6636,	6637,	7445,	7446,
4988,	4989,	6638,	6639,	7447,	7449,
5027,	5028,	6657,	6658,	7585,	7586,
5029,	5030,	6659,	6660,	7587,	7591,
5031,	5032,	6661,	6662,	7592,	7593,
5033,	5034,	6663,	6664,	7594,	7596,
5035,	5036,	6665,	6666,	7732,	7733,
5085,	5090,	6690,	6691,	7734,	7738,
5091,	5092,	6692,	6693,	7739,	7740,
5093,	5094,	6694,	6695,	7741,	7743,
5095,	5096,	6696,	6697,	7879,	7880,
5114,	5115,	6698,	6699,	7881,	7885,
5116,	5117,	6700,	6707,	7886,	7887,
5118,	5119,	6728,	6729,	7888,	7890,
5120,	5121,	6730,	6731,	8026,	8027,
5122,	5123,	6732,	6733,	8028,	8032,
5124,	5125,	6734,	6752,	8033,	8034,
5149,	5150,	6753,	6754,	8035,	8037,
5151,	5152,	6755,	6756,	8173,	8174,
5153,	5154,	6757,	6758,	8175,	8179,
5155,	5156,	6759,	6760,	8180,	8181,
5157,	5158,	6761,	6762,	8182,	8184,
5159,	5160,	6763,	6787,	8320,	8321,
5161,	5168,	6788,	6789,	8322,	8326,
5169,	5170,	6790,	6791,	8327,	8328,
5275,	5299,	6792,	6793,	8329,	8331,
5301,	5304,	6794,	6795,	8509,	8510,
5305,	5306,	6796,	6797,	8511,	8515,
5312,	5317,	6798,	6799,	8516,	8517,
5337,	5350,	6806,	6807,	8518,	8520,
5351,	5352,	6808,	6888,	8688,	8804,
5354,	5355,	6934,	6935,	8813,	8814,
5360,	5361,	6936,	6937,	8815,	8816,
5362,	5363,	6938,	7030,	8817,	8835,
5375,	5384,	7031,	7032,	8836,	8837,
5425,	5431,	7033,	7034,	8838,	8839,
5452,	6183,	7035,	7037,	8840,	8841,
6184,	6185,	7038,	7039,	8842,	8843,
6186,	6187,	7040,	7041,	8844,	8868,
6190,	6191,	7042,	7043,	8869,	8870,
6193,	6211,	7151,	7152,	8871,	8872,
6212,	6214,	7153,	7157,	8873,	8874,
6232,	6233,	7158,	7159,	8875,	8876,
6237,	6272,	7160,	7162,	8877,	8878,
6274,	6286,	7298,	7299,	8885,	8940,
6289,	6290,	7300,	7304,	8964,	8967,
6294,	6324,	7305,	7306,	8968,	8996,
6326,	6338,	7307,	7309,	8999,	9000,

9078,	9079,	10962,	10963,	12323,	12324,
9081,	9082,	10964,	10965,	12325,	12326,
9085,	9086,	10966,	10974,	12327,	12328,
9115,	9117,	11021,	11022,	12335,	12362,
9125,	9126,	11023,	11028,	12369,	12370,
9127,	9137,	11029,	11030,	12371,	12372,
9140,	9272,	11031,	11032,	12373,	12374,
9300,	9326,	11033,	11034,	12375,	12413,
9327,	9429,	11035,	11036,	12414,	12415,
9442,	9455,	11092,	11095,	12416,	12417,
9480,	9481,	11096,	11098,	12418,	12419,
9482,	9483,	11099,	11493,	12420,	12421,
9517,	9532,	11496,	11516,	12422,	12423,
9538,	9543,	11517,	11520,	12424,	12459,
9678,	9679,	11521,	11524,	12460,	12461,
9680,	9681,	11525,	11628,	12462,	12463,
9751,	9752,	11629,	11630,	12464,	12465,
9753,	9754,	11723,	11728,	12466,	12467,
9755,	9836,	11742,	11768,	12468,	12469,
9870,	9872,	11769,	11904,	12470,	12471,
10226,	10227,	11908,	11951,	12479,	12480,
10228,	10269,	11952,	11953,	12481,	12603,
10270,	10271,	11954,	11957,	12631,	12632,
10313,	10314,	11958,	11960,	12633,	12634,
10315,	10328,	11965,	11975,	12635,	12636,
10329,	10330,	11976,	11977,	12637,	12665,
10343,	10344,	11978,	11979,	12666,	12667,
10345,	10354,	11986,	11987,	12668,	12669,
10355,	10357,	12005,	12009,	12670,	12671,
10358,	10359,	12011,	12022,	12672,	12673,
10360,	10367,	12024,	12035,	12674,	12675,
10369,	10370,	12037,	12047,	12676,	12705,
10371,	10372,	12048,	12059,	12706,	12707,
10373,	10374,	12060,	12061,	12708,	12709,
10375,	10376,	12062,	12063,	12710,	12711,
10388,	10391,	12073,	12074,	12712,	12713,
10394,	10397,	12075,	12076,	12714,	12715,
10434,	10435,	12077,	12086,	12716,	12717,
10436,	10437,	12088,	12089,	12723,	12724,
10489,	10499,	12105,	12210,	12725,	12801,
10504,	10599,	12232,	12233,	12825,	12829,
10882,	10883,	12234,	12235,	12830,	12831,
10884,	10886,	12236,	12274,	12832,	12833,
10888,	10892,	12275,	12276,	12834,	12835,
10894,	10896,	12277,	12278,	12853,	12854,
10897,	10899,	12279,	12280,	12855,	12856,
10900,	10901,	12281,	12282,	12857,	12858,
10905,	10911,	12283,	12318,	12859,	12860,
10923,	10938,	12319,	12320,	12861,	12862,
10939,	10940,	12321,	12322,	12863,	12864,

12888,	12889,	13776,	13777,	14755,	14756,
12890,	12891,	13778,	13779,	14763,	14764,
12892,	12893,	13780,	13781,	14770,	14779,
12894,	12895,	13782,	13783,	14780,	14781,
12896,	12897,	13784,	13785,	14783,	14786,
12898,	12899,	13786,	13787,	14790,	14793,
12900,	12907,	13788,	13789,	14795,	14798,
12908,	12909,	13790,	13791,	14854,	14883,
13005,	13030,	13792,	13793,	14912,	14917,
13057,	13058,	13794,	13798,	14923,	14926,
13075,	13147,	13799,	13800,	14943,	15005,
13148,	13149,	14002,	14027,	15009,	15038,
13210,	13211,	14028,	14054,	15039,	15040,
13212,	13213,	14055,	14056,	15069,	15070,
13214,	13215,	14057,	14058,	15071,	15092,
13216,	13218,	14059,	14065,	15093,	15094,
13282,	13299,	14066,	14067,	15109,	15110,
13300,	13301,	14068,	14069,	15111,	15126,
13302,	13303,	14070,	14249,	15127,	15128,
13304,	13305,	14250,	14251,	15143,	15144,
13306,	13307,	14312,	14313,	15145,	15160,
13308,	13309,	14314,	14315,	15161,	15162,
13310,	13311,	14316,	14317,	15177,	15178,
13312,	13313,	14318,	14320,	15179,	15195,
13314,	13315,	14384,	14401,	15196,	15197,
13316,	13317,	14402,	14403,	15214,	15215,
13318,	13319,	14404,	14405,	15216,	15234,
13320,	13321,	14406,	14407,	15235,	15236,
13322,	13323,	14408,	14409,	15269,	15270,
13324,	13325,	14410,	14411,	15271,	15318,
13326,	13330,	14412,	14413,	15534,	15542,
13331,	13332,	14414,	14415,	15547,	15554,
13478,	13503,	14416,	14417,	15563,	15567,
13504,	13530,	14418,	14419,	15645,	15650,
13531,	13532,	14420,	14421,	15660,	15664,
13533,	13534,	14422,	14423,	15693,	15703,
13535,	13541,	14424,	14425,	15707,	15747,
13542,	13543,	14426,	14427,	15751,	15794,
13544,	13545,	14428,	14432,	15795,	15796,
13546,	13615,	14433,	14434,	15797,	15800,
13616,	13617,	14593,	14618,	15801,	15803,
13678,	13679,	14619,	14645,	15808,	15810,
13680,	13681,	14646,	14647,	15812,	15824,
13682,	13683,	14648,	14649,	15825,	15826,
13684,	13686,	14650,	14656,	15846,	15960,
13750,	13767,	14657,	14658,	16001,	16004,
13768,	13769,	14659,	14660,	16005,	16019,
13770,	13771,	14661,	14737,	16020,	16038,
13772,	13773,	14738,	14739,	16043,	16044,
13774,	13775,	14743,	14754,	16045,	16049,

16061, 16062,	6812, 8824,	8798, 11620,
16063, 16064,	8889, 9129,	12204, 12597,
16070, 16071,	10924, 10971,	12795, 12999,
16072, 16296,	12069, 12083,	13462, 13986,
16298, 16311,	12254, 12339,	14577, 14937, 15835
16312, 16313,	12393, 12485,	\listdoubleitemmaincolumnwidth
16314, 16316,	12494, 12654, 2147,
16317, 16319,	12730, 12842,	2160, 2161,
16320, 16325,	12913, 13240,	2162, 2189, 2193
16326, 16327,	13354, 13708,	\listfigurename ...
16350, 16353,	13822, 14342, 3972, 3973
16365, 16366,	14456, 14758,	\listitemmaincolumnwidth
16374, 16375,	14798, 16066, 16328 2146,
16376, 16515, 16517	\lineskiplimit	2154, 2155, 2187
\Letter 2093 9130, 16328	\listitemsymbol 2088,
\lettergroup 4119	\linespacing 24	2145, 2186,
\LettrineFont	\linewidth 2201, 3054,	2188, 5994, 6092
..... 10501, 10511	9028, 9043,	\listitemsymbolwidth
\LettrineFontEPS 10509	9047, 9690, 2144,
\LettrineTextFont .	9698, 9699,	2145, 2155, 2161
..... 10513, 10522	9701, 9702,	\listoffigures ... 3970
\LettrineWidth .. 10502	9916, 10537,	\listoftables 3978
\lftside 11834,	10540, 10552,	\listparindent
11836, 11839,	10968, 11100,	868, 4070, 4077,
11841, 11855, 11857	11106, 11695,	4078, 15842, 15851
\line ... 5481, 5482,	11697, 11715,	\listtablename
5484, 5485,	11717, 11792, 3980, 3981
5491, 5492,	11798, 11884,	\llap 4057, 6407, 7063,
5494, 5495,	11893, 11894,	8945, 8950,
5504, 5505,	11945, 11947,	9758, 9881,
5507, 5508,	12066, 12080,	9883, 9885,
5514, 5515,	15788, 15790,	9887, 9890,
5517, 5518,	15852, 15853,	9892, 9895,
5527, 5528,	15880, 15967,	9897, 10555,
5530, 5531,	15969, 15970,	14872, 14890, 16447
5537, 5538,	15971, 15976,	\LoadClass . 4304, 4328
5540, 5541,	15978, 15979,	\long 34, 47, 62,
5550, 5551,	15980, 15985,	168, 181, 195,
5553, 5554,	15987, 15988,	375, 665, 730,
5560, 5561,	15989, 15994,	919, 982, 1171,
5563, 5564,	15996, 15997,	1236, 1595,
11982, 11983, 11984	15998, 16288, 16291	1814, 1817,
\lineskip . 321, 346,	\link 2207	1820, 1825,
417, 682, 767,	\list 85, 219,	1828, 1831,
936, 1021, 1188,	495, 629, 868,	2329, 2333,
1274, 1283,	897, 1149, 4050,	2366, 2391,
2077, 4828,	4068, 4077,	2395, 2505,
5007, 5103,	4085, 4766,	2524, 2599,
5174, 6646,	4959, 5269,	2615, 2627,
6711, 6741,	6610, 6882,	2636, 2668,

2696,	2708,	11853, 11864, 11891	\LT@hline 10892
2709,	2994,	\lower 11973,	\LT@kill 10892
3137,	3397,	15633, 15820, 15822	\LT@lastfoot
3401,	3405,	\lowercase . . 2842, 3541 1987, 1989, 2000
3441,	3445,	\lowertitleback . . .	\LT@LL@FM@cr
3449,	3485,	13323, 13791, 14425 10901, 10905
3489,	3493,	\LR 10435,	\LT@make@row 10922
3662,	3746,	11953, 11973,	\LT@makecaption . . 10926
3773,	3800,	15796, 15820, 15822	\LT@mcol . . 10882, 10927
4545,	4548,	\lrb 1665, 1674	\LT@no@pgbk 10890, 10891
4551,	4555,	\LRE 1488, 1550,	\LT@nofcols 10921
4558,	4561,	10434, 11953,	\LT@output 1981
4811,	4990,	11956, 15796, 15799	\LT@p@ftn . . . 10945,
5132,	5418,	\LRfootnoterule . . .	10946, 10948, 10949
6192,	6213,	. . 6187, 6938, 9300	\LT@p@ftntext . . . 10938
6673,	6770,	\lsb 1664, 1672	\LT@p@LTRftntext . .
8851,	9370,	\lst@alloverstyle 10939, 10944
9386,	9401, 1653, 1659	\LT@p@RTLftntext . .
9428,	9441,	\lst@ifnumberbychapter 10940, 10947
9454,	9756, 10599, 10600	\LT@rows 10916
9766,	9812,	\lst@Key 10559	\LT@save@row
9853,	9860,	\lst@makecaption 10590 1958, 1967, 1969
10272,	10283,	\lst@maketitle . . .	\LT@setprevdepth 10917
10294,	10305,	10591, 10594, 10596	\LT@start 1960
10320,	10335,	\lst@title@dropdelim	\LT@startpbox
10575,	11042, 10591	10898, 10905, 10936
11092,	11142,	\lstKV@SwitchCases .	\LT@tabularcr . . . 10888
11164,	11528, 10560	\LT@warn 1971
11532,	11536,	\lstset 1623	\LT@capwidth 10927
11773,	11967,	\LT@chl . . . 10884, 10886	\LTleft 10876,
12237,	12302,	\LT@save@row 1969	10878, 10880, 10918
12376,	12443,	\LT@tabarray	\LTpost 1979
12641,	12684, 10883, 10887	\LTR 11770,
12871,	13163,	\LT@array . . 1953, 10873	11945, 11988, 15788
13631,	14138,	\LT@bchunk	\LTR@column@boxes .
14240,	14265,	10914, 10921, 10925	11454, 11497, 11499
15639,	15814,	\LT@caption 10892	\LTR@outputdblcol .
15944,	16169,	\LT@cols 10927 5645, 8984,
16173,	16177,	\LT@echunk 1959	9707, 11264,
16213,	16217,	\LT@end@open . 1975, 1983	16121, 16149, 16151
16221, 16280, 16355		\LT@endpbox 10894	\LTRbidituftesidenotemarginpar
\longindentation . 6916		\LT@entry . . 1957, 1964 3424, 3707, 3847
\longtable 1941		\LT@entry@chop . . . 1957	\LTRcolumnfootnotes
\longthickrule		\LT@entry@write . . 1964 7045
. 12722, 12728		\LT@err 1950, 1984	\LTRdblcol 16151
\loop . . . 5574, 5699,		\LT@final@warn . . . 1973	\LTRdfnmakecol . . . 6345
5705,	5810,	\LT@foot 1987,	\LTRfootnote . . 338,
5865,	5877,	1991, 2000, 2003	412, 1751, 1759,
8488,	8498,	\LT@get@widths . . . 1962	3832, 4176,
11790,	11826,	\LT@head . . . 1994, 2007	5095, 5169,

6733, 6807,	12889, 12908,	8150, 8186,
9355, 12374,	13215, 13300,	8196, 8206,
12480, 12636,	13331, 13683,	8232, 8244,
12724, 12834,	13768, 13799,	8257, 8284,
12908, 13215,	14317, 14402, 14433	8297, 8333,
13331, 13683,	\ltx@firstofthree .	8343, 8353,
13799, 14317, 14433 9225, 9249	8379, 8391,
\LTRfootnotetext ..	\ltx@ifundefined ..	8404, 8431,
... 1818, 1829, 9219, 9243	8444, 8527,
4549, 4559,	\ltx@secondofthree .	8538, 8549,
9501, 9503, 10945 9228, 9252	8574, 8587,
\LTRfoottextfont ..	\ltx@thirdofthree .	8600, 8634, 8648
... 6980, 6987,	.. 9221, 9238, 9245	\m@m@h 7133,
7008, 7014,		7135, 7137,
7085, 7175,	M	7140, 7141, 7146
7203, 7223,	\m@addvipersep	\m@m@k 7133,
7321, 7347, 11209, 11291	7135, 7140,
7366, 7462,	\m@m@float@spacing 7049	7143, 7144, 7146
7490, 7510,	\m@m@footnote@spacing	\m@m@makecolfloats .
7609, 7637,	... 6946, 6962, 8686, 8727
7657, 7756,	6978, 6994,	\m@m@makecolintro .
7784, 7804,	7007, 7020, 8701, 8720
7903, 7931,	7048, 7164,	\m@m@makecoltext ..
7951, 8050,	7174, 7184, 8690, 8729
8078, 8098,	7210, 7222,	\m@m@singlespace . 7047
8197, 8225,	7235, 7262,	\m@make@eightcol@footgroup
8245, 8344,	7275, 7311,	.. 8031, 8123, 8163
8372, 8392,	7320, 7329,	\m@make@eightcolfootfmt
8539, 8566, 8588	7354, 7365, 8122, 8158
\LTRight 10876,	7377, 7403,	\m@make@eightcolfootnotetext
10878, 10880, 10919	7415, 7451, 8120, 8134
\LTRmarginnote ... 3844	7461, 7471,	\m@make@fivecol@footgroup
\LTRmarginpar ... 16152	7497, 7509,	.. 7590, 7682, 7722
\LTRmulticolcolumns	7522, 7549,	\m@make@fivecolfootfmt
..... 11495	7562, 7598, 7681, 7717
\LTRsidenote 3828	7608, 7618,	\m@make@fivecolfootnotetext
\LTRthanks 338, 358,	7644, 7656, 7679, 7693
393, 412, 4176,	7669, 7696,	\m@make@footstart .
4184, 4201,	7709, 7745,	... 7119, 7129,
4217, 4228,	7755, 7765,	7250, 7391,
5095, 5115,	7791, 7803,	7537, 7684,
5150, 5169,	7816, 7843,	7831, 7978,
6733, 6753,	7856, 7892,	8125, 8272, 8419
6788, 6807,	7902, 7912,	\m@make@fourcol@footgroup
9499, 11029,	7938, 7950,	.. 7443, 7535, 7575
12374, 12414,	7963, 7990,	\m@make@fourcolfootfmt
12460, 12480,	8003, 8039, 7534, 7570
12636, 12666,	8049, 8059,	\m@make@fourcolfootnotetext
12706, 12724,	8085, 8097, 7532, 7546
12834, 12854,	8110, 8137,	

\m@make@mpheightcol@footgroup	\m@make@parafootfmt	\m@mmf@prepare	6958,
.. 8036, 8124, 8167 8613, 8658	6974,	6990,
\m@make@mpheightcol@footnotetext	\m@make@parafootnotetext	7054,	7172,
..... 8121, 8146 8611, 8631	7182,	7192,
\m@make@mpfivecol@footgroup	\m@make@sevendcol@footgroup	7218,	7231,
.. 7595, 7683, 7726	.. 7884, 7976, 8016	7243,	7270,
\m@make@mpfivecol@footnotetext	\m@make@sevendcol@footfmt	7282,	7318,
..... 7680, 7705 7975, 8011	7327,	7336,
\m@make@mpfourcol@footgroup	\m@make@sevendcol@footnotetext	7361,	7373,
.. 7448, 7536, 7579 7973, 7987	7384,	7410,
\m@make@mpfourcol@footnotetext	\m@make@sixcol@footgroup	7422,	7459,
..... 7533, 7558	.. 7737, 7829, 7869	7469,	7479,
\m@make@mpninecol@footgroup	\m@make@sixcol@footfmt	7505,	7518,
.. 8183, 8271, 8314 7828, 7864	7530,	7557,
\m@make@mpninecol@footnotetext	\m@make@sixcol@footnotetext	7569,	7606,
..... 8268, 8293 7826, 7840	7616,	7626,
\m@make@mppara@footgroup	\m@make@tencol@footgroup	7652,	7665,
.. 8519, 8615, 8671	.. 8325, 8417, 8457	7677,	7704,
\m@make@mpparafootnotetext	\m@make@tencol@footfmt	7716,	7753,
..... 8612, 8644 8416, 8452	7763,	7773,
\m@make@mpsevendcol@footgroup	\m@make@tencol@footnotetext	7799,	7812,
.. 7889, 7977, 8020 8414, 8428	7824,	7851,
\m@make@mpsevendcol@footnotetext	\m@make@threecol@footgroup	7863,	7900,
..... 7974, 7999	.. 7303, 7389, 7428	7910,	7920,
\m@make@mpsixcol@footgroup	\m@make@threecol@footfmt	7946,	7959,
.. 7742, 7830, 7873 7388, 7423	7971,	7998,
\m@make@mpsixcol@footnotetext	\m@make@threecol@footnotetext	8010,	8047,
..... 7827, 7852 7386, 7400	8057,	8067,
\m@make@mpthreecol@footgroup	\m@make@twocol@footgroup	8093,	8106,
.. 8330, 8418, 8461	.. 7156, 7248, 7288	8118,	8145,
\m@make@mpthreecol@footnotetext	\m@make@twocol@footfmt	8157,	8194,
..... 8415, 8440 7247, 7283	8204,	8214,
\m@make@mpthreecol@footgroup	\m@make@twocol@footnotetext	8240,	8253,
.. 7308, 7390, 7432 7245, 7259	8265,	8292,
\m@make@mpthreecol@footnotetext	\m@doextrafeet	8304,	8341,
..... 7387, 7411 7076, 8726	8351,	8361,
\m@make@mpwocol@footgroup	\m@doextrafeetendmini	8387,	8400,
.. 7161, 7249, 7292 7104, 7114	8412,	8439,
\m@make@mpwocol@footnotetext	\m@doextrafeetmini	8451,	8536,
..... 7246, 7271 7095	8547,	8558,
\m@make@mpninecol@footgroup	\m@dosplits	8583,	8596,
.. 8178, 8270, 8310	.. 7138,	8609,	8643, 8657
\m@make@mpninecol@footfmt	7142, 7143, 7144	\m@mold@footnotetext	
..... 8269, 8305	\m@minterparanoteglue 7030, 7037	
\m@make@mpninecol@footnotetext 8480, 8482	\m@mold@LTRfootnotetext	
..... 8267, 8281	\m@mipn@skip 7031, 7038	
\m@make@para@footgroup	.. 8472, 8479, 8481	\m@mold@mpfootnotetext	
.. 8514, 8614, 8664	\m@mmakehboxofhboxes 7033, 7040	
\m@make@para@footstart 8484,	\m@mold@mpLTRfootnotetext	
..... 8616, 8678	8495, 8667, 8674 7034, 7041	

\m@mold@mpRTLfootnotetext	16097, 16443, 16446	12679, 12708,
..... 7035, 7042	\maincolumnwidth ..	12828, 12856,
\m@mold@RTLfootnotetext 2142,	12867, 12891,
..... 7032, 7039	2151, 2152,	13204, 13275,
\m@mopfootnote	2153, 2154,	13302, 13672,
..... 8702, 8724	2156, 2160,	13743, 13770,
\m@mopsidebar 8713, 8728	2175, 2179, 2204	14306, 14377, 14404
\m@mremovehboxes ..	\mainmatter 4355	\maketitledetailsnewline
..... 8504,	\makeatletter 2571, 2590	... 6150, 6165,
8505, 8668, 8675	\makebox 6395,	6167, 6168,
\m@mrigidbalance ..	6400, 6469,	6169, 6170, 6171
..... 7135,	6472, 6475,	\maketitledetailwidth
7140, 7291,	6482, 6490, 6142,
7295, 7431,	6497, 6538, 6542	6144, 6145,
7435, 7578,	\makefooter	6146, 6147, 6162
7582, 7725,	.. 6059, 6060, 6076	\maketitlehookb . 11087
7729, 7872,	\MakeFramed 9556	\maketitlehookc . 11089
7876, 8019,	\makelabel	\maketitlenamefullwidth
8023, 8166,	4057, 15846, 15931	.. 6136, 6137, 6139
8170, 8313,	\maketag@@@ 263, 6393,	\maketitlenamemaxwidth
8317, 8460, 8464	6406, 16440, 16446	.. 6134, 6135, 6139
\m@msplitoff 7143, 7145	\makethanksmark . 11042	\maketitlenamewidth
\m@mungebox	\maketitle ... 106, 6138,
... 8473, 8536,	240, 247, 332,	6139, 6145, 6157
8547, 8558,	360, 371, 395,	\maketitlepage
8583, 8596,	658, 703, 725, 4238, 4280
8609, 8643, 8657	747, 912, 957,	\maketitlepicturewidth
\m@munvxh .. 8465, 8474	979, 1001, 1164, 6140,
\m@ne 231, 473,	1209, 1231,	6141, 6147, 6176
482, 2276, 2369,	1253, 1591,	\MakeUppercase 121,
3392, 3436,	1603, 2168,	493, 520, 521,
3480, 5042,	4152, 4256,	536, 627, 787,
5200, 5239,	4280, 4804,	895, 1041, 1147,
5574, 6580,	4849, 4983,	4690, 4764,
6589, 6851,	5028, 5089,	4869, 4957,
8750, 8767,	5117, 5128,	5081, 5082,
11429, 11997,	5152, 6041,	5267, 6608,
12753, 12939,	6155, 6634,	6880, 8796,
12978, 13372,	6658, 6669,	12102, 12202,
13895, 14502,	6691, 6727,	12359, 12595,
15017, 15059,	6755, 6766,	12821, 12822, 12997
15343, 16164,	6790, 8812,	\marginline
16208, 16243, 16246	8836, 8847,	13523, 14047, 14638
\m@th 263,	8869, 10367,	\marginnote 3837
323, 6396, 6401,	10368, 11037,	\marginpar 2964, 3626,
6407, 9028,	12230, 12275,	13524, 14048, 14639
9043, 10923,	12297, 12319,	\marginparpush
15415, 15524,	12367, 12416, 2897, 16262
15827, 15962,	12438, 12462,	\marginparsep
16034, 16036,	12630, 12668,	... 1581, 2053,

2938, 2941,	\mdf@frametitlealignment	\message 1532, 1534,
2945, 3091, 10982	9564, 9572,
3098, 9880,	\mdf@frametitlebelowskip	length 9576, 9581,
9882, 9886, 11002	9589, 9595,
9891, 9894,	\mdf@frametitlebox .	9605, 9610,
9896, 16273, 16275	. 10981, 10994,	9612, 9619,
\marginparwidth ...	10995, 10996,	9627, 9640,
... 1580, 2054,	10997, 10999, 11000	9648, 9653,
2937, 2942,	\mdf@frametitlefont	9658, 9671,
2954, 3046, 10984	9682, 9690, 9702
3316, 3409,	\mdf@frametitlefontcolor	\MessageBreak . 1971,
3453, 3497, 10983	2761, 2775,
9880, 9882,	\mdf@horizontalmargin@equation	2787, 2801,
9894, 9896, 10959	2978, 3068,
16181, 16225, 16275	\mdf@ignorevbadness	3295, 3296,
\markboth 10993	3364, 3911,
120, 487, 4360, 6594	\mdf@lrbox 10952, 10981	3912, 3913,
\mathindent . 9029, 9045	\mdf@par@local .. 10975	3915, 3916,
\mathsurround 5316	\mdf@patchamsthm 10953	3920, 3921,
\max@poem@no	\mdfframetitleenv .	3922, 3924,
.. 4490, 4599, 4600 10980	3925, 11138,
\maxdepth	\mdfframetitleboxdepth	11139, 11432,
8730 10997	11450, 11512,
\maxdimen 8532, 8543,	\mdfframetitleboxheight	13276, 13488,
8554, 8579, 10996	13495, 13744,
8592, 8605,	\mdfframetitleboxtotalheight	14012, 14019,
8639, 8653, 10998	14378, 14603, 14610
8912, 8956,	\mdfframetitleboxwidth	\MH 6409, 6415, 6428,
8957, 8958, 10995	6443, 6455,
8988, 8989,	\mdseries 234,	6463, 6510,
8990, 9563,	6035, 6037,	6526, 6528,
15475, 15478,	6039, 6040,	6532, 6533, 6535
15483, 15487,	6127, 6128,	\MHInternalSyntaxOff
15491, 15495,	6129, 6132, 6133 6550
15499, 15503,	\meaning	\MHInternalSyntaxOn
15507, 15511, 15567	2260, 2263, 2335, 6390
\mbox 9841, 10555, 14243	2561, 2588,	\MidFrameCommand ..
\mc@col@status@write	2603, 2621,	.. 9552, 9596, 9664
.... 11458, 11479	2629, 2638, 2702	\minrowclearance ..
\mc@gridwarn 11448	\medskip 1387, 1421, 5413
\mc@lastcol@status@write	4397	\mintagvsep
.... 11464, 11487	\medskipamount ... 6918	6410
\mdf@footnotedistance@length	\mdmakecol 8719, 8731	\mkern
..... 11009	\memRTLleftskip . 11060	15417, 15525, 16098
\mdf@footnoteinput .	\memRTLraggedleft 11065	\mobile
..... 11017	\memRTLraggedright .	\Mobilefone
\mdf@footnoteoutput 11064	2090
..... 11006	\memRTLrightskip 11061	\mobilesymbol
\mdf@frametitleaboveskip@length	\memRTLvleftskip 11062	.. 2090, 6069, 6167
..... 11001	\memRTLvrightskip 11063	\modernpoem
		\modernpoem@obeylines
	 4392, 4652

<code>\modernpoem@par</code> . . .	<code>\myrefname</code> 14194	2136,	2137,
.. 4392, 4393, 4616		2148,	2149,
<code>\morefloats</code> . 3198, 3295	N	2169,	2176,
<code>\moreLRE</code> 1489,	<code>\next</code> 1487, 1489, 1491,	2178,	2182,
1551, 11909, 15752	1492, 1549,	2186,	2188,
<code>\moreRLE</code> 1491,	1551, 1553, 1554	2194,	2203,
1553, 11910, 15753	<code>\na</code> . . . 11812, 11814,	2205,	2207,
<code>\moveleft</code> . . 3348, 11344	11816, 11825,	2211,	2215,
<code>\moveright</code>	11827, 11852, 11853	2220,	2232,
9131, 11442, 16331	<code>\narrower</code> 16027	2255,	2291,
<code>\mp@footgroupv@r</code> . .	<code>\NAT@bibitem@first@sw</code>	2297,	2309,
. 7100, 11628	2315,	2327,
7132, 7162,	<code>\nb</code> 11812,	2330,	2332,
7309, 7449,	11815, 11816,	2339,	2343,
7596, 7743,	11825, 11826,	2349,	2356,
7890, 8037,	11847, 11863, 11864	2359,	2362,
8184, 8331, 8520	<code>\NeedsTeXFormat</code> . . .	2365,	2380,
<code>\mpfootnoterule</code> 1428, 1558,	2424,	2429,
. 9327, 9331	1614, 1747,	2551,	2575,
<code>\MT</code> . . . 6429, 6435, 6437	2009, 2257,	2626,	2635,
<code>\mult@cols</code> 11527	2803, 3373,	2712,	2726,
<code>\mult@footnotetext</code> .	3858, 4004,	2738,	2807,
11515, 11517, 11528	4120, 4147,	2808,	2809,
<code>\mult@gfirstbox</code> . . .	4296, 4320,	2810,	2833,
11455, 11469, 11475	4385, 5979, 6077	2836,	2841,
<code>\mult@info</code> 11430	<code>\new@command</code> 2371, 2373	2872,	2899,
<code>\mult@LTRfootnotetext</code>	<code>\new@poem@width</code> . . .	2900,	2901,
11519, 11521, 11532	. . . 4407, 4408,	2902,	2917,
<code>\mult@rightbox</code>	4409, 4410,	2936,	2972,
. 11423, 11462,	4495, 4537, 4540	2974,	2975,
11463, 11465,	<code>\newblock</code> 2255, 4507,	2980,	2981,
11484, 11485, 11488	4614, 11622, 11624	2983,	2984,
<code>\mult@RTLfootnotetext</code>	<code>\newboolean</code> . . . 2811,	2991,	2992,
11523, 11525, 11536	2815, 2817,	2993,	3001,
<code>\multfootsep</code> 3666, 3684	2819, 2820,	3004,	3086,
<code>\multicol@leftmargin</code>	2832, 2905,	3104,	3314,
. . . . 11433, 11442	2915, 2982,	3322,	3332,
<code>\multicols</code> . 1943, 11500	3005, 3300,	3335,	3343,
<code>\multicolumn</code>	3867, 4126, 4153	3512,	3513,
. . . . 10882, 14785	<code>\newbox</code> 4462, 4463	3514,	3515,
<code>\multiplefootnotemarker</code>	<code>\newcommand</code> . . . 1652,	3516,	3517,
. . . 3665, 3681,	1658, 1661,	3518,	3519,
3770, 3771,	1662, 1663,	3520,	3521,
3797, 3798,	1664, 1665,	3522,	3523,
3824, 3825,	1666, 1667,	3532,	3540,
7053, 7055, 7056	2034, 2120,	3594,	3616,
<code>\multiply</code> 1565, 1570,	2125, 2126,	3622,	3647,
1909, 8523,	2127, 2129,	3648,	3680,
8524, 8628,	2130, 2131,	3827,	3828,
8629, 11809, 11813	2133, 2134,	3829,	3837,

3844,	3851,	1474,	1475,	2989,	3006,
3862,	3863,	1477,	1478,	3743,	6134,
3986,	4039,	1537,	1538,	6136,	6138,
4119,	4132,	1539,	1540,	6140,	6142,
4166,	4167,	2011,	2040,	15278,	15280, 15281
4168,	4169,	2219,	2577,	\newline ...	2201, 3162
4170,	4171,	4341,	4464,	\newlinechar	1508
4172,	4173,	5982,	5984,	\newlinetospace ...	
4224,	4238,	5986,	5988,	... 3159, 3179,	
4398,	4602,	6053,	6080,	3180,	3181,
4603,	6150,	6082,	6084,	4361,	4362, 4363
6344,	6345,	6086,	6149,	\newlistentry	
9143,	9146,	9201,	9209, 10951	... 15243, 15310	
9205,	9210,	\newinsert 3201,	3202,	\newpage 385, 407, 739,	
9212,	9218,	3203,	3204,	759, 993, 1013,	
9234,	9258,	3205,	3206,	1245,	1265,
9270,	9324,	3207,	3208,	4257,	4294,
9418,	9420,	3209,	3210,	4295,	5142,
9904,	10565,	3211,	3212,	5164,	5976,
11492,	11495,	3213,	3214,	6683,	6703,
11498,	13145,	3215,	3216,	6780,	6802,
13146,	13613,	3217,	3218,	8861,	8881,
13614,	14247,	3219,	3220,	10889,	11051,
14248,	15743,	3221,	3222,	12311,	12331,
15744,	16008,	3223,	3224,	12452,	12474,
16009, 16150, 16151		3225,	3226,	12698,	12720,
\newcount		3227,	3228,	12881,	12903,
.. 1561, 1562, 7133		3229,	3230,	13291, 13759, 14393	
\newcounter		3231,	3232,	\newpoem@tabcr	
... 3593, 4598,		3233,	3234,	.. 4615, 4624, 4625	
9054,	9203,	3250,	3251,	\newsavebox ... 1698,	
15246, 15250, 15251		3252,	3253,	2950, 2985, 2986	
\newdimen .. 4404, 7133		3254,	3255,	\newskip 1736, 1737,	
\newenvironment 1699,		3256,	3257,	1738, 2374, 8479	
1710,	1719,	3258,	3259,	\newthought	4060
1728,	2233,	3260,	3261,	\newtoks 1749, 4405,	
2951,	2966,	3262,	3263,	9211, 11905, 15748	
2969,	3007,	3264,	3265,	\next@tpage	
3128,	4587,	3266,	3267,	. 13221, 13253,	
4651,	15964,	3268,	3269,	13263, 13266,	
15973, 15982, 15991		3270,	3271,	13334, 13689,	
\newfloat@@setwithin		3272,	3273,	13721, 13731,	
..... 11655,		3274,	3275,	13734, 13802,	
11661, 11669, 11671		7052, 7125, 7131		14323, 14355,	
\newfloat@Error . 11674		\newlength 2138, 2139,		14365, 14368, 14436	
\newfloat@setwithin		2140,	2142,	\ninecolumnfootnotes	
..... 11641		2143,	2144, 8171	
\newif .. 1467, 1469,		2146,	2147,	\ninecolumnfootstyle	
1470,	1471,	2230,	2933, 8266	
1472,	1473,	2934,	2935,		

<code>\no@bib@break</code>	13883, 13912,	9056, 9057,
13474, 13998, 14589	13913, 13915,	9062, 9063,
<code>\noalign</code> 1301, 1956,	14240, 14489,	9115, 10918,
4518, 7143,	14490, 14519,	10945, 10948,
10889, 10890, 10891	14520, 14522,	11155, 13471,
<code>\nobibliography</code> .. 3590	14877, 14894,	13472, 13995,
<code>\nobreak</code> 14, 16, 140,	14901, 15041,	13996, 14586,
142, 437, 455,	15044, 15072,	14587, 14752,
484, 488, 575,	15073, 15095,	14790, 14791,
576, 590, 616,	15096, 15112,	15253, 15547,
805, 806, 820,	15113, 15129,	15548, 15549,
836, 1062, 1063,	15130, 15146,	15550, 15551,
1077, 1104,	15147, 15163,	15552, 15553,
2007, 3673,	15164, 15180,	15554, 15555,
3998, 3999,	15181, 15198,	15668, 15683,
4418, 4420,	15199, 15217,	15711, 15717,
4426, 4711,	15218, 15237,	15730, 16059, 16296
4712, 4726,	15238, 15272,	<code>\noindent</code> 375,
4750, 4890,	15273, 15308,	551, 560, 860,
4891, 4905,	15408, 15413,	1114, 1123,
4929, 5045,	15421, 15522,	1595, 2960,
5053, 5065,	15523, 15527,	3147, 3695,
5194, 5210,	16095, 16096, 16100	3712, 3729,
5242, 5247,	<code>\nobreakspace</code> 483	3840, 3847,
5255, 5464,	<code>\noexpand</code> 313, 1771,	3854, 4062,
6563, 6576,	1772, 1786,	4082, 4243,
6591, 6595,	1787, 1815,	4245, 4247,
6603, 6831,	1818, 1821,	4760, 4953,
6854, 6859,	1965, 2267,	5132, 5329,
6868, 6911,	2334, 2335,	6673, 6770,
6912, 8744,	2337, 2556,	6914, 8534,
8760, 8769,	2557, 2558,	8545, 8556,
8773, 8781,	2560, 2561,	8581, 8594,
10352, 10458,	2586, 2588,	8607, 8641,
11008, 11393,	2606, 2607,	8655, 8670,
11404, 11405,	2608, 2611,	8677, 8851,
11416, 11417,	2618, 2619,	9757, 10553,
12000, 12002,	2620, 2622,	11115, 12117,
12141, 12142,	2628, 2629,	12126, 12569,
12156, 12180,	2631, 2637,	12578, 12646,
12515, 12516,	2638, 2640,	12689, 12871,
12530, 12554,	2699, 2701,	13182, 13221,
12747, 12763,	2702, 3562,	13334, 13450,
12933, 12949,	3564, 3572,	13565, 13570,
12980, 12984,	3910, 3913,	13650, 13689,
12992, 13387,	3919, 3922,	13802, 14089,
13388, 13422,	4546, 4549,	14094, 14153,
13423, 13425,	4552, 4604,	14184, 14190,
13450, 13855,	5768, 5933,	14196, 14202,
13856, 13882,	6286, 6338,	14208, 14214,

14220, 14226,	7064, 7068,	5024, 5097,
14232, 14241,	7070, 8766,	5111, 5165,
14284, 14323,	8779, 8850,	6640, 6654,
14436, 14680,	8853, 10444,	6704, 6735,
14685, 15591, 16026	10984, 11041,	6749, 6803,
\nointerlineskip ..	11418, 12301,	8818, 8832,
... 6203, 6224,	12303, 12442,	8882, 11394,
9535, 10991,	12444, 12640,	11404, 11405,
11440, 16270, 16278	12647, 12683,	11416, 11417,
\nopagebreak	12690, 12870,	12115, 12118,
. 4472, 4482, 10891	12873, 12977,	12242, 12271,
\nopagenumbers ... 2220	12990, 15298,	12332, 12381,
\normalbaselines 15827	15303, 15304,	12410, 12475,
\normalbaselineskip	15528, 16101,	12567, 12570,
.... 238, 2858,	16370, 16443, 16446	12648, 12662,
10972, 12070, 12084	\normalfootnotes ..	12721, 12836,
\normalcolor .. 1917, 7036, 7043	12850, 12904,
5425, 6524,	\normallineskip 2078,	13230, 13252,
7100, 7110,	10971, 12069, 12083	13263, 13334,
8709, 9491,	\normalparindent 41,	13342, 13422,
9544, 10444,	54, 69, 175, 188, 202	13698, 13720,
11010, 11418,	\normalsfcodes	13731, 13802,
15528, 15645, 9124, 16324	13810, 13912,
16101, 16132,	\normalsize 234, 2851,	14332, 14354,
16335, 16345, 16370	2852, 2859,	14365, 14436,
\normalfont 25,	3420, 3464,	14444, 14519,
37, 50, 65, 82,	3508, 3600,	15041, 15072,
171, 184, 198,	3961, 6037,	15095, 15112,
216, 263, 374,	6129, 9124,	15129, 15146,
377, 481, 729,	11173, 12729,	15163, 15180,
731, 985, 1235,	13189, 13198,	15198, 15217,
1237, 1594,	13657, 13666,	15237, 15272,
1597, 1661,	14291, 14300,	15408, 15522, 16095
1666, 1667,	16192, 16236, 16323	\number 8, 134, 2572,
1669, 1670,	\NOT 3047, 3048, 3087,	4490, 4591,
1671, 1672,	3107, 3111,	6210, 6231,
1673, 1674,	3749, 3776,	6276, 6282,
1675, 2899,	3803, 3877, 3881	6285, 6328,
3512, 3600,	\null 340,	6334, 6337,
3664, 3884,	354, 408, 549,	6447, 6450, 11503
3891, 3898,	552, 670, 699,	\numberline
4090, 5041,	760, 858, 861,	.. 3140, 11167,
5061, 5131,	924, 953, 1014,	14971, 15318,
5134, 5238,	1112, 1115,	15536, 15539, 15542
5253, 6396,	1176, 1205,	\numberline@tempa 15538
6401, 6407,	1266, 3998,	\numberwithin 256
6588, 6601,	4507, 4758,	\nxLcs . 1677, 1678, 1679
6672, 6675,	4761, 4816,	
6769, 6772,	4845, 4951,	O
6850, 6866,	4954, 4995,	\obeylines . 4508, 4616

<code>\oddpage</code>	1562, 1566, 1567, 1568, 1571, 1572, 1573	<code>\origin@endpspicture</code>	4080, 4688, 4692, 4703, 4719, 4735, 4742, 4780, 4788, 4817, 4867, 4871, 4882, 4898, 4914, 4921, 4936, 4944, 4996, 5040, 5046, 5051, 5055, 5057, 5060, 5063, 5067, 5069, 5079, 5084, 5098, 5187, 5202, 5215, 5217, 5221, 5223, 5237, 5243, 5248, 5251, 5256, 5479, 5489, 5502, 5512, 5525, 5535, 5548, 5558, 5875, 6188, 6189, 6555, 6569, 6624, 6626, 6630, 6632, 6641, 6736, 6825, 6849, 6855, 6860, 6864, 6869, 6924, 6926, 6930, 6932, 6939, 6940, 8737, 8752, 8765, 8770, 8774, 8777, 8782, 8785, 8787, 8791, 8793, 8819, 8920, 9291, 9292, 9294, 9295, 9296, 9328, 9771, 9778, 9817, 9824, 9869, 10442, 10460, 10462,
<code>\oddsidemargin</code>	1584, 2049, 6375, 16312	<code>\origin@pgfpicture</code>	4719, 4735, 4742, 4780, 4788, 4817, 4867, 4871, 4882, 4898, 4914, 4921, 4936, 4944, 4996, 5040, 5046, 5051, 5055, 5057, 5060, 5063, 5067, 5069, 5079, 5084, 5098, 5187, 5202, 5215, 5217, 5221, 5223, 5237, 5243, 5248, 5251, 5256, 5479, 5489, 5502, 5512, 5525, 5535, 5548, 5558, 5875, 6188, 6189, 6555, 6569, 6624, 6626, 6630, 6632, 6641, 6736, 6825, 6849, 6855, 6860, 6864, 6869, 6924, 6926, 6930, 6932, 6939, 6940, 8737, 8752, 8765, 8770, 8774, 8777, 8782, 8785, 8787, 8791, 8793, 8819, 8920, 9291, 9292, 9294, 9295, 9296, 9328, 9771, 9778, 9817, 9824, 9869, 10442, 10460, 10462,
<code>\on@stripcols@break</code> 5852	<code>\origin@pspicture</code>	4719, 4735, 4742, 4780, 4788, 4817, 4867, 4871, 4882, 4898, 4914, 4921, 4936, 4944, 4996, 5040, 5046, 5051, 5055, 5057, 5060, 5063, 5067, 5069, 5079, 5084, 5098, 5187, 5202, 5215, 5217, 5221, 5223, 5237, 5243, 5248, 5251, 5256, 5479, 5489, 5502, 5512, 5525, 5535, 5548, 5558, 5875, 6188, 6189, 6555, 6569, 6624, 6626, 6630, 6632, 6641, 6736, 6825, 6849, 6855, 6860, 6864, 6869, 6924, 6926, 6930, 6932, 6939, 6940, 8737, 8752, 8765, 8770, 8774, 8777, 8782, 8785, 8787, 8791, 8793, 8819, 8920, 9291, 9292, 9294, 9295, 9296, 9328, 9771, 9778, 9817, 9824, 9869, 10442, 10460, 10462,
<code>\onecolumn</code>	525, 541, 792, 1046, 2087, 4695, 4874, 5086, 12107, 12364, 12826, 15006	<code>\origin@RaggedLeft</code>	4719, 4735, 4742, 4780, 4788, 4817, 4867, 4871, 4882, 4898, 4914, 4921, 4936, 4944, 4996, 5040, 5046, 5051, 5055, 5057, 5060, 5063, 5067, 5069, 5079, 5084, 5098, 5187, 5202, 5215, 5217, 5221, 5223, 5237, 5243, 5248, 5251, 5256, 5479, 5489, 5502, 5512, 5525, 5535, 5548, 5558, 5875, 6188, 6189, 6555, 6569, 6624, 6626, 6630, 6632, 6641, 6736, 6825, 6849, 6855, 6860, 6864, 6869, 6924, 6926, 6930, 6932, 6939, 6940, 8737, 8752, 8765, 8770, 8774, 8777, 8782, 8785, 8787, 8791, 8793, 8819, 8920, 9291, 9292, 9294, 9295, 9296, 9328, 9771, 9778, 9817, 9824, 9869, 10442, 10460, 10462,
<code>\opening</code>	... 6899, 10446	<code>\origin@RaggedRight</code>	4719, 4735, 4742, 4780, 4788, 4817, 4867, 4871, 4882, 4898, 4914, 4921, 4936, 4944, 4996, 5040, 5046, 5051, 5055, 5057, 5060, 5063, 5067, 5069, 5079, 5084, 5098, 5187, 5202, 5215, 5217, 5221, 5223, 5237, 5243, 5248, 5251, 5256, 5479, 5489, 5502, 5512, 5525, 5535, 5548, 5558, 5875, 6188, 6189, 6555, 6569, 6624, 6626, 6630, 6632, 6641, 6736, 6825, 6849, 6855, 6860, 6864, 6869, 6924, 6926, 6930, 6932, 6939, 6940, 8737, 8752, 8765, 8770, 8774, 8777, 8782, 8785, 8787, 8791, 8793, 8819, 8920, 9291, 9292, 9294, 9295, 9296, 9328, 9771, 9778, 9817, 9824, 9869, 10442, 10460, 10462,
<code>\OptArg</code> 1678, 1744	<code>\othermargin</code>	802
<code>\OptArg@i</code>	.. 1744, 1745	<code>\outer@nobreak</code>	1935, 3414, 3458, 3502, 16186, 16230
<code>\OptArg@ii</code>	. 1744, 1746	<code>\outputpenalty</code>	1982, 1983, 5742, 5743, 5751, 5752, 5761, 5762, 5906, 5907, 5915, 5916, 5925, 5926
<code>\OptArgs</code> 1743	<code>\overfullrule</code>	2038, 2039
<code>\optparams</code>	3027, 3827, 3828, 3829, 3831, 3832, 3833		
<code>\OR</code> 3021, 3087, 3107, 3111, 3363		
<code>\or</code> 1337, 1338, 1339, 1341, 1342, 1362, 1363, 1364, 1368, 1369, 1370, 1371, 1372, 1376, 1377, 1405, 1406, 1407, 1409, 1410, 5396, 5397, 5398, 5400, 5401, 6468, 6471, 6474, 6489, 6512, 6513, 6514, 6515, 10208, 10212, 15285, 15288, 15291, 15461, 15672, 15721		
<code>\orig@footnotetext</code> 11516, 11531		
<code>\orig@LTRfootnotetext</code> 11520, 11535		
<code>\orig@RTLfootnotetext</code> 11524, 11539		
<code>\origin@endpgfpicture</code> 11769, 11771		

10466,	10468,	4965,	5275,	5991,	6089,
10531,	11093,	6616,	6888,	9058,	9669,
11386,	11398,	8804,	12210,	10485,	11449,
11410,	11542,	12603,	12801,	11502,	11635, 15248
11543,	11544,	13005,	13478,	\page@sofar	11422
11545,	12100,	14002, 14593, 14943		\pagebreak	
12104,	12133,	\p@subfigure	14763	10890, 15575, 15584	
12149,	12165,	\p@subtable	14764	\pagedepth	15569
12172,	12187,	\PackageError .	2376,	\pagefillstretch	15581
12195,	12243,	2808,	2844,	\pagefilstretch .	15580
12357,	12361,	2846,	3543,	\pagefootnoterule .	
12382,	12507,	3545,	3863,	9326, 9334
12523,	12539,	10564,	10676,	\pagegoal	1978,
12546,	12611,	10679,	10682,	1988,	9563,
12619,	12649,	10685,	10688,	9565,	9570,
12741,	12755,	10691,	10694,	9577,	9618,
12771,	12773,	10698,	10701,	9620, 11356, 15572	
12777,	12779,	10704,	10707,	\pageinwindow	5581
12819,	12824,	10710,	10713,	\pagenumbering	
12837,	12926,	10716,	10719,	2085, 4345
12941,	12954,	10722,	10725,	\pageref . . .	2224, 2226
12956,	12960,	10728,	10731,	\pageshrink . . .	9579,
12962,	12976,	10734,	10737,	9583,	9599,
12981,	12985,	10740,	10743,	9625, 9637, 15575	
12988,	12993,	10746,	10749,	\pagestretch . .	9578,
13190,	13194,	10752,	10755,	9599, 9637, 15579	
13197,	13199,	10758,	10761,	\pagestyle	1560, 2076,
13203,	13374,	10764,	10767,	2084,	2227,
13409,	13509,	10770,	10773,	3167, 4346, 6075	
13512,	13516,	10776,	10779,	\pagetotal . . .	9565,
13519,	13658,	10782,	10785,	9570,	9576,
13662,	13665,	10788,	10791,	11050,	11354,
13667,	13671,	10794,	10797,	11357,	11368,
13842,	13869,	10800,	10803,	15567, 15572, 15630	
13899,	14033,	10806,	10809,	\paperheight	
14036,	14040,	10812,	10815,	. . .	2013, 2016,
14043,	14159,	10818,	10821,	2019,	2022,
14161,	14164,	10824,	10827,	2025,	2028,
14165,	14167,	10830,	10833,	2031, 2032, 6352	
14292,	14296,	10836,	10839,	\paperwidth . . .	2014,
14299,	14301,	10842,	10845,	2017,	2020,
14305,	14476,	10848,	10851,	2023,	2026,
14506,	14624,	10854,	10857,	2029,	2032,
14627,	14631,	10860,	10863,	2033, 6352, 6360	
14634,	15004,	10866,	10869,	\par	5, 15,
15279,	15332,	11508, 14905, 15257		45, 58, 73, 103,	
15516, 16089, 16380		\PackageInfo		104, 105, 106,	
\p@enumiv	83, 217, 501,	. 2378, 2810, 15558		131, 141, 158,	
635, 903, 1155,		\PackageWarning . . .		159, 160, 179,	
2247, 4772,		. . . 2377, 4593,		192, 206, 237,	

240,	324,	343,	5181,	5193,	10530,	10584,
349,	351,	352,	5210,	5242,	10923,	10964,
371,	414,	420,	5247,	5255,	10987,	10991,
424,	436,	455,	5331,	5464,	11037,	11109,
484,	487,	552,	5836,	6196,	11115,	11121,
562,	576,	589,	6217,	6563,	11125,	11131,
616,	679,	689,	6575,	6591,	11146,	11165,
696,	697,	725,	6594,	6602,	11174,	11394,
764,	770,	774,	6643,	6649,	11406,	11419,
806,	820,	835,	6651,	6652,	11549,	11561,
861,	875,	933,	6669,	6708,	11622,	11776,
943,	950,	951,	6714,	6718,	11945,	11946,
979,	1018,	1024,	6738,	6744,	11947,	11948,
1028,		1063,	6746,	6747,	11992,	11993,
1076,		1104,	6766,	6809,	12000,	12001,
1115,		1125,	6815,	6819,	12061,	12075,
1185,		1195,	6830,	6854,	12118,	12128,
1202,		1203,	6859,	6868,	12142,	12155,
1231,		1271,	6901,	6906,	12180,	12251,
1277,		1282,	6909,	6911,	12261,	12268,
1287,		1290,	6912,	6922,	12269,	12297,
1591,		1933,	7106,	7200,	12336,	12342,
1942,		3041,	7203,	7206,	12346,	12390,
3049,		3108,	7287,	7344,	12400,	12407,
3109,		3112,	7347,	7350,	12408,	12438,
3113,		3138,	7427,	7487,	12482,	12488,
3147,		3148,	7490,	7493,	12493,	12498,
3317,		3333,	7574,	7634,	12501,	12516,
4000,		4115,	7637,	7640,	12529,	12554,
4116,		4117,	7721,	7781,	12570,	12580,
4118,		4243,	7784,	7787,	12646,	12651,
4245,		4247,	7868,	7928,	12657,	12659,
4265,		4266,	7931,	7934,	12660,	12679,
4267,		4483,	8015,	8075,	12689,	12727,
4497,		4508,	8078,	8081,	12732,	12735,
4526,		4608,	8162,	8222,	12746,	12763,
4616,		4641,	8225,	8228,	12839,	12845,
4712,		4725,	8309,	8369,	12847,	12848,
4750,		4761,	8372,	8375,	12867,	12910,
4825,		4835,	8456,	8670,	12916,	12920,
4842,		4843,	8677,	8743,	12932,	12949,
4891,		4904,	8760,	8769,	12980,	12984,
4929,		4954,	8773,	8781,	12992,	13181,
5004,		5014,	8821,	8827,	13228,	13233,
5021,		5022,	8829,	8830,	13236,	13238,
5045,		5053,	8847,	8886,	13243,	13246,
5065,		5100,	8892,	8896,	13248,	13250,
5106,		5108,	9052,	9487,	13256,	13264,
5109,		5128,	10448,	10453,	13270,	13340,
5171,		5177,	10456,	10458,	13346,	13349,

13351,	13357,	15974,	15983,	11608,	11609,
13360,	13362,	15992,	16063,	11610,	11611,
13365,	13368,	16102,	16359, 16380	11612,	14184,
13389,	13426,	\par@updaterelative		14190,	14196,
13450,	13560,	13224,	14202,	14208,
13564,	13565,	13336,	13692,	14214,	14220,
13569,	13570,	13804,	14326, 14438	14226,	14232, 14243
13574,	13649,	\paragraph		3896	\parfillskip 13, 139,
13696,	13701,	\paragraphfootnotes		434, 451, 571,	
13704,	13706,	8507	587, 612, 800,	
13711,	13714,	\paragraphfootstyle		816, 833, 1058,	
13716,	13718,	8610	1074, 1100,	
13724,	13732,	\parbox .		3991, 4502,	
13738,	13808,	6063,	6917,	4707, 4723,	
13814,	13817,	8943,	8944,	4746, 4886,	
13819,	13825,	8945,	8948,	4902, 4925,	
13828,	13830,	8949,	8950,	5191, 5206,	
13833,	13836,	10009,	10011,	5359, 5470,	
13857,	13884,	10015,	10017,	6559, 6573,	
13916,	14084,	10048,	10049,	6828, 8561,	
14088,	14089,	10052,	10053,	8565, 8569,	
14093,	14094,	10110,	10111,	8661, 8741,	
14098,	14152,	10114,	10115,	8756, 10971,	
14184,	14190,	10139,	10141,	11387, 11399,	
14196,	14202,	10145,	10147,	11411, 12015,	
14208,	14214,	10927,	11103,	12028, 12041,	
14220,	14226,	11132,	11547,	12052, 12069,	
14232,	14234,	11549,	11550,	12137, 12153,	
14237,	14240,	11552,	11554,	12176, 12511,	
14244,	14283,	11555,	11557,	12527, 12550,	
14330,	14335,	11559,	11561,	12744, 12759,	
14338,	14340,	11562,	11564,	12930, 12945,	
14345,	14348,	11566,	11567,	13383, 13419,	
14350,	14352,	11568,	11569,	13851, 13878,	
14358,	14366,	11570,	11571,	13909, 14485,	
14372,	14442,	11573,	11574,	14516, 14856,	
14448,	14451,	11575,	11576,	14885, 14915,	
14453,	14459,	11577,	11578,	15033, 15064,	
14462,	14464,	11579,	11580,	15087, 15104,	
14467,	14470,	11581,	11582,	15121, 15138,	
14491,	14523,	11584,	11585,	15155, 15172,	
14675,	14679,	11586,	11587,	15190, 15209,	
14680,	14684,	11589,	11590,	15229, 15264,	
14685,	14689,	11591,	11592,	15401, 15403,	
14795,	15309,	11594,	11595,	15517, 16003, 16090	
15315,	15427,	11596,	11597,	\parindent 12, 41, 54,	
15529,	15788,	11598,	11599,	69, 99, 138, 154,	
15789,	15790,	11601,	11602,	175, 188, 202,	
15791,	15887,	11603,	11604,	375, 433, 450,	
15890,	15965,	11605,	11606,	479, 522, 537,	

573,	586,	611,	12689,	12726,	4043,	4106,
665,	682,	788,	12743,	12758,	4261,	4500,
803,	815,	832,	12823,	12871,	4532,	4610,
869,	919,	936,	12929,	12944,	4645,	4692,
982,	1042,	1060,	12977,	12989,	4871,	5084,
1073,		1099,	13182,	13382,	5742,	5751,
1171,		1188,	13418,	13650,	5761,	5906,
1595,		2080,	13850,	13877,	5915,	5925,
2875,		3526,	13908,	14153,	6905,	6908,
3992,		4034,	14284,	14484,	6910,	6912,
4042,		4107,	14515,	14866,	10452,	10455,
4260,		4501,	14903,	15003,	10457,	10967,
4611,		4691,	15034,	15065,	10976,	11782,
4709,		4722,	15088,	15105,	12064,	12078,
4745,		4811,	15122,	15139,	12104,	12361,
4828,		4870,	15156,	15173,	12726,	12824,
4888,		4901,	15191,	15210,	14177,	15004,
4924,		4990,	15230,	15265,	15337,	15566,
5007,		5041,	15337,	15398,	15570,	15850, 15898
5061,		5083,	15399,	15518,	\part 23	
5132,		5190,	15851,	16003,	\partname ... 483, 6590	
5205,		5238,	16028, 16029, 16091		\partopsep	
5252,		5356,	\parsep 872,		.. 4056, 11088,	
5378,		5469,	2867,	2868,	11090, 11691, 11711	
6558,		6572,	4014,	4015,	\PassOptionsToClass	
6586,		6599,	4053,	4080, 15850 4298,	
6673,		6770,	\parshape 5328,		4299,	
6827,		6850,	9691,	9699,	4300,	
6865,		7195,	10554,	11697,	4301,	
7339,		7482,	11717,	11782,	4302,	
7629,		7776,	11945,	11947,	4322,	
7923,		8070,	12645,	12688,	4323,	
8217,		8364,	13169,	13178,	4324, 4325, 4326	
8560,		8564,	13637,	13646,	\PassOptionsToPackage	
8568,		8660,	14143,	14150, 3372, 4145	
8683,		8740,	14271,	14280,	\pdfstringdefDisableCommands	
8755,		8766,	15788,	15790, 10433	
8778,		8851,	15880,	15967,	\penalty 674,	
9756,		10967,	15969,	15970,	928, 1180, 1975,	
11388,		11400,	15971,	15976,	1979,	
11412,		11616,	15978,	15979,	4751,	
12016,		12029,	15980,	15985,	4820,	
12042,		12053,	15987,	15988,	4930,	
12064,		12103,	15989,	15994,	4999,	
12139,		12152,	15996, 15997, 15998		5211,	
12175,		12237,	\parskip 99,		5316,	
12254,		12360,	154,	523, 538,	5322,	
12376,		12393,	789, 1043, 1588,		5740,	
12513,		12526,	2081,	2876,	5749,	
12549,		12646,	3527,	4035,	5904,	
					5913,	
					5923,	
					8478,	
					8562,	
					8566,	
					8570,	
					8663,	
					8761,	
					9600,	
					12181,	
					12246,	
					12385,	
					12555,	
					12764,	
					12950,	

13392, 13398,	\poem@needrun . 4411,	\prevdepth 3041, 3049,
13429, 13860,	4538, 4592, 4594	6266, 6320, 11093
13862, 13887,	\poem@obeylines 4512,	\pRLE 1490,
13889, 13919,	4588, 4628, 4652	1491, 1552, 1553
13921, 14494,	\poem@prop . 4493, 4602	\process@cols 11423,
14496, 14526,	\poem@startedfalse .	11455, 11469, 11475
14528, 15325,	.. 4510, 4626, 4632	\ProcessOptions 1499,
15433, 15571, 15916	\poem@startedtrue .	2043, 2834,
\pgfpicture 11768, 11770 4468,	3871, 4130,
\phantom 11445	4469, 4509,	4162, 4303,
\phantomsection .. 2171	4618, 4620,	4327, 5993, 6091
\phone 2131	4625, 4633, 4635	\protect 320,
\phonesymbol	\poem@verse	1488, 1489,
.. 2091, 6070, 6168	.. 4406, 4476, 4479	1490, 1491,
\photo 2136	\poem@width	1507, 1550,
\picbox 11887	... 4409, 4410,	1551, 1552,
\picinwindow 5601	4414, 4491,	1553, 1753,
\picwd 11775,	4493, 4496, 4537	1759, 1765,
11778, 11886, 11888	\poem@write@aux ...	1771, 1780,
\plainauthor .. 3179,	.. 4540, 4591, 4603	1786, 2433,
4165, 4167,	\poemblocksep	2434, 3140,
4206, 4207, 4210	.. 4403, 4507, 4614	9115, 9501,
\plainfootnotes .. 7043	\poemcolsepskip ...	9515, 10911,
\plainpublisher 4394, 4423	11167, 14785,
.. 4168, 4233, 4234	\poemextrabaselineskip	14786, 14790,
\plaintitle 4396, 4484, 4519	14798, 14971,
... 3180, 3181,	\poemmarginskip ...	15315, 15737, 16296
4165, 4166,	.. 4395, 4417, 4418	\protected 1550, 1552,
4189, 4190,	\poemskip	2376, 2377,
4193, 4361, 4363	.. 4397, 4497, 4528	2378, 2381,
\plitemsep 4054	\postbibhook 11180	2389, 2391,
\plparsep 4053	\postdisplaypenalty	2397, 2583,
\plpartopsep 4056 9026, 9040	2599, 2615,
\pLRE 1488,	\postmath 5322	2638, 2640,
1489, 1550, 1551	\PotEndMark	2690, 2718,
\plttopsep 4055	... 6399, 6404,	2731, 11911,
\poem@finish	6407, 16444, 16447	11920, 11929,
.. 4541, 4590, 4597	\predisplaydirection	11937, 15754,
\poem@line 11980,	15763, 15772, 15780
.. 4460, 4466, 4517	11981, 16367, 16368	\protected@edef 42,
\poem@linebegin ...	\predisplaypenalty .	55, 70, 176, 189,
..... 4417, 4475 9025, 9039	203, 3696, 3713,
\poem@lineend 4418, 4481	\premath 5318	3730, 6951,
\poem@lineparsebegin	\preparefootins ...	6967, 6983,
.. 4429, 4486, 4513 9712, 9732	6996, 7009,
\poem@lineparseend .	\prepnex@tok . 1334,	7022, 7167,
.. 4455, 4467, 4524	1344, 1392,	7177, 7187,
\poem@lineversesep .	1424, 5388, 5416	7213, 7226,
..... 4419, 4478	\presig@skip 14243	7238, 7265,
		7278, 7314,

7323,	7332,	2107,	2108,	14727,	14734,
7357,	7369,	2109,	2110,	14761,	14766,
7380,	7406,	2111,	2112,	14801,	14831,
7418,	7454,	2113,	2114,	14850,	14879,
7464,	7474,	2115,	2116,	14928,	15008,
7500,	7513,	2117,	2118,	15316,	15562,
7525,	7552,	2119,	2259,	15638, 15742, 16514	
7565,	7601,	3658,	3665,	\ProvidesPackage ..	
7611,	7621,	3666,	4060,	... 1431, 1559,	
7647,	7660,	6054, 6059, 9233		1615,	1748,
7672,	7699,	\ProvidesClass		1940,	2258,
7712,	7748,	.. 2010, 4297, 4321		2804,	3374,
7758,	7768,	\ProvidesFile 1, 127,		3859,	4005,
7794,	7807,	253, 264, 269,		4121,	4148,
7819,	7846,	271, 330, 526,		4386, 5980, 6078	
7859,	7895,	777, 1031, 1293,		\prune 11792,	
7905,	7915,	4680, 4859,		11830,	11834,
7941,	7954,	5038, 5071,		11839,	11843,
7966,	7993,	5285, 5340,		11855, 11866, 11893	
8006,	8042,	5374, 5376,		\prw@mkboth .. 14977,	
8052,	8062,	5379, 5417,		14982, 14994, 14999	
8088,	8101,	5460, 5475,		\pspicture 11986, 11988	
8113,	8140,	5571, 5609,		\publisher . 4223, 4224	
8153,	8189,	6182, 6347,		\publishers 13321, 13789, 14423	
8199,	8209,	6350, 6389,		\put 5480, 5481,	
8235,	8248,	6551, 6725,		5482,	5483,
8260,	8287,	6898, 6933,		5484,	5485,
8300,	8336,	8733, 8910,		5490,	5491,
8346,	8356,	8939, 8951,		5492,	5493,
8382,	8395,	9020, 9050,		5494,	5495,
8407,	8434,	9059, 9064,		5503,	5504,
8447,	8530,	9199, 9529,		5505,	5506,
8541,	8552,	9706, 9759,		5507,	5508,
8577,	8590,	9877, 9899,		5513,	5514,
8603,	8637,	10200, 10441,		5515,	5516,
8651,	9377,	10445, 10469,		5517,	5518,
9393,	9408,	10558, 10606,		5526,	5527,
9435, 9448, 9461		10872, 10950,		5528,	5529,
\protected@xdef 3757,		11025, 11181,		5530,	5531,
3784,	3811,	11383, 11421,		5536,	5537,
4186,	4203,	11546, 11613,		5538,	5539,
4219,	4230,	11640, 11678,		5540,	5541,
9347,	9356,	11699, 11719,		5549,	5550,
9500,	9505,	11767, 11772,		5551,	5552,
9514, 9520, 10403		11985, 11990,		5553,	5554,
\providecommand 2088,		12006, 12092,		5559,	5560,
2089,	2090,	12349, 12628,		5561,	5562,
2091,	2092,	12811, 13015,		5563,	5564,
2093,	2104,	13144, 13612,		6352, 6366, 6384	
2105,	2106,	14136, 14246,			

Q		
\Q	3555, 3577	12001, 12977,
\qauthor	11991	12989, 13433,
\qqquad . .	3936, 3943,	13434, 13520,
	3950, 3957,	13521, 13522,
	3964, 3999, 11993	13524, 13926,
\quad	3179, 3180, 3181,	14044, 14045,
	4361, 4362,	14046, 14048,
	4363, 4403, 15828	14237, 14243,
\quote	2137	14533, 14635,
\quotecolour		14636, 14637,
	.. 2099, 5998, 6096	14639, 16004,
		16006, 16008, 16009
\quotefont . . .	2108,	\RaggedLeftLeftskip
	2116, 6038, 6131 12025
\quotestyle		\RaggedLeftParfillskip
	.. 2116, 6051, 6180 12028
\quotewidth . . .	2138,	\RaggedLeftParindent
	2150, 6051, 6180 12029
R		
\R@@page	13020,	\RaggedLeftRightskip
	13021, 13030, 12026
	13032, 13063,	\raggedpart 13434
	13064, 13075, 13077	\RaggedRight . 12033,
\raggedbottom	2086	12082, 12089,
\raggedchapterentry		12091, 14732,
 13907, 14514	14733, 16476,
\raggeddictum		16480, 16486, 16490
	13520, 14044, 14635	\raggedright . . . 25,
\raggeddictumauthor		100, 155, 479,
	13522, 14046, 14637	5041, 5061,
\raggeddictumtext .		5238, 5252,
	13521, 14045, 14636	6586, 6599,
\RaggedLeft		6850, 6865,
	. 12020, 12088,	6901, 6904,
	12090, 14732,	6909, 6917,
	14733, 16476,	8766, 8778,
	16480, 16484, 16492	10448, 10451,
\raggedleft	25,	10456, 11064,
	100, 155, 479,	11065, 11993,
	5041, 5238,	11995, 12001,
	5252, 6586,	12977, 12989,
	6599, 6850,	13433, 13434,
	6865, 6901,	13520, 13521,
	6904, 6909,	13522, 13524,
	6917, 8766,	13926, 14044,
	8778, 10448,	14045, 14046,
	10451, 10456,	14048, 14237,
	11064, 11065,	14243, 14533,
	11993, 11995,	14635, 14636,
		14637, 14639,
		16000, 16005,
		16007, 16008, 16009
		\RaggedRightLeftskip
	 12038
		\RaggedRightParfillskip
	 12041
		\RaggedRightParindent
	 2873,
		3524, 4040, 12042
		\RaggedRightRightskip
	 4037, 12039
		\raggedsection
		13433, 13926, 14533
		\raggedsectionentry
	 13417
		\raise 8933
		\raisebox 3092, 3097,
		3108, 3109,
		3112, 3113,
		6397, 6402,
		6418, 6421,
		6537, 10022,
		10024, 10028,
		10030, 10057,
		10058, 10061,
		10062, 10119,
		10120, 10123,
		10124, 10152,
		10154, 10158,
		10160, 10555, 16447
		\rangle 1662
		\rawtext 11782,
		11788, 11810,
		11811, 11892, 11896
		\rcb 1663, 1666, 1667, 1671
		\rcol@footinsskip .
	 9711, 9731
		\realfootnote . . . 10400
		\recomputelengths .
	 2149, 2166
		\recomputethemelengths
	 2148,
		2164, 6143, 6148
		\reflectbox 9811
		\refname 492,
		493, 626, 627,
		894, 895, 1146,
		1147, 2235,
		4095, 6607, 6608
		\refstepcounter . . .
	 474, 6581,

9041,	10874,	1368,	1369,	5152,	5153,
11158,	11688,	1507,	1602,	5158,	5159,
11709,	14968, 15928	1603,	1604,	5160,	5161,
\refvskip 14178	1609,	1610,	5185,	5328,
\relax	2, 8, 10, 12, 14,	1611,	1612,	5350,	5351,
82,	99, 128, 134,	1837,	1845,	5352,	5353,
136,	138, 140,	1853,	1904,	5359,	5360,
154,	216, 228,	2043,	2259,	5361,	5362,
246,	320, 334,	2299,	2317,	5363,	5368,
335,	336, 357,	2371,	2388,	5369,	5372,
358,	359, 360,	2572,	2576,	5373,	5456,
365,	366, 367,	2838,	3339,	5474,	5993,
368,	392, 393,	3534,	3616,	6091,	6183,
394,	395, 396,	3677,	3681,	6184,	6185,
401,	402, 403,	3685,	3762,	6186,	6187,
404,	428, 523,	3771,	3789,	6199,	6220,
538,	545, 575,	3798,	3816,	6274,	6286,
581,	599, 661,	3825,	3877,	6289,	6326,
662,	663, 667,	4074,	4082,	6338,	6341,
676,	685, 702,	4087,	4118,	6373,	6379,
703,	708, 709,	4303,	4327,	6440,	6519,
710,	711, 714,	4411,	4417,	6567,	6636,
717,	721, 746,	4512,	4538,	6637,	6638,
747,	748, 753,	4566,	4573,	6657,	6658,
754,	755, 756,	4580,	4592,	6663,	6664,
789,	805, 827,	4628,	4692,	6665,	6666,
845,	854, 915,	4699,	4711,	6690,	6691,
916,	917, 921,	4717,	4733,	6692,	6697,
930,	939, 956,	4807,	4808,	6698,	6699,
957,	962, 963,	4809,	4813,	6700,	6729,
964,	965, 968,	4822,	4831,	6730,	6731,
971,	975, 1000,	4848,	4849,	6752,	6753,
1001,	1002,	4854,	4855,	6754,	6755,
1007,	1008,	4856,	4857,	6760,	6761,
1009,	1010,	4871,	4878,	6762,	6763,
1043,	1050,	4890,	4896,	6787,	6788,
1062,	1068,	4912,	4986,	6789,	6790,
1086,	1167,	4987,	4988,	6791,	6796,
1168,	1169,	4992,	5001,	6797,	6798,
1173,	1182,	5010,	5027,	6799,	6823,
1191,	1208,	5028,	5033,	6934,	6935,
1209,	1214,	5034,	5035,	6936,	6937,
1215,	1216,	5036,	5084,	6938,	7056,
1217,	1220,	5091,	5092,	7155,	7196,
1223,	1227,	5093,	5114,	7258,	7302,
1252,	1253,	5115,	5116,	7340,	7399,
1254,	1259,	5117,	5122,	7442,	7483,
1260,	1261,	5123,	5124,	7545,	7589,
1262,	1349,	5125,	5149,	7630,	7692,
1350,	1367,	5150,	5151,	7736,	7777,

7839,	7883,	11412,	11415,	12861,	12862,
7924,	7986,	11500,	11723,	12863,	12864,
8030,	8071,	11728,	11733,	12888,	12889,
8133,	8177,	11742,	11750,	12890,	12891,
8218,	8280,	11902,	11964,	12892,	12897,
8324,	8365,	12005,	12086,	12898,	12899,
8427,	8481,	12104,	12111,	12900,	12924,
8513,	8625,	12141,	12147,	13190,	13191,
8735,	8814,	12163,	12233,	13199,	13200,
8815,	8816,	12234,	12235,	13211,	13212,
8835,	8836,	12239,	12248,	13213,	13273,
8841,	8842,	12257,	12274,	13299,	13300,
8843,	8844,	12275,	12280,	13301,	13302,
8868,	8869,	12281,	12282,	13303,	13316,
8870,	8875,	12283,	12286,	13317,	13318,
8876,	8877,	12289,	12293,	13319,	13320,
8878,	8915,	12318,	12319,	13321,	13322,
8917,	8921,	12320,	12325,	13323,	13324,
8964,	8996,	12326,	12327,	13325,	13326,
9021,	9031,	12328,	12361,	13372,	13390,
9074,	9094,	12370,	12371,	13428,	13449,
9095,	9110,	12372,	12378,	13510,	13517,
9197,	9329,	12387,	12396,	13658,	13659,
9351,	9360,	12413,	12414,	13667,	13668,
9509,	9524,	12415,	12416,	13679,	13680,
9562,	9584,	12421,	12422,	13681,	13741,
9622,	9962,	12423,	12424,	13767,	13768,
9964,	9967,	12427,	12430,	13769,	13770,
9980,	9982,	12434,	12459,	13771,	13784,
9985,	10231,	12460,	12461,	13785,	13786,
10242,	10253,	12462,	12463,	13787,	13788,
10264,	10278,	12468,	12469,	13789,	13790,
10289,	10300,	12470,	12471,	13791,	13792,
10311,	10326,	12515,	12521,	13793,	13794,
10341,	10365,	12537,	12563,	13840,	13858,
10480,	10492,	12627,	12632,	13867,	13885,
10499,	10500,	12633,	12634,	13917,	13929,
10504,	10505,	12665,	12666,	13945,	13953,
10554,	10911,	12667,	12668,	13961,	13972,
10989,	10992,	12673,	12674,	14034,	14041,
10995,	10996,	12675,	12676,	14292,	14293,
10997,	11003,	12705,	12706,	14301,	14302,
11028,	11029,	12707,	12708,	14313,	14314,
11030,	11031,	12709,	12714,	14315,	14375,
11032,	11092,	12715,	12716,	14401,	14402,
11385,	11387,	12717,	12739,	14403,	14404,
11388,	11391,	12824,	12830,	14405,	14418,
11397,	11399,	12831,	12832,	14419,	14420,
11400,	11403,	12853,	12854,	14421,	14422,
11409,	11411,	12855,	12856,	14423,	14424,

14425,	14426,	16374, 16375, 16376	2073,	2074,
14427,	14428,	\remainx 11549	2079,	2128,
14474,	14492,	\remainxox 11584, 11591	2132,	2163,
14524,	14563,	\remainxoxx	2168,	2248,
14625,	14632,	11594, 11603, 11612	2851,	2860,
14783,	14798,	\remainxx . 11552, 11554	2901,	3019,
14902,	14920,	\remainxxx	3022,	3023,
14921,	15004,	. 11557, 11559,	3027,	3028,
15013,	15031,	11561, 11586, 11589	3174,	3175,
15034,	15037,	\remainxxxx . . 11564,	3516,	3517,
15062,	15065,	11566, 11568,	3518,	3584,
15068,	15085,	11570, 11596,	3659,	3668,
15088,	15091,	11598, 11601,	3689,	3706,
15102,	15105,	11605, 11608, 11610	3723,	3831,
15108,	15119,	\remainxxxxx	3832,	3833,
15122,	15125,	. 11573, 11575,	3909,	3918,
15134,	15136,	11577, 11579, 11581	3970,	3978,
15139,	15142,	\remove@strip 11188,	4002,	4007,
15151,	15153,	11218, 11270, 11300	4018,	4019,
15156,	15159,	\renewcommand 19, 20,	4020,	4021,
15170,	15173,	21, 22, 83, 145,	4022,	4023,
15176,	15188,	146, 147, 148,	4024,	4090,
15191,	15194,	217, 256, 332,	4095,	4097,
15207,	15210,	371, 373, 427,	4098,	4115,
15213,	15227,	444, 458, 462,	4116,	4117,
15230,	15233,	468, 469, 470,	4118,	4175,
15245,	15260,	471, 502, 542,	4176,	4177,
15262,	15265,	564, 580, 598,	4179,	4183,
15268,	15282,	606, 619, 621,	4184,	4185,
15312,	15313,	622, 623, 624,	4189,	4190,
15314,	15331,	636, 642, 648,	4196,	4200,
15339,	15340,	657, 658, 668,	4201,	4202,
15342,	15343,	725, 727, 793,	4206,	4207,
15356,	15367,	810, 823, 826,	4212,	4216,
15371,	15376,	844, 851, 877,	4217,	4218,
15381,	15389,	878, 879, 880,	4227,	4228,
15393,	15402,	881, 886, 904,	4229,	4233,
15403,	15414,	911, 912, 922,	4234,	4256,
15422,	15433,	979, 981, 1047,	4280,	4342,
15439,	15443,	1051, 1067,	4355,	4360,
15447,	15464,	1085, 1094,	4368,	4696,
15468,	15517,	1107, 1127,	4700,	4716,
15518,	15521,	1133, 1141,	4732,	4740,
15589,	15672,	1142, 1143,	4754,	4773,
15721,	15736,	1144, 1156,	4779,	4785,
15807,	15836,	1163, 1164,	4793,	4794,
15848,	15951,	1174, 1231,	4795,	4796,
16031,	16034,	1233, 1591,	4797,	4798,
16036,	16090,	1593, 2035,	4800,	4802,
16091,	16094,	2036, 2037,	4804,	4814,

4875,	4879,	6844,	6845,	11606,	11622,
4895,	4911,	6846,	6847,	11624,	11641,
4919,	4933,	6871,	6889,	11683,	11704,
4935,	4941,	6899,	6912,	11720,	11729,
4966,	4972,	6923,	6927,	11991,	11994,
4973,	4974,	6943,	6959,	12003,	12007,
4975,	4976,	6975,	6991,	12020,	12033,
4977,	4979,	7004,	7017,	12046,	12057,
4981,	4983,	8734,	8749,	12072,	12108,
4993,	5089,	8784,	8788,	12130,	12146,
5128,	5130,	8805,	8812,	12162,	12170,
5184,	5199,	8847,	8849,	12184,	12186,
5214,	5218,	8899,	8900,	12192,	12211,
5224,	5226,	8901,	8902,	12217,	12218,
5228,	5230,	8903,	8904,	12219,	12220,
5231,	5232,	8906,	8908,	12221,	12222,
5233,	5234,	9021,	9031,	12224,	12226,
5235,	5258,	9051,	9060,	12229,	12230,
5276,	5367,	9150,	9169,	12240,	12297,
5371,	5377,	9171,	9173,	12299,	12366,
5461,	5466,	9175,	9176,	12367,	12379,
5476,	5499,	9177,	9178,	12438,	12440,
5522,	5545,	9179,	9180,	12504,	12520,
5572,	5588,	9182,	9184,	12536,	12544,
5994,	6034,	9186,	9188,	12558,	12560,
6035,	6036,	9189,	9190,	12582,	12583,
6037,	6038,	9191,	9192,	12584,	12585,
6039,	6040,	9193,	9194,	12586,	12587,
6041,	6055,	9204,	9273,	12589,	12591,
6060,	6092,	9530,	9878,	12604,	12610,
6126,	6127,	9888,	10442,	12616,	12624,
6128,	6129,	10446,	10459,	12630,	12638,
6130,	6131,	10463,	10472,	12679,	12681,
6132,	6133,	10473,	10474,	12738,	12752,
6143,	6155,	10475,	11026,	12767,	12770,
6343,	6344,	11037,	11060,	12774,	12780,
6345,	6348,	11061,	11062,	12782,	12784,
6351,	6355,	11063,	11064,	12786,	12787,
6371,	6524,	11065,	11066,	12788,	12789,
6525,	6552,	11067,	11069,	12790,	12802,
6566,	6617,	11071,	11073,	12828,	12867,
6623,	6627,	11075,	11076,	12869,	12923,
6634,	6669,	11078,	11079,	12938,	12953,
6671,	6721,	11086,	11087,	12957,	12963,
6722,	6723,	11089,	11095,	12965,	12967,
6724,	6727,	11096,	11547,	12969,	12970,
6766,	6768,	11550,	11555,	12971,	12972,
6822,	6836,	11562,	11571,	12973,	12974,
6838,	6840,	11582,	11587,	13006,	13150,
6842,	6843,	11592,	11599,	13154,	13158,

13162,	13188,	14931,	14944,	8493,	8503,
13195,	13204,	14955,	15011,	11800,	11847,
13217,	13219,	15058,	15077,	11858, 11869, 11897	
13281,	13283,	15099,	15116,	\RequirePackage	1459,
13328,	13371,	15133,	15150,	1461,	1462,
13404,	13435,	15167,	15185,	1463,	1464,
13436,	13437,	15203,	15204,	1616,	1617,
13440,	13441,	15223,	15224,	2045,	2046,
13455,	13479,	15243,	15311,	2047,	2048,
13508,	13513,	15317,	15437,	2055,	2056,
13520,	13521,	15544,	16006,	2071,	2124,
13522,	13523,	16007,	16149,	2806,	2878,
13526,	13599,	16150,	16151,	2880,	2887,
13618,	13622,	16380,	16473,	2908,	2912,
13626,	13630,	16475,	16477,	2948,	2949,
13656,	13663,	16479,	16483,	3166,	3376,
13672,	13685,	16485, 16489, 16491		3377,	3378,
13687,	13749,	\renewenvironment	80,	3379,	3581,
13751,	13796,	214, 491, 511,		3582,	3657,
13839,	13866,	527, 547, 554,		3861,	4036,
13894,	13927,	625, 778, 856,		4047,	4099,
13928,	13936,	863, 893, 1032,		4125,	4133,
13937,	13940,	1110, 1117,		4150,	4305,
13941,	13944,	1145, 3116,		4306,	4307,
13952,	13960,	3119, 3122,		4308,	4309,
13979,	14003,	3125, 4066,		4310,	4329,
14032,	14037,	4076, 4084,		4330,	4331,
14044,	14045,	4100, 4311,		4332,	4333,
14046,	14047,	4681, 4756,		4334,	16411,
14050,	14123,	4762, 4860,		16412, 16413, 16414	
14137,	14252,	4949, 4955,		\RequireXeTeX	1460, 1536
14256,	14260,	5072, 5265,		\reserved@a
14264,	14290,	5326, 5341,		... 1883, 1887,	
14297,	14306,	5473, 6606,		1893,	1896,
14319,	14321,	6878, 8794,		1899,	1902,
14383,	14385,	9038, 9547,		2420,	2421,
14430,	14473,	11177, 11614,		2422, 15433, 15434	
14501,	14534,	12093, 12113,		\reserved@b	. 1863, 1864
14535,	14539,	12120, 12200,		\reset@dir	11964, 15807
14540,	14543,	12350, 12565,		\reset@font	... 3419,
14544,	14547,	12572, 12593,		3463,	3507,
14551,	14555,	12791, 12812,		3693,	3710,
14570,	14594,	12995, 13444,		3727,	6947,
14623,	14628,	13968, 14559,		6963,	6979,
14635,	14636,	14932, 14935, 14960		6999,	7012,
14637,	14638,	\renewrobustcmd	...	7025,	7165,
14641,	14714,	10980, 11006, 11017		7175,	7185,
14728,	14731,	\repeat	. 5587, 5704,	7211,	7223,
14851,	14880,	5710, 5818,		7236,	7263,
14886,	14918,	5876, 5886,		7276,	7312,

7321,	7330,	11191, 11272, 11273	1099,	1102,
7355,	7366,	<code>\right@footnoterule</code>	1103,	1121,
7378,	7404, 26,	3990,	3997,
7416,	7452,	161, 334, 462,	3998,	4503,
7462,	7472,	648, 661, 886,	4699,	4705,
7498,	7510,	915, 1133, 1167,	4706,	4711,
7523,	7550,	4785, 4807,	4722,	4745,
7563,	7599,	4941, 4986,	4748,	4749,
7609,	7619,	5091, 5218,	4878,	4884,
7645,	7657,	6627, 6636,	4885,	4890,
7670,	7697,	6729, 6927,	4901,	4924,
7710,	7746,	8788, 8814,	4927,	4928,
7756,	7766,	9289, 9303,	5190,	5205,
7792,	7804,	9313, 9429,	5208,	5209,
7817,	7844,	9455, 10463,	5344,	5346,
7857,	7893,	11540, 12192,	5348,	5462,
7903,	7913,	12233, 12370,	5463,	5469,
7939,	7951,	12616, 12632,	6558,	6561,
7964,	7991,	12774, 12830,	6562,	6572,
8004,	8040,	12957, 13195,	6827,	7123,
8050,	8060,	13211, 13513,	8682,	8740,
8086,	8098,	13663, 13679,	8755,	8758,
8111,	8138,	14037, 14162,	8759,	10970,
8151,	8187,	14297, 14313, 14628	11060,	11061,
8197,	8207,	<code>\rightfootnoterule</code> .	11387,	11391,
8233,	8245,	... 6184, 6935,	11392,	11399,
8258,	8285,	9301, 9752, 16376	11404,	11411,
8298,	8334,	<code>\rightline</code> .. 11984,	11416,	12012,
8344,	8354,	16016, 16020, 16022	12014,	12025,
8380,	8392,	<code>\rightmargin</code>	12027,	12038,
8405,	8432, 871, 4052,	12040,	12049,
8445,	8528,	4071, 4079,	12051,	12068,
8539,	8550,	4085, 9684,	12111,	12124,
8575,	8588,	9688, 10542,	12135,	12136,
8601,	8635,	10543, 10552,	12141,	12152,
8649,	9124,	12001, 15841,	12175,	12178,
9372,	9388,	15852, 15858,	12179,	12509,
9403,	9432,	15864, 15872, 15876	12510,	12515,
9445,	9458,	<code>\rightskip</code> 12,	12526,	12549,
16191, 16235, 16322		13, 138, 139,	12552,	12553,
<code>\resizebox</code> 9832		232, 236, 433,	12563,	12576,
<code>\restore@protect</code> . 2435		450, 453, 454,	12627,	12743,
<code>\restoreCaptionSkip</code>		545, 558, 569,	12758,	12761,
..... 9993		570, 575, 586,	12762,	12767,
<code>\restorecounters@</code> 6451		611, 614, 615,	12768,	12929,
<code>\restylefloat</code> 3366		798, 799, 805,	12944,	12947,
<code>\resumename</code> 2125		815, 818, 819,	12948,	13382,
<code>\rightskip</code> 15313		832, 854, 1050,	13385,	13386,
<code>\right</code> 15828		1056, 1057,	13418,	13422,
<code>\right@cor</code> .. 11190,		1062, 1073,	13850,	13853,

13854,	13877,	9770,	9816,	9925,	9974,
13880,	13881,	9882,	9883,	10187,	13039,
13908,	13912,	9896,	9897,	13048,	13086, 13097
14484,	14487,	10443,	11445,	\rotateframe	9157, 9194
14488,	14515,	11970,	12300,	\rotFPbot	... 13040,
14519,	14855,	12441,	12640,	13047,	13087, 13096
14860,	14871,	12683,	12870,	\rotFPtop	... 13038,
14884,	14888,	13219,	13283,	13049,	13085, 13098
14908,	14911,	13687,	13751,	\rrb	... 1665, 1675
14916,	14920,	14321, 14385, 15817		\rsb	... 1664, 1673
14921,	15031,	\RLE	... 1490, 1552,	\RTL	... 11947, 15790
15032,	15033,	10436,	11954,	\RTL@column@boxes	.
15041,	15062,	11955,	11959,	11468,	11494, 11499
15063,	15064,	15797, 15798, 15802		\RTL@outputdblcol	.
15072,	15085,	\rmfamily	... 5610, 8952,	... 5610,	8952,
15086,	15087,	657, 911, 1163,	9727,	11182,	
15095,	15102,	3880,	3933,	16104,	16149, 16150
15103,	15104,	3936,	3940,	\RTLbidentufesidenotemarginpar	
15112,	15119,	3943,	3947,	.. 3468,	3724, 3854
15120,	15121,	3950,	3954,	\RTLcases	... 15827
15129,	15136,	3957,	3961,	\RTLcolumnfootnotes	
15137,	15138,	3964, 12229, 12366		... 7044	
15146,	15153,	\romannumeral	... 16150	\RTLdblcol	... 6344
15154,	15155,	... 1966, 4540,		\RTLdfnmakecol	... 339,
15163,	15170,	4602,	6459,	\RTLfootnote	.. 339,
15171,	15172,	6462,	6508,	413,	1752, 1765,
15180,	15188,	9152,	9153,	3833,	4177,
15189,	15190,	9154,	9155,	5096,	5170,
15198,	15207,	9157,	9158,	6734,	6808,
15208,	15209,	9159,	9160,	9346,	12375,
15217,	15227,	9161,	9164,	12481,	12637,
15228,	15229,	9165, 9166, 15844		12725,	12835,
15237,	15262,	\rot@float@box	13023,	12909,	13216,
15263,	15264,	13024,	13025,	13332,	13684,
15272,	15312,	13039,	13048,	13800,	14318, 14434
15314,	15337,	13066,	13067,	\RTLfootnotetext	..
15399,	15400,	13068,	13069,	... 1821,	1832,
15401,	15407,	13070, 13086, 13097		4552,	4562,
15410,	15457,	\rot@label	13019, 13062	9515,	9518, 10948
15517,	15522,	\rot@LR	... 13030, 13075	\RTLfoottextfont	..
15545,	15552,	\rot@mess@toks	13022,	... 6964,	6971,
16002,	16028,	13034,	13044,	7021,	7027,
16029, 16090, 16095		13053,	13065,	7086,	7185,
\RL	. 10437, 11954, 15797	13080, 13092, 13102		7206,	7236,
\rlap	... 233,	\rot@message	... 13053, 13102	7330,	7350,
374,	728, 1234,	... 13020, 13063		7378,	7472,
1594,	5131,	\rot@pageref	... 13020, 13063	7493,	7523,
6672,	6769,	\rotate	... 13116	7619,	7640,
8850,	8943,	\rotatebox	... 9195,	7670,	7766,
8948,	9536,			7787,	7817,

7913, 7934,	\savecounters@ ... 6448	13961, 14492, 14524
7964, 8060,	\saved@dir .. 11963,	\scr@saved@footnotetext
8081, 8111,	11964, 15806, 15807 13147,
8207, 8228,	\sbox 6531, 9956, 9973,	13151, 13615,
8258, 8354,	10501, 10509,	13619, 14249, 14253
8375, 8405,	10511, 10513,	\scr@saved@LTRfootnotetext
8550, 8570, 8601	10522, 10578,	. 13145, 13148,
\RTLmarginnote ... 3851	10928, 11097,	13155, 13613,
\RTLmarginpar ... 16196	11112, 11144,	13616, 13623,
\RTLmulticolcolumns	13536, 13550,	14247, 14250, 14257
..... 11492	13590, 14060,	\scr@saved@RTLfootnotetext
\RTLsidenote 3829	14074, 14114,	. 13146, 13149,
\RTLthanks 339, 359,	14651, 14665,	13159, 13614,
394, 413, 4177,	14705, 14870,	13617, 13627,
4185, 4202,	14887, 15931, 16357	14248, 14251, 14261
4218, 4229,	\sc@@temp ... 14183,	\scr@smashdp . 13558,
5096, 5116,	14184, 14189,	13572, 13573,
5151, 5170,	14190, 14195,	13591, 14082,
6734, 6754,	14196, 14201,	14096, 14097,
6789, 6808,	14202, 14207,	14115, 14673,
9513, 11030,	14208, 14213,	14687, 14688, 14706
12375, 12415,	14214, 14219,	\scr@tmp@footnotetext
12461, 12481,	14220, 14225,	. 13530, 13541,
12637, 12667,	14226, 14231, 14232	13542, 14054,
12707, 12725,	\SC@FLOAT	14065, 14066,
12835, 12855,	. 14728, 16473,	14645, 14656, 14657
12890, 12909,	16477, 16483,	\scr@tmp@LTRfootnotetext
13216, 13301,	16485, 16489, 16491	. 13532, 13543,
13332, 13684,	\SC@justify@caption	13544, 14056,
13769, 13800,	. 14731, 16475,	14067, 14068,
14318, 14403, 14434	16479, 16484,	14647, 14658, 14659
\rtside 11830,	16486, 16490, 16492	\scr@tmp@RTLfootnotetext
11832, 11843,	\sc@temp 14181,	. 13534, 13545,
11845, 11866, 11868	14183, 14187,	13546, 14058,
\rule 45,	14189, 14193,	14069, 14070,
58, 73, 179, 192,	14195, 14199,	14649, 14660, 14661
206, 2173, 6048,	14201, 14205,	\scriptsize ... 4018,
6540, 6544,	14207, 14211,	14182, 14188,
6547, 6955,	14213, 14217,	14194, 14200,
6971, 6987,	14219, 14223,	14206, 14212,
7001, 7014,	14225, 14229,	14218, 14224, 14230
7027, 9382,	14231, 14241, 14243	\scshape 5044
9398, 9413,	\sc@wm@text 6349	\secshape . 12726, 12767
9439, 9452, 9465	\scalebox 9830	\SectFont . 550, 559,
S	\scantokens . 2571, 2591	859, 867, 1113,
\save@dir . 11963, 15806	\scr@compatibility .	1122, 4759,
\savebox 6465,	. 13390, 13428,	4952, 12116,
9922, 9924, 10004	13858, 13885,	12125, 12568, 12577
\saveCaptionSkip . 9954	13917, 13929,	\sectfont 11995
	13945, 13953,	

<code>\section</code> .. 492, 519,	2921,	2923,	7018,	7078,
535, 550, 556,	2927,	2929,	7135,	7140,
559, 626, 786,	3301,	3868,	7147,	7208,
859, 865, 867,	3869,	3870,	7220,	7233,
894, 1040, 1113,	4127,	4128,	7273,	7352,
1119, 1122,	4129, 4154, 4155		7363,	7375,
1146, 2169,	<code>\setbox</code> .. 307, 1340,		7413,	7495,
2235, 3882,	1342, 1343,		7507,	7520,
3904, 3972,	1399, 1915,		7560,	7642,
3980, 4095,	1986, 1991,		7654,	7667,
4098, 4102,	1994, 2003,		7707,	7789,
4759, 4952,	3347, 3403,		7801,	7814,
6607, 12116,	3406, 3447,		7854,	7936,
12122, 12125,	3450, 3491,		7948,	7961,
12568, 12574, 12577	3494, 4431,		8001,	8083,
<code>\sectionbib</code> 14955	4442, 4655,		8095,	8108,
<code>\sectionfont</code> .. 2109,	4669, 5300,		8148,	8230,
2117, 6039, 6132	5327, 5332,		8242,	8255,
<code>\sectionstyle</code> 2117, 2175	5391, 5420,		8295,	8377,
<code>\sectiontitlecolour</code>	5575, 5576,		8389,	8402,
... 2100, 6001,	5580, 5583,		8442,	8466,
6009, 6016,	5593, 5597,		8467,	8474,
6023, 6030,	5600, 5604,		8487,	8490,
6100, 6106,	5612, 5615,		8492,	8497,
6112, 6118, 6124	5625, 5637,		8500,	8502,
<code>\selectfont</code> ... 267,	5648, 5651,		8504,	8532,
4243, 4245, 4247	5664, 5680,		8543,	8554,
<code>\separatorcolumnwidth</code>	5700, 5701,		8572,	8579,
..... 2140,	5706, 5707,		8585,	8592,
2141, 2152,	5712, 5715,		8598,	8605,
2158, 2174,	5738, 5746,		8639,	8646,
2179, 2185,	5756, 5807,		8653,	8668,
2242, 6146, 6176	5821, 5825,		8675,	8694,
<code>\SepMark</code> .. 15829, 15830	5835, 5840,		8702,	8715,
<code>\set@color</code> 5420, 5425,	5849, 5851,		8722,	8929,
5433, 5439,	5866, 5867,		8955,	8958,
5447, 5454,	5878, 5879,		8971,	8987,
5459, 9543,	5891, 5892,		8990,	9004,
15641, 15645, 15741	5902, 5910,		9051,	9091,
<code>\set@typeset@protect</code>	5920, 5968,		9096,	9430,
..... 9119,	6192, 6200,		9443,	9456,
9123, 14757,	6201, 6205,		9474,	9598,
16065, 16302, 16304	6213, 6221,		9607,	9611,
<code>\setboolean</code>	6222, 6226,		9635,	9649,
... 2812, 2813,	6241, 6244,		9709,	9714,
2814, 2816,	6249, 6253,		9729,	9734,
2818, 2823,	6261, 6298,		9762,	9769,
2824, 2828,	6301, 6306,		9770,	9815,
2829, 2909,	6310, 6315,		9816,	10907,
2913, 2916,	6992, 7005,		10916,	10956,

10988,	10994,	\setcounter	2017,	2019,
11185,	11196,	. 356, 391, 669,	2020,	2022,
11201,	11211,	701, 745, 923,	2023,	2025,
11229,	11234,	955, 999, 1175,	2026,	2028,
11267,	11278,	1207, 1251,	2029,	2031,
11283,	11293,	1601, 3601,	2032,	2033,
11311,	11316,	3633, 3866,	2038,	2039,
11344,	11425,	4378, 4598,	2077,	2078,
11441,	11774,	4815, 4847,	2080,	2081,
11788,	11791,	4994, 5026,	2082,	2083,
11810,	11811,	5113, 5148,	2141,	2150,
11817,	11818,	6656, 6689,	2151,	2154,
11829,	11831,	6751, 6786,	2156,	2159,
11833,	11835,	8834, 8867,	2160,	2162,
11838,	11840,	9139, 10471,	2165,	2231,
11842,	11844,	11058, 11686,	2240,	2241,
11854,	11856,	11707, 12241,	2242,	2837,
11865,	11867,	12273, 12317,	2873,	2874,
11882,	11884,	12380, 12412,	2875,	2876,
11892,	11894,	12458, 12664,	2897,	2903,
11903,	11969,	12704, 12852,	2904,	2937,
11970,	13108,	12887, 13207,	2940,	2944,
13118,	13129,	13298, 13472,	2990,	3036,
13136,	13556,	13547, 13548,	3037,	3524,
14080,	14182,	13675, 13766,	3525,	3526,
14188,	14194,	13996, 14071,	3527,	3533,
14200,	14206,	14072, 14309,	3744,	4025,
14212,	14218,	14400, 14587,	4026,	4027,
14224,	14230,	14662, 14663, 15255	4028,	4029,
14671,	14746,	\setdefaultbibitems	4030,	4031,
14788,	14833, 15834	4032,	4034,
15475,	15478,	\setdefaultmarginpar	4035,	4037,
15483,	15487, 16286	4040,	4041,
15491,	15495,	\setDefaultts 9911	4042,	4043,
15499,	15503,	\setfloatalignment 2981	4260,	4261,
15507,	15511,	\setfootnoteLR . . . 9368	4721,	4743,
15633,	15641,	\setfootnoteRL . . . 9366	4900,	4922,
15746,	15816,	\setkeys 5291, 5308,	5188,	5203,
15817,	15911,	6429, 6435,	5467,	6135,
15932,	16025,	6437, 9805,	6139,	6141,
16053,	16106,	9913, 10507,	6144,	6411,
16108,	16124,	11726, 13027, 13072	6556,	6571,
16127,	16175,	\setlength . . . 431,	7074,	7075,
16178,	16219,	448, 585, 609,	7088,	8739,
16222,	16250,	813, 831, 868,	8753,	9472,
16264, 16282, 16332		869, 870, 871,	9855,	9856,
\setcaptionfont . . 2901		872, 1072, 1097,	9862,	9863,
\setchapterpreamble		1739, 1740,	9865,	9866,
. . . . 13973, 14564		1741, 2013,	9915,	9916,
\setcitationfont . 3518		2014, 2016,	9928,	9932,

9934,	9936,	\setRTLbibitems . 15832	\shadowbox 6525
9940,	9942,	\setRTLmain 1542	\shadowsize . . . 6535,
10476,	10477,	\setRTLmarginpar 16284	6539, 6540,
10478,	10516,	\setRTLparagraphfootnotes	6543, 6544, 6547
10518,	10520, 6941	\shipout . . . 9119, 16301
10524,	10532,	\setsidenotefont . 3516	\shortauthors
10537,	10540,	\setSingleSpace 111, 112, 117
10941,	12151, 7046, 7051	\shortcite 11629
12173,	12525,	\setspace@singlespace	\shorttitle 110, 111, 117
12547,	12756,	. . 3692, 3709, 3726	\showbox 9672
12927,	12942,	\SetTagPlusEndMark .	\showoutput 9672
13164,	13375, 16438	\sidecaptionsep . . .
13378,	13410,	\setthesection . . 11075 14729,
13413,	13553,	\settoheight 6408	14730, 16474,
13579,	13632,	\settowidth	16478, 16483,
13843,	13846,	. . 85, 219, 496,	16485, 16489, 16491
13870,	13873,	630, 898, 1150,	\sidecontents 8716
13900,	13903,	2145, 4767,	\sideins . . . 7052, 8714
14077,	14103,	4960, 5270,	\sidenote 3598, 3614,
14266,	14477,	6137, 6453,	3652, 3742, 3827
14480,	14507,	6611, 6883,	\sidenotes 3655
14510,	14668,	8799, 10502,	\sideways 13134
14694,	14859,	10534, 12205,	\sigindent 14242
14860,	14908,	12598, 12796,	\sixcolumnfootnotes
14909,	14911,	13000, 13465, 7730
15279,	15283,	13989, 14181,	\sixcolumnfootstyle
15284,	15286,	14187, 14193, 7825
15287,	15289,	14199, 14205,	\sist@n . . . 1882, 1904
15290,	15292,	14211, 14217,	\size@chapter . . . 11995
15293,	15295,	14223, 14229,	\skip 4519, 4520, 6246,
15296,	15949, 15952	14580, 14938,	6303, 7099,
\setLR 11976, 15825		15440, 15442, 16441	7109, 7126,
\setLTR 11950,		\SetWatermarkText 6348	8684, 8707,
11951, 11964,		\sevendcolumnfootnotes	9490, 9711, 9731
11976, 11977,	 7877	\skip@ 238, 239
15793, 15794,		\sevendcolumnfootstyle	\sloppy 41, 54, 69, 88,
15807, 15825, 15826	 7972	175, 188, 202,
\setLTRbibitems . 15833		\sf . . . 14182, 14188,	222, 503, 637,
\setLTRmarginpar 16285		14194, 14200,	905, 1157, 2249,
\setLTRparagraphfootnotes		14206, 14212,	4774, 4967,
. 6942		14218, 14224, 14230	5277, 6618,
\setmarginnotefont 3517		\sfcode 89, 223, 507,	6890, 8806,
\setparsizes . 13224,		638, 906, 1158,	9704, 10973,
13336, 13692,		4775, 4968,	11626, 12071,
13804, 14326, 14438		5281, 6619,	12085, 12212,
\setRL 11975, 15824		6894, 8807,	12605, 12803,
\setRTL 11949,		11627, 12213,	13007, 13481,
11952, 11964,		12606, 12807,	14005, 14596, 14945
11975, 15792,		13011, 13482,	\slshape
15795, 15807, 15824		14006, 14597, 14949	576, 806, 1063,

2197,	4712,	13021,	13064,	\stepcounter
4891,	6037,	13275,	13487,	. . . 3609, 3641,
6038,	6128,	13743,	14011,	3756, 3783,
6129,	6131,	14377,	14602,	3810, 4489,
12142, 12516, 12732		14842, 15559, 16255		9138, 9206,
\small 333, 559, 660,		\spacefactor . . 3671,		9276, 9346,
867, 914, 1122,		3676, 3682,		9355, 10353,
1166, 1626,		3685, 10352, 10364		10402, 10874,
2111, 2201,		\special 1590,		11681, 11685,
2206, 2236,		11970, 14839,		11702, 11706,
4007, 4008,		14840, 14844,		13018, 13061, 16352
4073, 4081,		14845, 14847, 15817		\stopbreaks . 6913, 14241
4086, 4105,		\spinemargin 6358, 6362		\stretch 1401,
4806, 4985,		\split@prev		1404, 5393, 5396
5090, 6635,		. . 9325, 9333, 9338		\string . . 279, 1311,
6728, 8813,		\splitbotmark 9609		2260, 2266,
12125, 12232,		\splitfirstmark . . .		2283, 2284,
12369, 12577,		. . 8961, 8993, 9608		2287, 2288,
12631, 12829,		\SplitFootnoteRule 9324		2369, 2402,
13210, 13678, 14312		\splitfootnoterule .		2403, 2409,
\smallcaps 9328, 9336		2557, 2587,
. . 4361, 4362, 4363		\splitmaxdepth . 39,		2608, 2611,
\smallskip		52, 67, 173,		2638, 2640,
. 11549, 11554,		186, 200, 7093,		2700, 2761,
11561, 11570,		8956, 8988,		2762, 2775,
11581, 11586,		9375, 9391, 9406		2776, 2787,
11591, 11598,		\splittopskip . . 39,		2788, 2801,
11605, 11612, 11992		52, 67, 173, 186,		2802, 3295,
\smash 3092,		200, 7092, 7137,		3296, 5429,
3097, 3108,		7141, 7290,		5432, 5450,
3109, 3112,		7291, 7294,		5453, 9576,
3113, 3320,		7295, 7430,		9577, 9578,
6195, 6216,		7431, 7434,		9579, 9580,
9536, 10555,		7435, 7577,		9702, 9837,
11973, 15820, 15822		7578, 7581,		9838, 13275,
\space 1431,		7582, 7724,		13487, 13489,
2557, 2700,		7725, 7728,		13495, 13743,
3156, 3161,		7729, 7871,		14011, 14013,
3162, 3295,		7872, 7875,		14019, 14377,
3296, 5044,		7876, 8018,		14602, 14604,
5241, 5703,		8019, 8022,		14610, 14809,
5709, 5872,		8023, 8165,		15558, 15686, 15733
5880, 5881,		8166, 8169,		\strip@prefix 2608, 2621
6853, 8768,		8170, 8312,		\strip@pt . . 8525, 8630
9572, 9580,		8313, 8316,		\stripsep 5638,
9581, 9605,		8317, 8459,		5681, 5695,
9613, 10486,		8460, 8463,		5741, 5750,
11431, 11433,		8464, 9374,		5760, 5805,
11434, 11435,		9390, 9405,		5905, 5914,
11436, 12979,		9603, 9604, 11784		5924, 11205,

11207, 11214,	14701, 14706,	\subsubitem
11287, 11289,	14710, 14870, 14875	... 105, 160, 4117
11296, 11355,	\strutbox 39, 52, 67,	\subsubsection
11358, 11360, 11367	173, 186, 200,	.. 3909, 3910, 3913
\strut 45, 58, 73, 179,	305, 309, 6956,	\subtable 3031
192, 206, 1656,	6972, 6988,	\symbol 1669, 1679
6921, 7200,	7002, 7015,	
7203, 7206,	7028, 7093,	T
7286, 7287,	7290, 7294,	\t@cb@bchapsec .. 14931
7344, 7347,	7430, 7434,	\tabcaption . 9964, 9982
7350, 7426,	7577, 7581,	\tabcolsep ... 299,
7427, 7487,	7724, 7728,	1283, 10904, 12494
7490, 7493,	7871, 7875,	\tablinesep 14781
7573, 7574,	8018, 8022,	\tabskip . 315, 4499,
7634, 7637,	8165, 8169,	10918, 10919,
7640, 7720,	8312, 8316,	14753, 14792, 16060
7721, 7781,	8459, 8463,	\tabularnewline 324,
7784, 7787,	9375, 9382,	10888, 14755, 16062
7867, 7868,	9391, 9398,	\tagwidth . 16441, 16442
7928, 7931,	9406, 9413,	\tamark 11041
7934, 8014,	9439, 9452,	\tcd . 11781, 11788, 11789
8015, 8075,	9465, 10893,	\tcdsav 11781
8078, 8081,	10909, 10989,	\tcl . 11805, 11806, 11812
8161, 8162,	13581, 13582,	\tcn 11789,
8222, 8225,	14105, 14106,	11790, 11812,
8228, 8308,	14696, 14697,	11813, 11814, 11815
8309, 8369,	14747, 14748,	\Telefon 2091
8372, 8375,	14784, 16054, 16055	\tencolumnfootnotes
8455, 8456,	\subfigure 3031 8318
8562, 8566,	\subitem . 104, 159, 4116	\tencolumnfootstyle
8570, 8662,	\subjclass 251 8413
10987, 13537,	\subject	\TeX ... 10438, 11965,
13539, 13558,	13320, 13788, 14422	11966, 11974,
13560, 13563,	\subject@font 13233,	15808, 15809, 15821
13565, 13568,	13346, 13701,	\textbf 2204,
13572, 13574,	13814, 14335, 14448	4062, 9549,
13584, 13586,	\subparagraph	9551, 9553, 9555
13591, 13595,	.. 3918, 3919, 3922	\textbullet ... 2088,
14061, 14063,	\subsection	5994, 6058, 6092
14082, 14084,	.. 2176, 3889, 3905	\textcolor ... 6524,
14087, 14089,	\subsectioncolour .	6539, 6543,
14092, 14096,	... 2102, 6002,	6546, 9539, 10490
14098, 14108,	6010, 6017,	\textdef@ 265
14110, 14115,	6024, 6031,	\textendash 666, 920,
14119, 14244,	6101, 6107,	983, 1172, 4812,
14652, 14654,	6113, 6119, 6125	4991, 12238, 12377
14673, 14675,	\subsectionfont 2110,	\textheight ... 1575,
14678, 14680,	2118, 6040, 6133	2052, 5625,
14683, 14687,	\subsectionstyle ..	5664, 9915,
14689, 14699, 2118, 2177	13026, 13071, 16351

<code>\textit</code> 15315	12235, 12372,	8835, 8868,
<code>\textsl</code> 3179, 3180, 3181	12634, 12832,	8885, 11028,
<code>\textsuperscript</code> ..	13213, 13681, 14315	12236, 12248,
..... 3684,	<code>\textwidthfootnoterule</code>	12274, 12285,
7073, 13187,	... 6186, 6937,	12286, 12295,
13655, 14158, 14289	9304, 9753, 16377	12318, 12335,
<code>\texttt</code> 1679,	<code>\TeXeTOff</code> 11900, 15744	12373, 12387,
1743, 1745, 1746	<code>\TeXeTOn</code> ... 11899,	12413, 12426,
<code>\textwidth</code> ... 1574,	11901, 15743, 15745	12427, 12436,
2050, 2141,	<code>\TeXeTstate</code> . 11899,	12459, 12479,
2150, 2151,	11900, 15743, 15744	12635, 12665,
2163, 2165,	<code>\TF@conlab</code>	12705, 12723,
2940, 2944,	.. 9532, 9534, 9541	12833, 12853,
3037, 3338,	<code>\TF@savecolor</code> 9538, 9543	12888, 12907,
3339, 5615,	<code>\TF@Title</code> 9541	13214, 13299,
5619, 5652,	<code>\thanklessauthor</code> ..	13330, 13682,
5716, 5722, 4170,	13767, 13798,
5893, 6048,	4203, 4206, 4243	14316, 14401, 14432
6063, 6135,	<code>\thanklesspublisher</code>	<code>\thankses</code> 250
6144, 6258, 4171,	<code>\the</code> 120,
6361, 7136,	4230, 4233, 4247	121, 1299, 1393,
8486, 8971,	<code>\thanklesstitle</code> 4169,	1394, 1396,
8975, 9005,	4186, 4189, 4245	1397, 1457,
9091, 9096,	<code>\thanks</code> 250, 337, 357,	1533, 1566,
9477, 9714,	392, 411, 664,	1568, 1571,
9734, 9739,	676, 702, 713,	1573, 1812,
9883, 9886,	714, 723, 746,	1815, 1818,
9891, 9897,	763, 918, 930,	1821, 1826,
10961, 11235,	956, 967, 968,	1829, 1832,
11242, 11317,	977, 1000, 1017,	1937, 2572,
11345, 11529,	1170, 1182,	3566, 3576,
11530, 11533,	1208, 1219,	3671, 3682,
11534, 11537,	1220, 1229,	4408, 4415,
11538, 11541,	1252, 1270,	4546, 4549,
11545, 13226,	1602, 4169,	4552, 4556,
13254, 13258,	4170, 4171,	4559, 4562,
13338, 13694,	4172, 4175,	4667, 5287,
13722, 13726,	4182, 4183,	5292, 5336,
13806, 14241,	4199, 4200,	5389, 5703,
14328, 14356,	4215, 4216,	5709, 5710,
14360, 14440,	4227, 4810,	5711, 5843,
16108, 16112,	4822, 4848,	5853, 5872,
16128, 16336, 16346	4989, 5001,	5880, 5881,
<code>\textwidth@footnoterule</code>	5027, 5094,	5882, 5885,
... 336, 663,	5114, 5149,	5887, 5888,
917, 1169, 4809,	5168, 6639,	5889, 8960,
4988, 5093,	6657, 6690,	8962, 8992,
6638, 6731,	6707, 6732,	8994, 9204,
8816, 9295,	6752, 6787,	9219, 9220,
9306, 11544,	6806, 8817,	9223, 9224,

9227,	9280,	15750, 15844, 15953	4966,	5276,
9284,	9338,	\the@cornersize ...	6617,	6889,
9501,	9515, 8921, 8922	8805,	12211,
9565,	9572,	\thechapter 235, 3878,	12604,	12802,
9576,	9577,	4793,	4799,	13006,
9578,	9579,	4801,	4803,	14003, 14594, 14944
9580,	9581,	4972,	4978,	\theequation .. 4798,
9589,	9595,	4980,	4982,	4977,
9602,	9603,	5044,	5225,	5224,
9605,	9610,	5227,	5229,	6836,
9612,	9613,	5230,	5231,	8904,
9627,	9653,	5241,	6837,	9169,
9683,	9684,	6839,	6841,	9182,
9685,	9690,	6842,	6843,	10444,
9691,	9692,	6853,	8768,	11076,
9702,	9807,	8899,	8905,	12222,
9852,	10352,	8907,	8909,	12591,
10545,	10548,	9170,	9172,	12780,
10552,	10556,	9174,	9175,	12963,
10945,	10948,	9176,	9183,	13960, 14555, 16370
11189,	11206,	9185,	9187,	\thefigure 4800, 4979,
11213,	11219,	9188,	9189,	5226,
11271,	11288,	10602,	11066,	6838,
11295,	11301,	11075,	11077,	8906,
11368,	11431,	11078,	11079,	9171,
11433,	11434,	11661,	11998,	9184,
11435,	11436,	12217,	12223,	11078,
11437,	11620,	12225,	12227,	12224,
11725,	11741,	12582,	12588,	12587,
11745,	11748,	12590,	12592,	12782,
11906,	11907,	12781,	12783,	12965,
13034,	13044,	12785,	12786,	13944, 14547, 14763
13053,	13080,	12964,	12966,	\thefootdir@label .
13092,	13102,	12968,	12969,	... 9204, 9207,
13472,	13996,	12970,	12979,	9236,
14587,	14777,	13930,	13932,	9241,
14778,	14888,	13946,	13948,	9259, 9262, 9282
15341,	15344,	13954,	13956,	\thefootnote .. 373,
15345,	15347,	13962,	13964,	668, 727, 922,
15349,	15353,	14536,	14548,	981, 1174, 1233,
15358,	15362,	14552, 14556, 14971		1593,
15373,	15374,	\thecontentspage ..		4814,
15377,	15383,	... 3936, 3943,		4993,
15387,	15395,	3950, 3957, 3964		5130,
15396,	15433,	\thedata 4165, 4173, 4219		6671,
15449,	15453,	\theDefaultLines 10471		6768,
15552,	15586,	\theenumiv .. 83, 85,		8849,
15598,	15603,	217, 219, 502,		10265,
15624,	15625,	636, 904, 1156,		12240,
15627,	15749,	2248, 4773,		12299,
				12379,
				12440,
				12638,
				12681,
				12869,
				13217,
				13281,
				13685,
				13749, 14319, 14383
				\thefootnotemark ..
			 13187,
				13655, 14158, 14289
				\theHchapter 11661
				\theHsection
			 11669, 11671
				\theindex 94, 149
				\theL@lines
				10515, 10520, 10527
				\thelstlisting
			 10601, 10604
				\thempfn 1838,

1846,	1854,	12974,	13440,	11070,	12218,
3757,	3763,	13442,	13940,	12219,	12583,
3784,	3790,	13942,	14543, 14545	12584,	12787,
3811,	3817,	\thepart		12788,	12971,
4567,	4574,	475, 483, 6582, 6590		12972,	13436,
4581,	9347,	\ther@tfl@t . . 13019,		13438,	13936,
9352,	9356,	13020, 13062, 13063		13938, 14539, 14541	
9361,	9479,	\thesection		\thesubsubsection .	
9505,	9510,	. . 19, 145, 468,	 20, 21,	
9520,	9525,	621, 877, 1141,		146, 147, 469,	
10232,	10243,	3885, 4793,		470, 622, 623,	
10254, 10403, 11019		4794, 4972,		878, 879, 1142,	
\thempfootnote		4973, 5231,		1143, 4795,	
. 9479, 11019		5232, 6721,		4796, 4974,	
\theorem@indent . . .		6843, 6844,		4975, 5233,	
. 11695,		8899, 8900,		5234, 6722,	
11696, 11715, 11716		9176, 9177,		6723, 6845,	
\theorem@prework 11689		9189, 9190,		6846, 8901,	
\theorem@postskipamount		11066, 11068,		8902, 9178,	
. . . . 11690, 11710		11669, 11671,		9179, 9191,	
\theorem@preskipamount		12217, 12218,		9192, 11069,	
. . . . 11693, 11713		12582, 12583,		11072, 12219,	
\thepage 1564,		12786, 12787,		12220, 12584,	
1569, 2226,		12970, 12971,		12585, 12788,	
3067, 3179,		13436, 13928,		12789, 12972,	
3180, 3181,		13936, 14535, 14539		12973, 13437,	
3190, 3191,		\thesubparagraph 22,		13440, 13937,	
4349, 4350,		148, 471, 624,		13940, 14540, 14543	
4361, 4362,		880, 1144, 4797,		\thetable 1972,	
4363, 5769,		4976, 5235,		4802, 4981,	
5787, 5934,		6724, 6847,		5228, 6840,	
5952, 15630, 16255		8903, 9180,		8908, 9173,	
\theparagraph . . 21,		9193, 11073,		9186, 11079,	
22, 147, 148,		12221, 12586,		12226, 12589,	
470, 471, 623,		12790, 12974,		12784, 12967,	
624, 879, 880,		13441, 13941, 14544		13952, 14551, 14764	
1143, 1144,		\thesubsection . 19,		\thinlines . . . 5479,	
3899, 4796,		20, 145, 146,		5489, 5502,	
4797, 4975,		468, 469, 621,		5512, 5525,	
4976, 5234,		622, 877, 878,		5535, 5548, 5558	
5235, 6723,		1141, 1142,		\thispagestyle	
6724, 6846,		3892, 4794,	 97, 109,	
6847, 8902,		4795, 4973,		152, 389, 522,	
8903, 9179,		4974, 5232,		537, 743, 788,	
9180, 9192,		5233, 6721,		997, 1042, 1249,	
9193, 11071,		6722, 6844,		4250, 4272,	
11074, 12220,		6845, 8900,		4293, 4691,	
12221, 12585,		8901, 9177,		4870, 5083,	
12586, 12789,		9178, 9190,		5146, 6687,	
12790, 12973,		9191, 11067,		6784, 6900,	

6903, 8865,	1279, 1282,	\tocstyle@feature@dothook
10447, 10450,	1283, 1288, 15416
11056, 12103,	4819, 4998,	\tocstyle@feature@entryhook
12315, 12360,	12229, 12245, 15412
12456, 12702,	12336, 12338,	\tocstyle@feature@entryvskip
12823, 12885,	12344, 12366, 15331, 15334
13222, 13295,	12384, 12482,	\tocstyle@feature@leaders
13690, 13763,	12484, 12490, 15414, 15419
14324, 14397, 15003	12493, 12494, 12499	\tocstyle@feature@pagenumberbox
\thm@topsepadd 11690,	\titlefont 2106, 2114, 15422, 15425
11691, 11694,	6128, 13236,	\tocstyle@feature@pagenumberhook
11710, 11711, 11714	13349, 13704, 15423, 15425
\thr@@ 276, 292, 1308,	13817, 14338, 14451	\tocstyle@feature@parfillskip
1326, 1350,	\titleformat .. 3875, 15402, 15403
1359, 7431,	3882, 3889, 3896	\tocstyle@feature@raggedhook
7435, 14806, 14826	\titlehead 15338
\threecolumnfootnotes	13319, 13787, 14421	\tocstyle@feature@spaceafternumber
..... 7296	\titlepage ... 548, 15439,
\threecolumnfootstyle	857, 1111, 4757,	15443, 15464, 15468
..... 7385	4950, 12114, 12566	\tocstyle@indentstyle
\tiny .. 1639, 3662, 4019	\titlepagestyle 15389, 15459
\title 247, 365,	13295, 13763, 14397	\tocstyle@l@define .
401, 708, 753,	\titlespacing 15476, 15479,
962, 1007, 1214,	.. 3903, 3904, 3905	15484, 15488,
1259, 1609,	\titlestyle . 2114, 6159	15492, 15496,
2128, 2167,	\toaddress . 6909, 10456	15500, 15504,
4164, 4179,	\toc@headstar	15508, 15512, 15544
4854, 5033, 14993, 14998	\tocstyle@macrochangewarning
5122, 5158,	\toc@l@number 13377, 15532, 15539
6663, 6697,	13378, 13412,	\tocstyle@numberline
6760, 6796,	13413, 13845, 15318, 15437
8841, 8875,	13846, 13872,	\tocstyle@saved@dottedtocline
12280, 12325,	13873, 13902, 15534
12421, 12468,	13903, 14479,	\tocstyle@saved@numberline
12673, 12714,	14480, 14509, 14510 15542
12861, 12897,	\toclevel@subfigure	\tocstyledepth 15329,
13317, 13785, 14419 15205	15341, 15353,
\TitleBarFrame	\toclevel@subtable .	15373, 15374,
... 9530, 9549, 15225	15377, 15395,
9551, 9553, 9555	\tocstyle@numberline	15396, 15445,
\titlecolour 2097, 6095 15440,	15447, 15449, 15453
\titlecontents	15442, 15460,	\tocstyleTOC
... 3931, 3938,	15462, 15465, 15467	. 15341, 15344,
3945, 3952, 3959	\tocstyle@activate@all@l	15345, 15347,
\TitleFont 657, 673, 15553	15349, 15353,
764, 766, 772,	\tocstyle@activate@features	15354, 15356,
911, 927, 1018, 15330	15357, 15361,
1020, 1026,	\tocstyle@dottedtocline	15365, 15366,
1163, 1179, 15317	15369, 15370,
1271, 1273,		15373, 15374,

15377, 15379,	\TOTALHEIGHT	\turn 13106
15381, 15382, 14838, 14842	\turnbox 13127
15386, 15391,	\totalheight 9834	\tw@ 275,
15392, 15395,	\traditionalpoem . 4588	283, 1307, 1315,
15396, 15445,	\traditionalpoem@cr	1349, 1353,
15447, 15448, 15452	.. 4459, 4508, 4509	1358, 1894,
\today 4173	\traditionalpoem@obeylines	2403, 7291,
\toks 118, 4389, 4588	7295, 8926,
120, 1393, 1394,	\traditionalpoem@par	8927, 9607,
1396, 1397,	.. 4389, 4390, 4508	9611, 9612,
3559, 3560,	\trimb 3561, 3568	9626, 9630,
3566, 5389,	\trimc 3570	9635, 9638,
9608, 9609, 9610	\trivlist	9649, 9653,
\toks@ 117,	9042, 11692, 11712	9654, 9655,
121, 8959, 8960,	\ttdefault . 6034, 6126	9656, 9659,
8961, 8962,	\ttfamily 1626,	9770, 9772,
8991, 8992,	1666, 1667,	9773, 9775,
8993, 8994,	1669, 1670,	9776, 9779,
9804, 9807,	1671, 1672,	9781, 9782,
9841, 9843,	1673, 1674, 1675	9816, 9818,
9847, 9849, 9852	\ttl@a 14893, 14895	9819, 9821,
\tolerance 7196, 7340,	\ttl@b 14888,	9822, 9825,
7483, 7630,	14889, 14893, 14895	9827, 9828,
7777, 7924,	\ttl@beginlongest 14863	10546, 11441,
8071, 8218, 8365	\ttl@calc . 14858, 14870	11447, 11448,
\toname 6909, 10456	\ttl@changeccentercr	11456, 11457,
\topheight 14862	11462, 11463,
. 11793, 11795,	\ttl@contentsstretch	11476, 11477,
11796, 11797, 14900	11484, 11485,
11799, 11805,	\ttl@corr	11501, 11506,
11807, 11809,	14915, 14916, 14919	11970, 11971,
11810, 11811,	\ttl@endlongest . 14878	13178, 13646,
11874, 11875,	\ttl@filleft	14150, 14280,
11876, 11877, 14852, 14881	14782, 14805,
11881, 11882, 11886	\ttl@filright	14813, 15117,
\topmargin 1579, 2051, 14853, 14882	15817, 15818,
6380, 9131, 16330	\ttl@glcmds 14865	16073, 16077, 16079
\topmark 8959,	\ttl@hmode@error 14864	\twocolumn 382, 519,
8968, 8991, 9000	\ttl@leaders 14917	535, 736, 786,
\topsep 1721,	\ttl@lselect	990, 1040, 1242,
1730, 2240, 14924, 14927	1563, 4689,
2866, 4013,	\ttl@makeline	4868, 5080,
4055, 11088, 11090 14858, 14913	5139, 5768,
\topskip . 228, 1587,	\ttl@margin 14912, 14918	5933, 6680,
5829, 5832,	\ttl@midlongest . 14877	6777, 8858,
9614, 9616,	\ttl@outnblock . 14891	11047, 12101,
9621, 11094,	\ttl@savel@chapter .	12308, 12358,
11348, 14969, 14926	12449, 12695,
14975, 14980,	\ttl@savel@part . 14923	12820, 12878,
14987, 14992, 14997	\ttl@hang 14857	13288, 13756,

14390, 14969,	13542, 13544,	\unrestored@protected@xdef
14975, 14980,	13546, 14066,	... 1838, 1846,
14987, 14992, 14997	14068, 14070,	1854, 3763,
\twocolumnfootnotes	14657, 14659, 14661	3790, 3817,
..... 7149	\underline 16030, 16038	4567, 4574,
\twocolumnfootstyle	\undertext 16038	4581, 9352,
..... 7244	\unexpanded	9361, 9510,
\typeout 1456,	... 2430, 2439,	9525, 10232,
1458, 3063,	2440, 2447,	10243, 10254, 10265
3065, 3066,	2448, 2461,	\unsetfootnoteRL ..
3067, 3069,	2462, 2469, 9367, 9368
3071, 3072,	2470, 2571, 2692	\unsetLTR . 11952, 15795
3073, 9214,	\unhbox . 1423, 4414,	\unsetRL . 11977, 15826
15341, 15353,	4679, 5415,	\unsetRTL . 11951, 15794
15373, 15374,	8468, 8492,	\unskip 45, 58, 73, 179,
15377, 15395, 15396	8502, 8505,	192, 206, 1375,
	8668, 8670,	1376, 1377,
U	8675, 8677,	3117, 3120,
\uc@authornothanks .	15933, 15940,	3123, 3126,
.... 685, 714,	15960, 16083,	3769, 3796,
719, 939, 968,	16084, 16085, 16086	3823, 4441,
973, 1191, 1220,	\unhcopy 14792	4452, 5319,
1225, 4831,	\unitindent 558, 569,	5812, 5824,
5010, 12257,	570, 572, 645,	5835, 5837,
12286, 12291,	653, 798, 799,	5841, 5845,
12396, 12427, 12432	801, 867, 868,	7107, 8469,
\uc@ax 715, 716,	870, 871, 883,	8470, 9488,
969, 970, 1221,	890, 984, 1056,	10988, 10991,
1222, 12287,	1057, 1059,	13111, 13121,
12288, 12428, 12429	1121, 1130,	13139, 13539,
\uc@nothanks	1138, 4705,	13560, 13565,
. 676, 713, 714,	4706, 4708,	13574, 14063,
723, 930, 967,	4782, 4790,	14084, 14089,
968, 977, 1182,	4884, 4885,	14098, 14654,
1219, 1220,	4887, 4938,	14675, 14680,
1229, 4822,	4946, 12124,	14689, 15890, 16287
5001, 12248,	12135, 12136,	\unvbox . 1961, 1986,
12285, 12286,	12138, 12189,	1991, 2000,
12295, 12387,	12197, 12509,	2003, 5333,
12426, 12427, 12436	12510, 12512,	5334, 5580,
\uc@tx 713, 721,	12576, 12613, 12621	5583, 5600,
967, 975, 1219,	\unitlength ... 5479,	5604, 5639,
1227, 12285,	5489, 5502,	5682, 5739,
12293, 12426, 12434	5512, 5525,	5747, 5748,
\uc@ty 722, 723,	5535, 5548, 5558	5757, 5835,
976, 977, 1228,	\unkern 3683	5837, 5841,
1229, 12294,	\unpenalty 5322, 5812,	5844, 5850,
12295, 12435, 12436	5824, 5835,	5854, 5903,
\undefined 4541, 4594,	5841, 8471,	5911, 5912,
4597, 4599,	8489, 8499, 9638	5921, 5969,

6200,	6203,	\uppercase	10132,	10139,
6204,	6221,	. 235, 693, 713,	10141,	10145,
6224,	6225,	947, 967, 1199,	10147,	10152,
6250,	6257,	1219, 4839,	10154,	10158,
6262,	6267,	5018, 12265,	10160,	10164,
6307,	6312,	12285, 12404, 12426	10166,	10170,
6316,	6321,	\uppercasenonmath . 110	10172,	10185,
6993,	7006,	\uppermargin 6364	10187,	10502,
7019,	7080,	\uppertitleback . . .	10555,	10557,
7112,	7118,	13322, 13790, 14424	11902, 11903, 15746	
7148,	7209,	\upshape 3936,	\usecounter	
7221,	7234,	3943, 3950,	. . 87, 221, 500,	
7274,	7353,	3957, 3964,	634, 902, 1154,	
7364,	7376,	6035, 6039,	2246,	4051,
7414,	7496,	6040, 6127,	4771,	4964,
7508,	7521,	6132, 6133, 11993	5274,	6615,
7561,	7643,	\url@ 10411	6887,	8803,
7655,	7668,	\urlstyle 2070	12209,	12602,
7708,	7790,	\usebox . 1706, 1716,	12800,	13004,
7802,	7815,	2964, 3090,	13471,	13476,
7855,	7937,	3092, 3097,	13995,	14000,
7949,	7962,	3099, 3108,	14586, 14591, 14942	
8002,	8084,	3109, 3112,	\usekomafont . 13192,	
8096,	8109,	3113, 3320,	13201,	13238,
8149,	8231,	6470, 6473,	13351,	13387,
8243,	8256,	6481, 6488,	13388,	13423,
8296,	8378,	6496, 6503,	13424,	13660,
8390,	8403,	6546, 9922,	13669,	13706,
8443,	8466,	9926, 10009,	13819,	13855,
8573,	8586,	10011, 10015,	13856,	13882,
8599,	8647,	10017, 10022,	13883,	13913,
8666,	8673,	10024, 10028,	13914,	14294,
8697,	8705,	10030, 10034,	14303,	14340,
8711,	8717,	10036, 10040,	14453,	14489,
9431,	9444,	10042, 10048,	14490, 14520, 14521	
9457,	9493,	10049, 10052,		
9498,	9601,	10053, 10057,		
9611,	9638,	10058, 10061,	V	
10994,	11012,	10062, 10065,	\v@aaa 5700,	
11202,	11204,	10066, 10069,	5702,	5703,
11212,	11230,	10070, 10084,	5704,	5706,
11232,	11284,	10085, 10087,	5708,	5709,
11286,	11294,	10088, 10100,	5710,	5711,
11312,	11314,	10101, 10103,	5866,	5868,
11366,	11831,	10104, 10110,	5870,	5872,
11835,	11840,	10111, 10114,	5873,	5878,
11844,	11856,	10115, 10119,	5879,	5881,
11867,	11887,	10120, 10123,	5884, 5885, 5888	
11890, 11895, 15960		10124, 10127,	\v@ccc . . 5701, 5707,	
\unvcopy 5807, 6244, 6301		10128, 10131,	5709,	5710,
			5711,	5712,

5721,	5729,	5637,	5651,	8554,	8572,
5867,	5879,	5664,	5680,	8579,	8585,
5880,	5884,	5701,	5707,	8592,	8598,
5887,	5891,	5712,	5715,	8605,	8639,
\vadjust 4417,	4418, 4425	5721,	5724,	8646,	8653,
\valign	7138, 7142	5729,	5734,	8694,	8702,
\value ..	3604, 3636,	5738,	5746,	8715,	8790,
9204,	9219,	5756,	5807,	8971,	9004,
9220,	9223,	5835,	5837,	9091,	9096,
9224,	9227,	5840,	5849,	9119,	9132,
13529,	14053, 14644	5867,	5879,	9146,	9291,
\varcustomer .	14172,	5891,	5892,	9430,	9443,
14198,	14199, 14202	5894,	5898,	9456,	9474,
\varinvoice ..	14173,	5902,	5910,	9598,	9611,
14204,	14205, 14208	5920,	5968,	9635,	9714,
\varmyref ...	14171,	5974,	6192,	9734,	10465,
14192,	14193, 14196	6200,	6201,	10916,	10956,
\varrefitemi .	14174,	6209,	6213,	10994,	11094,
14210,	14211, 14214	6221,	6222,	11196,	11201,
\varrefitemii	14175,	6230,	6244,	11203,	11211,
14216,	14217, 14220	6249,	6253,	11229,	11234,
\varrefitemiii	14176,	6256,	6260,	11278,	11283,
14222,	14223, 14226	6261,	6278,	11285,	11293,
\varrefitemnamei	14212	6285,	6301,	11311,	11316,
\varrefitemnameii	14218	6306,	6310,	11344,	11542,
\varrefitemnameiii .		6311,	6314,	11817,	11818,
.....	14224	6315,	6330,	11831,	11835,
\varyourmail .	14170,	6337,	6629,	11840,	11844,
14186,	14187, 14190	6929,	6992,	11856,	11867,
\varyourref ..	14169,	7005,	7018,	11882,	11884,
14180,	14181, 14184	7078,	7208,	11886,	11889,
\vbadness	7137,	7220,	7233,	11894,	11929,
7141,	8957,	7273,	7352,	11936,	11937,
8989,	9090, 11783	7363,	7375,	11944,	12004,
\vbox	28,	7413,	7495,	12194,	12618,
163,	233, 318,	7507,	7520,	12776,	12959,
324,	464, 650,	7560,	7642,	13197,	13515,
888,	1135, 1343,	7654,	7667,	13556,	13665,
1410,	1918,	7707,	7789,	14039,	14080,
1986,	1991,	7801,	7814,	14164,	14299,
1994,	1999,	7854,	7936,	14630,	14671,
2000,	2003,	7948,	7961,	14759,	14794,
3347,	3348,	8001,	8083,	14799,	15475,
3350,	4401,	8095,	8108,	15478,	15483,
4787,	4943,	8148,	8230,	15487,	15491,
5220,	5327,	8242,	8255,	15495,	15499,
5332,	5402,	8295,	8377,	15503,	15507,
5580,	5583,	8389,	8402,	15511,	15772,
5600,	5604,	8442,	8466,	15779,	15780,
5615,	5625,	8532,	8543,	15787,	15950,

15955, 16051,	13731, 14332,	4882, 4921,
16068, 16108,	14354, 14359, 14365	4996, 5005,
16127, 16265,	\vfuuzz . 3572, 3575, 3576	5015, 5046,
16301, 16331, 16332	\vleftskip 11062, 11063	5051, 5055,
\vboxL 11937,	\voffset 1583	5057, 5063,
13026, 13071, 15780	\voidb@x 5300	5067, 5069,
\vboxR 11929, 15772	\vpic 11807, 11817, 11818	5098, 5101,
\vcenter 318,	\vrighskip 11062, 11063	5107, 5166,
1407, 5399,	\vrule . . . 307, 1422,	5172, 5178,
14794, 15827,	3349, 3350,	5182, 5202,
15957, 15958, 16051	4400, 4402,	5243, 5248,
\veqno 254, 255	5414, 5617,	5256, 5638,
\VerbBox . . . 6527, 6529	5656, 5719,	5681, 5741,
\verse@i 4431, 4462,	5731, 5896,	5742, 5750,
4468, 4476, 4517	8973, 9008,	5751, 5760,
\verse@ii 4442, 4463,	9717, 9736,	5761, 5842,
4469, 4471,	10907, 10943,	5905, 5906,
4477, 4479, 4517	11206, 11213,	5914, 5915,
\versewidth	11238, 11288,	5924, 5925,
. . 4394, 4404, 4496	11295, 11321,	6265, 6319,
\vfil 340, 354,	11348, 11460,	6596, 6604,
549, 552, 670,	11471, 14747,	6641, 6644,
699, 858, 861,	14789, 16054,	6650, 6705,
924, 953, 1112,	16110, 16132, 16279	6709, 6715,
1115, 1176,	\vsize 1978,	6719, 6736,
1205, 4401,	1998, 2006,	6739, 6745,
4758, 4761,	5777, 5942,	6804, 6810,
4816, 4845,	9111, 9563, 9614	6816, 6820,
4951, 4954,	\vskip 236, 239,	6855, 6860,
4995, 5024,	341, 344, 350,	6869, 7099,
5097, 5111,	409, 415, 421,	7109, 7121,
6200, 6221,	425, 489, 567,	8680, 8684,
6640, 6654,	671, 680, 690,	8698, 8706,
6735, 6749,	761, 765, 771,	8707, 8752,
8818, 8832,	775, 796, 925,	8770, 8774,
12115, 12118,	934, 944, 1015,	8782, 8819,
12242, 12271,	1019, 1025,	8822, 8828,
12381, 12410,	1029, 1054,	8883, 8887,
12567, 12570,	1177, 1186,	8893, 8897,
12648, 12662,	1196, 1267,	9131, 9133,
12836, 12850, 16333	1272, 1278,	9134, 9490,
\vfill 4246,	1282, 1288,	9599, 9637,
7138, 7142,	1291, 1933,	9642, 10531,
11882, 11887,	4457, 4484,	10576, 10589,
11888, 13036,	4520, 4521,	10934, 11009,
13051, 13083,	4527, 4531,	11088, 11090,
13100, 13230,	4533, 4644,	11093, 11134,
13252, 13257,	4646, 4703,	11143, 11151,
13263, 13698,	4742, 4817,	11204, 11205,
13720, 13725,	4826, 4836,	11207, 11214,

11231,	11286,	14133,	14177,	14987, 14992, 14997
11287,	11289,	14178,	14293,	\vsplit . 5575, 5576,
11296,	11313,	14302,	14336,	5593, 5597,
11355,	11367,	14339,	14341,	5702, 5708,
11386,	11398,	14347,	14349,	5713, 5868,
11410,	11782,	14351,	14367,	5870, 5879,
11799,	11820,	14445,	14449,	5891, 5971,
11886,	12133,	14452,	14454,	7147, 8958,
12172,	12243,	14461,	14463,	8990, 9607,
12252,	12262,	14466,	14471,	11788, 11791,
12333,	12337,	14506,	14625,	11810, 11811,
12343,	12347,	14632,	14716,	11829, 11833,
12382,	12391,	14718,	14722,	11838, 11842,
12401,	12476,	14724,	15061,	11854, 11865, 11892
12483,	12489,	15080,	15101,	\vss . 233, 1991, 2003,
12493,	12499,	15118,	15135,	5628, 5667,
12502,	12507,	15152,	15169,	5702, 5708,
12546,	12649,	15187,	15206,	5713, 5721,
12652,	12658,	15226,	15261,	5724, 5729,
12722,	12728,	15332,	15516,	5734, 5869,
12733,	12736,	15566,	15570,	5879, 5891,
12755,	12837,	15589,	15972,	5894, 5898,
12840,	12846,	15981,	15990,	5972, 6257,
12905,	12911,	15999,	16089,	6267, 6312,
12917,	12921,	16265,	16330,	6321, 9147,
12941,	12981,	16341, 16356, 16364		11817, 11818,
12985,	12993,	\vspace 2170,		11889, 12004, 15960
13191,	13200,	2957, 3041,		\vtop 318, 1342, 1409,
13234,	13237,	3049, 3627,		3408, 3452,
13239,	13245,	3631, 3691,		3496, 5333,
13247,	13249,	3695, 3708,		5401, 10898,
13265,	13343,	3712, 3725,		14794, 15956,
13347,	13350,	3729, 3840,		16051, 16180, 16224
13352,	13359,	3847, 3854,		
13361,	13364,	3933, 3940,		W
13369,	13510,	3947, 3954,		\waslice 11817, 11835,
13517,	13601,	3961, 4244,		11840, 11856,
13603,	13607,	4288, 4292,		11875, 11876, 11885
13609,	13659,	5040, 5060,		\wbslice 11818,
13668,	13702,	5237, 5251,		11831, 11844,
13705,	13707,	6849, 6864,		11867, 11874,
13713,	13715,	6908, 6910,		11876, 11877,
13717,	13733,	6912, 8765,		11881, 11882,
13811,	13815,	8777, 10455,		11889, 11894, 11895
13818,	13820,	10457, 10976,		\wd 4407, 4408,
13827,	13829,	10989, 12976,		4468, 4469,
13832,	13837,	12988, 14235,		4471, 4477,
13899,	14034,	14238, 14240,		4517, 4618,
14041,	14125,	14245, 14969,		4620, 4633,
14127,	14131,	14975, 14980,		4635, 5423,

6540,	6544,	\WF@size .. 15577, 15631	\XC@declaredcolor 15677
8476,	8937,	\WF@startwrapping 15636	\XC@display .. 15684,
9052,	9536,	\WF@wfname	15688, 15718, 15735
9654,	9655,	15595, 15630, 15632	\XC@edef .. 15671, 15720
9779,	9781,	\WF@wrapil 15624, 15627	\XC@fbox
9825,	9827,	\whiledo	15739
9928,	10009,	\widowpenalty	\XC@getmodclr
10011,	10015,	.. 88, 222, 506, 15651, 15694
10017,	10048,	637, 905, 1157,	\XC@inflate 15665, 15708
10049,	10052,	2249, 4505,	\XC@let@Nc 15686, 15733
10053,	10077,	4774, 4967,	\XC@mclr .. 15665, 15708
10078,	10080,	5280, 6618,	\XC@mmod 15663,
10093,	10094,	6893, 8806,	15664, 15706, 15707
10096,	10110,	11626, 12212,	\XC@mul ... 15666, 15709
10111,	10114,	12605, 12806,	\XC@split
10115,	10139,	13010, 13481,	15729
10141,	10145,	14005, 14596, 14948	\XC@tgt@mod 15659, 15702
10147,	10532,	\WIDTH 14834, 14842	\XC@type .. 15672, 15721
10533,	10583,	\width . 9557, 9847, 9849	\XC@undeclaredcolor
10929,	10995,	\widthof ... 6395, 6400 15668, 15679
11100,	11104,	\windowbox 11884, 11890	\xcolor@ .. 15683, 15717
11106,	11114,	\wlog 5703, 5709, 5711,	\xdef
11145,	11427,	5872, 5880, 5887	260,
11775,	11971,	\write	313, 1659, 1958,
13023,	13068,	1964,	2369, 2447,
13124,	13131,	4390, 4393, 4604	2448, 2451,
13554,	14078,	\wstrutbox 11794, 11796	2452, 2469,
14183,	14189,		2470, 2473,
14195,	14201,		2474, 4408,
14207,	14213,		4410, 4491,
14219,	14225,		4493, 4495,
14231,	14669,		6210, 6231,
14834,	14871,		6276, 6282,
14888,	15600,		6283, 6328,
15644,	15818,		6334, 6335,
15937, 16026, 16358			8525, 8630,
\WF@@everypar ... 15563			8687, 8960,
\WF@adjlw . 15603, 15628			8962, 8992,
\WF@adjtlm 15625, 15628			8994, 9338,
\WF@box			10495, 10914,
15600, 15633, 15634			14888, 15357,
\WF@floatfalse 15566,			15361, 15382,
15574, 15584, 15587			15386, 15448,
\WF@fltmes			15452, 15598,
15593			15603, 15624,
\WF@info 15573,			15625, 15627, 15628
15583, 15586,			\XeLaTeX 10439,
15595, 15630, 15632			15822, 16517, 16518
\WF@ovh			\XeTeX . 10438, 11973,
15600			15820, 16515, 16516
\WF@place . 15598, 15604			\xyzzz
\WF@putfigmaybe . 15564			3553

Y		4258,	4421,	6198,	6219,
<code>\yourmailname</code>	... 14188	4424,	4427,	6236,	6237,
<code>\yourrefname</code> 14182	4468,	4469,	6239,	6240,
Z		4471,	4477,	6248,	6270,
<code>\z@</code>	.. 12, 24, 45, 58,	4491,	4495,	6272,	6275,
	73, 95, 99, 107,	4499,	4500,	6293,	6294,
	124, 138, 150,	4501,	4502,	6296,	6297,
	154, 179, 192,	4503,	4504,	6305,	6322,
	206, 233, 241,	4517,	4530,	6324,	6327,
	245, 277, 281,	4598,	4610,	6509,	6531,
	284, 295, 310,	4611,	4618,	6533,	6535,
	315, 321, 322,	4620,	4633,	6538,	6540,
	386, 433, 445,	4635,	4643,	6542,	6544,
	450, 479, 517,	4687,	4691,	6546,	6547,
	522, 523, 533,	4692,	4703,	6553,	6558,
	537, 538, 567,	4704,	4707,	6572,	6586,
	568, 571, 573,	4709,	4722,	6599,	6684,
	586, 611, 665,	4745,	4799,	6781,	6827,
	682, 740, 784,	4801,	4803,	6837,	6839,
	788, 789, 796,	4811,	4828,	6841,	6850,
	797, 800, 803,	4866,	4870,	6865,	6955,
	815, 832, 869,	4871,	4882,	6971,	6987,
	872, 919, 936,	4883,	4886,	7001,	7014,
	982, 994, 1038,	4888,	4901,	7027,	7062,
	1042, 1043,	4924,	4978,	7067,	7122,
	1054, 1055,	4980,	4982,	7123,	7195,
	1058, 1060,	4990,	5007,	7339,	7482,
	1073, 1099,	5041,	5061,	7629,	7776,
	1171, 1188,	5078,	5083,	7923,	8070,
	1246, 1283,	5084,	5143,	8217,	8364,
	1309, 1313,	5190,	5205,	8475,	8560,
	1316, 1329,	5225,	5227,	8564,	8568,
	1351, 1359,	5229,	5238,	8660,	8681,
	1377, 1387,	5252,	5302,	8682,	8683,
	1389, 1399,	5303,	5314,	8740,	8755,
	1401, 1406,	5316,	5344,	8766,	8778,
	1420, 1422,	5346,	5391,	8862,	8905,
	1423, 1878,	5393,	5398,	8907,	8909,
	1933, 1961,	5412,	5414,	8938,	9077,
	1977, 1979,	5415,	5420,	9130,	9147,
	1986, 1990,	5421,	5422,	9170,	9172,
	1991, 1994,	5423,	5424,	9174,	9183,
	2000, 2854,	5458,	5469,	9185,	9187,
	2863, 3156,	5587,	5696,	9333,	9382,
	3389, 3393,	5743,	5752,	9398,	9413,
	3433, 3437,	5762,	5780,	9439,	9452,
	3477, 3481,	5783,	5820,	9465,	9479,
	4010, 4037,	5862,	5907,	9483,	9604,
	4068, 4080,	5916,	5926,	9654,	9661,
		5945,	5948,	9687,	9688,

9689,	9762,	12508,	12511,	14855,	14856,
9763,	9764,	12513,	12526,	14866,	14870,
9769,	9770,	12549,	12588,	14871,	14872,
9771,	9772,	12590,	12592,	14875,	14884,
9773,	9775,	12647,	12690,	14885,	14887,
9776,	9778,	12699,	12726,	14888,	14890,
9779,	9781,	12743,	12758,	14898,	14903,
9815,	9816,	12781,	12783,	14918,	15003,
9817,	9818,	12785,	12818,	15004,	15078,
9819,	9821,	12823,	12824,	15168,	15186,
9822,	9824,	12882,	12929,	15279,	15332,
9825,	9827,	12944,	12964,	15337,	15342,
10518,	10563,	12966,	12968,	15390,	15516,
10567,	10602,	12977,	12989,	15573,	15580,
10876,	10878,	13023,	13024,	15581,	15599,
10910,	10916,	13025,	13068,	15615,	15618,
10919,	10924,	13069,	13070,	15627,	15628,
10927,	10943,	13108,	13112,	15630,	15634,
10967,	10969,	13113,	13118,	15641,	15642,
10991,	11020,	13122,	13123,	15643,	15644,
11050,	11053,	13124,	13129,	15739,	15746,
11077,	11186,	13130,	13131,	15788,	15790,
11190,	11200,	13136,	13140,	15816,	15817,
11258,	11268,	13141,	13183,	15818,	15841,
11272,	11282,	13191,	13200,	15842,	15843,
11337,	11354,	13224,	13247,	15911,	15912,
11363,	11365,	13265,	13292,	15916,	15972,
11386,	11398,	13336,	13361,	15981,	15990,
11410,	11430,	13382,	13405,	15999,	16003,
11441,	11616,	13418,	13510,	16023,	16024,
11620,	11661,	13517,	13562,	16056,	16067,
11671,	11903,	13651,	13659,	16075,	16080,
11945,	11947,	13668,	13692,	16089,	16161,
11969,	11970,	13715,	13733,	16165,	16205,
11971,	11980,	13760,	13804,	16209,	16250,
11981,	12004,	13829,	13850,	16254,	16257,
12049,	12050,	13877,	13908,	16267,	16268,
12064,	12067,	14034,	14041,	16272,	16279,
12081,	12099,	14086,	14154,	16311,	16328,
12103,	12104,	14285,	14293,	16339,	16367, 16368
12133,	12134,	14302,	14326,	\z@skip .	1933, 9128,
12137,	12139,	14349,	14367,	9129,	10967,
12152,	12175,	14394,	14438,	10970,	12064,
12223,	12225,	14463,	14484,	12068,	12078,
12227,	12237,	14515,	14625,	14753,	14758,
12254,	12312,	14632,	14677,	14792,	14798,
12356,	12360,	14749,	14773,	16002,	16003,
12361,	12376,	14785,	14789,	16060,	16066, 16328
12393,	12453,	14807,	14811,	\zifrefundefined .	.
12494,	12507,	14818,	14829,	9236, 9259

<code>\zref@extractdefault</code>	<code>\zref@labelbyprops</code>
..... 9241, 9262 9207, 9282

9 Change History

v13.9	v14.2
General: Added implementaion of the package. 1	General: Fixed the wrong order of toc, lot, lof, etc with multicol package. 261
v14.1	v14.3
General: Defined <code>\maketag@@@</code> ver- sion of ntheorem package. .. 364	General: Removed <code>\leavevmode</code> to avoid extra <code>\par</code> 120